PROLANCE
Simplifying Interiors

ORIGIN

PROJECT API REFERENCE

Author	S. Jaisimha, Prolance Services Pvt Ltd, Bengaluru		
Revision	R0	13th December 2021	First release
	R1	14th December 2022	Added GET Quotes endpoint

PROLANCE
Simplifying Interiors

CONTENTS

POST /TOKEN 3

POST /PARTNERS/LOGIN 4

PUT /PARTNERS/CREATE 6

PUT /PARTNERS/UPDATE 6

GET /PROJECTS/<PARTNERID> 7

PUT /PROJECTS/CREATE 9

PUT /PROJECTS/UPDATE 9

GET /ROOMS/OPTIONS/MODULESBOQ/<OPTIONID> 10

GET /ROOMS/OPTIONS/<OPTIONID>/SKIRTINGS 13

GET /ROOMS/OPTIONS/<OPTIONID>/WORKTOPS 14

GET /ROOMS/OPTIONS/<OPTIONID>/SERVICES 15

GET /ROOMS/OPTIONS/<OPTIONID>/HARDWARE 16

GET /ROOMS/OPTIONS/<OPTIONID>/APPLIANCES 17

GET /ROOMS/QUOTES/<PROJECTID> 18

To start interacting with the API server, you must first generate a token by providing a valid username and password. The generated token is valid for a period of **twenty-four hours** from the time of generation and will need to be refreshed by generating a new token after that.

POST /TOKEN

```
curl -i -X POST \
   -H "Content-Type:application/x-www-form-urlencoded" \
   -d "grant_type=password" \
   -d "username=<user name>" \
   -d "password= <password>” \
 'https://prolance-api.<customer>.com/token'
```

Note that both username and password are case sensitive. If the username and password are valid, the return JSON will be

200 OK

```
{
    "access_token": "A1KaDx51f.....",
    "token_type": "bearer",
    "expires_in": 86399
}
```

If either is invalid, the return JSON will be

400 Bad Request

```
{
    "error": "invalid_access",
    "error_description": "Unknown user '<username>' or invalid password."
}
```

If the user is marked as “Inactive”, the return JSON will be

400 Bad Request

```
{
    "error": "invalid_access",
    "error_description": "User '<username>' is no longer active."
}
```

POST /PARTNERS/LOGIN

```
curl -i -X POST \
   -H "Content-Type:application/json" \
   -H "Authorization:Bearer <Enter Token Here>" \
   -H "OriginSessionID:TestSessionID" \
   -d \
'{
  "LoginID": "username@company.com",
  "Password": "password"
}' \
'https://prolance-api.<customer>.com/Origin/Partners/Login'
```

The payload validating a login is:

```
{
  "LoginID": "username@company.com ",
  "Password": "password"
}
```

Attribute	Type	Description
LoginID	String	Email ID of the partner
Password	String	Password for this account

If the login is successful, the return JSON will be:

```
{
  "partnerID": 10003,
  "eMail": "someone@somewhere.com",
  "pass": null,
  "title": "Ms.",
  "firstName": "Someone",
  "lastName": "Somewhere",
  "mobile": "6700629091",
  "contact": "",
  "city": "Bengaluru",
  "state": "Karnataka",
  "pin": "560026",
  "gstin": "NOGSTNUMBER",
  "refCode": "LTEGFX",
  "domain": "",
  "website": "www.prolance.co.in",
  "isActive": true,
  "pRefBy": null,
  "createdOn": "2021-01-07T10:43:54",
  "modifiedOn": "2021-01-07T10:53:28",
  "pGroup": {
    "pgid": 10002,
    "pGroup": "Prolance Trade Partners",
    "isInternal": false,
    "isActive": true,
    "createdOn": "2020-12-22T14:30:00",
    "modifiedOn": "2020-12-22T14:30:00"
  }
}
```

Attribute	Type	Description
partnerID	Integer	Partner ID in Origin
eMail	String	Email ID
Pass	String	Always null
Title	String	Title
firstName	String	First name
lastName	String	Last name
Mobile	String	Mobile number
Contact	String	Additional contact details
Company	String	Company name
Address	String	Address
City	String	City name
State	String	State
Country	String	Country
PIN	String	PIN code
GSTIN	String	GST number
refCode	String	Unique reference code for this partner
Domain	String	Domain details
website	String	Website URL
isActive	Bool	True, if the partner account is active
pRefBy	Integer	Referring partner ID, if applicable, NULL if not
createdOn	DateTime	Date and time of project creation
modifiedOn	DateTime	Date and time of project modification (i.e., edit project)
pGroup	Class	Details of group to which partner belongs
pgID	Integer	Group ID in Origin
pGroup	String	Group name
isInternal	Bool	True, if this is an “Internal” group
isActive	Bool	True, if this group is active
createdOn	DateTime	Date and time of group creation
modifiedOn	DateTime	Date and time of group modification

PUT /PARTNERS/CREATE

First release: 8th January 2021

To create a new partner, the payload to be used is same as the one returned by the Login API. The PartnerID is automatically generated as part of the creation process and the Partner Group is automatically assigned as "Prolance Trade Partners".

The Email, Password, and FirstName are mandatory, all other attributes are optional for the moment. This may change at a later stage.

PUT /PARTNERS/UPDATE

First release: 8th January 2021

To update data for an existing partner, the payload to be used is same as the one returned by the Login API. The Partner ID is mandatory. Email cannot be changed once the partner is created.

GET /PROJECTS/<PARTNERID>

This endpoint will return the list of all projects created by the given PartnerID.


```
{
  "projectID": 10001,
  "partnerID": 10001,
  "projectNum": “P-0001”,
  "pName": "",
  "customer": "",
  "contactAddress": "",
  "siteAddress": "",
  "eMailID": "",
  "remarks": "",
  "mapLocation": "",
  "city": "",
  "state": "",
  "country": "",
  "isArchived": false,
  "isCompleted": false,
  "isOrdered": false,
  "isDeleted": false,
  "numQuotes": 1,
  "numReports": 0,
  "createdOn": "2021-01-07T17:42:00",
  "modifiedOn": "2021-01-07T17:42:00",
  "rooms": [
    {
      "roomID": 10001,
      "projectID": 10001,
      "roomType": "Kitchen",
      "roomName": "",
      "isDeleted": false,
      "createdOn": "2021-01-07T18:16:00",
      "modifiedOn": "2021-01-07T18:16:00",
      "options": [
        {
          "optionID": 10001,
          "roomID": 10001,
          "oName": "",
          "oDesc": "",
          "oValue": 0.0,
          "isQuoted": false,
          "isOrdered": false,
          "isDeleted": false,
          "createdOn": "2021-01-07T18:17:00",
          "modifiedOn": "2021-01-07T18:17:00"
        }
      ]
    }
  ]
}
```

Attribute	Type	Description
projectID	Integer	Project ID in Origin
partnerID	Integer	Partner ID in Origin
projectNum	String	Partner specific project number
pName	String	Project name
Customer	String	Customer name
contactAddress	String	Contact address
siteAddress	String	Site address
eMailID	String	Email ID
remarks	String	Remarks
mapLocation	String	Map location (can be Plus Code or Lat/Long)
City	String	City name
State	String	State
Country	String	Country
isArchived	Bool	True, if this project is archived
isCompleted	Bool	True, if this project is completed
isOrdered	Bool	True, if this project is ordered
isDeleted	Bool	True, if this project is deleted
numQuotes	Integer	Number of quotes created for this project
numReports	Integer	Number of design reports generated for this project
createdOn	DateTime	Date and time of project creation
modifiedOn	DateTime	Date and time of project modification (i.e., edit project)
Rooms	**Array**	**Array of rooms for this project**
roomID	Integer	Room ID in Origin
projectID	Integer	Project ID to which this room belongs
roomType	String	Room type, can be one of multiple values
roomName	String	User specified room name
isDeleted	Bool	True, if this room is deleted
createdOn	DateTime	Date and time of room creation
modifiedOn	DateTime	Date and time of room modification (i.e., edit room)
Options	**Array**	**Array of options for this room**
optionID	Integer	Option ID in Origin
roomID	Integer	Room ID in Origin
oName	String	Option name
oDesc	String	Option description
oValue	Double	Option value, after estimation
isQuoted	Bool	True, if this option is included in any quotation
isOrdered	Bool	True, if this option is ordered
isDeleted	Bool	True, if this option is deleted
createdOn	DateTime	Date and time of option creation
modifiedOn	DateTime	Date and time of option modification (i.e., edit option)
<Other Values>	-	**Will be added as and when they are ready**

PUT /PROJECTS/CREATE

To create a new project, the minimum payload to be used is as follows, although all the attributes (except "CreatedOn" and "ModifiedOn") can also be specified

```
{
  "partnerID": "10112",
  "pName": "Project name",
  "customer": "Customer name",
  "city": "City name",
  "state": "Karnataka"
}
```

Attribute	Type	Description
partnerID	Integer	Partner ID in Origin
pName	String	Project name
customer	String	Customer name
city	String	City name
state	String	State

If successful, the return JSON will be the complete project data set with other values set to default.

PUT /PROJECTS/UPDATE

To update an existing project, the payload is same as the complete project data set, including the ProjectID attribute.

```
{
   "projectID": 10001,
   "partnerID": 10001,
   "pName": "",
   "customer": "",
   "contactAddress": "",
   "siteAddress": "",
   "eMailID": "",
   "remarks": "",
   "mapLocation": "",
   "city": "",
   "state": "",
   "country": "",
   "isArchived": false,
   "isCompleted": false,
   "isOrdered": false,
   "isDeleted": false
}
```

If successful, the return JSON will be the complete project data set with other values set to default.

GET /ROOMS/OPTIONS/MODULESBOQ/<OPTIONID>

This endpoint will return the complete BOQ details for all modules in the room design option specified by <OptionID>

WARNING: This is a very detailed output, and the response will run into several megabytes depending on how many modules are in the room. You will have full details for each module along with price calculation details at individual panel level.


```
{
  "message": "Success",
  "status": true,
  "totalPages": 1,
  "currentPage": 1,
  "pageRecords": 4,
  "totalRecords": 4,
  "data": [...]
}
```


Attribute	Type	Description
Message	String	"Success" if module data is OK, error message if not
Status	Boolean	True, if there are no errors
TotalPages	Integer	Total number of "pages" in the response
CurrentPage	Integer	Current page number
PageRecords	Integer	Number of "records" in this page
TotalRecords	Integer	Total number of "records" in the response
Data	**Array**	**An array containing details of each module**
HasError	Boolean	False, if there are no errors
Message	String	"Success" if there are no errors
UUID	String	UUID of the module, if any, else "NA"
ModuleID	Integer	Origin ID of the module
CategoryID	Integer	Origin ID of the category
SubCategoryID	Integer	Origin ID of the sub-category
AltName	String	Alternate name of the module, if any
Comment	String	Module comment, if any
Remarks	String	Module remarks, if any
TotalPrice	Double	Total price for the module
WoodWorkPrice	Double	Wood work (panels) price for the module
AccessoriesPrice	Double	Accessories price for the module
HardwarePrice	Double	Hardware price for the module
Shutters	**Array**	**Array of shutters in the module**
ShutterType	String	Shutter type code
FaciaName	String	Shutter facia name
Width	Double	Shutter width
Height	Double	Shutter height
XOffset	Double	X offset of the shutter
YOffset	Double	Y offset of the shutter

ZOffset	Double	Z offset of the shutter
Family	String	Shutter finish family
Variant	String	Shutter finish variant
Shade	String	Shutter finish shade
WoodWorkPrice	Double	Wood work (panels) price for the shutter
AccessoriesPrice	Double	Accessories price for the shutter
HardwarePrice	Double	Hardware price for the shutter
ShutterAccessory	**Class**	**Shutter accessory information, "null" if not applicable**
MainName	String	Main accessory name
AddOnName	String	Add-on accessory name
CutleryName	String	Add-on cutlery name
WoodWorkPrice	Double	Wood work (panels) price for the accessory
HardwarePrice	Double	Hardware price for the accessory
CabinetAccessory	**Class**	**Cabinet accessory information, "null" if not applicable**
MainName	String	Main accessory name
AddOnName	String	Add-on accessory name
CutleryName	String	Add-on cutlery name
Quantity	Integer	Number of accessories
WoodWorkPrice	Double	Wood work (panels) price for the accessory
HardwarePrice	Double	Hardware price for the accessory
FullBOQ	**Class**	**Contains BOQ data about the module**
PCategory	String	Product category for the module
PSubCategory	String	Product sub-category for the module
Class	String	Cabinet class
Name	String	Cabinet name
Shutter	String	Shutter combination
Facia	String	Shutter facia
Width	Double	Total cabinet width
Depth	Double	Total cabinet depth
Height	Double	Total cabinet height
FValue	Double	"F" value for the cabinet
EHValue	Double	"EH" value for the cabinet
IsBase	Boolean	True, if the cabinet is a base module
IsWall	Boolean	True, if the cabinet is a wall module
IsTall	Boolean	True, if the cabinet is a tall module
IsGola	Boolean	True, if the cabinet is a gola module
IsSuspended	Boolean	True, if the cabinet is a suspended module
IsWardrobe	Boolean	True, if the cabinet is a wardrobe
IsCorner	Boolean	True, if the cabinet is a corner module
HasLegs	Boolean	True, if the cabinet has legs
HasAluFrame	Boolean	True, if the cabinet has an alu frame shutter
AltName	String	Alternate name of the module, if any
Comment	String	Module comment, if any

Remarks	String	Module remarks, if any
CabinetCoreMaterial	String	Cabinet core material name
CabinetCoreColour	String	Cabinet core material colour
CabinetCoreThickness	String	Cabinet core material thickness
BOQRemarks	String	Cabinet description
CabinetID	Integer	Cabinet ID, if any
Category	String	Cabinet category
ModuleNumber	String	Module number
AllCabinetCores	String	Cabinet core materials (if multiple)
Items	**Array**	**Array of panels and hardware items in the module**
AccItems	**Array**	**Array of panels and hardware items in the accessories**
CutPanels	**Array**	**Array of cut panels in the module**
Panels	**Array**	**Array of panels in the module**
Shutters	**Array**	**Array of shutters in the module**
TotalRate	Double	Total price for the module
WoodWorkPrice	Double	Wood work (panels) price for the module
AccessoriesPrice	Double	Accessories price for the module
HardwarePrice	Double	Hardware price for the module

GET /ROOMS/OPTIONS/<OPTIONID>/SKIRTINGS

This endpoint will return the complete details for all skirtings in the design option specified by <OptionID>


```
{
  "message": "Success",
  "status": true,
  "totalPages": 1,
  "currentPage": 1,
  "pageRecords": 1,
  "totalRecords": 1,
  "data": [...]
}
```


Attribute	Type	Description
OKID	Integer	Skirting ID for this room
OptionID	Integer	Option ID
SkirtID	Integer	Skirting hardware ID
NumLengths	Integer	Number of skirting lengths required (“MaxLength” mm each)
Name	String	Skirting name
Make	String	Skirting make
MaxLength	Double	Maximum length of one skirting
UOM	String	Skirting UOM
UnitRate	Double	Unit rate (per length)
TotalPrice	Double	Total rate

GET /ROOMS/OPTIONS/<OPTIONID>/WORKTOPS

This endpoint will return the complete details for all worktops in the design option specified by <OptionID>


```
{
  "message": "Success",
  "status": true,
  "totalPages": 1,
  "currentPage": 1,
  "pageRecords": 1,
  "totalRecords": 1,
  "data": [...]
}
```


Attribute	Type	Description
OWID	Integer	Worktop ID for this room
OptionID	Integer	Option ID
WTShadeID	Integer	Worktop shade ID
WTNosing	String	Nosing type
WTDesc	String	Worktop description
WTThick	Double	Worktop thickness
WTArea	Double	Total area of worktop
WantBackPly	Bool	True, if backing ply is required
BackPlyThick	Double	Backing ply thickness
BackPlyArea	Double	Backing ply area
WTFamily	String	Worktop family
WTVariant	String	Worktop variant
WTShade	String	Worktop shade
ImageURL	String	Image URL for shade
WTPrice	Double	Worktop total price
BackPlyPrice	Double	Backing ply price

GET /ROOMS/OPTIONS/<OPTIONID>/SERVICES

This endpoint will return the complete details for all services in the design option specified by <OptionID>


```
{
  "message": "Success",
  "status": true,
  "totalPages": 1,
  "currentPage": 1,
  "pageRecords": 1,
  "totalRecords": 1,
  "data": [...]
}
```


Attribute	Type	Description
OSID	Integer	Service ID for this room
OptionID	Integer	Option ID
Description	String	Service description
Qty	Double	Quantity
UOM	String	Service UOM
Rate	Double	Service rate
Price	Double	Total service price
DocName	String	Document name, if any
DocURL	String	Document URL, if any

GET /ROOMS/OPTIONS/<OPTIONID>/HARDWARE

This endpoint will return the complete details for all additional hardware in the design option specified by <OptionID>. ***Note:*** *This is NOT the list of hardware attached to cabinets.*


```
{
  "message": "Success",
  "status": true,
  "totalPages": 1,
  "currentPage": 1,
  "pageRecords": 1,
  "totalRecords": 1,
  "data": [...]
}
```


Attribute	Type	Description
OHID	Integer	Hardware ID for this room
OptionID	Integer	Option ID
HID	Integer	Hardware ID
Name	String	Hardware name
Make	String	Hardware make
MfgCode	String	Manufacturing code for this hardware
Category	String	Hardware category
UOM	String	Hardware UOM
Remarks	String	User specified remarks
Rate	Double	Unit hardware rate
Price	Double	Total hardware price
Qty	Double	Hardware qty

GET /ROOMS/OPTIONS/<OPTIONID>/APPLIANCES

This endpoint will return the complete details for all appliances in the design option specified by <OptionID>.


```
{
  "message": "Success",
  "status": true,
  "totalPages": 1,
  "currentPage": 1,
  "pageRecords": 1,
  "totalRecords": 1,
  "data": [...]
}
```


Attribute	Type	Description
OAID	Integer	Appliance ID for this room
OptionID	Integer	Option ID
ApplianceID	Integer	Appliance ID
Name	String	Appliance name
Make	String	Appliance make
Description	String	Appliance description
Category	String	Appliance category
Model	String	Appliance model number
Remarks	String	User specified remarks
Rate	Double	Unit appliance rate
Price	Double	Total appliance price
Qty	Double	Appliance qty

GET /ROOMS/QUOTES/<PROJECTID>

This endpoint will return an array of quotes containing the complete details for each quotation generated for the project specified by <ProjectID>.


```
{
  "message": "Success",
  "status": true,
  "totalPages": 1,
  "currentPage": 1,
  "pageRecords": 1,
  "totalRecords": 1,
  "data": [
    {
      "quoteID": 13608,
      "projectID": 12295,
      "quoteNum": "Q-12295-004",
      "remarks": "With rate factors",
      "woodWorkFactor": 1.2,
      "accessoriesFactor": 2.0,
      "hardwareFactor": 1.5,
      "appliancesFactor": 1.0,
      "worktopFactor": 1.0,
      "totalPrice": 44346.0,
      "woodWorkPrice": 0.0,
      "accessoriesPrice": 0.0,
      "hardwarePrice": 0.0,
      "componentsPrice": 41591.0,
      "appliancesPrice": 0.0,
      "worktopsPrice": 2755.0,
      "servicesPrice": 0.0,
      "createdOn": "2022-08-14T03:03:16",
      "quoteOptions": [15946,15947,15948]
    }
  ]
}
```


Attribute	Type	Description
QuoteID	Integer	Quotation ID for this quote
ProjectID	Integer	Project ID
QuoteNum	String	Quotation number (auto-generated)
Remarks	String	Remarks, as specified by user at time of quote generation
WoodWorkFactor	Double	Discount on wood work, as specified by user
AccessoriesFactor	Double	Discount on accessories, as specified by user
HardwareFactor	Double	Discount on hardware, as specified by user
AppliancesFactor	Double	Discount on appliances, as specified by user
WorktopFactor	Double	Discount on worktops, as specified by user
TotalPrice	Double	Total quotation price (after applying discounts)
ComponentsPrice	Double	Total components price (after applying discounts)
AppliancesPrice	Double	Total appliances price (after applying discounts)
WorktopsPrice	Double	Total worktops price (after applying discounts)
ServicesPrice	Double	Total services price (after applying discounts)
CreatedOn	DateTime	Date and time of quote creation
QuoteOptions	Array	Array of OptionIDs included in the quotation