BEGINNING BASH

TONY WILLIAMS

X WORLD 2016

SETTING UP TERMINAL

LOOKING GOOD

- A Good Profile 'Solarized'
- Setting Font and Size
- Setting Window Size

BEFORE WE BEGIN

- Homebrew
- coreutils
- dockutil
- source-highlight

SOURCE A FILE

- bash_profile.sh

DEFAULTS READ

```
defaults read com.apple.dock | less
```

DEFAULTS

```
defaults write com.apple.dock autohide -bool YES ; killall Dock
defaults write com.apple.dock autohide -bool NO ; killall Dock
defaults write com.apple.dock orientation "right" ; killall Dock
defaults write com.apple.dock orientation "bottom" ; killall Dock
```

SHELL PROGRAMMING

VARIABLES

```
WORD="Foobar" ; echo $WORD
```

PRETTY PROMPT

```
PS1="\[\033[34m\]\h:\w \u\$\[\033[0m\] "
```

ALIAS FUN

- Commonly used options
- Hard to remember options

ALIAS EXAMPLES

```
LS_OPTIONS="--color=auto -F -G"
# standard ls coloured
alias ls='gls $LS_OPTIONS'
# standard plus dot files
alias la='gls $LS_OPTIONS -A'
# long ls
alias ll='gls $LS_OPTIONS -l'
alias l='gls $LS_OPTIONS -lA'
```

FIRST STEPS - JUST A LITTLE FUNCTION

```
# function to send man page to preview
manp()
{
man -t $* | open -f -a /Applications/Preview.app/
}
```

BIGGER FUNCTION - PASS PARAMTERS

DECISIONS, DECISIONS

- If, else, then
- Case
- Using '&&' and '||'

EXAMPLE DECISION

```
# make root red
if [ `id -u` = 0 ]
then
        PS1="\[\033[31m\]\h:\W \u\$\[\033[0m\] "
fi
```

COLOUR LS

```
 # colours for the Gnu ls (from coreutils)
if [ "$TERM" != "dumb" ]; then
    export LS_OPTIONS='--color=auto -F -G -h'
    eval `gdircolors ~/.dircolors`
fi
```

MAKE A CASE

```bash
#!/bin/bash

echo -n "Word: " ; read WORD

case $WORD in
    ( "Foo" )        echo "Bar" ;;
    ( "Bar" )        echo "Foo" ;;
    ( "FooBar" )     echo "No Way" ;;
    ( * )            echo "FooBar" ;;
esac
```

USING && AND ||

A **AND** B **OR** C

```
[ `id -u` = 0 ] && PS1="\[\033[31m\]\h:\W \u\$\[\033[0m\] " \
|| PS1="\[\033[34m\]\h:\w \u\$\[\033[0m\] "
```

CHECKING THE RESULT CODE

```
if ls mysillyfilename ; then
    echo "File exists."
fi

# checking result code variable
ls mysillyfilename
if [ $? = 0 ] ; then
    echo "File exists."
fi
```

CHECKING A FILE

```bash
# send message to my phone via Pushover
# API and user keys are in my TOKENS file outside the repo.
pushover() {
    PUSHOVERURL="https://api.pushover.net/1/messages.json"

    TITLE="${1}" ; MESSAGE="${2}" ; DEVICE="${3}"

    curl \
    -F "token=${PUSHOVER_API}" -F "user=${PUSHOVER_USER}" \
    -F "device=${DEVICE}" -F "title=${TITLE}" \
    -F "message=${MESSAGE}" "${PUSHOVERURL}" > /dev/null 2>&1
}
```

DECISIONS, DECISIONS

- If, else, then
- Case
- Using '&&' and '||'

EXAMPLE DECISION

```
# make root red
if [ `id -u` = 0 ]
then
        PS1="\[\033[31m\]\h:\W \u\$\[\033[0m\] "
fi
```

COLOUR LS

```
# colours for the Gnu ls (from coreutils)
if [ "$TERM" != "dumb" ]; then
    export LS_OPTIONS='--color=auto -F -G -h'
    eval `gdircolors ~/.dircolors`
fi
```

MAKE A CASE

```bash
#!/bin/bash

echo -n "Word: " ; read WORD

case $WORD in
    ( "Foo" )       echo "Bar" ;;
    ( "Bar" )       echo "Foo" ;;
    ( "FooBar" )    echo "No Way" ;;
    ( * )           echo "FooBar" ;;
esac
```

USING && AND ||

A **AND** B **OR** C

```
[ `id -u` = 0 ] && PS1="\[\033[31m\]\h:\W \u\$\[\033[0m\] " \
|| PS1="\[\033[34m\]\h:\w \u\$\[\033[0m\] "
```

CHECKING THE RESULT CODE

```
if ls mysillyfilename ; then
    echo "File exists."
fi

# checking result code variable
ls mysillyfilename
if [ $? = 0 ] ; then
    echo "File exists."
fi
```

CHECKING A FILE

```bash
if [ -e README.md ] ; then
    echo "Readme exists"
fi
```

FILE CHECKS

-a	if file exists	-d	if file is directory
-e	if file exists	-r	if file is readable
-w	if file is writeable	-x	if file is executable
-O	is owned by the user	-G	is owned by the group

ROUND AND ROUND

- For
- While
- Done

WHILE LOOP

```bash
#!/bin/bash

echo -n "Word: " ; read WORD

while [ $WORD -ne "" ] ; do
    case $WORD in
        ( "Foo" )      echo "Bar" ;;
        ( "Bar" )      echo "Foo" ;;
        ( "FooBar" )   echo "No Way" ;;
        ( * )          echo "FooBar" ;;
    esac
done
```

FOR EVER

```
for file in *.sh ; do
    echo $file
done
```

EVEN MORE FOR

```
for (( i = 1 ; i <= $1 ; i++ )) ; do
    echo "I is $i"
done
```

EXPANDING VARIABLES

```
LIST="Foo Bar Baz"
for i in $LIST ; do
    echo $i
done
```

FIELD SEPARATOR

```
IFS=":"
LIST="a:b:c d"
for i in $LIST ; do
    echo $i
done
```

SPECIAL CHARACTERS IN STRINGS

```
IFS=$'\t'
LIST=$'a\tb\tc d'
for i in $LIST ; do
    echo $i
done
```

REDIRECTION

HOW IT'S DONE

- Fresh output `ls > files.txt`
- Append to the file `ls >> files.txt`

USING TEE

- Fresh file `ls | tee files.txt`
- Append to the file `ls | tee -a files.txt`

BOTH OUT AND ERR

If you want to log to the same file:

```
command1 >> log_file 2>&1
```

If you want different files:

```
command1 >> log_file 2>> err_file
```

HERE DOCUMENTS

```
logger -t SYSADMIN <<EOM
I am going to reboot the system
I'm doing it because I want to
EOM
```

MATHS USING EXPR

```bash
#!/bin/bash

WEEKS=$1
DAYS=`expr $WEEKS '*' '7'`
date -v +${DAYS}d
```

MATHS USING EXPANSION

```bash
#!/bin/bash

WEEKS=$1
DAYS=$(($WEEKS*7))
date -v +${DAYS}d
```

Or even echo $((7 * (4 + 2))) Though the spaces are not required echo $((7*(4+2)))

IMPROVE THE LOOK

```
WEEKS=$1
DAYS=`expr $WEEKS '*' '7'`
date -v +${DAYS}d | awk '{ print $1 " " $2 " " $3 " " $4 }'
```

LAUNCHAGENTS & LAUNCHDAEMONS

- LaunchAgents run at user login
- definition found in ~/Library/LaunchAgents/
- LaunchDaemons run at boot
- definition found in /System/Library/LaunchDaemons/

CONTROLLING LAUNCHAGENTS

- plist file
- named 'something.command.plist' e.g.
- com.honestpuck.command.plist

GIVING IT A TRY

- agent_test.sh
- com.honestpuck.test.plist

A COMPLEX EXAMPLE

- local.job.plist

PUTTING IT ALL TOGETHER

- dock_setup.sh

GETTING A PROFILE

- bash_profile.sh

PLACES TO GO

- This presentation http://bit.ly/xw2016-9
- Apple have a good `bash` tutorial http://apple.co/1MFChLE
- Good `bash` tutorial http://bit.ly/xw2016-2
- Comprehensive `awk` tutorial http://bit.ly/xw2016-5
- Effective AWK Programming http://bit.ly/xw2016-7
- All About Redirection http://bit.ly/xw2016-1

MORE PLACES TO GO

- Apple's page on Launch Daemons and Agents http://bit.ly/xw2016-8
- Lingon X http://bit.ly/xw2016-6
- LaunchControl http://bit.ly/xw2016-11
- Good tutorial on LaunchAgent and Daemon format http://launchd.info
- My home directory on git http://bit.ly/xw2016-10
- MacAdmins Slack channel https://macadmins.herokuapp.com

A FINAL LIST

- Input font http://input.fontbureau.com
- Solarized colour theme
  http://ethanschoonover.com/solarized
- bash completion http://bit.ly/xw2016-12
- shellcheck, a script checker http://www.shellcheck.net