

Data Visualization Lab

Assignment 3

Built-in Aggregations & Power Queries

Section A:

1. SUM() – Total Product Price

The SUM() function adds up every value in a column. Here, it's used to calculate the total Product Price across all rows, giving you a single combined figure for your report. Choose “Sum” under “Statistics” Dropdown by selecting the ProductPrice Column

The screenshot shows the Power BI Desktop interface. The 'Statistics' dropdown menu is open, and 'Sum' is selected. The 'ProductPrice' column is selected in the 'Columns' pane. The 'Visuals' pane shows a table visual with the following data:

Product	ProductCost	ProductPrice
O	13.0863	34.99
O	12.0278	33.6442
M	3.3963	9.5
L	3.3963	9.5
O	12.0278	33.6442
O	5.7052	8.6442
S	31.7244	48.0673
M	31.7244	48.0673

The 'Table' visual shows the result of the SUM() aggregation:

Sum of Product Price
209330.1455

2. AVERAGE() – Average Product Price

AVERAGE() calculates the mean value of a column. This measure finds the average Product Price, which is useful for understanding typical pricing at a glance. Choose “Average” under “Statistics” Dropdown by selecting the ProductPrice Column

The screenshot shows the Power BI Desktop interface. The 'Statistics' dropdown menu is open, and 'Average' is selected. The 'ProductPrice' column is selected in the 'Columns' pane. The 'Visuals' pane shows a table visual with the following data:


Product	ProductCost	ProductPrice
O	13.0863	34.99
O	12.0278	33.6442
M	3.3963	9.5
L	3.3963	9.5
O	12.0278	33.6442
O	5.7052	8.6442
S	31.7244	48.0673
M	31.7244	48.0673

The 'Table' visual shows the result of the AVERAGE() aggregation:


Average of Product Price
714.4373567

3. COUNT() – Total Orders

COUNT() counts the number of entries in a column. Applying it to Order Number gives you the total number of orders placed, a key metric for any sales report.




StockDate	OrderNumber	CustomerKey
13-12-2021	SO61285	
24-09-2021	SO61285	
04-09-2021	SO61285	
28-09-2021	SO61301	
21-10-2021	SO61301	
23-10-2021	SO61301	
04-09-2021	SO61269	
21-10-2021	SO61269	




Total Orders
29481

4. DISTINCTCOUNT() – Total Customers

DISTINCTCOUNT() counts only the unique values in a column, ignoring repeats. Using it on Customer Key tells you exactly how many different customers placed orders.




OrderNumber	CustomerKey	TerritoryKey
285	529	23791
285	214	23791
285	540	23791
301	529	16747
301	377	16747
301	540	16747
269	215	11792




Total Customers
10502

5. MIN() – Minimum Product Cost

MIN() finds the smallest value in a column. This measure returns the lowest Product Cost in your dataset, helpful for spotting your cheapest item.



ProductSubcategoryKey	ProductCost	ProductPrice
1.2	13.0863	
1.2	12.0278	
1.2	3.3963	
1.2	3.3963	
1.2	12.0278	
1.2	5.7052	
1.2	31.7244	



Minimum Product Cost
0.8565

6. MAX() – Maximum Product Cost

MAX() works the opposite way to MIN() — it finds the largest value. This measure shows the highest Product Cost, useful for identifying your priciest item.

The screenshot shows the Power BI Desktop interface. On the left, the 'Fields' pane displays a list of columns: Product, OrderQuantity, ProductCost, and ProductPrice. The 'Columns' pane shows a table with columns: Product, OrderQuantity, ProductCost, and ProductPrice. The 'Rows' pane shows a table with columns: Product, OrderQuantity, ProductCost, and ProductPrice. The 'Measures' pane shows a table with columns: Product, OrderQuantity, ProductCost, and ProductPrice. The 'Visuals' pane shows a table with columns: Product, OrderQuantity, ProductCost, and ProductPrice. The 'Formulas' pane shows the formula: `Table.RenameColumns('Table', {'ProductCost', 'ProductPrice'})`. The 'Results' pane shows a table with columns: Product, OrderQuantity, ProductCost, and ProductPrice. The 'Maximum Product Cost' measure is highlighted, showing a value of 2171.2942.

Product	OrderQuantity	ProductCost	ProductPrice
0	0	13.0863	
0	0	12.0278	
M	3	3.3963	
L	3	3.3963	
0	0	12.0278	
0	0	5.7052	
S	3	31.7244	
M	3	31.7244	

7. SUM() – Total Order Quantity

Another SUM() measure, this time applied to Order Quantity. It adds up every unit ordered across all transactions, giving you total volume sold.

The screenshot shows the Power BI Desktop interface. On the left, the 'Fields' pane displays a list of columns: Customer, OrderLineItem, OrderQuantity, and OrderPrice. The 'Columns' pane shows a table with columns: Customer, OrderLineItem, OrderQuantity, and OrderPrice. The 'Rows' pane shows a table with columns: Customer, OrderLineItem, OrderQuantity, and OrderPrice. The 'Measures' pane shows a table with columns: Customer, OrderLineItem, OrderQuantity, and OrderPrice. The 'Visuals' pane shows a table with columns: Customer, OrderLineItem, OrderQuantity, and OrderPrice. The 'Formulas' pane shows the formula: `Table.RenameColumns('Table', {'OrderQuantity', 'Total Order Quantity'})`. The 'Results' pane shows a table with columns: Customer, OrderLineItem, OrderQuantity, and OrderPrice. The 'Total Order Quantity' measure is highlighted, showing a value of 45314.

Customer	OrderLineItem	OrderQuantity	OrderPrice
529	1	2	2
214	1	3	1
540	1	1	1
529	1	2	2
377	1	1	1
540	1	3	1
215	4	1	1
229	4	2	1
528	6	2	2
536	6	1	2

8. SUM() – Total Products

This measure sums the Total Products column to give an overall count of products involved across all orders.

The screenshot shows the Power BI Desktop interface. On the left, the 'Fields' pane displays a list of columns: ProductKey, ProductSubcategoryKey, ProductSKU, and ProductName. The 'Columns' pane shows a table with columns: ProductKey, ProductSubcategoryKey, ProductSKU, and ProductName. The 'Rows' pane shows a table with columns: ProductKey, ProductSubcategoryKey, ProductSKU, and ProductName. The 'Measures' pane shows a table with columns: ProductKey, ProductSubcategoryKey, ProductSKU, and ProductName. The 'Visuals' pane shows a table with columns: ProductKey, ProductSubcategoryKey, ProductSKU, and ProductName. The 'Formulas' pane shows the formula: `Table.RenameColumns('Table', {'Total Products', 'Total Product'})`. The 'Results' pane shows a table with columns: ProductKey, ProductSubcategoryKey, ProductSKU, and ProductName. The 'Total Product' measure is highlighted, showing a value of 129375.

ProductKey	ProductSubcategoryKey	ProductSKU	ProductName
1	31	HL-U509-R	
2	31	HL-U509	
3	23	SO-B909-M	
4	23	SO-B909-L	
5	31	HL-U509-B	Sport-100 Helmet, Blk
6	19	CA-1098	AWC Logo Cap
7	21	LI-0192-S	Long-Sleeve Logo Jersey

Section B: Power Query Transformations

Power Query is where the real data cleaning happens, before data even reaches the report canvas. All these steps are done in the Power Query Editor (Home → Transform Data)..

1. Extract Order Year

Using the Date column, you can pull out just the year with Add Column → Date → Year. This creates a new column showing the year each order was placed, handy for year-on-year comparisons.

The screenshot shows the Power Query Editor interface. The 'Add Column' tab is selected, and the 'Date' dropdown menu is open, showing options like 'Year', 'Month', 'Quarter', 'Week', 'Day', 'Combine Date and Time', 'Earliest', and 'Latest'. The 'Year' option is selected. The data table shows columns for 'OrderDate' and 'OrderDate - Copy', with values for 2022-01-01 and 2021-12-1.

The screenshot shows the Power Query Editor interface. The 'Date' dropdown menu is open, and the 'Year' option is selected. The data table shows columns for 'OrderDate - Copy' and 'Order Year', with values for 2022 and 2021.

Duplicate “OrderDate” Column, Rename it to “Order Year”, Extract order year using “Date” dropdown.


2. Extract Month Name

Similar to extracting the year, go to Add Column → Date → Month → Name of Month. This gives the full month name (like 'January') instead of just a number, making reports easier to read.

The screenshot shows the Power Query Editor interface. The 'Date' dropdown menu is open, and the 'Month' option is selected. The data table shows columns for 'OrderDate - Copy', 'Order Year', and 'Month of Order', with values for January 2022 and January 2021. The 'PROPERTIES' pane on the right shows the source, promoted headers, duplicated column, and changed type.


3. Extract Quarter

Add Column → Date → Quarter lets you break your Date column into quarters (Q1, Q2, Q3, Q4). This is great for quarterly sales or performance analysis.




4. Extract Week Number

Using Add Column → Date → Week → Week of Year, you get the calendar week number for each date. This helps when you need weekly trends instead of daily or monthly ones.




5. Extract Day Name

Add Column → Date → Day → Name of Day pulls the day of the week (like 'Monday') from your date column. Useful for spotting which days perform best.



6. Calculate Days Difference

To find how many days passed between Order Date and Stock Date, subtract one date column from the other. Power Query automatically calculates the difference in days, which is great for tracking delivery or processing time.




	OrderDate	StockDate	AB C
1	01-01-2022	13-12-2021	SO61
2	01-01-2022	24-09-2021	SO61
3	01-01-2022	04-09-2021	SO61
4	01-01-2022	28-09-2021	SO61
5	01-01-2022	21-10-2021	SO61
6	01-01-2022	23-10-2021	SO61
7	01-01-2022	04-09-2021	SO61

123 Day Difference
19
99
119
95
72
70
119
72
69
96
70
30
17
92
54
26
62
46
42
81

7. Calculate Customer Age

You can calculate each customer's age using Add Column → Date → Age. This helps with age-based customer segmentation. The operation gave Age in Day initially, which then is converted to years.



	BirthDate
	08-04-1966
	14-05-1965
	12-08-1965
	15-02-1968

Customer Age
22038.00:00:00
22367.00:00:00
22277.00:00:00
21360.00:00:00
21185.00:00:00
22284.00:00:00
22737.00:00:00
22678.00:00:00
22775.00:00:00
22830.00:00:00
22924.00:00:00
21388.00:00:00
21187.00:00:00
21276.00:00:00
17330.00:00:00
17270.00:00:00
29994.00:00:00
29889.00:00:00
17687.00:00:00

	EducationLevel	HomeOwner	Customer Age
2	Bachelors	Y	22038.00:00:00
3	Bachelors	N	22367.00:00:00
3	Bachelors	Y	22277.00:00:00
0	Bachelors	N	21360.00:00:00
5	Bachelors	Y	21185.00:00:00
0	Bachelors	Y	22284.00:00:00
3	Bachelors	Y	22737.00:00:00
4	Bachelors	Y	22678.00:00:00

Customer Age	1.2 Total Years
22038.00:00:00	60.37808219
22367.00:00:00	61.27945205
22277.00:00:00	61.03287671
21360.00:00:00	58.52054795
21185.00:00:00	58.04109589
22284.00:00:00	61.05205479
22737.00:00:00	62.29315068
22678.00:00:00	62.13150685
22775.00:00:00	62.39726027
22830.00:00:00	62.54794521

8. Create Price Range (Low/Medium/High)

Using a Conditional Column, you can group prices into simple bands like Low, Medium, and High based on set thresholds. This makes it easier to analyze pricing patterns without looking at exact numbers.

Add Column

View

Conditional Column

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

Price Range

Column Name

Operator

Value

Output

If

ProductPrice

is less than or equ...

ABC 123

500

Then

ABC 123

Low

Else If

ProductPrice

is less than or equ...

ABC 123

1000

Then

ABC 123

Medium

...

Add Clause

Else

ABC 123

High

OK

Cancel

Price Range

Low

Low

Low

Low

Low

Low

Low

Low

Low

High

High

High

High

Low

Low

Low

Low

Low

Low

Low

Medium

Medium

Medium

Medium

9. Create Profit Category (Loss/Low/High Profit)

Another Conditional Column, this time based on profit values. Orders are grouped into categories such as Loss, Low Profit, or High Profit depending on set rules, giving a quick view of profitability.

[illegible]

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

Profit Category

	Column Name	Operator	Value	Output
If	Profit	is less than or equ...	0	Loss
Else If	Profit	is less than or equ...	300	Low Profit

Add Clause

Else

High Profit

	Profit Category
21.9037	Low Profit
21.6164	Low Profit
6.1037	Low Profit
6.1037	Low Profit
21.6164	Low Profit
2.939	Low Profit
16.3429	Low Profit
16.3429	Low Profit
16.3429	Low Profit
16.3429	Low Profit
515.4916	High Profit
515.4916	High Profit
515.4916	High Profit
515.4916	High Profit
121.4349	Low Profit
121.4349	Low Profit
121.4349	Low Profit
125.0779	Low Profit
125.0779	Low Profit
125.0779	Low Profit
125.0779	Low Profit
125.0779	Low Profit
125.0779	Low Profit
125.0779	Low Profit
242.6906	Low Profit

10. Categorize Customers Based on Sales

A Conditional Column can also classify customers — for example, into 'High', 'Medium', or 'Low' based on their total sales. This is useful for targeting different customer segments.

Group By

Specify the column to group by and the desired output.

☒ Basic ☐ Advanced

CustomerKey

New column name

Order Count

Operation

Count Rows

Column

OK

Cancel

	CustomerKey	Order Count
1	23791	3
2	16747	3
3	11792	2
4	11530	9
5	18155	3
6	13541	2
7	18259	1
8	23694	3
9	22308	4
10	20236	1
11	26273	3
12	19709	6
13	21239	2
14	17252	3

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

Customer Category (Frequency)

	Column Name	Operator	Value	Output
If	Order Count	is less than or equ...	2	Low
Else If	Order Count	is less than or equ...	5	Medium

Add Clause

Else

High


OK

Cancel

	CustomerKey	Order Count	Customer Category (Frequency)
	23791	3	Medium
	16747	3	Medium
	11792	2	Low
	11530	9	High
	18155	3	Medium
	13541	2	Low
	18259	1	Low
	23694	3	Medium
	22308	4	Medium
	20236	1	Low
	26273	3	Medium
	19709	6	High
	21239	2	Low
	17252	3	Medium
	17396	2	Low
	27148	2	Low
	20260	2	Low
	12859	5	Medium

11. Round Price Amount


Under Transform → Round, you can round the Price column to remove extra decimal points, making the numbers cleaner and easier to read in reports.



ProductCost	ProductPrice	Price Range
13.0863	34.99	Low
12.0278	33.6442	Low
3.3963	9.5	Low

12. Round Cost Amount (2 Decimals)

Similarly, the Cost column can be rounded to exactly 2 decimal places using Transform → Round. This keeps currency values consistent and professional-looking.



ProductSize	ProductStyle	ProductCost	ProductPrice
0		13.0863	
0		12.0278	
U		3.3963	
U		3.3963	
0		12.0278	
U		5.7052	
U		31.7244	
U		31.7244	
U		31.7244	
U		31.7244	
U		747.97	
U		747.97	
U		747.97	
U		747.97	
U		176.2	
U		176.2	
U		176.2	

13. Convert Product Name to UPPERCASE

Format → UPPERCASE instantly converts all text in the Product Name column to capital letters. This is often used for consistency when merging data from different sources.

ProductSubcategoryKey	Product Name
23	SU-B909-L
31	HL-U509-B
19	CA-1098
21	LI-0192-S
21	LI-0192-M
21	LI-0192-L

14. Convert Product Name to lowercase

The opposite of the above — Format → lowercase converts all text to small letters. Useful when standardizing text before comparing or merging columns.

ProductSubcategoryKey	Product Name
23	SU-B909-L
31	HL-U509-B
19	CA-1098
21	LI-0192-S
21	LI-0192-M
21	LI-0192-L


15. Trim Extra Spaces

Format → Trim removes any unwanted spaces before or after the text in a column. This small step avoids errors caused by hidden spaces during matching or grouping.

ProductSubcategoryKey	Product Name
23	SU-B909-L
31	HL-U509-B
19	CA-1098


16. Clean Product Name

Format → Clean removes non-printable characters that sometimes get pulled in from other systems, like line breaks or odd symbols, leaving just clean readable text.



17. Capitalize Each Word

Format → Capitalize Each Word automatically capitalizes the first letter of every word in a column, giving your text a neat, title-case appearance.



18. Split Product Name by "-"

Using Split Column → By Delimiter, you can break a single column into multiple columns wherever a hyphen (-) appears. This is handy when one column actually holds two pieces of information.

Split Column by Delimiter

Specify the delimiter used to split the text column.

Select or enter delimiter

--Custom--
-

Split at

- ☐ Left-most delimiter
☐ Right-most delimiter
☒ Each occurrence of the delimiter

Advanced options

Quote Character

"

☐ Split using special characters

Insert special character

OK Cancel

A^B_C ProductName.1	A^B_C ProductName.2	A^B_C ProductName.3
sport	100 helmet, red	null
sport	100 helmet, black	null
mountain bike socks, m		null
mountain bike socks, l		null
sport	100 helmet, blue	null
awc logo cap		null
long	sleeve logo jersey, s	null
long	sleeve logo jersey, m	null
long	sleeve logo jersey, l	null
long	sleeve logo jersey, xl	null
hl road frame	red, 62	null
hl road frame	red, 54	null

19. Extract First 8 Characters

Extract → First Characters lets you pull out just the beginning portion of a text value — in this case, the first 8 characters — useful for codes or IDs with a fixed format.

Extract First Characters


Enter how many starting characters to keep.

Count

Product Name
sport-10
sport-10
mountain
mountain
sport-10
awc logo
long-sle
long-sle
long-sle
long-sle
hl road
hl road
hl road
hl road
hl road
hl road
hl road
hl road
hl road
hl road

20. Extract Last 5 Characters

Similarly, Extract → Last Characters grabs the last 5 characters of a text value, often used for extracting suffixes or short codes at the end of a string.



Extract Last Characters

Enter how many ending characters to keep.

Count

Product Name
, red
black
ks, m
ks, l
blue
o cap
ey, s
ey, m
ey, l
y, xl
d, 62
d, 44
d, 48
d, 52
d, 56
k, 58
k, 60
k, 62
d, 44

21. Merge Product Name and Color

The Merge Columns option combines two columns — like Product Name and Color — into a single column, usually separated by a space or a custom delimiter.

ProductSKU	Product Name	ModelName	ProductDescription	ProductColor
U509-B	sport-100 helmet, red	Sport-100	Universal fit, well-vented, lightweight, snap-on visor.	Red
U509	sport-100 helmet, black	Sport-100	Universal fit, well-vented, lightweight, snap-on visor.	Black
4909-M	mountain bike socks, m	Mountain Bike Socks	Combination of natural and synthetic fibers stays dry and provides just.	White
4909-L	mountain bike socks, l	Mountain Bike Socks	Combination of natural and synthetic fibers stays dry and provides just.	White
U509-B	sport-100 helmet, blue	Sport-100	Universal fit, well-vented, lightweight, snap-on visor.	Blue
1098	awc logo cap	Cycling Cap	Traditional style with a flip-up brim, one-size fits all.	Multi
2192-S	long-sleeve logo jersey, s	Long-Sleeve Logo Jersey	Unisex long-sleeve AWC logo microfibre cycling jersey	Multi
2192-M	long-sleeve logo jersey, m	Long-Sleeve Logo Jersey	Unisex long-sleeve AWC logo microfibre cycling jersey	Multi
2192-L	long-sleeve logo jersey, l	Long-Sleeve Logo Jersey	Unisex long-sleeve AWC logo microfibre cycling jersey	Multi
2192-X				Multi
9328-62			from the newest a...	Red
9328-44			from the newest a...	Red
9328-48			from the newest a...	Red
9328-52			from the newest a...	Red
9328-56			from the newest a...	Red
9388-58			e offering superior ...	Black
9388-66			e offering superior ...	Black
9388-62			e offering superior ...	Red
9388-44			e offering superior ...	Red
9388-48			e offering superior ...	Red
9388-52			e offering superior ...	Red
9388-58			e offering superior ...	Red
9388-66			e offering superior ...	Red

Merge Columns

Choose how to merge the selected columns.

Separator: --Custom--

New column name (optional): Product name and Color

OK Cancel

Product name and Color
sport-100 helmet, red Red
sport-100 helmet, black Black
mountain bike socks, m White
mountain bike socks, l White
sport-100 helmet, blue Blue
awc logo cap Multi
long-sleeve logo jersey, s Multi
long-sleeve logo jersey, m Multi
long-sleeve logo jersey, l Multi
long-sleeve logo jersey, xl Multi
hl road frame - red, 62 Red
hl road frame - red, 44 Red
hl road frame - red, 48 Red
hl road frame - red, 52 Red
hl road frame - red, 56 Red
ll road frame - black, 58 Black
ll road frame - black, 60 Black
ll road frame - black, 62 Black
ll road frame - red, 44 Red
ll road frame - red, 48 Red
ll road frame - red, 52 Red
ll road frame - red, 56 Red
ll road frame - red, 58 Red
ll road frame - red, 60 Red
ll road frame - red, 62 Red
ml road frame - red, 44 Red
ml road frame - red, 48 Red
ml road frame - red, 52 Red

22. Duplicate Product Name Column

Duplicate Column creates an exact copy of the Product Name column. This is useful when you want to keep the original values while transforming a separate copy.

index Column

123 Extract

Duplicate Column

Format

Parse

Statistical

From Text

×

✓

fx

= Table.TransformColumns("#"U

	AB_C	Product Name	AB_C	ModelName
1		sport-100 helmet, red		Sport-100
2		sport-100 helmet, black		Sport-100
3		mountain bike socks, m		Mountain Bike Socks
4		mountain bike socks, l		Mountain Bike Socks
5		sport-100 helmet, blue		Sport-100

23. Replace Missing Values

Replace Values lets you fill in blanks or nulls with a default value, such as 'Unknown' or 0. This keeps your dataset complete and avoids errors in calculations.

24. Replace "Bike" with "Bicycle"

Also using Replace Values, you can swap out specific text — here, replacing every instance of 'Bike' with 'Bicycle' — to keep naming consistent across your dataset.

ProductKey	ProductSKU	Product Name	ModelName	ProductDescription
31	HL-U509-R	sport-100 helmet, red	Sport-100	Universal fit, well-vented,
31	HL-U509	sport-100 helmet, black	Sport-100	Universal fit, well-vented,
23	SO-B909-M	mountain bike socks, m	Mountain Bike Socks	Combination of natural an
23	SO-B909-L	mountain bike socks, l	Mountain Bike Socks	Combination of natural an
31	HL-U509-B	sport-100 helmet, blue	Sport-100	Universal fit, well-vented,
19	CA-1098	awc logo cap	Cycling Cap	Traditional style with a fli

Replace Values

Replace one value with another in the selected columns.

Value To Find

bike

Replace With

bicycle

Advanced options

OK

Cancel

Product Name	ModelName
sport-100 helmet, red	Sport-100
sport-100 helmet, black	Sport-100
mountain bicycle socks, m	Mountain Bike Sc
mountain bicycle socks, l	Mountain Bike Sc
sport-100 helmet, blue	Sport-100
awc logo cap	Cycling Cap
long-sleeve logo jersey, s	Long-Sleeve Logo
long-sleeve logo jersey, m	Long-Sleeve Logo
long-sleeve logo jersey, l	Long-Sleeve Logo

25. Change Sales Data Type to Fixed Decimal

Changing a column's Data Type to Fixed Decimal Number ensures numeric values like Sales are stored precisely, avoiding rounding issues in calculations.

ProductKey	ProductSKU	Product Name	ModelName	ProductDescription
31	HL-U509-R	sport-100 helmet, red	Sport-100	Universal fit, well-vented,
31	HL-U509	sport-100 helmet, black	Sport-100	Universal fit, well-vented,
23	SO-B909-M	mountain bike socks, m	Mountain Bike Socks	Combination of natural an
23	SO-B909-L	mountain bike socks, l	Mountain Bike Socks	Combination of natural an
31	HL-U509-B	sport-100 helmet, blue	Sport-100	Universal fit, well-vented,
19	CA-1098	awc logo cap	Cycling Cap	Traditional style with a fli

Profit
21.90
21.62
6.10
6.10
21.62
2.94
16.34
16.34
16.34
16.34
515.49
515.49
515.49
515.49
515.49
121.43
121.43
121.43
125.08
125.08


26. Remove Duplicate Customers

The Remove Duplicates option deletes repeated rows based on a chosen column — here, Customer — so each customer appears only once in your dataset.

ProductKey	ProductSKU	Product Name	ModelName	ProductDescription
1	11000	MR.	JON	
2	11001	MR.	EUGENE	
3	11002	MR.	RUBEN	TORRES
4	11003	MS.	CHRISTY	ZHU
5	11004	MRS.	ELIZABETH	JOHNSON
6	11005	MR.	JULIO	RUIZ
7	11007	MR.	MARCO	MEHTA
8	11008	MRS.	ROBIN	VERHOFF

27. Sort Products by Sales Amount

You can sort any column in ascending or descending order with a couple of clicks. Sorting Products by Sales Amount quickly shows your best and worst performers.



The screenshot shows a 'Sort' menu open over a table. The menu options are: Sort Ascending, Sort Descending (highlighted), Clear Sort, Clear Filter, Remove Empty, Number Filters, and a Search box. Below the search box are two checked items: '(Select All)' and '1.4335'. The table in the background has a column header '\$ Profit' and contains numerical values ranging from 1,487.84 down to 924.56.

\$ Profit
1,487.84
1,487.84
1,487.84
1,487.84
1,476.90
1,476.90
1,476.90
1,476.90
1,406.98
1,406.98
1,406.98
1,406.98
1,406.98
953.56
953.56
953.56
943.29
943.29
943.29
924.56

28. Group by Product Category and Sum Sales

The Group By feature lets you summarize data — grouping by Product Category and summing Sales gives you total sales per category in one clean table.

Group By

Specify the column to group by and the desired output.

☒ Basic ☐ Advanced

ProductSubcategoryKey

New column name

Sales by Category

Operation

Sum

Column

Profit

OK

Cancel

ProductSubcategoryKey	Sales by Category
1	23385.4573
2	25644.0177
3	11864.9056
4	305.7423
5	153.8562
6	118.428
7	11.2534
8	465.3552
9	118.4002
10	307.5791
11	145.2383
12	8553.2093
13	249.16
14	8789.5935
15	198.3249
16	4553.0114
17	1719.7136
18	158.4073

29. Group by Customer and Average Sales

Similarly, Group By can calculate averages. Grouping by Customer and averaging Sales shows the typical order value for each customer.

30. Create Index Column

Add Column → Index adds a new column that numbers each row sequentially, starting from 0 or 1. This is useful as a unique row identifier or for ordering data.

Customization panel showing the 'Index Column' dropdown menu. The menu is open, displaying options: 'From 0', 'From 1', and 'Custom...'. The 'Form' section also shows a 'Form' dropdown menu.

Conditional Columns

1. Create Sales Band (Low / Medium / High)

Using a Conditional Column, sales values are grouped into three simple bands: ₹0–₹500 is Low, ₹501–₹2000 is Medium, and anything above ₹2000 is High. This makes it easy to see sales performance at a glance without reading exact numbers.

ABC 123

Sales Band

Medium

Medium

Medium

Medium

Medium

Medium

Medium

Medium

Medium

Medium

Medium

Medium

Medium

Medium

Low

Low

Low

Low

Low

Low

Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

	Column Name	Operator	Value	Then	Output
If	Profit	is less than or equal to	ABC 123 500	Then	ABC 123 Low
Else If	Profit	is less than or equal to	ABC 123 2000	Then	ABC 123 Medium

[Add Clause](#)

Else

[OK](#) [Cancel](#)

2. Merge Product Category and Subcategory

Using Merge Columns, Product Category and Subcategory are combined into a single column, usually separated by a dash or comma. This gives a more detailed product label in one place, useful for grouping or filtering.

ProductKey	ProductSubcategoryKey	ProductSKU	ProductName	ModelName	Pr
344	1	BK-M825-38	mountain-100 silver, 38	Mountain-100	Top-of
345	1	BK-M825-42	mountain-100 silver, 42	Mountain-100	Top-of
346	1	BK-M825-44	mountain-100 silver, 44	Mountain-100	Top-of
347	1	BK-M825-48	mountain-100 silver, 48	Mountain-100	Top-of
351					
350					
349					
348					
312					
310					
314					
311					
313					
352					
354					
356					
362					

Merge Columns

Choose how to merge the selected columns.

Separator

--Custom--

New column name (optional)

Product Category and Subcategory

OK Cancel

Product Category and Subcategory
344 1
345 1
346 1
347 1
351 1
350 1
349 1
348 1
312 2
310 2