

## 1.1 Screenshots of each Download & Install prerequisite applications



laragon-w  
amp.exe

▼ Last week



Postman-w  
in64-Setup  
.exe



Composer-  
Setup.exe



VSCodeUs  
erSetup-x6  
4-1.98.2.ex  
e

### 1.1.1 Laragon 6.0 Full



### 1.1.1.1 laragon-wamp.exe

Today



laragon-w  
amp.exe

### 1.1.2 Composer


```
Composer
Composer version 2.8.6 2025-02-25 13:03:50

Usage:
  command [options] [arguments]


Options:
  -h, --help                Display help for the given command. When no command is given display help for the list command
  -q, --quiet               Do not output any message
  -V, --version             Display this application version
  --ansi|--no-ansi         Force (or disable --no-ansi) ANSI output
  -n, --no-interaction      Do not ask any interactive question
  --profile                Display timing and memory usage information
  --no-plugins              Whether to disable plugins.
  --no-scripts              Skips the execution of all scripts defined in composer.json file.
  -d, --working-dir=WORKING-DIR If specified, use the given directory as working directory.
  --no-cache                Prevent use of the cache
  -v|vv|vvv, --verbose     Increase the verbosity of messages: 1 for normal output, 2 for more verbose output and 3 for debug

Available commands:
  about                Shows a short information about Composer
  archive              Creates an archive of this composer package
  audit                Checks for security vulnerability advisories for installed packages
  browse               [home] Opens the package's repository URL or homepage in your browser
  bump                 Increases the lower limit of your composer.json requirements to the currently installed versions
  check-platform-reqs Check that platform requirements are satisfied
  clear-cache           [clearcache|cc] Clears composer's internal package cache
  completion            Dump the shell completion script
  config               Sets config options
  create-project        Creates new project from a package into given directory
  depends              [why] Shows which packages cause the given package to be installed
  diagnose              Diagnoses the system to identify common errors
  dump-autoload         [dumpautoload] Dumps the autoloader
  exec                  Executes a vendored binary/script
  fund                 Discover how to help fund the maintenance of your dependencies
  global               Allows running commands in the global composer dir ($COMPOSER_HOME)
  help                 Display help for a command
  init                 Creates a basic composer.json file in current directory
  install              [i] Installs the project dependencies from the composer.lock file if present, or falls back on the composer.json
  licenses              Shows information about licenses of dependencies
  list                 List commands
  outdated              Shows a list of installed packages that have updates available, including their latest version
  prohibits            [why-not] Shows which packages prevent the given package from being installed
```

### 1.1.3 Visual studio code



### 1.1.4 Postman



### 1.1.5 Laravel installer 5.0

```
Laravel Installer 5.0.0

Usage:
  command [options] [arguments]

Options:
  -h, --help            Display help for the given command. When no command is given display help for the list command
  -q, --quiet           Do not output any message
  -V, --version         Display this application version
      --ansi|--no-ansi  Force (or disable --no-ansi) ANSI output
  -n, --no-interaction Do not ask any interactive question
  -v|vv|vvv, --verbose Increase the verbosity of messages: 1 for normal output, 2 for more verbose output and 3 for debug

Available commands:
  completion  Dump the shell completion script
  help        Display help for a command
  list        List commands
  new         Create a new Laravel application
```

### 1.1.6 Laravel framework 10.0

```
PS C:\laragon\www\loanhub> cp .env.example .env
PS C:\laragon\www\loanhub> php artisan key:generate

INFO Application key set successfully.

PS C:\laragon\www\loanhub> php artisan serve

INFO Server running on [http://127.0.0.1:8000].

Press Ctrl+C to stop the server
```