



PDF 제출

담당자	
Status	진행 중
마감일	
프로젝트	
하위 작업	
상위 작업	
태그	

필수 - 관광지 정보 조회 (30점)

GET

http://localhost/attraction/search

```
{
  "sidoCode": 32,
  "contentType": 12,
  "word": "계곡"
}
```

Attraction / http://localhost/user/login

Save

Send

POST http://localhost/attraction/search

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "sidoCode": 32,
3   "contentType": 12,
4   "word": "계곡"
5 }
```

Body Cookies Headers (5) Test Results

Status: 200 OK Time: 16 ms Size: 29.21 KB Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "contentId": 126677,
3   "contentType": 12,
4   "title": "무릉계곡",
5   "addr1": "강원도 동해시 삼화로 638",
6   "addr2": "(삼화동)",
7   "zipcode": "25746",
8   "tel": "",
9   "firstImage": "http://tong.visitkorea.or.kr/cms/resource/99/2741899_image2_1.jpg",
10  "firstImage2": "http://tong.visitkorea.or.kr/cms/resource/99/2741899_image3_1.jpg",
11  "readcount": 166386,
12  "sidoCode": 32,
13  "gugunCode": 3,
14  "latitude": 37.4648431,
15  "longitude": 129.816981,
16  "mlevel": "S",
17  "recommendation": 8
18 },
19 {
20   "contentId": 126657,
21   "contentType": 12,
22   "title": "홍천계곡",
23   "addr1": "강원도 평강군 봉평면 홍천계곡길 62",
24 }
```

```
{
  "sidoCode": 32,
  "contentType": 12,
  "gugunCode": 18
}
```

Attraction / <http://localhost/user/login> Save ... Edit Comments

POST <http://localhost/attraction/search> Send

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings Cookies

☒ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ☒ JSON Beautify


```
1 [
2   {
3     "sidoCode": 32,
4     "contentType": 12,
5     "gugunCode": 18
6   }
7 ]
```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 16 ms Size: 14.83 KB [Save Response](#)

Pretty Raw Preview Visualize **JSON**

```
1 [
2   {
3     "contentId": 126266,
4     "contentType": 12,
5     "title": "국립 향토사료박물관",
6     "addr1": "강원도 횡성군 문내면 향토사로 618",
7     "addr2": "",
8     "zipCode": "25261",
9     "tel": "",
10    "firstImage": "http://tong.visitkorea.or.kr/cms/resource/21/2657821_image2_1.jpg",
11    "firstImage2": "http://tong.visitkorea.or.kr/cms/resource/21/2657821_image3_1.jpg",
12    "readcount": 92389,
13    "sidoCode": 32,
14    "gugunCode": 18,
15    "latitude": 37.52251412,
16    "longitude": 128.2919115,
17    "mlevel": "6",
18    "recommendation": 0
19  },
20  {
21    "contentId": 126646,
22    "contentType": 12,
23    "title": "방지방계곡",
24    "addr1": "강원도 횡성군 갑천면 방지방리",
25  }
26 ]
```

필수 - 메인 페이지 및 메뉴 구성(10점), 추가 - 사이트맵, 전체적인 메뉴 구성 화면(10점)



user

constraint	type	description	db	back	front
pk	String / VARCHAR(20)		user_id	userId	member_id
uq, nn	String / VARCHAR(50)		user_email	userEmail	member_email
nn	String / VARCHAR(30)		user_password	userPassword	member_password
nn	String / VARCHAR(20)		user_name	userName	member_name
nn, df('user')	String / VARCHAR(10)	user or admin	user_position	userPostion	member_position
nn, df(1)	int / INT	1: 활성화, 0: 삭제	user_status	userStatus	member_status

article

constraint	type	description	db	back	front
pk, ai	int / INT		article_no	articleNo	board_no

constraint	type	description	db	back	front
fk	String / VARCHAR(20)		user_id	userId	member_id
nn	String / VARCHAR(100)		article_title	articleTitle	board_title
	String / TEXT		article_content	articleContent	board_content
nn, df(1)	int / INT	2: 공지, 1: 활성화, 0: 삭제	article_status	articleStatus	board_status

photo

constraint	type	description	db	back	front
pk, ai	int / INT		photo_no	photoNo	image_no
fk	int / INT		article_no	articleNo	board_no
nn	String / VARCHAR(50)	저장한 폴더 (저장한 날짜로 생성)	photo_save_folder	photoSaveFolder	image_save_folder
nn	String / VARCHAR(50)	원래 파일이름	photo_original_name	photoOriginalName	image_original_name
nn	String / VARCHAR(50)	서버에 저장된 이름	photo_save_name	photoSaveName	image_save_name
nn, df(1)	int / INT	1: 활성화, 0: 삭제	photo_status	photoStatus	image_status

plan

constraint	type	description	db	back	front
pk, ai	int / INT		plan_no	planNo	schedule_no
fk	String / VARCHAR(20)		user_id	userId	member_id
nn	String / VARCHAR(100)		plan_title	planTitle	schedule_title
nn, df(1)	int / INT	1: 활성화, 0: 삭제	plan_status	planStatus	schedule_status

waypoint - 플랜 구성요소

constraint	type	description	db	back	front
pk, ai	int / INT		waypoint_no	waypointNo	spot_no
fk	int / INT	plan의 plan_no	plan_no	planNo	schedule_no
fk	int / INT	attraction의 content_no (고정)	content_id	attractionContentId	attraction_content_id
nn	int / INT		waypoint_order	waypointOrder	spot_order
	String / TEXT		waypoint_content	waypointContent	spot_content
nn, df(1)	int / INT	1: 활성화, 0: 삭제	waypoint_status	waypointStatus	spot_status

필수- 회원관리 페이지 (10점), 필수 - 로그인 / 로그아웃페이지 (5점)

회원가입 (POST)

http://localhost/user/regist

```
{
  "userId": "12345",
  "userEmail": "12345",
  "userPassword": "12345",
  "userName": "12345"
}
```

The screenshot shows a REST client interface with the following details:

- Overview:** POST localhost/user/regist
- Method:** POST
- URL:** localhost/user/regist
- Body:**

```
{
  "userId": "12345",
  "userEmail": "12345",
  "userPassword": "12345",
  "userName": "12345"
}
```
- Response:** 200 OK, 279 ms, 283 B. The response body is displayed in JSON format:

```
{
  "userId": "12345",
  "userEmail": "12345",
  "userPassword": "12345",
  "userName": "12345",
  "userPosition": "user",
  "userStatus": "1"
}
```

로그인 (POST)

http://localhost/user/login

```
{
  "userId": "12345",
  "userPassword": "12345"
}
```

Overview POST localhost/user/login + ... No Environment

localhost/user/login Save

POST localhost/user/login Send

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 {
2   "userId": "12345",
3   "userPassword": "12345"
4 }
```

Body Cookies Headers (5) Test Results 200 OK 7 ms 283 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "userId": "12345",
3   "userEmail": "12345",
4   "userPassword": "12345",
5   "userName": "12345",
6   "userPosition": "user",
7   "userStatus": "1"
8 }
```

Cookies Capture requests Runner Trash

회원 리스트 (GET)

http://localhost/user/list

Overview GET localhost/user/list No Environment

localhost/user/list Save

GET localhost/user/list Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

1

Body Cookies Headers (5) Test Results 200 OK 256 ms 760 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   {
3     "userId": "123",
4     "userEmail": "123",
5     "userPassword": "123",
6     "userName": "123",
7     "userPosition": "user",
8     "userStatus": "1"
9   },
10  {
11    "userId": "1234",
12    "userEmail": "1234".
```

Cookies Capture requests Runner Trash

회원 정보 조회 (GET)

http://localhost/user/detail/12345

Overview GET localhost/user/detail/1: No Environment

localhost/user/detail/12345 Save

GET localhost/user/detail/12345 Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

1

Body Cookies Headers (5) Test Results 200 OK 7 ms 283 B Save as Example

Pretty Raw Preview Visualize JSON

```
1
2  "userId": "12345",
3  "userEmail": "12345",
4  "userPassword": "12345",
5  "userName": "12345",
6  "userPosition": "user",
7  "userStatus": "1"
8
```

Cookies Capture requests Runner Trash

회원 탈퇴 (POST)

http://localhost/user/leave/12345

Overview POST localhost/user/leave/1 + ... No Environment

localhost/user/leave/12345 Save

POST localhost/user/leave/12345 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

1

Body Cookies Headers (5) Test Results 200 OK 13 ms 283 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "userId": "12345",
3   "userEmail": "12345",
4   "userPassword": "12345",
5   "userName": "12345",
6   "userPosition": "user",
7   "userStatus": "0"
8 }
```


Cookies Capture requests Runner Trash

심화 - 게시판 페이지 (10점)

POST

http://localhost/article/write


```
{
  "articleNo" : 1,
  "userId" : "jaeyeon",
  "articleTitle" : "title",
  "articleContent" : "content",
  "articleStatus" : 0
}
```



GET

http://localhost/article/list


http://localhost/article/detail/1



PUT

http://localhost/article/modify

```
{
  "articleNo" : 2,
  "articleTitle" : "수정되나????",
  "articleContent" : "contentㅋㅋㅋ"
}
```



DELETE

http://localhost/article/delete

