Class 1 August 27, 2014

- Welcome to ITMD-461
  - Internet Technologies and Web Design
- Tonight's Agenda
  - Syllabus Review
  - A Bit of History
  - Software Development vs Web Development
  - How the Web Works
  - HTTP Request Response

- Syllabus Review
- Blackboard Review

- 1963 Ted Nelson coined term hypertext. Text linked content
- 1969 ARPANET
  - First Real Packet Switched Network
  - Under Contract from ARPA by BBN of Cambridge, MA and under Bob Kahn
  - Connected mostly a handful of Universities
  - First link UCLA and Stanford
- 1972 Email adapted for ARPANET
  - Ray Tomlinson of BBN, choose @ to separate name and host
- 1973-74 TCP
  - Bob Kahn at DARPA and Vint Cerf at Stanford develop TCP
  - 1978 TCP finalized into TCP/IP

- 1980 Tim Berners-Lee at CERN creates ENQUIRE
  - personal database of people and software models
  - simple Hypertext program
- 1983 ARPANET switches over to TCP/IP from NCP
- 1984 DNS system
  - made addresses on the Internet more human-friendly
- 1987 About 30,000 hosts on Internet

- 1989 Tim Berners-Lee of CERN develops a new technique for distributing information on the Internet.
  - Information Management: A Proposal
  - Based on Hypertext
  - Called it the World Wide Web
  - http://www.w3.org/History/1989/proposal-msw.html
- 1990 World Wide Web protocols finished
  - HTML, HTTP, and URLs
- 1991 First web page created
  - http://www.w3.org/History/19921103-hypertext/hypertext/WWW/TheProject.html

- 1993 Mosaic first major graphical web brows to make the Internet accessible to non-techies
  - Developed by Marc Andreeson and team at the National Center for Supercomputing Applications (NCSA), University of Illinois
  - Later forms Netscape
- 1994-95
  - CompuServe, America Online, and Prodigy start providing dial-up Internet access.
  - Netscape develops Navigator Browser and SSL

- 1995 continued
  - Ebay, Amazon, Vatican, Geocities all go online
  - Sun releases Java programming language
  - JavaScript created by rendan Eickoriginally called LiveScript) is released as part of Netscape Navigat
- 1996 HoTMalL, First webmail
- 1997 Weblog term coined
  - NASA pathfinder sets traffic record with 46 million h in a day

- 1998 Google goes live
- 1999 Napster
- 2001 Wikipedia
- 2004 Facebook
- 2005 Youtube
- 2006 Twitter
- 2007 iPhone brings era of mobile web
- W3C How it all Started http://www.w3.org/2004/Talks/w3c10-HowItAllStarted/?n=0
- Web History Timeline http://webdirections.org/history/#0



- How is web development different from softwar development? How is it the same?
  - Types of code
  - Runtimes and environments
  - Browser as platform
  - Networking with the internet

- When you make a piece of Desktop Software y
  - Code in a language like C++, C, Java, Objective C
     C# / Visual Basic
  - Compile the code into an executable for omeone platforms
  - The user downloads your application and installs it a platform (operating system)
  - Manage the software with updates, registry entries and logs.

- When you make a web application, mobile web application, or website you
  - Write front-end HTML, CSS and Javascript code for the visual presentation and interaction with the user
  - Write backend code to interact with databases and, filesystem on the server. This code may or may not be compiled.
  - Deliver the application to the user via a URL
  - The browser is your platform and compiler
  - The server is where the code is made available to users via the HTTP protocol when using the Internet

- Software Development
  - 1 language, local database, 1 or more compiled executables, platform restricted
- Web Development
  - HTML, CSS, Javascript, Backend language RIDE or PHP or ASP.net or Java or Python) and Database Platform un-restricted, including mobile

Chapter 1

- Websites are requested and delivered to user's browsers via the HTTP Protocol.
- HTTP stands for Hyper Text Transfer Protocol
- OSI Model of networking
  - What other protocols are involved with this transaction?
    - TCP / IP
    - UDP
    - DNS
    - ARP

- URI vs URL
  - A URL is a URI but a URI is not a URL, technically
- URI uniform resource identifier
  - A URI identifies a resource either by location or name.
  - Don't necessarily know what the resource type is
  - http://www.iit.edu/logo
- URL uniform resource locator
  - Technically type of URI
  - A URL defines the network location of a specific representation for a given resource.
  - Know what the resource type is
  - http://www.iit.edu/logo.png
- In practice they are used interchangeably but more often than not URI would be the generally correct term

### **IMTD-461**

Chapter 2

- Client Parses the URI
  - protocol://server/request
- Client sends request to Server
  - Usually HTTP protocol
  - [METH] [REQUEST-URI] HTTP/[VER]
  - [fieldname1]: [field-value]
  - ...
  - [request body, if any (used for POST and PUT)]
- Example GET / HTTP/1.1

Request Line GFT /index html HTTP/1 1 Date: Thu, 20 May 2004 21:12:55 GMT General Headers Connection: close Host: www.myfavoriteamazingsite.com From: joebloe@somewebsitesomewhere.com Request Headers Accept: text/html, text/plain User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) HTTP Request **Entity Headers** Message Body

http://www.tcpipguide.com/free/t\_HTTPRequestMessageFormat.htm

### HTTP Methods

- GET, POST, PUT, DELETE, HEAD, TRACE, CONNECT
- First 4 are the common ones. Mostly GET.
- http://www.w3.org/Protocols/rfc2616/rfc2616-sec9.html

### GET

- Most common, Basically get me this document
- Any variable or form data is sent as part of the URL
- http://www.domain.com/?q=232&name=joe
- Data q=232 and name=joe is available to target page

### POST

- Second most common method
- Used often to send form data
- Any variable or form data is sent in the request body and not appended to the URL

### PUT & DELETE

- Used mostly with web programming frameworks
- Used in Ruby on Rails
- HEAD
  - Returns only the Response headers from server

- Server sends response to client
  - Usually HTTP Protocol
  - HTTP/[ver] code text
  - [fieldname1]: [field-value]
  - **–** ...
  - [response body]
- First line is status of request
- Then multiple header fields can follow
- Lastly the response body follows

HTTP/1.1 200 OK Date: Thu, 20 May 2004 21:12:58 GMT Connection: close Server: Apache/1.3.27 Accept-Ranges: bytes	Status Line General Headers Response Headers	
Content-Type: text/html Content-Length: 170 Last-Modified: Tue, 18 May 2004 10:14:49 GMT		

http://www.tcpipguide.com/free/t\_HTTPResponseMessageFormat.htm

- Status Codes
  - 3 digit numbers grouped into 5 groups by first digit
- 1xx Informational
  - No 1xx status codes are defined, expermental
- 2xx Successful
  - 200 OK Server did request and all is well
  - Rest of the 200's are mostly used for scripting, not commonly seen

- Status Codes continued
- 3xx Redirection
  - 301 Moved permanently
    - The resource is somewhere else and links and references should be updated
  - 302 Moved temporarily
    - Means same as 301 but links and references should not be updated since it may move again in the future
  - 304 Not modified
    - Returned if the if-modified-since header used
    - Basically means cached version should be displayed

- Status Codes continued
- 4xx Client error
  - 400 Bad request Incorrect request syntax
  - 401 Unauthorized
    - Client not allowed access to resource
    - May change if client retries with authorization header
  - 403 Forbidden
    - Client not allowed access to resource
    - Authorization header will not help
  - 404 Not found Dead link

- Status Codes continued
- 5xx Server error
  - 500 Internal server error
    - Something went wrong inside the server
  - 501 Not implements
    - The request is not supported by the server
  - 503 Service unavailable
    - Usually happens when a server is overloaded
- http://www.w3.org/Protocols/rfc2616/rfc2616-sec6.html

- Response headers can include
  - Location
  - Server
  - Content-length
  - Content-type
  - Content-encoding
  - Expires
  - Last-modified
  - And others

### **HTTP 1.1**

- HTTP/1.0
  - http://www.w3.org/Protocols/HTTP/1.0/spec.html
- HTTP/1.1 1999
  - http://www.w3.org/Protocols/rfc2616/rfc2616.html
- 1.0 vs 1.1
  - 1.0 only had GET, POST, HEAD Methods
  - 1.1 requires host header
  - 1.1 adds some cacheing and persistence and more
  - http://www2.research.att.com/~bala/papers/h0vh1.html

### **HTTP 2.0**

- HTTP/2.0 is the next planned version
- Based on SPDY
  - http://en.wikipedia.org/wiki/SPDY
  - Effort by Google to speed up http protocol with thing like compressing and multiplexing
  - Supported in some modern browsers now
- Still in development

Chapter 3

### Software

#### AT A GLANCE

### **Popular Web Design Software Links**

#### Web page authoring

Adobe Dreamweaver www.adobe.com

Microsoft Expression Web www.microsoft.com/products/ expression

Nvu (open source web page editor) www.nvu.com

#### HTML editing

TextMate by MacroMates for Mac OS www.macromates.com

Sublime Text www.sublimetext.com

TextPad for Windows www.textpad.com

Coda by Panic Software www.panic.com/coda/

BBEdit by Bare Bones Software www.barebones.com

#### Image editing and drawing

Adobe Photoshop www.adobe.com

Adobe Photoshop Elements www.adobe.com

Adobe Illustrator www.adobe.com

Adobe Fireworks www.adobe.com

Corel Paint Shop Pro Photo www.corel.com/paintshoppro

GIMP gimp.org

#### Browsers

Microsoft Internet Explorer (Windows only) www.microsoft.com/ windows/internet-explorer/

Firefox www.firefox.com

Google Chrome www.google.com/chrome

Opera www.opera.com

Safari www.apple.com/safari

### Networking

WS\_FTP, CuteFTP, AceFTP, and others for Windows available at: www.download.com

Transmit (for Macintosh OSX) www.panic.com/transmit

Cyberduck (for Macintosh OSX) cyberduck.ch

Fetch (for Macintosh OSX) fetchsoftworks.com

Cygwin (Linux emulator for Windows) www.cygwin.com

PuTTY (telnet/SSH terminal emulator) www.chiark.greenend.org. uk/~sqtatham/putty/

### Software

- Text Editor
  - Notepad++ (windows)
  - Textpad (windows)
  - TextWrangler (mac)
  - Sublime Text 2 (multi-platform)
- SFTP
  - WinSCP (windows)
  - Filezilla (multi-platform)
  - Cyberduck (mac)
  - Transmit (mac)
- SSH (optional for some)
  - Terminal (mac & linux)
  - PuTTY (windows)

# Readings

- Read Section I, Chapters 1-3, and get a head start on Section II in the book
- W3C How it all Started pre W3C
  - http://www.w3.org/2004/Talks/w3c10-HowItAllStarted/?n=0
- Web History Timeline ttp://webdirections.org/history/#0