



Three phyla | 30 tips pruned (8 prior + 22 current) | 528 retained references

Left: AA | Centre: 3Di | Separate tree-distance scales; shared FAA-length scale | Class / Length



3 AA substitutions/site

0 1000 2000 3000
FAA length (aa)



1.5 3Di substitutions/site

0 1000 2000 3000
FAA length (aa)

Class / related Order-Family shades

Outermost bars: protein length

Original FAA: 254 - 2906 aa

Linear scale: 0 - 3000 aa; shared AA/3Di

Nucleocytoviricota

Megaviricetes [365]

Algavirales (order) [180]

Imitervirales (order) [123]

Mamonoviridae (family) [1]

Pimascovirales (order) [61]

Mriyaviricetes [17]

Yaraviridae (family) [17]

Pokkesviricetes [10]

Asfuvirales (order) [9]

Chitovirales (order) [1]

Preplasmiviricota

Aquintoviricetes [6]

Archintovirales (order) [6]

Pharingeaviricetes [3]

Rowavirales (order) [3]

Polintoviricetes [4]

Amphintovirales (order) [4]

Tectiliviricetes [5]

Kalamavirales (order) [5]

Virophaviricetes [94]

Divpevirales (order) [1]

Lavidavirales (order) [8]

Mividavirales (order) [6]

Priklausovirales (order) [79]

Produgelaviricota

Belvinaviricetes [24]

Atroposvirales (order) [1]

Coyopavirales (order) [1]

Vinavirales (order) [22]

Mixed-Class internal branch

Inside to outside: Class / Length.
Host and Environment layers omitted; 528 tips retained after pruning 30 candidates (8 prior + 22 current).
Length bars share a zero baseline; original FAA residues.