

AI & ML for Data Scientists

Class 9: Regression Tree

Lei Ge (葛雷)

Quant RUC (人大量化)

November 13, 2025



Introduction

Loss function

Finding Best Split

Pros and Cons

Applications

Introduction

Loss function

Finding Best Split


Pros and Cons

Applications

What is a Decision Tree?

- Decision Tree is a supervised learning model used for:
 1. Classification
 2. Regression
- It splits data into regions based on feature values, forming a tree-like structure:
 - Simple explanation: dividing the data into groups

Binary Decision Tree



A binary decision tree

Math of Decision Tree Algorithm

- $\hat{f}(X) = \sum_{m=1}^5 c_m I \{(X_1, X_2) \in R_m\}.$
- Equation from Element of Statistical Learning Page 305
- Just divide the data into 5 groups based on values of features X_1 and X_2 . The c_m is the predicted value of group m

Why Decision Tree Important

- It is basic element for the Random Forest and Gradient Boosting (xgboost)
- If you understand the Decision Tree well, you got 99% of RF and Xgboost

Introduction

Loss function

Finding Best Split

Pros and Cons

Applications

Key Ideas to minimize the loss function

- A decision tree splits the feature space into regions.
- At each split, choose the feature and threshold that Minimize loss

Decision Tree for Regression

- Use MSE, or MAE, or Huber, or ... (No difference with the linear regression)
- The MSE loss split minimizes:

$$\text{Cost} = \text{MSE} = \frac{1}{m} \sum_{i=1}^m (y_i - \bar{y})^2$$

Where $\bar{y}$ is the mean of target values in the group (node). ¹

¹Cost is the average loss across sample

Decision Tree for Classification

Common impurity metrics:

- Cross Entropy Loss (a.k.a log loss):

$$Cost = - \sum_{k=1}^K p_k \log(p_k)$$

- Gini Loss (Impurity, only for the decision tree algorithm):

$$Cost = 1 - \sum_{k=1}^K p_k^2$$

Where p_k is the proportion of class k at the group (node).

Loss Example for a Simple Node (Group)

Suppose a node (group) contains 10 samples:

6 (Positive), 4 (Negative)

Cross Entropy Loss:

$$\text{Cost} = -(0.6 \log 0.6 + 0.4 \log 0.4) \approx 0.97$$

Gini Loss (impurity):

$$\text{Cost} = 1 - (0.6^2 + 0.4^2) = 0.48$$

Cost of New Split


A new split divides parent group (node) P into children left group (node) L and right group (node) R .

$$Cost_{new} = \left(\frac{n_L}{n_P} Cost(L) + \frac{n_R}{n_P} Cost(R) \right)$$

Where:

- $Loss(\cdot)$ is loss (Entropy or MSE or Gini)
- n_L, n_R are sample counts for left group and right group. $n_P = n_L + n_R$, which is sample size of parent group.

Regression Tree: Full Picture



Introduction

Loss function

Finding Best Split

Pros and Cons

Applications

How to find the best split?

- Find the optimal split directly is hard (NP impossible)
- We turn to the greedy grid search to find the best split

Greedy Algorithm for Split Finding (Pseudocode)

- n is number of features, m is different values of feature n

Algorithm 1 Find best split

- 1: **Input:** dataset D
 - 2: **for** each feature n **do**
 - 3: **for** each candidate threshold θ_m for feature n **do**
 - 4: split D into $D_L = \{x_n \leq \theta_m\}$, $D_R = \{x_n > \theta_m\}$
 - 5: compute $Loss$
 - 6: **end for**
 - 7: **end for**
 - 8: partition D by best split with smallest loss
-

Greedy Algorithm (Simple)

Actually:

- Loop over feature (n) and loop over feature values (m) to get best (smallest) loss value²

²what is the time complexity here?

Example

Please follow to the blackboard

Avoid Over-fitting

To avoid over-fitting, tree grows until:

- Minimum samples per node
- Maximum depth reached

Introduction

Loss function

Finding Best Split

Pros and Cons

Applications

Advantages

- Model automatically has feature non-linearity and feature interaction (Why?)
- Handles missing values well
- Robust for feature scale differences.
- Intuitive and interpretable

Disadvantages

- Prone to overfitting
- Unstable (small changes $\rightarrow$ different trees)

From One Tree to Many Trees

- One decision tree may not perform well and has many disadvantage
- Solution: how about use many decision trees?
- Many decision trees → random forest & xgboost (we will study them in next class)

Introduction

Loss function

Finding Best Split

Pros and Cons

Applications

Real-World Applications

- Credit approval
- Medical diagnosis
- Fraud detection
- Customer segmentation

End of Slides

Questions?

Reference

1. Hands-on Machine Learning with Scikit-Learn, Keras and TensorFlow (3rd edition)
2. Andrew Ng's Coursera
3. Kaggle
4. Wikipedia
5. ChatGPT
6. DeepSeek