

Importance Sampling

- Let our proposal be of the form: $q(z) = \tilde{q}(z)/\mathcal{Z}_q$.

$$\begin{aligned}\mathbb{E}[f] &= \int f(z)p(z)dz = \int f(z)\frac{p(z)}{q(z)}q(z)dz = \frac{\mathcal{Z}_q}{\mathcal{Z}_p} \int f(z)\frac{\tilde{p}(z)}{\tilde{q}(z)}q(z)dz \\ &\approx \frac{\mathcal{Z}_q}{\mathcal{Z}_p} \frac{1}{N} \sum_n \frac{\tilde{p}(z^n)}{\tilde{q}(z^n)} f(z^n) = \frac{\mathcal{Z}_q}{\mathcal{Z}_p} \frac{1}{N} \sum_n w^n f(z^n),\end{aligned}$$

- But we can **use the same weights** to approximate $\mathcal{Z}_q/\mathcal{Z}_p$:

$$\frac{\mathcal{Z}_p}{\mathcal{Z}_q} = \frac{1}{\mathcal{Z}_q} \int \tilde{p}(z)dz = \int \frac{\tilde{p}(z)}{\tilde{q}(z)}q(z)dz \approx \frac{1}{N} \sum_n \frac{\tilde{p}(z^n)}{\tilde{q}(z^n)} = \frac{1}{N} \sum_n w^n.$$

- Hence:

$$\mathbb{E}[f] \approx \sum_{n=1}^N \frac{w^n}{\sum_{m=1}^N w^m} f(z^n), \quad z^n \sim q(z).$$

Consistent but biased.²⁰