VoteFraction distributions by most-voted finding

Patch counts per bin (each panel has its own y scale) | 110 runs | 17 reviewed findings

Hypertrophy
N = 61,855 patches with V >= 0.05



Degeneration, granular, eosinophilic
N = 50,374 patches with V >= 0.05



Swelling
N = 22,979 patches with V >= 0.05



Degeneration, fatty
N = 12,358 patches with V >= 0.05



Ground glass appearance
N = 9,584 patches with V >= 0.05



Alteration, cytoplasmic
N = 9,175 patches with V >= 0.05



Change, eosinophilic
N = 7,737 patches with V >= 0.05



Single cell necrosis
N = 5,756 patches with V >= 0.05



Cellular infiltration
N = 5,519 patches with V >= 0.05



Vacuolization, cytoplasmic
N = 4,351 patches with V >= 0.05



Proliferation, bile duct
N = 4,058 patches with V >= 0.05



Increased mitosis
N = 1,676 patches with V >= 0.05



Change, acidophilic
N = 1,009 patches with V >= 0.05



Hematopoiesis, extramedullary
N = 831 patches with V >= 0.05



Alteration, nuclear
N = 768 patches with V >= 0.05



Necrosis
N = 393 patches with V >= 0.05



Proliferation, oval cell
N = 319 patches with V >= 0.05



VoteFraction = maximum votes for one finding / 110

Only V >= 0.05 shown. Findings with fewer than 100 patches at V >= 0.1 are absent. Last bin includes V = 1.

Fixed 1M-patch reference sample, eligible slides only. Finding names are run-vote associations, not patch-level diagnoses.