

queries_20260516_120531.txt

May 16 08:43:34 dnsmasq[26995]: started, version pi-hole-v2.92.2 cachesize 10000
May 16 08:43:34 dnsmasq[26995]: DNS service limited to local subnets
May 16 08:43:34 dnsmasq[26995]: compile time options: IPv6 GNU-getopt no-DBus no-UBus
no-i18n IDN2 DHCP DHCPv6 Lua TFTP no-contrack ipset no-nftset auth DNSSEC
loop-detect inotify dumpfile
May 16 08:43:34 dnsmasq[26995]: using nameserver 8.8.8.8#53
May 16 08:43:34 dnsmasq[26995]: using nameserver 8.8.4.4#53
May 16 08:43:34 dnsmasq[26995]: using only locally-known addresses for onion
May 16 08:43:34 dnsmasq[26995]: using only locally-known addresses for bind
May 16 08:43:34 dnsmasq[26995]: using only locally-known addresses for invalid
May 16 08:43:34 dnsmasq[26995]: using only locally-known addresses for test
May 16 08:43:34 dnsmasq[26995]: using only locally-known addresses for pi.hole
May 16 08:43:34 dnsmasq[26995]: using only locally-known addresses for lan
May 16 08:43:34 dnsmasq[26995]: using only locally-known addresses for internal
May 16 08:43:34 dnsmasq[26995]: using only locally-known addresses for home.arpa
May 16 08:43:34 dnsmasq[26995]: read /etc/hosts - 7 names
May 16 08:43:34 dnsmasq[26995]: read /etc/pihole/hosts/custom.list - 0 names
May 16 09:08:49 dnsmasq[26995]: exiting on receipt of SIGTERM
May 16 09:08:50 dnsmasq[26995]: started, version pi-hole-v2.92.2 cachesize 10000
May 16 09:08:50 dnsmasq[26995]: DNS service limited to local subnets
May 16 09:08:50 dnsmasq[26995]: compile time options: IPv6 GNU-getopt no-DBus no-UBus
no-i18n IDN2 DHCP DHCPv6 Lua TFTP no-contrack ipset no-nftset auth DNSSEC
loop-detect inotify dumpfile
May 16 09:08:50 dnsmasq-dhcp[26995]: DHCP, IP range 10.0.0.101 -- 10.0.0.200, lease time
1d
May 16 09:08:50 dnsmasq[26995]: using nameserver 8.8.8.8#53
May 16 09:08:50 dnsmasq[26995]: using nameserver 8.8.4.4#53
May 16 09:08:50 dnsmasq[26995]: using only locally-known addresses for onion
May 16 09:08:50 dnsmasq[26995]: using only locally-known addresses for bind
May 16 09:08:50 dnsmasq[26995]: using only locally-known addresses for invalid
May 16 09:08:50 dnsmasq[26995]: using only locally-known addresses for test
May 16 09:08:50 dnsmasq[26995]: using only locally-known addresses for pi.hole
May 16 09:08:50 dnsmasq[26995]: using only locally-known addresses for lan
May 16 09:08:50 dnsmasq[26995]: using only locally-known addresses for internal
May 16 09:08:50 dnsmasq[26995]: using only locally-known addresses for home.arpa
May 16 09:08:50 dnsmasq[26995]: read /etc/hosts - 7 names
May 16 09:08:50 dnsmasq[26995]: read /etc/pihole/hosts/custom.list - 0 names
May 16 09:08:54 dnsmasq[26995]: read /etc/hosts - 7 names
May 16 09:08:54 dnsmasq[26995]: read /etc/pihole/hosts/custom.list - 0 names
May 16 09:11:44 dnsmasq[26995]: exiting on receipt of SIGTERM
May 16 09:11:45 dnsmasq[28597]: started, version pi-hole-v2.92.2 cachesize 10000
May 16 09:11:45 dnsmasq[28597]: DNS service limited to local subnets
May 16 09:11:45 dnsmasq[28597]: compile time options: IPv6 GNU-getopt no-DBus no-UBus
no-i18n IDN2 DHCP DHCPv6 Lua TFTP no-contrack ipset no-nftset auth DNSSEC
loop-detect inotify dumpfile
May 16 09:11:45 dnsmasq-dhcp[28597]: DHCP, IP range 10.0.0.101 -- 10.0.0.200, lease time

1d

May 16 09:11:45 dnsmasq[28597]: using nameserver 8.8.8.8#53
May 16 09:11:45 dnsmasq[28597]: using nameserver 8.8.4.4#53
May 16 09:11:45 dnsmasq[28597]: using only locally-known addresses for onion
May 16 09:11:45 dnsmasq[28597]: using only locally-known addresses for bind
May 16 09:11:45 dnsmasq[28597]: using only locally-known addresses for invalid
May 16 09:11:45 dnsmasq[28597]: using only locally-known addresses for test
May 16 09:11:45 dnsmasq[28597]: using only locally-known addresses for pi.hole
May 16 09:11:45 dnsmasq[28597]: using only locally-known addresses for lan
May 16 09:11:45 dnsmasq[28597]: using only locally-known addresses for internal
May 16 09:11:45 dnsmasq[28597]: using only locally-known addresses for home.arpa
May 16 09:11:45 dnsmasq[28597]: read /etc/hosts - 7 names
May 16 09:11:45 dnsmasq[28597]: read /etc/pihole/hosts/custom.list - 0 names
May 16 09:14:09 dnsmasq-dhcp[28597]: 29100960 available DHCP range: 10.0.0.101 -- 10.0.0.200
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 DHCPDISCOVER(wlan0) 90:48:6c:68:ea:c1
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 tags: wlan0
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 DHCPOFFER(wlan0) 10.0.0.148 90:48:6c:68:ea:c1
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 requested options: 1:netmask, 3:router, 28:broadcast, 6:dns-server
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 next server: 10.0.0.100
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 1 option: 53 message-type 2
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 4 option: 54 server-identifier 10.0.0.100
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 4 option: 51 lease-time 1d
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 4 option: 58 T1 12h
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 4 option: 59 T2 21h
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 4 option: 1 netmask 255.255.255.0
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 4 option: 28 broadcast 10.0.0.255
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 12 option: 6 dns-server 10.0.0.100, 10.0.0.100, 10.0.0.100
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 4 option: 3 router 10.0.0.1
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 available DHCP range: 10.0.0.101 -- 10.0.0.200
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 client provides name: RingDoorbell-c1
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 DHCPREQUEST(wlan0) 10.0.0.189 90:48:6c:68:ea:c1
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 DHCPNAK(wlan0) 10.0.0.189 90:48:6c:68:ea:c1 wrong server-ID
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 broadcast response
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 1 option: 53 message-type 6
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 4 option: 54 server-identifier 10.0.0.100
May 16 09:14:12 dnsmasq-dhcp[28597]: 29100960 sent size: 15 option: 56 message 77:72:6f:6e:67:20:73:65:72:76:65:72:2d:49...

May 16 09:48:00 dnsmasq-dhcp[28597]: 1502252960 available DHCP range: 10.0.0.101 -- 10.0.0.200
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 DHCPDISCOVER(wlan0) 48:bd:ce:15:de:1b
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 tags: wlan0
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 DHCPOFFER(wlan0) 10.0.0.130 48:bd:ce:15:de:1b
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 next server: 10.0.0.100
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 broadcast response
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 1 option: 53 message-type 2
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 4 option: 54 server-identifier 10.0.0.100
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 4 option: 51 lease-time 1d
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 4 option: 58 T1 12h
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 4 option: 59 T2 21h
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 4 option: 1 netmask 255.255.255.0
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 4 option: 28 broadcast 10.0.0.255
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 3 option: 15 domain-name lan
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 4 option: 42 ntp-server 10.0.0.100
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 12 option: 6 dns-server 10.0.0.100, 10.0.0.100, 10.0.0.100
May 16 09:48:03 dnsmasq-dhcp[28597]: 1502252960 sent size: 4 option: 3 router 10.0.0.1
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681172 available DHCP range: 10.0.0.101 -- 10.0.0.200
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681172 client provides name: iPad
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681172 DHCPREQUEST(wlan0) 10.0.0.204 56:bb:f8:e5:2c:78
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681172 DHCPNAK(wlan0) 10.0.0.204 56:bb:f8:e5:2c:78 address not available
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681172 broadcast response
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681172 sent size: 1 option: 53 message-type 6
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681172 sent size: 4 option: 54 server-identifier 10.0.0.100
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681172 sent size: 21 option: 56 message 61:64:64:72:65:73:73:20:6e:6f:74:20:61:76...
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681173 available DHCP range: 10.0.0.101 -- 10.0.0.200
May 16 10:17:13 dnsmasq-dhcp[28597]: 683681173 client provides name: iPad
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 DHCPDISCOVER(wlan0) 56:bb:f8:e5:2c:78
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 tags: wlan0
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 DHCPOFFER(wlan0) 10.0.0.191 56:bb:f8:e5:2c:78
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 requested options: 1:netmask,

121:classless-static-route, 3:router,
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 requested options: 6:dns-server,
15:domain-name, 108:ipv6-only,
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 requested options: 114:captive-portal,
119:domain-search, 162,
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 requested options: 252
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 next server: 10.0.0.100
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 1 option: 53 message-type 2
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 4 option: 54 server-identifier
10.0.0.100
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 4 option: 51 lease-time 1d
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 4 option: 58 T1 12h
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 4 option: 59 T2 21h
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 4 option: 1 netmask
255.255.255.0
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 4 option: 28 broadcast
10.0.0.255
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 3 option: 15 domain-name lan
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 12 option: 6 dns-server
10.0.0.100, 10.0.0.100, 10.0.0.100
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 4 option: 3 router 10.0.0.1
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 available DHCP range: 10.0.0.101 --
10.0.0.200
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 client provides name: iPad
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 DHCPREQUEST(wlan0) 10.0.0.204
56:bb:f8:e5:2c:78
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 DHCPNAK(wlan0) 10.0.0.204
56:bb:f8:e5:2c:78 wrong server-ID
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 broadcast response
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 1 option: 53 message-type 6
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 4 option: 54 server-identifier
10.0.0.100
May 16 10:17:16 dnsmasq-dhcp[28597]: 683681173 sent size: 15 option: 56 message
77:72:6f:6e:67:20:73:65:72:76:65:72:2d:49...
May 16 10:25:38 dnsmasq-dhcp[28597]: 670715791 available DHCP range: 10.0.0.101 --
10.0.0.200
May 16 10:25:38 dnsmasq-dhcp[28597]: 670715791 client provides name: Watch
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 DHCPDISCOVER(wlan0)
1a:44:5c:6a:ea:73
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 tags: wlan0
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 DHCPOFFER(wlan0) 10.0.0.126
1a:44:5c:6a:ea:73
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 requested options: 1:netmask,
121:classless-static-route, 3:router,
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 requested options: 6:dns-server,
15:domain-name, 108:ipv6-only,
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 requested options: 114:captive-portal,
119:domain-search, 162,
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 requested options: 252

May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 next server: 10.0.0.100
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 1 option: 53 message-type 2
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 54 server-identifier
10.0.0.100
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 51 lease-time 1d
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 58 T1 12h
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 59 T2 21h
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 1 netmask
255.255.255.0
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 28 broadcast
10.0.0.255
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 3 option: 15 domain-name lan
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 12 option: 6 dns-server
10.0.0.100, 10.0.0.100, 10.0.0.100
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 3 router 10.0.0.1
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 available DHCP range: 10.0.0.101 --
10.0.0.200
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 client provides name: Watch
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 DHCPDISCOVER(wlan0)
1a:44:5c:6a:ea:73
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 tags: wlan0
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 DHCPOFFER(wlan0) 10.0.0.126
1a:44:5c:6a:ea:73
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 requested options: 1:netmask,
121:classless-static-route, 3:router,
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 requested options: 6:dns-server,
15:domain-name, 108:ipv6-only,
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 requested options: 114:captive-portal,
119:domain-search, 162,
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 requested options: 252
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 next server: 10.0.0.100
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 1 option: 53 message-type 2
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 54 server-identifier
10.0.0.100
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 51 lease-time 1d
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 58 T1 12h
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 59 T2 21h
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 1 netmask
255.255.255.0
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 28 broadcast
10.0.0.255
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 3 option: 15 domain-name lan
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 12 option: 6 dns-server
10.0.0.100, 10.0.0.100, 10.0.0.100
May 16 10:25:41 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 3 router 10.0.0.1
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 available DHCP range: 10.0.0.101 --
10.0.0.200
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 client provides name: Watch

May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 DHCPREQUEST(wlan0) 10.0.0.126
1a:44:5c:6a:ea:73
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 tags: wlan0
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 DHCPACK(wlan0) 10.0.0.126
1a:44:5c:6a:ea:73 Watch
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 requested options: 1:netmask,
121:classless-static-route, 3:router,
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 requested options: 6:dns-server,
15:domain-name, 108:ipv6-only,
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 requested options: 114:captive-portal,
119:domain-search, 162,
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 requested options: 252
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 next server: 10.0.0.100
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 1 option: 53 message-type 5
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 54 server-identifier
10.0.0.100
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 51 lease-time 1d
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 58 T1 12h
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 59 T2 21h
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 1 netmask
255.255.255.0
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 28 broadcast
10.0.0.255
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 3 option: 15 domain-name lan
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 12 option: 6 dns-server
10.0.0.100, 10.0.0.100, 10.0.0.100
May 16 10:25:42 dnsmasq-dhcp[28597]: 670715791 sent size: 4 option: 3 router 10.0.0.1
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 available DHCP range: 10.0.0.101 --
10.0.0.200
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 client provides name: Watch
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 DHCPREQUEST(wlan0) 10.0.0.126
1a:44:5c:6a:ea:73
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 tags: wlan0
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 DHCPACK(wlan0) 10.0.0.126
1a:44:5c:6a:ea:73 Watch
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 requested options: 1:netmask,
121:classless-static-route, 3:router,
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 requested options: 6:dns-server,
15:domain-name, 108:ipv6-only,
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 requested options: 114:captive-portal,
119:domain-search, 162,
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 requested options: 252
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 next server: 10.0.0.100
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 1 option: 53 message-type 5
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 4 option: 54 server-identifier
10.0.0.100
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 4 option: 51 lease-time 1d
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 4 option: 58 T1 12h

May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 4 option: 59 T2 21h
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 4 option: 1 netmask 255.255.255.0
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 4 option: 28 broadcast 10.0.0.255
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 3 option: 15 domain-name lan
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 12 option: 6 dns-server 10.0.0.100, 10.0.0.100, 10.0.0.100
May 16 10:37:27 dnsmasq-dhcp[28597]: 670715792 sent size: 4 option: 3 router 10.0.0.1
May 16 10:37:27 dnsmasq[28597]: query[HTTPS] guzzoni.apple.com from 10.0.0.126
May 16 10:37:27 dnsmasq[28597]: forwarded guzzoni.apple.com to 8.8.8.8
May 16 10:37:27 dnsmasq[28597]: forwarded guzzoni.apple.com to 8.8.4.4
May 16 10:37:27 dnsmasq[28597]: query[A] guzzoni.apple.com from 10.0.0.126
May 16 10:37:27 dnsmasq[28597]: forwarded guzzoni.apple.com to 8.8.8.8
May 16 10:37:27 dnsmasq[28597]: forwarded guzzoni.apple.com to 8.8.4.4
May 16 10:37:27 dnsmasq[28597]: query[SVCB] _dns.resolver.arpa from 10.0.0.126
May 16 10:37:27 dnsmasq[28597]: Designated Resolver domain _dns.resolver.arpa is NODATA
May 16 10:37:27 dnsmasq[28597]: reply guzzoni.apple.com is <CNAME>
May 16 10:37:27 dnsmasq[28597]: reply guzzoni-apple-com.v.aaplimg.com is NODATA
May 16 10:37:27 dnsmasq[28597]: reply guzzoni.apple.com is <CNAME>
May 16 10:37:27 dnsmasq[28597]: reply guzzoni-apple-com.v.aaplimg.com is 13.59.48.42
May 16 10:37:27 dnsmasq[28597]: query[HTTPS] guzzoni-apple-com.v.aaplimg.com from 10.0.0.126
May 16 10:37:27 dnsmasq[28597]: cached guzzoni-apple-com.v.aaplimg.com is NODATA
May 16 10:37:28 dnsmasq[28597]: query[PTR] 126.0.0.10.in-addr.arpa from 127.0.0.1
May 16 10:37:28 dnsmasq[28597]: DHCP 10.0.0.126 is watch.lan
May 16 10:37:28 dnsmasq[28597]: query[PTR] 8.8.8.8.in-addr.arpa from 127.0.0.1
May 16 10:37:28 dnsmasq[28597]: forwarded 8.8.8.8.in-addr.arpa to 8.8.4.4
May 16 10:37:28 dnsmasq[28597]: reply 8.8.8.8 is dns.google
May 16 10:37:28 dnsmasq[28597]: query[PTR] 4.4.8.8.in-addr.arpa from 127.0.0.1
May 16 10:37:28 dnsmasq[28597]: forwarded 4.4.8.8.in-addr.arpa to 8.8.4.4
May 16 10:37:28 dnsmasq[28597]: reply 8.8.4.4 is dns.google
May 16 10:37:29 dnsmasq[28597]: query[PTR] 1.0.0.127.in-addr.arpa from 127.0.0.1
May 16 10:37:29 dnsmasq[28597]: /etc/hosts 127.0.0.1 is localhost
May 16 10:48:00 dnsmasq-dhcp[28597]: 1865601934 available DHCP range: 10.0.0.101 -- 10.0.0.200
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 DHCPDISCOVER(wlan0) 48:bd:ce:15:de:1b
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 tags: wlan0
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 DHCPOFFER(wlan0) 10.0.0.130 48:bd:ce:15:de:1b
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 next server: 10.0.0.100
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 broadcast response
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 1 option: 53 message-type 2
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 4 option: 54 server-identifier 10.0.0.100
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 4 option: 51 lease-time 1d

May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 4 option: 58 T1 12h
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 4 option: 59 T2 21h
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 4 option: 1 netmask 255.255.255.0
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 4 option: 28 broadcast 10.0.0.255
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 3 option: 15 domain-name lan
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 4 option: 42 ntp-server 10.0.0.100
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 12 option: 6 dns-server 10.0.0.100, 10.0.0.100, 10.0.0.100
May 16 10:48:03 dnsmasq-dhcp[28597]: 1865601934 sent size: 4 option: 3 router 10.0.0.1
May 16 11:00:00 dnsmasq[28597]: query[PTR] 126.0.0.10.in-addr.arpa from 127.0.0.1
May 16 11:00:00 dnsmasq[28597]: DHCP 10.0.0.126 is watch.lan
May 16 11:00:00 dnsmasq[28597]: query[PTR] 1.0.0.127.in-addr.arpa from 127.0.0.1
May 16 11:00:00 dnsmasq[28597]: /etc/hosts 127.0.0.1 is localhost
May 16 11:00:00 dnsmasq[28597]: query[PTR] 8.8.8.8.in-addr.arpa from 127.0.0.1
May 16 11:00:00 dnsmasq[28597]: cached 8.8.8.8 is dns.google
May 16 11:00:00 dnsmasq[28597]: query[PTR] 4.4.8.8.in-addr.arpa from 127.0.0.1
May 16 11:00:00 dnsmasq[28597]: cached-stale 8.8.4.4 is dns.google
May 16 11:00:00 dnsmasq[28597]: forwarded 4.4.8.8.in-addr.arpa to 8.8.8.8
May 16 11:00:00 dnsmasq[28597]: forwarded 4.4.8.8.in-addr.arpa to 8.8.4.4
May 16 11:00:00 dnsmasq[28597]: reply 8.8.4.4 is dns.google
May 16 11:48:00 dnsmasq-dhcp[28597]: 65733621 available DHCP range: 10.0.0.101 -- 10.0.0.200
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 DHCPDISCOVER(wlan0) 48:bd:ce:15:de:1b
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 tags: wlan0
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 DHCPOFFER(wlan0) 10.0.0.130 48:bd:ce:15:de:1b
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 next server: 10.0.0.100
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 broadcast response
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 1 option: 53 message-type 2
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 4 option: 54 server-identifier 10.0.0.100
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 4 option: 51 lease-time 1d
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 4 option: 58 T1 12h
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 4 option: 59 T2 21h
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 4 option: 1 netmask 255.255.255.0
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 4 option: 28 broadcast 10.0.0.255
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 3 option: 15 domain-name lan
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 4 option: 42 ntp-server 10.0.0.100
May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 12 option: 6 dns-server 10.0.0.100, 10.0.0.100, 10.0.0.100

May 16 11:48:03 dnsmasq-dhcp[28597]: 65733621 sent size: 4 option: 3 router 10.0.0.1
May 16 12:00:00 dnsmasq[28597]: query[PTR] 126.0.0.10.in-addr.arpa from 127.0.0.1
May 16 12:00:00 dnsmasq[28597]: DHCP 10.0.0.126 is watch.lan
May 16 12:00:00 dnsmasq[28597]: query[PTR] 1.0.0.127.in-addr.arpa from 127.0.0.1
May 16 12:00:00 dnsmasq[28597]: /etc/hosts 127.0.0.1 is localhost
May 16 12:00:00 dnsmasq[28597]: query[PTR] 8.8.8.8.in-addr.arpa from 127.0.0.1
May 16 12:00:00 dnsmasq[28597]: cached 8.8.8.8 is dns.google
May 16 12:00:00 dnsmasq[28597]: query[PTR] 4.4.8.8.in-addr.arpa from 127.0.0.1
May 16 12:00:00 dnsmasq[28597]: cached 8.8.4.4 is dns.google