


CH 23 terms (Campbell)

Dr. Adam Hrincevich



- Across
- 2 Genetic drift that occurs when a few individuals become isolated from a larger population and form a new population whose gene pool composition is not reflective of that of the original population . (2 Words)
 - 10 Greater reproductive success of heterozygous individuals compared with homozygotes; tends to preserve variation in a gene pool . (2 Words)
 - 12 The transfer of alleles from one population to another, resulting from the movement of fertile individuals or their gametes . (2 Words)
 - 15 The aggregate of all copies of every type of allele at all loci in every individual in a population. The term is also used in a more restricted sense as the aggregate of alleles for just one or a few loci in a population . (2 Words)
 - 16 Natural selection in which intermediate phenotypes survive or reproduce more successfully than do extreme phenotypes . (2 Words)
 - 18 A form of natural selection in which there is direct competition among individuals of one sex for mates of the opposite sex . (2 Words)
 - 19 A form of natural selection in which individuals of one sex (usually the females) are choosy in selecting their mates from the other sex; also called mate choice . (2 Words)
 - 20 The state of a population in which frequencies of alleles and genotypes remain constant from generation to generation, provided that only Mendelian segregation and recombination of alleles are at work . (3 Words)
 - 21 Evolution that results in a better match between organisms and their environment . (2 Words)
 - 22 Genetic variation that does not provide a selective advantage or disadvantage . (2 Words)

- Down
- 1 A group of individuals of the same species that live in the same area and interbreed, producing fertile offspring .
 - 3 Selection in which the fitness of a phenotype depends on how common the phenotype is in a population . (3 Words)
 - 4 Natural selection that maintains two or more phenotypic forms in a population . (2 Words)
 - 5 Differences between the secondary sex characteristics of males and females of the same species . (2 Words)
 - 6 Natural selection in which individuals on both extremes of a phenotypic range survive or reproduce more successfully than do individuals with intermediate phenotypes . (2 Words)
 - 7 Differences among individuals in the composition of their genes or other DNA segments . (2 Words)
 - 8 Genetic drift that occurs when the size of a population is reduced, as by a natural disaster or human actions. Typically, the surviving population is no longer genetically representative of the original population . (2 Words)
 - 9 The contribution an individual makes to the gene pool of the next generation, relative to the contributions of other individuals in the population . (2 Words)
 - 11 A process in which individuals with certain inherited characteristics are more likely than other individuals of the same sex to obtain mates . (2 Words)
 - 13 Natural selection in which individuals at one end of the phenotypic range survive or reproduce more successfully than do other individuals . (2 Words)
 - 14 A process in which chance events cause unpredictable fluctuations in allele frequencies from one generation to the next . Effects of this process are most pronounced in small populations . (2 Words)
 - 17 Evolutionary change below the species level; change in the allele frequencies in a population over generations .

CH 23 terms (Campbell 11e)

Dr. Adam Hrinkevich

