

DRISHTI — Early Screening Report

EARLY SCREENING (24 h) - not qualification completion

Evidence class: SYNTHETIC (generated demo data). Screening-round prototype. Synthetic results are not real defect-detection performance; specification limits are DEMO assumptions; recommendations at 24 h are early screening decisions, not qualification completion.

Field	Value
Run ID	7bb70511fd9f
Timestamp (UTC)	2026-09-29T18:51:45+00:00
Input SHA-256	886f88e0b563801688967139f4650793f2dc4de8ce03cbde1df54f41fde5bc34
Source	demo_batch_SYNTHETIC.csv
Model version	drishti-0.1.0/A:749f3fff65152311/B:2ba4eaf285832628
Specification revision	DEMO_ONLY_v1 (registry SHA-256 748f36a2191a79f7...)
Mode	demo
Devices / parameter rows	147 / 294
Device decisions	ESCALATE: 96, FAIL: 1, PASS: 50
Generated	2026-09-29T18:51:46+00:00 by DRISHTI 0.1.0

Device recommendations

Device	Lot	Part	Decision	Basis	Driving parameter(s)	Reason codes
SYN_L180_D020	SYN_L180	DEMO_MEMORY	FAIL	OBSERVED	leakage_current	SPEC_OBSERVED_FAIL, A_UNUSUAL_LEVEL, A_LOT_SHIFT, B_OUT_OF_DOMAIN
ILLUSTRATIVE_Q155_D000	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, A_ZERO_MAD
ILLUSTRATIVE_Q155_D001	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D002	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D003	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D004	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	A_ZERO_MAD
ILLUSTRATIVE_Q155_D005	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	A_UNUSUAL_LEVEL, B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D006	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	A_UNUSUAL_CHANGE, B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D007	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D008	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D009	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D010	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D011	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD, B_INTERVAL_CROSSES_LIMIT
ILLUSTRATIVE_Q155_D012	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD

Device	Lot	Part	Decision	Basis	Driving parameter(s)	Reason codes
ILLUSTRATIVE_Q155_D013	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D014	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D015	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	A_ZERO_MAD
ILLUSTRATIVE_Q155_D016	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	A_ZERO_MAD
ILLUSTRATIVE_Q155_D017	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D018	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D019	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D020	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D021	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D022	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D023	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D024	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D025	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	A_UNUSUAL_CHANGE, B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D026	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	RDS_on, threshold_voltage	B_OUT_OF_DOMAIN, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D027	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D028	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
ILLUSTRATIVE_Q155_D029	ILLUSTRATIVE_Q155	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	threshold_voltage	DQ_IDENTICAL_READINGS, A_ZERO_MAD
SYN_L150_D004	SYN_L150	DEMO_MEMORY	ESCALATE	REVIEW	supply_current	A_UNUSUAL_LEVEL
SYN_L150_D007	SYN_L150	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	A_UNUSUAL_CHANGE
SYN_L150_D010	SYN_L150	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	B_INTERVAL_CROSSES_LIMIT
SYN_L150_D013	SYN_L150	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	B_INTERVAL_CROSSES_LIMIT
SYN_L150_D015	SYN_L150	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	A_UNUSUAL_LEVEL
SYN_L150_D019	SYN_L150	DEMO_MEMORY	ESCALATE	INSUFFICIENT_EVIDENCE	leakage_current	A_UNUSUAL_CHANGE, B_OUT_OF_DOMAIN
SYN_L150_D023	SYN_L150	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	B_INTERVAL_CROSSES_LIMIT
SYN_L150_D026	SYN_L150	DEMO_MEMORY	ESCALATE	REVIEW	supply_current	A_UNUSUAL_CHANGE
SYN_L152_D000	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D001	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D002	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT

Device	Lot	Part	Decision	Basis	Driving parameter(s)	Reason codes
SYN_L152_D003	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D004	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	A_UNUSUAL_CHANGE, B_INTERVAL_CROSSES_LIMIT
SYN_L152_D005	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D008	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D009	SYN_L152	DEMO_MOSFET	ESCALATE	INSUFFICIENT_EVIDENCE	RDS_on	A_UNUSUAL_CHANGE, B_OUT_OF_DOMAIN, B_INTERVAL_CROSSES_LIMIT
SYN_L152_D010	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	A_UNUSUAL_LEVEL
SYN_L152_D011	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D012	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	A_UNUSUAL_LEVEL, B_INTERVAL_CROSSES_LIMIT
SYN_L152_D013	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT, B_OUT_OF_DOMAIN
SYN_L152_D014	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	threshold_voltage	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D015	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D016	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	A_UNUSUAL_CHANGE, B_INTERVAL_CROSSES_LIMIT
SYN_L152_D017	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D019	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D022	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D023	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D024	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D025	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D026	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D027	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on, threshold_voltage	B_INTERVAL_CROSSES_LIMIT
SYN_L152_D028	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	A_UNUSUAL_CHANGE, B_INTERVAL_CROSSES_LIMIT
SYN_L152_D029	SYN_L152	DEMO_MOSFET	ESCALATE	REVIEW	RDS_on	B_INTERVAL_CROSSES_LIMIT
SYN_L159_D006	SYN_L159	DEMO_MEMORY	ESCALATE	REVIEW	supply_current	A_UNUSUAL_LEVEL
SYN_L159_D009	SYN_L159	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	A_UNUSUAL_CHANGE
SYN_L159_D023	SYN_L159	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	A_UNUSUAL_CHANGE
SYN_L159_D024	SYN_L159	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	A_UNUSUAL_CHANGE
SYN_L159_D026	SYN_L159	DEMO_MEMORY	ESCALATE	INSUFFICIENT_EVIDENCE	supply_current	A_UNUSUAL_LEVEL, B_OUT_OF_DOMAIN
SYN_L159_D027	SYN_L159	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	A_UNUSUAL_CHANGE
SYN_L159_D029	SYN_L159	DEMO_MEMORY	ESCALATE	REVIEW	leakage_current	A_UNUSUAL_LEVEL

Device	Lot	Part	Decision	Basis	Driving parameter(s)	Reason codes
SYN_L180_D000	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT
SYN_L180_D001	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D002	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D003	SYN_L180	DEMO_MEMO RY	ESCALATE	INSUFFICIENT_ EVIDENCE	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D004	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT
SYN_L180_D005	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D006	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D007	SYN_L180	DEMO_MEMO RY	ESCALATE	INSUFFICIENT_ EVIDENCE	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN, A_UNUSUAL_CHANGE
SYN_L180_D008	SYN_L180	DEMO_MEMO RY	ESCALATE	INSUFFICIENT_ EVIDENCE	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D009	SYN_L180	DEMO_MEMO RY	ESCALATE	INSUFFICIENT_ EVIDENCE	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D010	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D011	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D012	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D013	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D014	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT
SYN_L180_D015	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT
SYN_L180_D016	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D017	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D018	SYN_L180	DEMO_MEMO RY	ESCALATE	INSUFFICIENT_ EVIDENCE	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D019	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D021	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT
SYN_L180_D022	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L180_D023	SYN_L180	DEMO_MEMO RY	ESCALATE	REVIEW	leakage_current, supply_current	A_UNUSUAL_CHANGE, A_LOT_SHIFT, B_OUT_OF_DOMAIN
SYN_L192_D000	SYN_L192	DEMO_MEMO RY	ESCALATE	INSUFFICIENT_ EVIDENCE	leakage_current, supply_current	DQ_MISSING_INPUT, A_NOT_SCORED_MISSING, B_NOT_RUN_MISSING_INP UT
SYN_L192_D001	SYN_L192	DEMO_MEMO RY	ESCALATE	INSUFFICIENT_ EVIDENCE	leakage_current, supply_current	DQ_IDENTICAL_READINGS, A_INSUFFICIENT_PEERS, B_OUT_OF_DOMAIN
SYN_L192_D002	SYN_L192	DEMO_MEMO RY	ESCALATE	INSUFFICIENT_ EVIDENCE	leakage_current, supply_current	A_INSUFFICIENT_PEERS
SYN_L150_D000	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D001	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D002	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D003	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-

Device	Lot	Part	Decision	Basis	Driving parameter(s)	Reason codes
SYN_L150_D005	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D006	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D008	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D009	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D011	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D012	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D014	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D016	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D017	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D018	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D020	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D021	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D022	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D024	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D025	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D027	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D028	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L150_D029	SYN_L150	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L152_D006	SYN_L152	DEMO_MOSF ET	PASS	EARLY_SCREEN	RDS_on, threshold_ voltage	-
SYN_L152_D007	SYN_L152	DEMO_MOSF ET	PASS	EARLY_SCREEN	RDS_on, threshold_ voltage	-
SYN_L152_D018	SYN_L152	DEMO_MOSF ET	PASS	EARLY_SCREEN	RDS_on, threshold_ voltage	-
SYN_L152_D020	SYN_L152	DEMO_MOSF ET	PASS	EARLY_SCREEN	RDS_on, threshold_ voltage	-
SYN_L152_D021	SYN_L152	DEMO_MOSF ET	PASS	EARLY_SCREEN	RDS_on, threshold_ voltage	-
SYN_L159_D000	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D001	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D002	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D003	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D004	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D005	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D007	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D008	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-

Device	Lot	Part	Decision	Basis	Driving parameter(s)	Reason codes
SYN_L159_D010	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D011	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D012	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D013	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D014	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D015	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D016	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D017	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D018	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D019	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D020	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D021	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D022	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D025	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-
SYN_L159_D028	SYN_L159	DEMO_MEMO RY	PASS	EARLY_SCREEN	leakage_current, supply_current	-

Evidence for flagged devices


Showing 8 of 97 non-PASS devices; the CSV/JSON export contains all evidence.

SYN_L159_D009 — **ESCALATE (REVIEW)**

leakage_current [uA] → ESCALATE (rule R4)

Evidence	Value
Reading at 0 h	10.13 uA
Reading at 24 h	11.24 uA
Change 0 h -> 24 h	1.109 uA
Peer group (n=30) median at 24 h	11.15 uA
Peer median change	0.2678 uA
Peer spread (MAD) of change	0.07226 uA
Robust z (level / change)	0.107 / 7.85
IF / ECOD / ensemble (calibration percentiles)	0.948 / 0.768 / 0.888 (ensemble threshold 0.944)
Specification limits	[0, 50] uA (DEMO_ONLY_v1)
Forecast at 168 h (central)	14.42 uA
Calibrated 90% interval	[2.474, 29.94] uA
Decision rule applied	R4: ESCALATE (REVIEW)

- Changed by 1.109 uA between 0 h and 24 h (4.1x the peer median change of 0.2678 uA).
- Forecast 168 h value 14.42 uA, calibrated interval [2.474, 29.94] uA, against limits [0, 50].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [A_UNUSUAL_CHANGE] Change from 0 h to 24 h is unusual relative to lot peers (re-measure to rule out a measurement error).
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome ESCALATE by rule R4. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.



supply_current [mA] → PASS (rule R5)

Evidence	Value
Reading at 0 h	4.503 mA
Reading at 24 h	4.547 mA
Change 0 h -> 24 h	0.04343 mA
Peer group (n=30) median at 24 h	4.252 mA
Peer median change	0.02485 mA
Peer spread (MAD) of change	0.01419 mA
Robust z (level / change)	1.87 / 0.883
IF / ECOD / ensemble (calibration percentiles)	0.816 / 0.796 / 0.815 (ensemble threshold 0.944)
Specification limits	[0, 6] mA (DEMO_ONLY_v1)
Forecast at 168 h (central)	4.628 mA
Calibrated 90% interval	[3.847, 5.376] mA
Decision rule applied	R5: PASS (EARLY_SCREEN)


- Changed by 0.04343 mA between 0 h and 24 h (1.7x the peer median change of 0.02485 mA).
- Forecast 168 h value 4.628 mA, calibrated interval [3.847, 5.376] mA, against limits [0, 6].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome PASS by rule R5. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.

SYN_L180_D020 — *FAIL* (OBSERVED)

leakage_current [uA] → FAIL (rule R1)

Evidence	Value
Reading at 0 h	48.57 uA
Reading at 24 h	50.79 uA
Change 0 h -> 24 h	2.221 uA
Peer group (n=24) median at 24 h	31.37 uA
Peer median change	2.273 uA
Peer spread (MAD) of change	0.05291 uA
Robust z (level / change)	21.9 / -0.663
IF / ECOD / ensemble (calibration percentiles)	0.978 / 0.947 / 0.963 (ensemble threshold 0.944)
Specification limits	[0, 50] uA (DEMO_ONLY_v1)
Forecast at 168 h (central)	28.58 uA
Calibrated 90% interval	[4.203, 43.38] uA
Decision rule applied	R1: FAIL (OBSERVED)


- Changed by 2.221 uA between 0 h and 24 h (1.0x the peer median change of 2.273 uA).
- Forecast 168 h value 28.58 uA, calibrated interval [4.203, 43.38] uA, against limits [0, 50].
- [SPEC_OBSERVED_FAIL] A measured reading (0 h or 24 h) is outside the specification limits.
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [A_UNUSUAL_LEVEL] The 24 h value is unusual relative to lot peers.
- [A_LOT_SHIFT] The lot median differs strongly from historical lots; the whole lot needs review because peer comparison cannot detect a uniformly shifted lot.
- [B_OUT_OF_DOMAIN] Inputs are outside the training range; the forecast is extrapolation and cannot support a PASS.
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome FAIL by rule R1. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.



supply_current [mA] → ESCALATE (rule R4)

Evidence	Value
Reading at 0 h	4.885 mA
Reading at 24 h	5.024 mA
Change 0 h -> 24 h	0.1386 mA
Peer group (n=24) median at 24 h	5.077 mA
Peer median change	0.1185 mA
Peer spread (MAD) of change	0.01301 mA
Robust z (level / change)	-0.403 / 1.04
IF / ECOD / ensemble (calibration percentiles)	0.493 / 0.463 / 0.486 (ensemble threshold 0.944)
Specification limits	[0, 6] mA (DEMO_ONLY_v1)
Forecast at 168 h (central)	5.042 mA
Calibrated 90% interval	[4.117, 5.972] mA
Decision rule applied	R4: ESCALATE (REVIEW)

- Changed by 0.1386 mA between 0 h and 24 h (1.2x the peer median change of 0.1185 mA).
- Forecast 168 h value 5.042 mA, calibrated interval [4.117, 5.972] mA, against limits [0, 6].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [A_LOT_SHIFT] The lot median differs strongly from historical lots; the whole lot needs review because peer comparison cannot detect a uniformly shifted lot.
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome ESCALATE by rule R4. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.




ILLUSTRATIVE_Q155_D000 — ESCALATE (REVIEW)

RDS_on [ohm] → ESCALATE (rule R4)

Evidence	Value
Reading at 0 h	0.3176 ohm
Reading at 24 h	0.3245 ohm
Change 0 h -> 24 h	0.006914 ohm
Peer group (n=30) median at 24 h	0.3142 ohm
Peer median change	0.00485 ohm
Peer spread (MAD) of change	0.001911 ohm
Robust z (level / change)	0.505 / 0.729
IF / ECOD / ensemble (calibration percentiles)	0.274 / 0.329 / 0.305 (ensemble threshold 0.944)
Specification limits	[0, 0.5] ohm (DEMO_ONLY_v1)
Forecast at 168 h (central)	0.35 ohm
Calibrated 90% interval	[0.2521, 0.5212] ohm
Decision rule applied	R4: ESCALATE (REVIEW)


- Changed by 0.006914 ohm between 0 h and 24 h (1.4x the peer median change of 0.00485 ohm).
- Forecast 168 h value 0.35 ohm, calibrated interval [0.2521, 0.5212] ohm, against limits [0, 0.5].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [B_INTERVAL_CROSSES_LIMIT] The calibrated 168 h forecast interval crosses a specification limit.
- Outcome ESCALATE by rule R4. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.



threshold_voltage [V] → ESCALATE (rule R3)

Evidence	Value
Reading at 0 h	1.6 V
Reading at 24 h	1.7 V
Change 0 h -> 24 h	0.1 V
Peer group (n=30) median at 24 h	1.7 V
Peer median change	0 V
Peer spread (MAD) of change	0 V
Robust z (level / change)	n/a / n/a
Specification limits	[1, 2.5] V (DEMO_ONLY_v1)
Forecast at 168 h (central)	1.725 V
Calibrated 90% interval	[1.345, 2.367] V
Decision rule applied	R3: ESCALATE (INSUFFICIENT_EVIDENCE)

- Changed by 0.1 V between 0 h and 24 h (peer median change 0 V).
- Forecast 168 h value 1.725 V, calibrated interval [1.345, 2.367] V, against limits [1, 2.5].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [A_ZERO_MAD] Peer spread (MAD) is zero, e.g. quantised readings; a robust score would be meaningless.
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome ESCALATE by rule R3. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.



SYN_L150_D004 — **ESCALATE** (REVIEW)

leakage_current [uA] → PASS (rule R5)


Evidence	Value
Reading at 0 h	10.04 uA
Reading at 24 h	10.32 uA
Change 0 h -> 24 h	0.2806 uA
Peer group (n=30) median at 24 h	9.942 uA
Peer median change	0.2679 uA
Peer spread (MAD) of change	0.07198 uA
Robust z (level / change)	0.441 / 0.12
IF / ECOD / ensemble (calibration percentiles)	0.137 / 0.111 / 0.121 (ensemble threshold 0.944)
Specification limits	[0, 50] uA (DEMO_ONLY_v1)
Forecast at 168 h (central)	12.11 uA
Calibrated 90% interval	[1.732, 27.67] uA
Decision rule applied	R5: PASS (EARLY_SCREEN)

- Changed by 0.2806 uA between 0 h and 24 h (1.0x the peer median change of 0.2679 uA).
- Forecast 168 h value 12.11 uA, calibrated interval [1.732, 27.67] uA, against limits [0, 50].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome PASS by rule R5. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.

supply_current [mA] → ESCALATE (rule R4)

Evidence	Value
Reading at 0 h	4.682 mA
Reading at 24 h	4.695 mA
Change 0 h -> 24 h	0.01262 mA
Peer group (n=30) median at 24 h	3.947 mA
Peer median change	0.01542 mA
Peer spread (MAD) of change	0.01172 mA
Robust z (level / change)	4.45 / -0.161
IF / ECOD / ensemble (calibration percentiles)	0.938 / 0.793 / 0.895 (ensemble threshold 0.944)
Specification limits	[0, 6] mA (DEMO_ONLY_v1)
Forecast at 168 h (central)	4.983 mA
Calibrated 90% interval	[4.117, 5.972] mA
Decision rule applied	R4: ESCALATE (REVIEW)

- Changed by 0.01262 mA between 0 h and 24 h (0.8x the peer median change of 0.01542 mA).
- Forecast 168 h value 4.983 mA, calibrated interval [4.117, 5.972] mA, against limits [0, 6].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [A_UNUSUAL_LEVEL] The 24 h value is unusual relative to lot peers.
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome ESCALATE by rule R4. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.




SYN_L152_D000 — **ESCALATE (REVIEW)**

RDS_on [ohm] → ESCALATE (rule R4)

Evidence	Value
Reading at 0 h	0.3369 ohm
Reading at 24 h	0.3405 ohm
Change 0 h -> 24 h	0.003673 ohm
Peer group (n=30) median at 24 h	0.3409 ohm
Peer median change	0.003723 ohm
Peer spread (MAD) of change	0.0006762 ohm
Robust z (level / change)	-0.0392 / -0.0496
IF / ECOD / ensemble (calibration percentiles)	0.00612 / 0.0019 / 0.00267 (ensemble threshold 0.944)
Specification limits	[0, 0.5] ohm (DEMO_ONLY_v1)
Forecast at 168 h (central)	0.3673 ohm
Calibrated 90% interval	[0.2714, 0.509] ohm
Decision rule applied	R4: ESCALATE (REVIEW)


- Changed by 0.003673 ohm between 0 h and 24 h (1.0x the peer median change of 0.003723 ohm).
- Forecast 168 h value 0.3673 ohm, calibrated interval [0.2714, 0.509] ohm, against limits [0, 0.5].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [B_INTERVAL_CROSSES_LIMIT] The calibrated 168 h forecast interval crosses a specification limit.
- Outcome ESCALATE by rule R4. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.



threshold_voltage [V] → ESCALATE (rule R4)

Evidence	Value
Reading at 0 h	1.806 V
Reading at 24 h	1.831 V
Change 0 h -> 24 h	0.02488 V
Peer group (n=30) median at 24 h	1.874 V
Peer median change	0.01026 V
Peer spread (MAD) of change	0.007969 V
Robust z (level / change)	-0.784 / 1.24
IF / ECOD / ensemble (calibration percentiles)	0.709 / 0.65 / 0.659 (ensemble threshold 0.944)
Specification limits	[1, 2.5] V (DEMO_ONLY_v1)
Forecast at 168 h (central)	1.89 V
Calibrated 90% interval	[1.537, 2.509] V
Decision rule applied	R4: ESCALATE (REVIEW)

- Changed by 0.02488 V between 0 h and 24 h (2.4x the peer median change of 0.01026 V).
- Forecast 168 h value 1.89 V, calibrated interval [1.537, 2.509] V, against limits [1, 2.5].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [B_INTERVAL_CROSSES_LIMIT] The calibrated 168 h forecast interval crosses a specification limit.
- Outcome ESCALATE by rule R4. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.



SYN_L159_D006 — **ESCALATE (REVIEW)**

leakage_current [uA] → PASS (rule R5)


Evidence	Value
Reading at 0 h	11.36 uA
Reading at 24 h	11.61 uA
Change 0 h -> 24 h	0.2502 uA
Peer group (n=30) median at 24 h	11.15 uA
Peer median change	0.2678 uA
Peer spread (MAD) of change	0.07226 uA
Robust z (level / change)	0.543 / -0.164
IF / ECOD / ensemble (calibration percentiles)	0.201 / 0.154 / 0.17 (ensemble threshold 0.944)
Specification limits	[0, 50] uA (DEMO_ONLY_v1)
Forecast at 168 h (central)	13.25 uA
Calibrated 90% interval	[2.646, 26.56] uA
Decision rule applied	R5: PASS (EARLY_SCREEN)

- Changed by 0.2502 uA between 0 h and 24 h (0.9x the peer median change of 0.2678 uA).
- Forecast 168 h value 13.25 uA, calibrated interval [2.646, 26.56] uA, against limits [0, 50].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome PASS by rule R5. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.

supply_current [mA] → ESCALATE (rule R4)

Evidence	Value
Reading at 0 h	5.039 mA
Reading at 24 h	5.076 mA
Change 0 h -> 24 h	0.03664 mA
Peer group (n=30) median at 24 h	4.252 mA
Peer median change	0.02485 mA
Peer spread (MAD) of change	0.01419 mA
Robust z (level / change)	5.23 / 0.56
IF / ECOD / ensemble (calibration percentiles)	0.942 / 0.885 / 0.928 (ensemble threshold 0.944)
Specification limits	[0, 6] mA (DEMO_ONLY_v1)
Forecast at 168 h (central)	5.042 mA
Calibrated 90% interval	[4.117, 5.972] mA
Decision rule applied	R4: ESCALATE (REVIEW)

- Changed by 0.03664 mA between 0 h and 24 h (1.5x the peer median change of 0.02485 mA).
- Forecast 168 h value 5.042 mA, calibrated interval [4.117, 5.972] mA, against limits [0, 6].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [A_UNUSUAL_LEVEL] The 24 h value is unusual relative to lot peers.
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome ESCALATE by rule R4. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.



SYN_L192_D000 — **ESCALATE** (INSUFFICIENT_EVIDENCE)

leakage_current [uA] → ESCALATE (rule R3)

Evidence	Value
Reading at 0 h	10.66 uA
Reading at 24 h	n/a
Change 0 h -> 24 h	n/a
Peer group (n=2) median at 24 h	10.53 uA
Peer median change	0.3015 uA
Peer spread (MAD) of change	0.3015 uA
Robust z (level / change)	n/a / n/a
Specification limits	[0, 50] uA (DEMO_ONLY_v1)
Forecast at 168 h	not produced (see reasons)
Decision rule applied	R3: ESCALATE (INSUFFICIENT_EVIDENCE)

- [DQ_MISSING_INPUT] The 0 h or 24 h reading is missing; nothing is imputed.
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- Outcome ESCALATE by rule R3. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.

supply_current [mA] → ESCALATE (rule R3)

Evidence	Value
Reading at 0 h	4.147 mA
Reading at 24 h	n/a
Change 0 h -> 24 h	n/a
Peer group (n=2) median at 24 h	4.012 mA
Peer median change	0.003071 mA
Peer spread (MAD) of change	0.003071 mA
Robust z (level / change)	n/a / n/a
Specification limits	[0, 6] mA (DEMO_ONLY_v1)
Forecast at 168 h	not produced (see reasons)
Decision rule applied	R3: ESCALATE (INSUFFICIENT_EVIDENCE)

- [DQ_MISSING_INPUT] The 0 h or 24 h reading is missing; nothing is imputed.
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- Outcome ESCALATE by rule R3. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.

SYN_L180_D000 — *ESCALATE (REVIEW)*

leakage_current [uA] → ESCALATE (rule R4)

Evidence	Value
Reading at 0 h	28.21 uA
Reading at 24 h	30.48 uA
Change 0 h -> 24 h	2.262 uA
Peer group (n=24) median at 24 h	31.37 uA
Peer median change	2.273 uA
Peer spread (MAD) of change	0.05291 uA
Robust z (level / change)	-1.01 / -0.133
IF / ECOD / ensemble (calibration percentiles)	0.509 / 0.396 / 0.47 (ensemble threshold 0.944)
Specification limits	[0, 50] uA (DEMO_ONLY_v1)
Forecast at 168 h (central)	28.58 uA
Calibrated 90% interval	[4.203, 43.38] uA
Decision rule applied	R4: ESCALATE (REVIEW)


- Changed by 2.262 uA between 0 h and 24 h (1.0x the peer median change of 2.273 uA).
- Forecast 168 h value 28.58 uA, calibrated interval [4.203, 43.38] uA, against limits [0, 50].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [A_LOT_SHIFT] The lot median differs strongly from historical lots; the whole lot needs review because peer comparison cannot detect a uniformly shifted lot.
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome ESCALATE by rule R4. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.



supply_current [mA] → ESCALATE (rule R4)

Evidence	Value
Reading at 0 h	4.574 mA
Reading at 24 h	4.68 mA
Change 0 h -> 24 h	0.1066 mA
Peer group (n=24) median at 24 h	5.077 mA
Peer median change	0.1185 mA
Peer spread (MAD) of change	0.01301 mA
Robust z (level / change)	-3.03 / -0.619
IF / ECOD / ensemble (calibration percentiles)	0.935 / 0.984 / 0.951 (ensemble threshold 0.944)
Specification limits	[0, 6] mA (DEMO_ONLY_v1)
Forecast at 168 h (central)	4.704 mA
Calibrated 90% interval	[3.94, 5.376] mA
Decision rule applied	R4: ESCALATE (REVIEW)

- Changed by 0.1066 mA between 0 h and 24 h (0.9x the peer median change of 0.1185 mA).
- Forecast 168 h value 4.704 mA, calibrated interval [3.94, 5.376] mA, against limits [0, 6].
- [DEMO_SPEC_NOT_APPROVED] Specification limits are DEMO assumptions (approved_for_production = False).
- [A_LOT_SHIFT] The lot median differs strongly from historical lots; the whole lot needs review because peer comparison cannot detect a uniformly shifted lot.
- [B_INTERVAL_INSIDE] The calibrated 168 h forecast interval lies inside the limits.
- Outcome ESCALATE by rule R4. EARLY SCREENING (24 h) - not qualification completion. Anomaly scores are not failure probabilities.



Decision table (default demo policy)

Rule	Condition	Outcome
R1	Observed 0 h or 24 h reading outside specification	FAIL (OBSERVED)
R2	Entire calibrated 168 h interval beyond a limit; forecast usable	FAIL (PREDICTED)
R3	Evidence gap: missing input, unsupported part, no calibration, out of training domain, insufficient peers, zero MAD, identical readings, source flag	ESCALATE
R4	Interval crosses a limit, or Module A unusual level/change, lot shift/spread	ESCALATE
R5	Interval inside limits and none of the above	PASS (early screen)
Device	FAIL if any parameter FAIL; ESCALATE if any ESCALATE or missing parameter; else PASS	

Limitations

- Anomaly scores express statistical unusualness relative to peers; they are not probabilities of failure.
- Forecast intervals are calibrated on held-out lots assumed exchangeable with the screened lot; shifted, tiny or new lots are not covered by that argument.
- Shipped models and limits are trained/defined on SYNTHETIC data; they are not qualified for acceptance decisions on real hardware.
- Delayed-onset and step defects that are invisible at 24 h cannot be detected at 24 h.
- Validation messages and this report do not replace the organisation's approved screening procedure.