

LEARNER GUIDE

Unit Standard Title: Apply occupational health, safety and environmental principles.

Unit Standard No: 113852

Unit Standard Credits: 10

NQF Level: 3

In terms of the Copyright Act 1978:

No part of this manual may be reproduced or translated in any form or by any means, electronic or mechanical including photocopying, recording or by an information storage and retrieval system without the express permission from TDA.

COPYRIGHT: TRAINING DYNAMICS AFRICA

First edition 2008

Publications disclaimer

Neither the authors nor the SETA can accept any responsibility for any legal or any other consequences, which may arise directly or indirectly as a result of the use or adaptation of or reliance upon any of the content of this material.

This material has been compiled based on the following **Unit standard 113852: Apply occupational health, safety and environmental principles.**

All the above learning material has been accredited by SASSETA in the Republic of South Africa.

Material compiled by:

Training Dynamics Africa

Learning program guide	5-10
1. Introduction	5
2. Purpose of this learning program	5
3. Standards and qualifications	5
4. Assessments	6
5. Range statements	6
6. The learning guide	6
7. Learning assumed to be in place	7
8. Preparation of summative assessment	9
9. Roles and responsibilities	9
Study Unit 1: Hazards identification	11-29
1. What is hazard.	13
2. Classes of hazard	13
3. Hazard Sources	15
4. Methods for identifying hazards	16
5. The identification process	17
6. Risk classification	21
7. Assess the risks	23
8. Control the risks	25
9. Monitor and review	26
10. Occupational risk profiles	26
11. Health, safety and working environment	28
Study Unit 2: Workplace inspections	31-55
1. What is a workplace inspection?	33
2. Role of workplace inspections	34
3. Process of workplace inspections	34
Study Unit 3: Accident/Incident Investigation	57-73
1. Incident Philosophy	59
2. Accident Ratio	59
3. Causes of accidents	62
4. Accident Caution Factors	63
5. Accident Prevention Tools	65

6. Accident prevention methods	65
7. Accident Reporting and Investigation	65
8. Obtaining participation for investigation	69
9. Communicate outcome to employees	70

Study Unit 4: Legislation	75-87
----------------------------------	--------------

1. General duties of employers to their employees	77
2. General duties of employers and self-employed persons to persons other than their employees	78
3. Health and Safety Representatives	79
4. Health and Safety Committees	81
5. Compensation for occupational injuries and diseases Act.	83
6. Occupational health and safety role players	86
7. Locating OHS information	86

Study Unit 5: Basic training methodology	89-99
---	--------------

1. Introduction	91
2. What is on-the-job training	92
3. Requirements for on-the-job training	93
4. Procedure for on-the-job-training	93
5. Objectives of on the job training	97
6. Identifying OHS training material	98

Glossary of terms	101
-------------------	-----

Bibliography	103
--------------	-----

Unit standard 113852: Apply occupational health, safety and environmental principles	105
--	-----

1. Introduction

This learning program is part of a complete qualification. For more details concerning the complete qualification please contact your service provider or alternatively the office of the SASSETA

2. Purpose of this learning program

Learners acquiring this standard will be learning towards obtaining a national qualification or are working within a health and safety environment, where acquisition of competence against this standard will add value to learner`s job, or chances of finding employment.

The qualifying learner is capable of:

- ◆ Identifying hazards
- ◆ Evaluating hazards
- ◆ Controlling hazards
- ◆ Explaining and using relevant legislation and regulations
- ◆ Gathering and organising occupational health, safety and environmental information from the workplace
- ◆ Carrying out occupational health and safety training

2.1 Target group

This program is compiled for the following **target group**:

- Security members
- South African Defense Force members
- South African Police Force members
- Correctional Services
- Individuals who wishes to complete the NQF level 3 National Certificate in security practices.

3. Standards and qualifications

It is important that you as the learner understand and realize that this training program is not presented in isolation, but that it was developed based upon nationally recognized standards known as unit standards.



Unit standards are the “building blocks” of qualifications. All qualifications are plotted on the National Qualifications Framework (NQF).

Unit standards comprises of outcomes. An outcome is a statement that describes the required competency that must be demonstrated by the learner on successful completion of a training intervention.

4. Assessments

In order to assess whether a learner can actually demonstrate the desired outcomes, assessment criteria are included in the unit standard. Each outcome has its own set of assessment criteria.

REMEMBER.....

The assessment criteria describe the evidence that is needed that will show that the learner has demonstrated the outcome correctly.

Kindly refer to the unit standard attached hereto for the assessment criteria.

It is of utmost importance that the learner fully understands the assessment criteria as listed in the unit standard, as it is the only way in which the learner will know what he will be assessed against.

The **final or summative assessment** is the most important aspect of this training program. It is during this process that the learner will be declared competent or not yet competent.

The learner will know exactly how he will be assessed, and when and where he will be assessed. All of these details must be obtained from the training provider where the learner enrolled for his program.

5. Range statements

REMEMBER.....

Also included in the unit standard are the range statements in support of the assessment criteria.

The range statements indicate detailed requirements of the assessment criteria.

6. The learning guide

The learner guide is included in this material under various learning units. The learner guide has been designed in such a manner that the learner is guided in a logical way through the learning material and requirements of the unit standard.

On completion of this skill program, the learner will be assessed against the assessment criteria as stipulated in the unit standard.

Each of the modules consists of learner outcomes to be achieved during training and development interventions, work related experience or at your own time. The learner outcomes will enable you to achieve the required level of confidence and competence in order to undergo the summative (final evaluations) assessment.

The learner needs to assess his own knowledge and skill throughout the training process by completing the learner workbook. With the completion of the workbook you start collecting evidence to proof your competence. The learner workbook will be assessed (FORMATIVE ASSESSMENT)

TAKE NOTE

The learner guide will remain the property of the learner once the LEARNING PROGRAM has been completed.

TAKE NOTE

- The best results will be obtained if you start with Study Unit 1 in the Learner Guide, and work your way through it, study unit by study unit.
- All learning outcomes are vital and must be studied (and exercised for all practical requirements) thoroughly to ensure that enough evidence for all specific outcomes is generated.

7. Learning assumed to be in place

It is assumed that a learner which registers for this program have completed a program in communication at NQF Level 3 or equivalent.

It is imperative to understand that this program are only one of the building blocks to complete Skills program 1 The complete list of unit standards for Skills program appears on the next page.

7.1 Security program matrix

SKILLS PROGRAM 1: SASSETA E				Patrol Security officer/Grade E
244177	Conduct a security patrol in area of responsibility	Level 3	7 Credits	
244184	Apply legal aspects in a security environment	Level 3	8 Credits	
244176	Use security equipment	Level 2	2 Credits	
244179	Handle complaints and problems	Level 3	6 Credits	
244181	Perform hand over and take over responsibilities	Level 3	2 Credits	
244182	Give evidence in court	Level 3	4 Credits	
12484	Perform basic fire fighting	Level 2	4 Credits	
116534	Carry out basic first aid treatment in the workplace	Level 3	2 Credits	
SKILLS PROGRAM 2: SASSETA D				Access control officer/Grade D
244189	Conduct access and egress control	Level 4	7 Credits	
242825	Conduct evacuations and emergency drills	Level 4	4 Credits	
11505	Identify, handle and defuse security related conflict	Level 4	12 Credits	
117705	Demonstrate knowledge of the Firearms Control Act 2000 (Act No. 60 of 2000)	Level 3	3 Credits	
113924	Apply basic business ethics in a work environment	Level 2	2 Credits	
119465	Write/present/sign texts for a range of communicative contexts	Level 3	5 Credits	
114979	Operate a computer workstation in a business environment	Level 3	2 Credits	
SKILLS PROGRAM 3: SASSETA C				Asset & reaction officer/Grade C
113909	Coach a team member in order to enhance individual performance in work environment	Level 3	5 Credits	
13912	Apply knowledge of self and team in order to develop a plan to enhance team performance	Level 3	5 Credits	
244578	Describe how to manage reactions arising from a traumatic event	Level 3	2 Credits	
113852	Apply occupational health, safety and environmental principles	Level 3	10 Credits	
13936	Outline the legal environment of a selected industry	Level 3	2 Credits	
119472	Accommodate audience and context needs in oral/signed communication	Level 3	5 Credits	
11983	Compile and administer a case docket for investigation purposes	Level 5	6 Credits	

Unit standard 113852: Apply occupational health, safety and environmental principles.



8. Preparation of summative assessment

After you have worked through the **LEARNER GUIDE** and you are satisfied that all theoretical and practical requirements/ evidence, as stipulated by the UNIT STANDARD, can be met, you need to make your own necessary arrangements with the assessor and/ or facilitator. The training establishment will then arrange a suitable date for you to attend your pre-assessment meeting and then arrange for a suitable date to complete the final assessment.

8.1 RPL assessment



The assessment of RPL learners will be conducted in the same way as for those of new learners. The assessment pack is exactly the same and will therefore be used for new learners as well as RPL Learners. It must however be noted that learners who are applying for RPL must provide proof of previous learning and subject related experience prior to the assessment.

This proof or evidence can be in the format of certified copies (certificates) of previous learning programs that have been attended.

All the evidence will be assessed and authenticated before a learner will be allowed to enroll for an RPL program.

9. Roles and responsibilities

9.1 Facilitator/instructor

- Prepare to facilitate.
- Transfer of knowledge and skills

9.2 The role of the assessor

- Plan for the assessment
- Prepare the learner for the assessment

9.3 The role of the Learner

- Prepare for assessment.
- Accept the responsibility of learning.
- Accept the responsibility to produce/deliver evidence.

STUDY UNIT 1

Hazards identification

LEARNING OUTCOMES

On completion of this study unit the student will....



- ♦ Demonstrate skill and knowledge by defining a hazard.
- ♦ Categorized hazards according to;
 - ⇒ Specific area
 - ⇒ Job category
 - ⇒ Potential disease or injury
- ♦ Demonstrate knowledge by explaining the sources of hazards.
- ♦ Demonstrate skill and knowledge by identifying a method of identifying types of hazards.
- ♦ Demonstrate knowledge by prioritizing and classifying hazards.
- ♦ Demonstrate knowledge and skills by completing a basic Safety risk analyses.
- ♦ Demonstrate knowledge by explaining the hierarchy of control measures.
- ♦ Demonstrate knowledge by selecting the most correct and appropriate hazard control measure.
- ♦ Demonstrate knowledge and skills by exercising monitoring and review of identified hazards.
- ♦ Demonstrate knowledge by setting up a risk profile based on identified hazards.
- ♦ Demonstrate knowledge by explaining the link between the environment, health and safety.

1. What is hazard.

The first step in reducing the likelihood of an accident is hazard identification. Hazard identification is identifying all situations or events that could cause injury or illness. Eliminating or minimizing workplace hazards needs a systematic approach. It is essential to try and anticipate all possible hazards at the workplace, Known as the 'what if?' approach.

DEFINITION

HAZARD” means a source of or exposure to danger, a threat to health or which may destroy or damage something or somebody – anything we can see, feel, touch, and smell.

TAKE NOTE

MUST HAVE THE:

- ♦ Potential for **Impact**
- ♦ Potential for **closure**

2. Classes of hazard

Generally hazards can be classified into five groups:

- ♦ Physical
- ♦ Chemical
- ♦ Biological
- ♦ Mechanical
- ♦ Psychosocial

2.1 Physical hazards

Physical Hazard Cause	Potential Disease or Injury
♦ Heat	♦ Heatstroke, cramp, fatigue
♦ Lighting	♦ Headaches, eyestrain
♦ Noise	♦ Hearing loss
♦ Vibration	♦ White finger disease
♦ Ionizing Radiation	♦ Lung cancer
♦ Dust	♦ Silicosis
♦ Pressure	♦ Decompression sickness (bends)
♦ Electricity	♦ Heart failure, burns

2.2 Chemical hazards

Chemical Hazard Cause	Potential Disease or Injury
♦ Acids, alkalis	♦ Dermatitis, eye injury
♦ Metals	♦ Cadmium/lead/mercury poisoning
♦ Non-metals	♦ Arsenic/cyanide poisoning
♦ Gases	♦ Carbon monoxide poisoning
♦ Organic compounds	♦ Cancer, nerve damage
♦ Dusts	♦ Lead poisoning
♦ Vapours	♦ Mercury poisoning

2.3 Biological hazards

Biological Hazard Cause	Potential Disease or Injury
♦ Animal-borne	♦ Anthrax, Q fever
♦ Human-borne	♦ AIDS
♦ Vegetable-borne	♦ Aspergillosis (farmers lung)

2.4 Mechanical hazards

Mechanical Hazard Cause	Potential Disease or Injury
♦ Manual handling: over exertion, lifting or pulling	♦ Musculoskeletal injury: spinal injury, muscle strains, sprains
♦ Unguarded machines	♦ Acute physical injuries: severed/crushed limbs
♦ Hydraulic pressure	♦ Acute injury: crushed limbs
♦ Gravitational energy: falls of people or objects	♦ Acute injury: broken bones, brain damage

2.5 Psychological hazards

Psychological Hazard Cause	Potential Disease or Injury
♦ Violence, harassment or abuse	♦ Physical harm, stress
♦ Stress	♦ Psychosomatic disorders (eg stomach ulcers brought about by stress)

3. Hazard Sources

Hazards can arise from:

- ♦ workplace premises
- ♦ work practices and systems
- ♦ Plant
- ♦ workplace environment.

Because there are many factors to consider, the risks posed by potential hazards must be assessed and then eliminated or controlled to a level that reduces the risk.

3.1 Work premises

Hazards can arise from the work premises including:



- ♦ Work premises layout
- ♦ Condition of the work premises
- ♦ Buildings containing asbestos products
- ♦ Workstation design
- ♦ Lighting within the work premises
- ♦ Emergencies situations such as earthquakes

3.2 Work practices and systems

Hazards can arise from the work practices and systems including:



- ♦ Shiftwork arrangements
- ♦ Hazardous processes
- ♦ Psychological hazards
- ♦ Fatigue related hazards

3.3 Plant

Hazards can arise from plant including:



- ♦ Transport
- ♦ Installation, erection, commissioning and use
- ♦ Repair
- ♦ Maintenance
- ♦ Dismantling, storage and disposal

3.4 Physical working environment

Hazards can arise from the physical working environment including:



- ♦ Electrocution
- ♦ Hazardous substances
- ♦ Fire
- ♦ Explosion
- ♦ Slips, trips and falls
- ♦ Exposure to heat
- ♦ Biological organisms
- ♦ Harassment


4. Methods for identifying hazards

The first step in control of a hazard is to identify and list them. There are many methods which are useful for identifying hazards, including:

- ♦ **Injury and illness records:** Review your workers' compensation data and check the incidence, mechanism and agency of injury, and the cost to the organisation. These statistics can be analyzed to alert the organisation to the presence of hazards
- ♦ **Staying informed:** Staying informed on trends and developments in workplace health and safety, for example via the internet or OHS publications
- ♦ **Review:** Reviewing the potential impact of new work practices or equipment introduced into the workplace in line with legislative requirements.
- ♦ **Surveys:** Doing walk-through surveys, inspections or safety audits in the workplace to evaluate the organisation's health and safety system.
- ♦ **Study implications:** Considering OHS implications when analyzing work processes
- ♦ **Investigation:** Investigating workplace incidents and 'near hits' reports, in some cases there may be more than one hazard contributing to an incident.
- ♦ **Feedback:** Getting feedback from employees can often provide valuable information about hazards, because they have hands-on experience in their work area.
- ♦ **Consultation:** Consulting with employees, health and safety representatives and OHS Committee members.
- ♦ **Benchmarking:** Benchmarking against or liaising with similar workplaces.

5. The identification process

- ♦ STEP 1: IDENTIFY THE HAZARD
- ♦ STEP 2: ANALYZE THE HAZARD
- ♦ STEP 3: IDENTIFY THE TARGETS (RISKS)
- ♦ STEP 4: LIST AND ASSESS THE BARRIERS
- ♦ STEP 5: FIX IF REQUIRED



5.1 STEP 1: Find the hazard

This is a critical process that necessitates a thorough understanding of the principles and process. To identify (find) hazards the person conducting the hazard identification must be open minded and aware of the “occupational blindness” syndrome. The following guidelines may assist with this activity:

- ♦ Take a helicopter view, look at surrounding areas
- ♦ Look at input, process, output, effluents
- ♦ What hazard sources can you identify?
- ♦ How people might be hurt directly by vehicles, equipment, machinery or tools
- ♦ How people might be hurt indirectly through noise, fumes, etc.
- ♦ What equipment, tools and materials are used?
- ♦ Identify all the hazards you can think of, and
- ♦ How dangerous you think they are
- ♦ Other conditions e.g. night, after hours, rain, breakdown, maintenance


If the observer misses a hazard at this stage it goes without saying that the opportunity to control it also goes a begging. The following techniques or sources can be applied to assist the observer with the hazard identification step:

- ♦ Accident investigations, accident statistics
- ♦ Inspections, audits, checklists
- ♦ Discussions, interviews
- ♦ Job safety analysis, task observations
- ♦ Safe Making Behaviour Process.
- ♦ 5 Steps to Safety
- ♦ What if exercises
- ♦ Asking the worker to point out the hazards

The last part of the hazard identification step is to understand the wanted energy flow path. Energy flow is controlled in many ways of which the following are some examples:




- ♦ Pipes, guides
- ♦ Brackets, cables
- ♦ Insulation, containers
- ♦ Tanks, funnels



**BE AWARE OF
“OCCUPATIONAL BLINDNESS”**

5.2 STEP 2: Analyze the hazard

Identify and evaluate the types of energy, wanted energy flow channels, impacts, characteristics that make an object hazardous, class and category of the hazard and the targets of that hazard. The purpose of this step is to help the observer to understand the hazard so that he knows which energies to control to prevent accidents. The hazard characteristics, categories, classes, energy types and classes are listed below:



5.3 STEP 3: Identify the risks/targets

To be able to identify the targets the observer must first follow the wanted energy route and then the unwanted energy route. Ask the question “what can go wrong and why?” when an unwanted energy route has been identified. Typical unwanted energy routes are:

- ♦ Caught by.....
- ♦ Caught on, in or between
- ♦ Contact with electricity
- ♦ Hit by or hit against
- ♦ Fall from or fall in
- ♦ Slip, trip or fall
- ♦ Burned by
- ♦ Struck by or against
- ♦ Struck against
- ♦ Pierced by

Targets can be humans, property, production, quality or the surrounding environment. In the case of the target being people the person doing the HIRAC must understand human failures.

Incapacity / Inability

- ♦ Fatigue / drowsiness
- ♦ Dyslectic or other restriction
- ♦ Physical inability
- ♦ Under the influence of drugs / medication / alcohol
- ♦ Medical condition
- ♦ Stress / depression
- ♦ Post trauma stress disorder

Human error

- ♦ Practice error (absent minded)
- ♦ Rule based error
- ♦ Knowledge base error
- ♦ Communication error
- ♦ Management decision
- ♦ Embedded culture
- ♦ Gross negligence

Risk Taking Behaviour

- ♦ Risk overlooked
- ♦ Risk underestimated
- ♦ Risk taking rewarded
- ♦ Risky procedures
- ♦ Risk ignored
- ♦ Risk accepted

5.4 STEP 4: Assess the control measures (barriers)

It is seldom the case that new or unknown hazards are identified during the HIRAC process. Numerous control measures (barriers) have been implemented and therefore, in most cases, only need to be evaluated for effectiveness. Barriers can be placed on the hazard source, on the target or somewhere in-between the hazard and the target or a combination of these locations. The following are examples of barriers:



- ♦ **On the hazard source:** Guards, insulation, guides, limit switch, brakes, etc.
- ♦ **On the target:** PPE, training, awareness, attitude, skills, etc.
- ♦ **Between the hazard and the target:** Rails, time and space, procedures, fence, etc.

To evaluate the effectiveness of the barrier you have to assess the following three requirements:

- ♦ Is there a control measure such as a guard, safety device, rule or procedure in place?
- ♦ Are the affected personnel conversant with the rule, device or procedure and competent to apply it?
- ♦ Do the applicable personnel comply with the procedure, rule or standard?

5.5 **STEP 5:** Fix if required


If any of the existing barriers are found to be insufficient or ineffective it should either be discarded or discontinued, fixed, or replaced with a new barrier. The following type of controls (in order of priority) should be used to develop new / revise existing control measures:

6. Risk classification

CLASS A HAZARD: A hazard which could result in death, permanent disability or occupational illness, damage to property of more than R500 000



CLASS B HAZARD: A hazard which could result in serious injury or occupational illness resulting in temporary disability or damage to equipment up to R500 000.



CLASS C HAZARD: A hazard which could result in minor injury or occupational illness or damage to equipment up to R100 000





To enable us to work with hazards we need to know about:

- ♦ The types of energies involved
- ♦ The classes of energies
- ♦ The characteristics of the hazards that add to the risk
- ♦ The categories of the hazards

7. Assess the risks

When you identify a hazard, do a risk assessment. A risk assessment process means you

- ♦ Gather information about each identified hazard.
- ♦ Consider the number of people exposed to each hazard and the duration of the exposure.
- ♦ Use the information to assess the likelihood and consequence of each hazard.
- ♦ Use a risk assessment table to work out the risk associated with each hazard.

7.1 Factors for consideration

You should consider the following factors during the risk assessment process:

- ♦ The nature of the hazard posing the risk.
- ♦ Combinations of hazards.
- ♦ Types of injuries or illnesses foreseeable from exposure.
- ♦ The consequences of duration and exposure to the hazard.
- ♦ Workplace and workstation layout
- ♦ Working posture and position.
- ♦ Work organisation• the introduction of new work processes.
- ♦ Skill and experience level of employees.
- ♦ Personal characteristics of employees exposed to the risk (colour blindness or hearing impairment)
- ♦ Existing control measures in place such as the use of clothing and personal protective equipment.

7.2 Risk assessment table

One method of assessing risks is to use a risk assessment table. Record the risk rating for each hazard you have identified.

		LIKELIHOOD			
		VERY LIKELY	LIKELY	UNLIKELY	HIGHLY UNLIKELY
C O N S E Q U E N C E S	FATALITY	HIGH RISK	HIGH RISK	HIGH RISK	MEDIUM RISK
	MAJOR INJURIES	HIGH RISK	HIGH RISK	MEDIUM RISK	MEDIUM RISK
	MINOR INJURIES	HIGH RISK	MEDIUM RISK	MEDIUM RISK	LOW RISK
	NEGLIGIBLE INJURIES	MEDIUM RISK	MEDIUM RISK	LOW RISK	LOW RISK

Using a risk assessment table

Assessments of likelihood and consequence can be translated into levels of risk using a risk assessment table. Areas of high risk can be given first priority for elimination or control in the workplace.

Consequence, or extent of the injury or ill health were it to occur, can be rated in the following way:

- ♦ **Fatality:** Major or serious injury (serious damage to health which may be irreversible, requiring medical attention and ongoing treatment). Such an injury is likely to involve significant time off work.
- ♦ **Minor injury** (reversible health damage which may require medical attention but limited ongoing treatment). This is less likely to involve significant time off work.
- ♦ **Negligible injuries** (first aid only with little or no lost time). Unlikely to involve more than 1 day off work.

Likelihood, or the chance of each of the situations or events actually occurring, can be rated in the following way.

- ♦ **Very likely** (exposed to hazard continuously).
- ♦ **Likely** (exposed to hazard occasionally).
- ♦ **Unlikely** (could happen but only rarely). • Highly unlikely (could happen, but probably never will).

8. Control the risks

8.1 Control measures

The correct course of action once a hazard is identified is to use control measures. These generally fall into three categories. You can

- ♦ Eliminate the hazard
- ♦ Minimise the risk
- ♦ Use 'back-up' controls when all other options in the previous categories have been exhausted.

The best way to control a hazard is to eliminate it. The elimination of a hazard is the first choice in a system called the hierarchy of controls'.

8.2 Hierarchy of controls

There is an order of priority in hazard control.

- ♦ **Eliminate the hazard from the workplace entirely.** This is the best way to control a hazard. An example of elimination is to remove a noisy machine from a quiet area.
- ♦ **Substitute or modify the hazard by replacing it** with something less dangerous, for example, by using a paint which does not contain asthma-encouraging agents.
- ♦ **Isolate the hazard by physically** removing it from the workplace or by cordoning off the area in which a machine is used.
- ♦ **Use engineering methods to control the hazard at its source.** Tools and equipment can be redesigned, or enclosures, guards or local exhaust ventilation systems can be used to close off the source of a hazard.
- ♦ **Use administrative controls.** These are management strategies which can be introduced to ensure the health and safety of employees. Administrative procedures can reduce exposure to hazardous equipment and processes by limiting the time of exposure for example by job rotation or varying the time when a particular process is carried out.
- ♦ **Introduce personal protective equipment (PPE)** as an interim measure, to reduce exposure to a hazard.

9. Monitor and review

Risk management programs are cyclical, once current workplace hazards are successfully controlled the process does not stop. Systematic monitoring and reviews must be implemented because of the potential for new hazards to be introduced into a workplace. These hazards can be due to:

- ♦ The use of new technology, equipment or substances
- ♦ The introduction of new work practices or procedures.
- ♦ A change in work environment (moving to a different office, staff reduction)
- ♦ The introduction of new staff with different skill/knowledge levels.

9.1 Record keeping

Record keeping is an important part of monitoring and review. Systematic records will help to identify hazards and review the effectiveness of risk controls. Keep records which show:

- ♦ Details of workplace inspections
- ♦ Worksheets/checklists used to identify hazards
- ♦ Methods used to assess risks
- ♦ Control measures implemented
- ♦ Reviews of workplace systems of work, or health and safety audits
- ♦ Any action that has been taken to fix particular hazards
- ♦ Instruction or training done to ensure staff competency

10. Occupational risk profiles



A Safety-Risk Profile is a documented overview of the safety-risks that are generally experienced by the operations of a company. It is like a map that charts the “contours” of highest risk. It is the basis on which the safety management system is operated.

All personnel require a Safety-Risk Profile, and each one is unique to the member of the organization. It is used to identify the areas of highest safety-risk so that critical elements can be proactively identified and managed.

A Safety-Risk Profile is a “living document” that must be periodically updated, particularly during times of operational change. The risk profile determines two things:

- ♦ the overall level of safety management (e.g. low, medium or high) needed for consistently safe operations; and
- ♦ the specific areas of higher risk that individual members may experience.

10.1 Set up an risk profile

Although a safety worksheet can be kept as the record of risk analysis you should consider entering relevant information into a safety register. In this way hazards can be centralized into one area. By grouping hazards in one register you can get a feel for types of hazards continually arising in your work area and for the controls used to manage them.

Determine how likely (frequency and duration) it is that the identified hazard will occur. Determine how severe the injury/illness posed by the hazard would be. If more than one hazard has been identified the PRIORITISE the risks in order of the severity rating score.

- ♦ **1 = Top Priority: Do something immediately**
- ♦ **6 = Low Priority: Do something when possible.**

When assessing the likelihood and severity of potential hazards you may find that the same hazard could lead to several different outcomes. Assessing how likely or severe something is, is often subjective and therefore you can only use your best judgment in assessing risks.

Why document hazards?

By keeping the record sheets from entering the information on a Hazard Register you are demonstrating that you are systematically identifying risks and are improving safety. This will help you to set up a proper risk profile.



Example of a safety register							
Item	Date	Hazard identified	Priority	Control measure	By whom	When	Reviewed
1	06/12/08	Harassment	3	Suspend	Supervisor	04/12/08	04/01/09

When a security officer do his patrol he can use the information he have obtained and re-recorded to set his risk profile report. Information within the report should cover the following:

- ♦ Identified hazards
- ♦ Category of hazard
- ♦ Control measures

11. Health, safety and working environment

Every business has legal responsibilities to ensure the health and safety of employees and other people affected by their business' activities, such as customers and suppliers. But the right approach isn't just about doing the minimum required to comply with the legal requirements. It can also benefit your business.

Poor health and safety leads to illness and accidents and significant costs for your business.

Effective health and safety practices pay for themselves. They also improve your reputation with customers, regulators and your own employees.

11.1 Comply with health and safety rules

You have a legal responsibility for the health and safety of everyone affected by your business. Your duties include:

- ♦ Carrying out a thorough health and safety risk assessment
- ♦ Drawing up a health and safety policy - this must be in writing if you have five employees or more.
- ♦ Ensuring your workplace meets minimum standards of comfort and cleanliness.
- ♦ Recording serious injuries, diseases or dangerous accidents in an accident book - and in some cases reporting them to the relevant authority.

[illegible]

STUDY UNIT 2

Workplace inspections

LEARNING OUTCOMES

On completion of this study unit the student will....



- ♦ Demonstrate knowledge by defining a workplace inspection.
- ♦ Demonstrate understanding by explaining the role of a workplace inspector.
- ♦ Demonstrate knowledge and skills by performing a workplace inspection.
- ♦ Demonstrate knowledge and skills by producing a workplace inspection report based on the identified hazards during the inspection through the use of inspection checklists.
- ♦ Demonstrate knowledge by explaining the importance of monitoring the result of the workplace inspection.

1. What is a workplace inspection?

DEFINITION

A workplace inspection is a necessary and critical part of a safety and health program in which the workplace is examined closely on a regular basis for the purpose of:

- ♦ Identifying and recording potential and actual hazards associated with buildings, equipment, environment, processes and practices;
- ♦ Identifying any hazards which require immediate attention, whether they are unsafe conditions or unsafe acts;
- ♦ Ensuring that existing hazard controls are functioning adequately; and
- ♦ Where appropriate, recommending corrective action.

Within any safety program, there may in fact be a variety of types of inspections:

EXAMPLE:

- ♦ **Spot inspections** may be undertaken on a random basis as part of general safety responsibilities;
- ♦ **Pre-operation checks** of special equipment or work processes are often necessary before work is carried out;
- ♦ **Critical parts inspections** are regular planned inspections of those critical parts of a machine, piece of equipment, or system which have a high potential for serious accidents. They are often part of planned or preventive maintenance procedures, or hazard control programs;
- ♦ **New equipment inspections** are thorough inspections and checks before operations begin;
- ♦ **Regular planned inspections** are done on a regular basis in a defined workplace and cover all conditions including work practices and procedures.

2. Role of workplace inspections

The purpose and function of workplace inspections must be seen within the context of the whole safety and health program. It is not an isolated function, but relates to the major objectives of the program, namely:

- ♦ to identify hazards (unsafe conditions and unsafe acts);
- ♦ to set standards and related procedures;
- ♦ to establish controls; and
- ♦ to monitor the effectiveness of controls.

Inspections should not be treated as isolated events or "once-and-for-all time" exercises. To be effective they must be conducted on a regular basis and be part of a systematic program aimed at accident prevention. The steps involved in establishing a sound workplace inspection system are:

- ♦ Planning
- ♦ Inspection
- ♦ Reporting
- ♦ Monitoring

3. Process of workplace inspections

3.1 Step One: Planning

Policy and Procedures

The first step in preparing for effective inspections is planning. This involves considering and establishing appropriate policy and procedures. As for any other element of the safety program, it is important that senior management show their commitment to the activity and to its objectives. This can be done by establishing and making known a policy related to the overall safety and health program. The form of the policy and its content will vary depending on the company, but the following general points should be considered in developing it:

- ♦ Commitment of senior management;
- ♦ The role of inspections in attaining overall workplace safety and health objectives;
- ♦ Who is responsible and accountable for carrying out an effective inspection system;
- ♦ What the employers and employees must do to comply with the spirit and intent of the occupational safety and health legislation.

If the inspection system is to be effective, it is critical that appropriate procedures are established. Such procedures should ensure that:

- ♦ The timing of inspections and the areas to be covered are defined;
- ♦ It is clear who is to carry out inspections, consider recommendations, and take necessary corrective action; and
- ♦ The actual inspections are carried out by persons with suitable experience, training and knowledge of the workplace.

Who should conduct inspections?

The following points should be considered:

- ♦ Regular planned inspections could be conducted by the security officers and the supervisor, along with an employee familiar with the work process and a member of the safety and health committee or the safety and health representative;
- ♦ Rotating officers could be used taking into account different shifts at the workplace and other factors;

What should be inspected?

No workplace can be considered entirely free from hazards. It follows, therefore, that all workplaces within an establishment should be inspected including,



- ♦ The office, storage areas, and the maintenance areas.
- ♦ Also included should be areas where normally no work is performed, such as the parking lot, the canteen, and locker rooms.

However, in deciding how many separate inspections are necessary and the timing and frequency of each inspection, the following should be considered:

- ♦ The number of different processes or operations and their scale, since different processes involving different machinery or employees may warrant separate inspections;
- ♦ Certain hazardous equipment requires inspections at set intervals;
- ♦ Work processes with a high hazard potential may require separate and more frequent inspection;
- ♦ Number of shifts (inspections should be conducted on every shift, since the nature of the activity may vary from one shift to another);
- ♦ Special inspections are necessary when a new process or piece of machinery is introduced into the workplace.

Aspects to Examine

Every inspection must examine who, what, where, when and how. Pay particular attention to items most likely to develop unsafe or unhealthy conditions because of stress, wear, impact, vibration, heat, corrosion, chemical reaction or misuse. Inspect the entire workplace area each time. Include areas where no work is done regularly, such as parking lots, rest areas, office storage areas and locker rooms.

Workplace Elements

Look at all workplace elements: the environment, the equipment and the process. The environment includes such hazards as noise, vibration, lighting, temperature, and ventilation. Equipment includes materials, tools and apparatus for producing a product or a service. The process involves how the worker interacts with the other elements in a series of tasks or operations.

What types of hazards do we look for in a workplace?


Types of workplace hazards include:

- ♦ Safety hazards; e.g., inadequate machine guards, unsafe workplace conditions, unsafe work practices.
- ♦ Biological hazards caused by organisms such as viruses, bacteria, fungi and parasites.
- ♦ Chemical hazards caused by a solid, liquid, vapour, gas, dust, fume or mist.
- ♦ Ergonomic hazards caused by anatomical, physiological, and psychological demands on the worker, such as repetitive and forceful movements, vibration, temperature extremes, and awkward postures arising from improper work methods and improperly designed workstations, tools, and equipment.
- ♦ Physical hazards caused by noise, vibration, energy, weather, heat, cold, electricity, radiation and pressure.

What type of information do I need to complete an inspection report?

- ♦ **Diagram of Area:** Use drawings of plant layout, or floor plans to help you draw a diagram. Divide the workplace into areas based on the process.

Sample Floor Plan Layout



- ♦ **Inventories:** Know what type of machinery or equipment is present.
- ♦ **Checklists:** A checklist helps to clarify inspection responsibilities, controls inspection activities and provides a report of inspection activities. Checklists permit easy on-the-spot recording of findings and comments but be careful. Do not allow the inspection team to become so intent on noting the details listed that it misses other hazardous conditions. Use checklists only as a basic tool. Refer to the related documents for sample checklists that you can use as a guide to develop a checklist for your workplace.
- ♦ **Reports:** Inspection records are important. Past inspection records show what has been identified. They also show what an inspection team concentrated on and what areas it did not inspect. The inspection report can draw attention to possible hazards. However, do not simply repeat or copy previous inspections. Use the inspection report to determine whether previous recommendations were implemented.

3.2 Step Two: Inspecting

How are inspections actually done?

Discuss the planned inspection route before undertaking the inspection. Review where you have to inspect and what you are looking for.



For example, during the inspection, "huddle" before going into noisy areas. This eliminates the need for arm waving, shouting and other unsatisfactory methods of communication.

Involvement

Supervisors are responsible for taking action to prevent accident and injury. Supervisors have an advantage in safety inspections because of familiarity with workers, equipment and environment.

This familiarity is also a disadvantage because it can interfere with a supervisor's objectivity. Before inspecting a department or area, the officer should contact the supervisor in charge but the supervisor should not act as a tour guide. The officer must remain independent and make uninfluenced observations.

If the supervisor of the area does not accompany the inspection, consult the supervisor before leaving the area.

Discuss each recommendation with the supervisor. Report items that the supervisor can immediately correct. Note these on the report as corrected. This keeps the records clear and serves as a reminder to check the condition during the next inspection.

Although a supervisor may interpret reporting as a criticism, you cannot fail to report hazards. Retain objectivity and maintain an attitude that is firm, friendly, and fair.

Observation

Look for deviations from accepted work practices. Use statements such as, "a worker was observed operating a machine without a guard." Do not use information derived from inspections for disciplinary measures. Some common poor work practices include:

- ◆ Using machinery or tools without authority.
- ◆ Operating at unsafe speeds or in other violation of safe work practice.
- ◆ Removing guards or other safety devices, or rendering them ineffective.
- ◆ Using defective tools or equipment or using tools or equipment in unsafe ways.
- ◆ Using hands or body instead of tools or push sticks.
- ◆ Overloading, crowding, or failing to balance materials or handling materials in other unsafe ways, including improper lifting.
- ◆ Repairing or adjusting equipment that is in motion, under pressure, or electrically charged.
- ◆ Failing to use or maintain, or improperly using, personal protective equipment or safety devices.
- ◆ Creating unsafe, unsanitary, or unhealthy conditions by improper personal hygiene, by using compressed air for cleaning clothes, by poor housekeeping, or by smoking in unauthorized areas
- ◆ Sanding or working under suspended loads, scaffolds, shafts, or open hatches.

Inspection Principles

When conducting inspections, follow these basic principles:

- ◆ Draw attention to the presence of any immediate danger--other items can await the final report.
- ◆ Shut down and "lock out" any hazardous items that cannot be brought to a safe operating standard until repaired.
- ◆ Do not operate equipment. Ask the operator for a demonstration. If the operator of any piece of equipment does not know what dangers may be present, this is cause for concern. Never ignore any item because you do not have knowledge to make an accurate judgment of safety.
- ◆ Look up, down, around and inside. Be methodical and thorough. Do not spoil the inspection with a "once-over-lightly" approach.
- ◆ Clearly describe each hazard and its exact location in your rough notes. Allow "on-the-spot" recording of all findings before they are forgotten. Record what you have or have not examined in case the inspection is interrupted.
- ◆ Ask questions, but do not unnecessarily disrupt work activities. This may interfere with efficient assessment of the job function and may also create a potentially hazardous situation.
- ◆ Consider the static (stop position) and dynamic (in motion) conditions of the item you are inspecting. If a machine is shut down, consider postponing the inspection until it is functioning again.
- ◆ Discuss as a group, "Can any problem, hazard or accident generate from this situation when looking at the equipment, the process or the environment?" Determine what corrections or controls are appropriate.

-
- ♦ Do not try to detect all hazards simply by relying on your senses or by looking at them during the inspection. You may have to monitor equipment to measure the levels of exposure to chemicals, noise, radiation or biological agents.
 - ♦ Take a photograph if you are unable to clearly describe or sketch a particular situation. Instant developing photographs are especially useful.

EXAMPLE:

Following is examples of workplace inspection checklists of:

- ♦ Manufacturing facility
- ♦ Office facility

The examples outlined below do not list all possible items. The best checklist for your workplace is one that has been developed for your specific needs. Whatever the format of the checklist, provide space for the inspectors' signatures and the date.

Inspection Checklists - Sample Checklist for Manufacturing Facilities

Name of officer:		Date:			
		(O): Satisfactory (X): Requires action			
		Location	Condition	Comments	
TRAINING					
1.	Is training provided for each person newly assigned to a job?				
2.	Does initial training include a thorough review of hazards and accidents associated with the job?				
3.	Is adequate instruction in the use of personal protective equipment provided?				
4.	Is training for the use of emergency equipment provided?				
5.	Are workers knowledgeable in the "Right to Refuse" procedures?				
ENVIRONMENT					
1.	Are resources available to deal with very hot or very cold conditions (drinking water, lined gloves, insulated boots)?				
2.	Is the rain gear that is provided comfortable, and light enough so as not to constitute a hazard?				

ENVIRONMENT				
1.	Are resources available to deal with very hot or very cold conditions (drinking water, lined gloves, insulated boots)?			
2.	Is the rain gear that is provided comfortable, and light enough so as not to constitute a hazard?			
3.	Are work surfaces and grip surfaces safe when wet?			
4.	Do workers know the symptoms of heat cramps, heatstroke?			
WORK PROCESS				
1.	Are repetitive motion tasks properly paced and kept to a minimum?			
2.	Do joint committee members have access to material safety data sheets?			
3.	Are workers informed (by hazard signs and tags)?			
4.	Have all trucks, forklifts and other equipment been inspected and maintained?			
5.	Are lockout procedures followed?			
6.	Is ventilation equipment working effectively?			
7.	Is fume and dust collection hood properly adjusted?			
FIRE EMERGENCY PROCEDURES				
1.	Is there a clear fire response plan posted for each work area?			
2.	Do all workers know the plan?			
3.	Are drills held regularly?			
4.	Are fire extinguishers chosen for the type of fire most likely in that area?			
5.	Are there enough extinguishers present to do the job?			
6.	Are extinguisher locations conspicuously marked?			
7.	Are extinguishers properly mounted and easily accessible?			

FIRE EMERGENCY PROCEDURES				
8.	Are all extinguishers fully charged and operable?			
9.	Are special purpose extinguishers clearly marked?			
MEANS OF EXIT				
1.	Are there enough exits to allow prompt escape?			
2.	Do employees have easy access to exits?			
3.	Are exits unlocked to allow egress?			
4.	Are exits clearly marked?			
5.	Are exits and exit routes equipped with emergency lighting?			
WAREHOUSE AND SHIPPING				
1.	Are dock platforms, bumpers, stairs and steps in good condition?			
2.	Are light fixtures in good condition?			
3.	Are all work areas clean and free of debris?			
4.	Are stored materials properly stacked and spaced?			
5.	Are tools kept in their proper place?			
6.	Are there metal containers for oily rags and for rubbish?			
7.	Are floors free of oil spillage or leakage?			
8.	Is absorbent available for immediate clean-up of spills and leaks?			
9.	Are all flammable and combustible products stored appropriately?			
LOADING/UNLOADING RACKS				
1.	Are steps, railings and retractable ramps on raised platforms in good repair?			
2.	Is piping and in-line equipment in good condition and free of leaks?			
3.	Are loading arms operating satisfactorily?			

LOADING/UNLOADING RACKS				
4.	Do submerged filling two-stage valves operate properly?			
5.	Are bonding and grounding cables free of breaks?			
6.	Are connections tight and sound?			
7.	Is the general condition of wiring and junction boxes, etc. in good condition (visual inspection)?			
LIGHTING				
1.	Is the level of light adequate for safe and comfortable performance of work?			
2.	Does lighting produce glare on work surfaces, VDT screen and keyboards?			
3.	Is emergency lighting adequate and regularly tested?			
MACHINE GUARDS				
1.	Are all dangerous machine parts adequately guarded?			
2.	Do machine guards meet standards?			
3.	Are lockout procedures followed when performing maintenance with guards removed?			
ELECTRICAL				
1.	Is the ECA (Electrical Contractors Association) or SABS (South African Bureau for Standards) Electrical Code adhered to in operation, use, repair and maintenance?			
2.	Are all machines properly grounded?			
3.	Are portable hand tools grounded or double insulated?			
4.	Are junction boxes closed?			
5.	Are extension cords out of the aisles where they can be abused by heavy traffic?			
6.	Are extension cords being used as permanent wiring?			

TOOLS AND MACHINERY				
1.	Are manufacturers' manuals kept for all tools and machinery?			
2.	Do power tools conform to standards?			
3.	Are tools properly designed for use by employees?			
4.	Are defective tools tagged and removed from service as part of a regular maintenance program?			
5.	Are tools and machinery used so as to avoid electrical hazards?			
6.	Is proper training given in the safe use of tools and machinery?			
CONFINED SPACES				
1.	Are entry and exit procedures available and adequate?			
2.	Are emergency and rescue procedures in place (e.g. trained safety watchers)?			
HOUSEKEEPING				
1.	Is the work area clean and orderly?			
2.	Are floors free from protruding nails, splinters, holes and loose boards?			
3.	Are aisles and passageways kept clear of obstructions?			
4.	Are permanent aisles and passageways clearly marked?			
5.	Are covers or guardrails in place around open pits, tanks and ditches?			
FLOOR AND WALL OPENINGS				
1.	Are ladder-ways and door openings guarded by a railing?			
2.	Do temporary floor openings have standard railings or someone constantly on guard?			
SOUND LEVEL/NOISE				
1.	Are regular noise surveys conducted?			
2.	Is hearing protection available?			

TEMPORARY WORK STRUCTURES				
1.	Are temporary work structures used only when it is not reasonably practicable to use permanent ones?			
2.	Are excavations properly shored, free of large objects (rocks, etc.) at the edges?			
EMPLOYEE FACILITIES				
1.	Are facilities kept clean and sanitary?			
2.	Are facilities in good repair?			
3.	Are cafeteria facilities provided away from toxic chemicals?			
MEDICAL AND FIRST AID				
1.	Is there a hospital or clinic nearby?			
2.	Are there employees trained as first-aid practitioners on each shift worked?			
3.	Are physician-approved first-aid supplies available?			
4.	Are first-aid supplies replenished as they are used?			
PERSONAL PROTECTIVE EQUIPMENT				
1.	Is required equipment provided, maintained and used?			
2.	Does equipment meet requirements?			
3.	Is it reliable?			
4.	Is personal protection utilized only when it is not reasonably practicable to eliminate or control the hazardous substance or process?			
5.	Are warning signs prominently displayed in all hazard areas?			
MATERIALS HANDLING AND STORAGE				
1.	Is there safe clearance for all equipment through aisles and doors?			
2.	Is stored material stable and secure?			
3.	Are storage areas free from tipping hazards?			
4.	Is charging of electric batteries performed only in designated areas?			

MATERIALS HANDLING AND STORAGE				
5.	Are dock boards (bridge plates) used when loading or unloading from dock to truck or dock to rail car?			
6.	Are necessary warning devices and signs in use for railway sidings?			
7.	Are specifications posted for maximum loads which are approved for shelving, floors and roofs?			
8.	Are racks and platforms loaded only within the limits of their capacity?			
9.	Are chain hoists, ropes and slings adequate for the loads and marked accordingly?			
10.	Are slings inspected daily before use?			
11.	Are all new, repaired, or reconditioned alloy steel chain slings proof-tested before use?			
12.	Are pallets and skids the correct type and inspected?			
13.	Do personnel use proper lifting techniques?			
14.	Is the size and condition of containers hazardous to workers?			
15.	Are elevators, hoists, conveyors, balers, etc., properly used with appropriate signals and directional warning signs?			

Inspection Checklists - Sample Checklist for Offices

Name of officer:		Date:			
		(O): Satisfactory (X): Requires action			
		Location	Condition	Comments	
BULLETIN BOARDS AND SIGNS					
1.	Are they clean and readable?				
2.	Is the material changed frequently?				
FLOORS					
1.	Is there loose material, debris, worn carpeting?				
2.	Are the floors slippery, oily or wet?				
STAIRWAYS AND AISLES					
1.	Are they clear and unblocked?				
2.	Are stairways well lighted?				
3.	Are handrails, handholds in place?				
4.	Are the aisles marked and visible?				
EQUIPMENT					
1.	Are guards, screens and sound-dampening devices in place and effective?				
2.	Is the furniture safe? ◆ worn or badly designed chairs ◆ sharp edges on desks and cabinets ◆ poor ergonomics (keyboard elevation, chair adjustment) ◆ Crowding				
3.	Are ladders safe, and well maintained?				
EMERGENCY EQUIPMENT					
1.	Is all fire control equipment regularly tested and certified?				
2.	Is fire control equipment appropriate for the type of fire it must control?				
3.	Is emergency lighting in place and regularly tested?				

BUILDING				
1.	Do buildings conform to standards with respect to use, occupancy, building services, and plumbing facilities?			
2.	Check the following structures to ensure safety: ♦ swinging doors ♦ floor and wall openings ♦ ladders, stairways and ramps ♦ guardrails			
3.	Are materials stored safely?			
AIR HANDLING SYSTEM				
1.	Does air exchange rate meet standard requirements?			
2.	Is the system free of sources of contamination (asbestos, microorganisms, dust, fumes)?			
3.	Is humidity within standard range?			
DANGEROUS SUBSTANCES				
1.	Are there any controlled substances (e.g. WHMIS controlled products)?			
♦	If yes, are the products properly labelled?			
♦	If yes, is there a corresponding material safety data sheet (MSDS) for each product?			
♦	If yes, are workers trained in how to use these products safely?			
SANITATION				
1.	Are washrooms and food preparation areas clean?			
2.	Are the following provided adequately?			
♦	toilets			
♦	showers			
♦	water			
♦	change rooms			
3.	Are measures in place to prevent the spread of disease?			

SECURITY				
1.	Do entry and exit procedures provide workers personal security at night?			
2.	Are emergency (evacuation, fire, bomb threat, hostile person) procedures in place?			
LIGHTING				
1.	Are lamp reflectors clean?			
2.	Are bulbs missing?			
3.	Are any areas dark?			
MATERIAL STORAGE				
1.	Are materials neatly and safely piled?			
2.	Are there stepladders or stools to get to materials on higher shelves?			
3.	Are storage shelves overloaded or beyond their rated capacity?			
4.	Are large and heavy objects stored on lower shelves?			
5.	Are passageways and work areas clear of obstructions?			
GENERAL				
1.	Are extension cords used extensively?			
2.	Are electrical or telephone cords exposed in areas where employees walk?			
3.	Are machines properly guarded?			
4.	Is electrical wiring properly concealed?			
5.	Does any equipment have sharp metal projections?			
6.	Are wall and ceiling fixtures fastened securely?			
7.	Are paper and waste properly disposed of?			
8.	Are desk and file drawers kept closed when not in use?			
9.	Are office accessories in secure places?			

GENERAL				
10.	Are materials stacked on desks or cabinets?			
11.	Are file cabinet drawers overloaded?			
12.	Are file cabinets loaded with the heaviest items in the bottom drawers?			
13.	Are filing stools or wastebaskets placed where they might be tripping hazards?			

TAKE NOTE

Please take note that this is only examples of two different workplaces. Every workplace or category of job will be different.

3.3 Step Three: Reporting

An inspection should not begin without preparation and it should not end without a report. The Act requires that the joint health and safety committee members report inspection findings to the joint health and safety committee. Before the report can be written, the information from both the preparation and inspection stages must be reviewed and organized.

- ♦ **Review:** As soon as possible after the inspection, the member reviews the notes taken during the inspection together with observations jotted on the floor plan and flow chart.

Any potential hazards determined should be classified according to their potential for injury to health or safety. Obviously, hazards which threaten death, serious injury or illness should be given the highest priority for action. They must be reported to the employer or supervisor immediately.

Health effects and environmental monitoring results associated with these potential hazards should be listed for each potential hazard. The need for specific potential hazard assessments and exposure controls should be assigned in a similar fashion.

Assessment and control measures for recognized hazards can then be given the right priority. The officer may conclude that further information is needed to help in the analysis

- ♦ **Writing the Report:** The report should be prepared as soon as possible following the inspection so that prompt action can be taken on any potential hazard which has been identified.
- ♦ **Basic Information:** An inspection report must provide basic information about the inspection site, the date and time of the inspection and the name of the members who conducted the inspection.
- ♦ **Findings:** The findings of the inspection consist of descriptions of any identified potential hazards, plus supporting information from the preparation stage or from further investigations carried out following the inspection.

A copy of the floor plan, flow chart or other inspection document should be attached to the report if it can help to pinpoint the location of a hazard.

Conclusions made by the members should be noted last in the findings.

- ♦ **Recommendations:** Recommendations should begin by noting any corrective action taken at the time of the inspection. Then recommendations for further investigation, control of the hazard, or for the collection of additional information should be described.
- ♦ **Report Forms:** Special report forms are sometimes established to make the reporting process easier and faster. Forms also ensure that each inspection report follows a consistent order which makes it easy to understand.

State exactly what has been detected and accurately identify its location. Instead of stating "machine unguarded," state "guard missing on upper pulley"

Assign a priority level to the hazards observed to indicate the urgency of the corrective action required.



- ♦ A = Major--requires immediate action
- ♦ B = Serious--requires short-term action
- ♦ C = Minor--requires long-term action

Area inspected:		Date:		Time:	
Description of Item or Hazard	Location of Item or Hazard	Priority Ranking	Recommended Corrective Action	Person Responsible For Action	Follow up Date/Initials
Inspection performed by:					
Report written by:					
Signatures				Date	

Unit standard 113852: Apply occupational health, safety and environmental principles.

3.4 Step Four : Monitoring

The information obtained from regular workplace inspections must be considered and used if inspections are to be a valid part of the safety and health program. For this to be achieved, it should be clear who has ultimate responsibility for considering and making decisions on action which is to be taken. Equally important is the need to ensure that there is timely feedback to those persons responsible for undertaking inspections. If no concern is shown, or no feedback is given, the persons doing the inspection will quickly feel that this is a pointless exercise.

The information obtained from regular inspections should be reviewed carefully to identify where immediate corrective action is needed and to identify trends as part of overall monitoring of program effectiveness. Analysis of inspection reports over a period of time may, for example:

- ♦ Highlight the need for training in certain areas;
- ♦ Provide insight as to why accidents are occurring in particular areas;
- ♦ Establish priorities for corrective action;
- ♦ Assist in establishing or improving safe work practices;
- ♦ Indicate areas, equipment, etc. which may require more in-depth hazard analysis.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

STUDY UNIT 3

Accident/Incident Investigation

LEARNING OUTCOMES

On completion of this study unit the student will....



- ♦ Identify an accident.
- ♦ Identify the causes of an accident.
- ♦ List and explain the accident caution factors.
- ♦ Define the term housekeeping.
- ♦ Explain the importance of housekeeping.
- ♦ List the various methods that can be used to prevent accidents.
- ♦ Complete an accident report for investigation purposes.
- ♦ Demonstrate knowledge by explaining ways to obtain employee and employer participation during the inspection.
- ♦ Demonstrate knowledge and skills by explaining and implementing the process on which you have to communicate the finding of the investigation report/results.

1. Incident Philosophy

DEFINITION

An incident is an undesired event often caused by unsafe acts and/or conditions that results in, or has the potential for, physical harm to persons and/or damage to property and/or business interruption.

All accidents have the following in common:

- ♦ They all have unpleasant outcomes:

EXAMPLE:

- ♦ Death and injury
- ♦ Pain and suffering
- ♦ Diseases
- ♦ Damage to property and equipment
- ♦ Financial costs
- ♦ Lost productivity

- ♦ They all have contributing factors.

2. Accident Ratio

TAKE NOTE

A study of over one million accidents indicates that for every 641 accidents the following ratio applies:



2.1 Lessons


The more the minor injuries: Increased chance for serious injuries.

The more the property damage incidents: Increased chance for minor and serious injuries.

The more the “near-miss” incidents Increased chance for property damage incidents, minor and serious injuries.

REMEMBER

All “near-miss” incidents are in a way warnings, because with a slight change in circumstances or conditions, they could have resulted in fatal or serious injuries, minor injuries, property damage accidents, etc.



3. Causes of accidents

3.1 Unsafe acts

Unsafe acts are things people **do** or **omit to do** which could cause an accident.



Unsafe acts are normally a violation of an accepted safe procedure which could permit the occurrence of an accident.

Common Unsafe Acts

- ♦ Working at unsafe speeds
- ♦ Working without authority
- ♦ Failure to safeguard machinery and material
- ♦ Interfering with safety devices
- ♦ Arranging or placing objects unsafely
- ♦ Fooling, teasing, distracting workmates (horseplay)
- ♦ Taking chances and shortcuts
- ♦ Failure to use protective equipment
- ♦ Taking unsafe positions
- ♦ Ignoring safety/health regulations
- ♦ Working on moving or unsafe equipment
- ♦ Using unsafe tools/equipment/machinery

3.2 Unsafe Conditions

Unsafe conditions refer to a substandard situation with the potential to cause accidents which we create or allow existing.



Unsafe conditions are any situation existing in the working environment which is a departure from accepted standards which, if not rectified, may be the cause of accidents.

Common Unsafe Conditions

- ♦ Unsupported roof
- ♦ Unsafe construction
- ♦ Defective equipment or machinery
- ♦ Lack of machine and other guards
- ♦ Defective working surfaces such as sharp or slippery surfaces
- ♦ Unsafe floor conditions
- ♦ Overcrowding
- ♦ Defective safety devices
- ♦ No PPE stock
- ♦ Inadequate ventilation
- ♦ Unsafe illumination
- ♦ Unsafe storage/stacking, etc.

4. Accident Caution Factors**4.1 Basic Causes & Remedies****PERSONAL FACTORS**

- ♦ Lack of knowledge/skills: Educate/train/motivate/revised work standards
- ♦ Physical/Mental defects: Employment practices/medical examinations
- ♦ Attitude: Enforce/warn/safety campaigns, etc

JOB FACTORS

- ♦ Inadequate work standards – write/revise work standards/JSA
- ♦ Unsafe environment – Engineering revision: Guard/repair/modify/lockout/housekeeping/Remove/Provide protection/PPE

5. Accident Prevention Tools**5.1 Housekeeping?**

Good housekeeping means a place for everything and everything in its place all the time.

5.2 Accidents as a result of poor housekeeping.

- ♦ People tripping over loose objects on floors
- ♦ Articles dropping from above
- ♦ People slipping on greasy, wet or dirty floors
- ♦ People bumping against projecting, poorly piled or badly placed materials.
- ♦ Hands or other parts of the body cut on projecting nails, steel strapping, splinters, wire, etc.
- ♦ Fires

5.3 Why is good housekeeping important?



- ♦ It cuts down the time spent looking for goods, articles and tools
- ♦ Space is saved when everything is stacked away tidily
- ♦ Injuries are avoided when walkways and working areas are kept clear of superfluous materials
- ♦ Fire hazards are reduced if combustible materials are kept in proper receptacles

5.4 Requirements for housekeeping



- ♦ Waste bins



- ♦ Aisles and storage



- ♦ Storage facilities

6. Accident prevention methods

- ♦ Engineering revision: Physical changes made.
- ♦ Education and training: Creating awareness/teaching how.
- ♦ Employment practices: Selection and placement.
- ♦ Example setting: Management/Supervisor/H&S Reps.
- ♦ Enthusiasm: Enthusiasm for and involvement in the safety programme by all levels of management,
- ♦ Enforcement: Used only as a last resort.

7. Accident Reporting and Investigation

- ♦ All accidents must be investigated to determine the root causes (underlying causes) in order to recommend action aimed at prevention of a similar accident from happening again.
- ♦ The supervisor is responsible for initiating an investigation of accidents occurring in the working place and to see that remedial action is taken.



The investigation is not intended to place blame!



You have to report ALL accidents to your immediate supervisor within 24 hours.

Accident Reporting and Investigation Checklist

ID Number: _____
 Name: _____
 Date of Inspection: _____

To be completed by designated investigator

Description of damage:

DAMAGE

ACTUAL/ESTIMATED DAMAGE & INJURY COSTS

☐ Buildings	☐ Equipment	☐	_____ R _____
☐ Floors	☐ Vehicles	☐	_____ R _____
☐ Machinery	☐ Product	☐	_____ R _____

Total costs R _____

General agencies

Struck by	Fall	Handling	Transport
Struck against	Falling object	Machine	Electricity

Occupational hygiene agencies

Chemicals	Fumes	Fire	Gas
Dust	Noise	Vapour	

Was this his normal work? YES/NO:

1. Human error/inefficiency

- ☐ Operating without authority
- ☐ Operating at unsafe speed
- ☐ Making safety devices inoperative
- ☐ Using unsafe equipment
- ☐ Using equipment unsafely
- ☐ Unsafe loading, placing, mixing
- ☐ Taking unsafe position
- ☐ Working on moving or unsafe equipment
- ☐ Distracting, teasing, horseplay
- ☐ Failure to use protective equipment
- ☐ Safety regulations ignored

2. High risk conditions

- ☐ Inadequately guarded
- ☐ Unguarded
- ☐ Defective tools, equipment or substance
- ☐ Hazardous arrangement
- ☐ Unsafe design or construction
- ☐ Poor lighting
- ☐ Unsafe clothing
- ☐ Poor floor conditions
- ☐ Poor ventilation
- ☐ Other

3. Personal factors

- ☐ Lack of knowledge or skill
- ☐ Physical/mental defect
- ☐ Improper attitude or motivation

4. Job factors

- ☐ Inadequate work standards
- ☐ High risk conditions

5. Control steps to prevent a recurrence

Personal factors

- ☐ Attend training course
- ☐ Instruct how to do or follow revised work standards
- ☐ Have medically examined, hearing/eyesight/alcohol/drugs/disability
- ☐ Transfer to another job
- ☐ Attend safety committee meetings
- ☐ Enforce/warn

Job factors

- ☐ Write work standards
- ☐ Revise work standards
- ☐ Guard
- ☐ Repair
- ☐ Modify
- ☐ Lockout
- ☐ Housekeeping
- ☐ Remove
- ☐ Provide protection

To be completed by employer

No.	Steps taken	By whom	Date completed
1.			
2.			
3.			
4.			

Remarks by Health and Safety Committee

Remarks by Department of Labour:

8. Obtaining participation for investigation

Management holds the legal responsibility for the safety of the workplace and therefore the role of supervisors and higher management and the role or presence of management systems must always be considered in an accident investigation. Failures of management systems are often found to be direct or indirect factors in accidents. Ask questions such as:

- ◆ Were safety rules communicated to and understood by all employees?
- ◆ Were written procedures and orientation available?
- ◆ Were they being enforced?
- ◆ Was there adequate supervision?
- ◆ Were workers trained to do the work?
- ◆ Had hazards been previously identified?
- ◆ Had procedures been developed to overcome them?
- ◆ Were unsafe conditions corrected?
- ◆ Was regular maintenance of equipment carried out?
- ◆ Were regular safety inspections carried out?

8.1 Interviewing

Interviewing is an art that cannot be given justice in a brief document such as this, but a few do's and don'ts can be mentioned. The purpose of the interview is to establish an understanding with the witness and to obtain his or her own words describing the event:

DO...

- ◆ Put the witness, who is probably upset, at ease.
- ◆ Emphasize the real reason for the investigation, to determine what happened and why
- ◆ Let the witness talk, listen
- ◆ Confirm that you have the statement correct
- ◆ Try to sense any underlying feelings of the witness.
- ◆ Make short notes or ask someone else on the team to take them during the interview
- ◆ Ask if it is okay to record the interview, if you are doing so.
- ◆ Close on a positive note

DO NOT...

- ◆ Intimidate the witness
- ◆ Interrupt
- ◆ Prompt
- ◆ Ask leading questions
- ◆ Show your own emotions
- ◆ Jump to conclusions

Ask open-ended questions that cannot be answered by simply "yes" or "no". The actual questions you ask the witness will naturally vary with each accident, but there are some general questions that should be asked each time:

- ♦ Where were you at the time of the accident?
- ♦ What were you doing at the time?
- ♦ What did you see, hear?
- ♦ What were the environmental conditions (weather, light, noise, etc.) at the time?
- ♦ What was (were) the injured worker(s) doing at the time?
- ♦ In your opinion, what caused the accident?
- ♦ How might similar accidents be prevented in the future?

If you were not at the scene at the time, asking questions is a straightforward approach to establishing what happened. Obviously, care must be taken to assess the credibility of any statements made in the interviews. Answers to a first few questions will generally show how well the witness could actually observe what happened.

9. Communicate outcome to employees

9.1 Meetings

One of the biggest complaints about most organizations is meetings . . . they waste too much of our precious time. This is bad news for organizations. Meetings are important because that is where an organization's culture and climate perpetuates itself.

Meetings are one of the ways that an organization can communicate health and safety issues with workers

Also, remember that bad meetings lead to more bad meetings which cost even more money. Poor planning by the meeting's organizer and a lack of involvement by the participants. Listed below are some guidelines for conducting effective meetings.

9.2 Prepare for the meeting.

- ♦ Define the objectives and desired outcomes. Know what you are trying to achieve by having a meeting.
- ♦ Determine if a different activity could be used besides a meeting. A lot of wasted meetings are called when a couple of phone calls, e-mail or one-on-ones would have worked better.
- ♦ Determine topics to cover and the best format for the discussion of each one. Know what you want to get accomplished by the meeting.
- ♦ Estimate the length of the meeting. People need to know how long to plan for the meeting.
- ♦ Create an agenda that is carefully scripted.
- ♦ Deliver agenda in advance so that the participants have time to plan and prepare for the meeting.
- ♦ Make every meeting a learning event: incorporate creative and cutting edge education on a topic.
- ♦ Use a variety of tools and activities to make the meeting productive and fun . . . get them charged up!

9.3 Prepare to attend a meeting (for participants)

- ◆ Know the purpose of the meeting. Know what your purpose for attending is.
- ◆ Gather all data that you need to bring to the meeting.
- ◆ Know the agenda of the meeting and ensure your agenda coincides with the meeting agenda.
- ◆ Know your role and the path that you are going to follow.
- ◆ Arrive on time and be prepared to stay until at least the planned stop time.
- ◆ Take the meeting seriously, but do have some fun while attending.

9.4 Set up the meeting place

- ◆ Select a physical setting that is comfortable, big enough, and will serve the purpose.
- ◆ Create a warm and attractive atmosphere conducive to interaction.
- ◆ Provide appropriate refreshments.
- ◆ Have appropriate visual aids and learning aids on hand.
- ◆ Always do something a little different and new. Make them glad that they came.

9.5 Assign a note taker (Minutes)

- ◆ Who attended.
- ◆ What problems were discussed.
- ◆ Key decisions reached.
- ◆ Next steps: who needs to accomplish a task, start and end date of task and what is exactly needed.

9.6 Start the meeting.

- ◆ Communicate the purpose and desired outcomes to all participants.
- ◆ Clarify the type of participation and interaction desired.
- ◆ Set the ground rules: when the meeting will end, how each member will be heard, what is expected.
- ◆ Show that you value their ideas, opinions and questions.

9.7 Conduct the meeting

- ◆ Take time to tell and hear stories.
- ◆ Clarify and paraphrase key ideas.
- ◆ Ask for different points of view; protect new ideas.
- ◆ Use brainstorming techniques.
- ◆ Record ideas and notes on a flip chart.
- ◆ Stay focused on the agenda topics. Do not wander off topic or become distracted.
- ◆ Assign next steps throughout the meeting. Make all next steps specific assignments.

9.8 Keep the meeting focused and moving

- ◆ Get information and data from the meeting. Ensure all people are heard.
- ◆ Let the people carry the content; you guide the process.
- ◆ Acknowledge and reinforce constructive contributions.
- ◆ Use the agenda to stay on track.
- ◆ Vary the pace: speed up, slow down, take breaks.
- ◆ Keep the group aware of where they are in the process.
- ◆ Periodically summarize key points and ask for agreement.
- ◆ Help the group reach consensus and reach conclusions.



TAKE NOTE

Through meetings a security officer can communicate all health and safety issues to either his employer or client.

[illegible]

STUDY UNIT 4

Legislation

LEARNING OUTCOMES

On completion of this study unit the student will....



- ♦ Demonstrate knowledge by explaining the responsibilities, duties and rights of individuals in the workplace.
- ♦ Identify OHS information in the workplace
- ♦ Demonstrate knowledge by explaining relevant COIDA Act rights and procedures.
- ♦ Demonstrate knowledge by explaining employee rights.
- ♦ Demonstrate knowledge by explaining the employers rights and responsibilities.
- ♦ Identify the OHS representative.
- ♦ Identify the representatives of the Department of labour including the following:
 - ⇒ Inspectors
 - ⇒ OHS representatives.

1. General duties of employers to their employees

Section 8

1. Every employer shall provide and maintain, as far as is reasonably practicable, a working environment that is safe and without risk to the health of his employees.
2. Without derogating from the generality of an employer's duties under subsection (1), the matters to which those duties refer include in particular:
 - ♦ The provision and maintenance of systems of work, plant and machinery that, as far as is reasonably practicable, are safe and without risks to health;
 - ♦ Taking such steps as may be reasonably practicable to eliminate or mitigate any hazard or potential hazard to the safety or health of employees, before resorting to personal protective equipment;
 - ♦ Making arrangements for ensuring, as far as is reasonably practicable, the safety and absence of risks to health in connection with the production, processing, use, handling, storage or transport of articles or substances;
 - ♦ Establishing, as far as is reasonably practicable, what hazards to the health or safety of persons are attached to any work which is performed, any article or substance which is produced, processed, used, handled, stored or transported and any plant or machinery which is used in his business, and he shall, as far as is reasonably practicable, further establish what precautionary measures should be taken with respect to such work, article, substance, plant or machinery in order to protect the health and safety of persons, and he shall provide the necessary means to apply such precautionary measures;
 - ♦ Providing such information, instructions, training and supervision as may be necessary to ensure, as far as is reasonably practicable, the health and safety at work of his employees;
 - ♦ As far as is reasonably practicable, not permitting any employee to do any work or to produce, process, use, handle, store or transport any article or substance or to operate any plant or machinery, unless the precautionary measures contemplated in paragraphs (b) and (d), or any other precautionary measures which may be prescribed, have been taken;
 - ♦ Taking all necessary measures to ensure that the requirements of this Act are complied with by every person in his employment or on premises under his control where plant or machinery is used;
 - ♦ Enforcing such measures as may be necessary in the interest of health and safety;

- ♦ Ensuring that work is performed and that plant or machinery is used under the general supervision of a person trained to understand the hazards associated with it and who have the authority to ensure that precautionary measures taken by the employer are implemented; and
- ♦ Causing all employees to be informed regarding the scope of their authority as contemplated in.

2. General duties of employers and self-employed persons to persons other than their employees

- ♦ Every employer shall conduct his undertaking in such a manner as to ensure, as far as is reasonably practicable, that persons other than those in his employment who may be directly affected by his activities are not thereby exposed to hazards to their health or safety.
- ♦ Every self-employed person shall conduct his undertaking in such a manner as to ensure, as far as is reasonably practicable, that he and other persons who may be directly affected by his activities are not thereby exposed to hazards to their health or safety.

Every employee shall at work:

- ♦ Take reasonable care for the health and safety of him and of other persons who may be affected by his acts or omissions;
- ♦ As regards any duty or requirement imposed on his employer or any other person by this Act, co-operate with such employer or person to enable that duty or requirement to be performed or complied with;
- ♦ Carry out any lawful order given to him, and obey the health and safety rules and procedures laid down by his employer or by anyone authorized thereto by his employer, in the interest of health or safety;
- ♦ If any situation which is unsafe or unhealthy comes to his attention, as soon as practicable report such situation to his employer, or to the health & safety representative for his workplace or section thereof, as the case may be, who should report it to the employer; and
- ♦ If he is involved in any incident which may affect his health or which has caused an injury to himself, report such incident to his employer or to anyone authorized thereto by the employer, or to his health and safety representative, as soon as practicable but not later than the end of the particular shift during which the incident occurred, unless the circumstances were such that the reporting of the incident was not possible, in which case he shall report the incident as soon as practicable thereafter.

3. Health and Safety Representatives

- ♦ Subject to the provisions of subsection (2) , every employer who has more than 20 employees in his employment at any workplace, shall, within four months after the commencement of this Act or after commencing business, or from such time as the number of employees exceeds 20, as the case may be, designate in writing for a specified period health & safety representatives for such workplace, or for different sections thereof.
- ♦ Only those employees employed in a full-time capacity at a specific workplace and who are acquainted with conditions and activities at that workplace or section thereof, as the case may be, shall be eligible for designation as health and safety representatives for that workplace or section.
- ♦ **The number of health and safety representatives for a workplace or section thereof shall in the case of shops and offices be at least one health and safety representative for every 100 employees or part thereof, and in the case of all other workplaces at least one health and safety representative for every 50 employees or part thereof:**



REMEMBER.....

Provided that those employees performing work at a workplace other than that where they ordinarily report for duty, shall be deemed to be working at the workplace where they so report for duty.

- ♦ If an inspector is of the opinion that the number of health and safety representatives for any workplace or section thereof, including a workplace or section with 20 or fewer employees, is inadequate, he may by notice in writing direct the employer to designate such number of employees as the inspector may determine as health and safety representatives for that workplace or section thereof in accordance with the arrangements and procedures referred to in subsection (2).
- ♦ All activities in connection with the designation, functions and training of health and safety representatives shall be performed during ordinary working hours, and any time reasonably spent by any employee in this regard shall for all purposes be deemed to be time spent by him in the carrying out of his duties as an employee.

SHOPS AND OFFICES

=


1 REP FOR 100 EMPLOYEES



ALL OTHER WORKPLACES

=

1 REP FOR 500 EMPLOYEES



3.1 Functions of Health and Safety Representatives

A health & safety representative may perform the following functions in respect of the workplace or section of the workplace for which he has been designated, namely:

- ♦ Review the effectiveness of health and safety measures;
- ♦ Identify potential hazards and potential major incidents at the workplace;
- ♦ In collaboration with his employer, examine the causes of incidents at the workplace;
- ♦ Investigate complaints by any employee relating to that employee's health or safety at work;
- ♦ Make representations to the employer or a health and safety committee on matters arising from paragraphs (a), (b), (c) or (d), or where such representations are unsuccessful, to an inspector;
- ♦ Make representations to the employer on general matters affecting the health or safety of the employees at the workplace;
- ♦ Inspect the workplace, including any article, substance, plant, machinery or health and safety equipment at that workplace with a view to the health and safety of employees, at such intervals as may be agreed upon with the employer: Provided that the health and safety representative shall give reasonable notice of his intention to carry out such an inspection to the employer, who may be present during the inspection;

- ♦ **Participate in consultations** with inspectors at the workplace and accompany inspectors on inspections of the workplace;
- ♦ **Receive information from inspectors** as contemplated in [section 36](#); and
- ♦ In his capacity as a health and safety representative **attend meetings of the health and safety committee** of which he is a member, in connection with any of the above functions.

A health and safety representative shall, in respect of the workplace or section of the workplace for which he has been designated be entitled to:

- ♦ **Visit the site of an incident** at all reasonable times and attend any inspection in loco;
- ♦ **Attend any investigation** or formal inquiry held in terms of this Act;
- ♦ In so far as is reasonably necessary for performing his functions, **inspect any document** which the employer is required to keep in terms of this Act;
- ♦ **Accompany an inspector** on any inspection;
- ♦ With the approval of the employer (which approval shall not be unreasonably withheld), **be accompanied by a technical adviser, on any inspection**; and
- ♦ **Participate in any internal health or safety audit.**

An employer shall provide such facilities, assistance and training as a health and safety representative may reasonably require and as have been agreed upon for the carrying out of his functions.

A health and safety representative shall not incur any civil liability by reason of the fact only that he failed to do anything which he may do or is required to do in terms of this Act.

4. Health and Safety Committees

An employer shall in respect of each [workplace](#) where two or more health and safety representatives have been designated, establish one or more health and safety committees and, at every meeting of such a committee as contemplated in subsection (4), consult with the committee with a view to initiating, developing, promoting, maintaining and reviewing measures to ensure the health and safety of his [employees](#) at work.

A [health and safety committee](#) shall consist of such number of members as the employer may from time to time determine: Provided that:

- ♦ If one health and safety committee has been established in respect of a workplace, all the health and safety representatives for that workplace shall be members of the committee;

- ♦ If two or more health and safety committees have been established in respect of a workplace, each health and safety representative for that workplace shall be a member of at least one of those committees; and
- ♦ The number of persons nominated by an employer on any health and safety committee established in terms of this section shall not exceed the number of health and safety representatives on that committee.

The persons nominated by an employer on a health and safety committee shall be designated in writing by the employer for such period as may be determined by him, while the health and safety representatives shall be members of the committee for the period of their designation in terms of section 17(1).

A health and safety committee shall hold meetings as often as may be necessary, but at least once every three months, at a time and place determined by the committee: Provided that an inspector may by notice in writing direct the members of a health and safety committee to hold a meeting at a time and place determined by him: Provided further that, if more than 10 per cent of the employees at a specific workplace has handed a written request to an inspector, the inspector may by written notice direct that such a meeting be held.

The procedure at meetings of a health and safety committee shall be determined by the committee.

A health and safety committee may co-opt one or more persons by reason of his or their particular knowledge of health or safety matters as an advisory member or as advisory members of the committee.

If an inspector is of the opinion that the number of health and safety committees established for any particular workplace is inadequate, he may in writing direct the employer to establish for such workplace such number of health and safety committees as the inspector may determine.

5. Compensation for occupational injuries and diseases Act.

5.1 Rules and regulations

In terms of the procedure for reporting to and claiming from the Compensation Fund, all should go well if you follow these rules and guidelines.

Step 1: The moment an **injury*** occurs, where an employee must get outside medical treatment, part A page 1 of the Employers Report of an Accident (W.Cl.2) form must be completed. Detach "Part B" (an automatic copy of "Part A" page 1) by tearing it at the perforation, hand "Part B" to the employee and request him/her to hand it to the doctor/hospital concerned.



TAKE NOTE

In serious cases, "Part B" must be handed to the emergency services personnel who have responded to the emergency call.

It make sense to keep partially completed W.Cl.2 forms and certified copies of all employee's identity documents in the First Aid Box, so that they are readily available when needed.



TAKE NOTE

*In case of occupational disease a different procedure applies – so contact us should you require more information.

Step 2: Once the employee has been taken care of, the employer must obtain the First Medical report (W.Cl.4) from the Doctor, complete page 2 of the W.Cl.2 form and send the completed pages 1 and 2, together with the W.Cl. 4 form and a certified copy of the injured employee's ID document to the Compensation Commissioner by fax to **(012) 3244734** or post by registered post to The Compensation Commissioner to P.O. Box 955 Pretoria 0001 within 7 days of the incident occurring.

(Where the First Medical Report (W.Cl.4) was not sent together with the employer's report of an occupational injury, it must submitted to the Commissioner as soon as it is obtained.)

Step 3: The Compensation Commissioner will send the employer a postcard (W.Cl.55), providing a **claim number** (reference number) which must be used on all correspondence relating to this matter.

Step 4: Once the Compensation Commissioner has considered the claim and only when **liability is accepted** for payment of all medical expenses etc, will a postcard (W.Cl.56) be sent to the employer. Where a W.Cl.56 is not issued, it means that the Compensation Commissioner does not accept liability for any payment.

Step 5: In cases of prolonged absence, a *Progress Medical Report* (W.Cl.5) form must be obtained **monthly** from the Doctor and submitted to the Commissioner as soon as it is obtained.

Step 6: Once the Doctor handling the case is satisfied that the employee is fit for duty, the Doctor will issue a *Final Medical Report* (W.Cl.5), which must be sent to the Compensation Commissioner.



Please note that the Progress Report and Final Report are on the same form (W.Cl.5)

Step 7: When the employee resumes work, a *Resumption Report* (W.Cl.6) must be completed and submitted to the Commissioner.

Only after every one of these forms has been submitted will the Compensation Commissioner make all of the payments and close the case.



Most problems that occur with the Compensation Fund is that the Employer does not send through the Progress, Final and Resumption Reports, therefore the Employer does not get the money from the Compensation Fund that was paid to the injured employee, and the Doctors do not get paid.

5.2 Payments for Injuries On Duty (IOD)

If an employee is injured on duty and is sent to the doctor/hospital, one of the following three payment criteria comes into operation:

1. If the employee is booked off due to an IOD for 3 days or less, the Compensation Fund does not pay a cent. Therefore, the employer does not need to pay the injured employee any payment.
2. If the employee is booked off due to an IOD for 4 days or longer, but less than 3 months, the employer pays the injured employee at a rate of 75% of basic wages only, from day 1 until the employee returns to work.
3. If the employee is booked off due to an IOD for longer than 3 months, the employer pays the injured employee at a rate of 75% of basic wages, from day 1 for 3 months, and nothing thereafter. Once the 3 month period expires, the injured employee must claim his money from the Compensation Fund himself.
4. It is important to remember that if the employer pays their employees in full for the IOD, the long term cost to the company should be taken into consideration as it has been proved in practice, that where companies only pay as per regulations, their IOD rate is drastically reduced.

If you are unsure whether an incident is an IOD, submit your forms to the Commissioner and let them decide. The COID Act works on the proviso of “at the discretion of the Compensation Commissioner”.



It is important to know that it is illegal to pay for IOD's from sick leave.

If you would like to speak to someone at the Compensation Fund, please contact them at their call center number: 0860 105 350

6. Occupational health and safety role players**6.1 Inspectors/OHS practitioners**

They visit workplaces and check that people are sticking to the rules. They investigate incidents and complaints. They also help you understand what you need to do. They enforce when there is serious violation of rules.

It is important to have all contact details of the Department of labour.

6.3 Health workers.

If a medical practitioner examines or treats someone for a disease that they think resulted from the worker's employment, the medical practitioner must report the case to the worker's employer and to the Department of Labour.

For more information on labour inspectors, contact the Department of Labour: PO Box 872, Cape Town, 8000 Tel: 021 460 5911 Fax: 021 465 7318

7. Locating OHS information**7.2 Enforcement of the OHS**

This falls under the administration of the Department of Labour. Inspectors from the Department have wide powers to search the workplace, question people, ask for explanations from an employer, and so on.

An inspector can fine a person for breaking the Act. If that person wants to appeal against the inspector's decision, they can appeal to the Chief Inspector. They can appeal against the Chief Inspector's decision in the Labour Court.

If a worker is hurt at work as a result of the employer not following a safety regulation, then that employer can be fined up to R100 000 and /or two years in prison.

This image shows a single page from a notebook or ledger. It features approximately 20 evenly spaced horizontal black lines across its entire width. The lines are thin and uniform, providing a guide for writing. There are no margins, headers, footers, or other markings present on the page.

STUDY UNIT 5

Basic training methodology

LEARNING OUTCOMES

On completion of this study unit the student will....



- ♦ Explain the importance of in-service training.
- ♦ Explain the objectives of in-service training.
- ♦ Apply the following principles of in-service training.
 - ♦ Preparation for the supervisor.
 - ♦ Preparation of the worker.
 - ♦ Presenting the in-service training.
 - ♦ Workers attempt.
 - ♦ Follow up action.
- ♦ Demonstrate knowledge by performing a basic needs analyses.
- ♦ Identify OHS training material.

1. Introduction

Competent and motivated employees are one of the most important assets of any organisation. However, competence and motivation should not be taken for granted. Effective training and development are required to reach the necessary level of competence. Training is the responsibility of the organisation if it wants to be sure that the workers in its employ are competent and motivated.

The different concepts around training and development should be clearly understood. The following such concepts are listed below:

Education. This is provided by those activities that are aimed at the development of knowledge, moral values and understanding required for all situations in life, more so than the knowledge and skills that apply to a limited area of activity.

Training. This is a systematic process during which the behaviour of employees is changed to such an extent that the organisation is able to achieve its objectives.

Development. During this process supervisors get the necessary experience and they learn the skills and the attitude that would allow them to function successfully as supervisors.

Education, training and development cannot take place without taking the principles on which the learning process is based into account. These principles may be incorporated into the training programmes if the following are kept in mind:

- ♦ All people are able to learn.
- ♦ Every individual has to be encouraged to learn.
- ♦ Learning is an active process.
- ♦ Guidance is important during the learning process.
- ♦ Learning methods should be alternated.
- ♦ Every individual should obtain satisfaction from what he or she is learning.
- ♦ The individual should experience positive encouragement if he or she behaves correctly after training.
- ♦ The individual should be subjected to performance standards.

Different levels of learning apply on different occasions and demand different learning methods. The following levels of learning are distinguished:

- ♦ **Most basic level**, for example memorising and conditioning
- ♦ **Adapting to an uncomplicated environment**, for example adapting to a computer after having used an ordinary typewriter
- ♦ **Complex process**, for example assembling the parts of a product
- ♦ **Very complex learning process**, for example learning new attitudes and values in life

2. What is on-the-job training



On-the-job training is the type of training that an employee receives in his/hers job that enables him/her to carry out the tasks that his/her post requires. It usually takes place in the actual work environment

From the above definition, it is clear that this type of training does not include formal courses that a learner needs to attend at a formal training institution.

The purpose of this type of training is to equip the employee with the necessary knowledge and skills to carry out his/her job, resulting into behavioral change. On-the-job training does not overlap formal courses, but is supplementary to formal courses as it covers those aspects that are important to the post, but were not dealt with during the formal training course.

It might be that the MD wishes to develop the facilitation skills of his/her personnel or train them on how to write a scientific report. However, it should be connected directly with the employee's ability to carry out the tasks connected to his/her job; otherwise it cannot be regarded as on-the-job-training.

The immediate supervisor is usually responsible for on-the-job training, but the task may be delegated to someone else. Just keep in mind that a task can be delegated, but not the responsibility and accountability that accompanies the task. The immediate supervisor will still stay the responsible and accountable person who has to ensure the quality of services provided.

3. Requirements for on-the-job training

The following is **required to conduct on-the-job-training**:


Duty sheets. It is important to know what the employee's duties are. A comprehensive and up- to-date duty sheet is required.

Knowledge and skills. The supervisor needs to have a thorough knowledge of the job that the subordinate is expected to perform, as well as the skills to conduct on-the-job training.

Attitude: One of the most important pre-requisites for successful on-the-job training is a positive attitude. The supervisor who approaches his/her job positively, will naturally want his/her subordinate to do well. If the performance of the person who is going to receive the training is handicapped by ignorance and a lack of training, then the training will be unsuccessful. A positive attitude means that the supervisor must be prepared to make sacrifices to achieve the learning outcomes and to help his/her subordinate to become a competent and contended worker.

4. Procedure for on-the-job-training

The following steps can be taken **to implement on-the-job training**:



4.1 Step 1: Determine the training needs. Determine what the employee still has to learn before he/she can perform the tasks in his/her post effectively.

Make a careful analysis of the knowledge, skills and attitudes that are necessary for that specific post profile. Scrutinize the duty sheet to determine what is required. Ask questions such as:

- ♦ “What does the member need to know to perform the task?”
- ♦ “What procedures must he/she be familiar with?”
- ♦ “What must he/she be able to do physically?”
- ♦ Must the member have a specific attitude if he/she wishes to do the job successfully?

Pay attention to the member that must be trained. He/she must naturally only receive training in those aspects that he/she has not yet mastered. Consider all the knowledge, skills and attitudes required by the job and determine which of these is lacking. It may be necessary to test the member to find out what he/she already knows or what he/she can already do. Behavior may be observed in order to do so.

4.2 Step 2: Formulate the outcomes. On-the-job-training starts immediately after the training need has been determined. Formulate the specific outcomes for the training session. Make sure that these outcomes are formulated in such a manner that it can be measured, for example:



The candidate must be able to facilitate learning using a variety of methodologies during a 45 min presentation.

4.3 Step 3: Plan the training and prepare. Plan on how the specific outcomes should be achieved and the type of training that must be provided in order to achieve the stated outcome(s). Decide, for instance, on a suitable type of learning event (e.g. demonstration), sources to be used (e.g. computer) etc. Prepare properly for the session and draw up a timetable.

4.4 Step 4: Present the training. The member who has to receive the training is provided with the specific learning material and the actual training starts in accordance with the planning and preparation done.

4.5 Step 5: Keep training records. It is very important to keep thorough records of the training that took place. Everything should be documented. The records serve as proof of the training that was provided and the progress being made by the member. The information is stored in accordance with the internal policy.



Coaching exercise: Making a paper aeroplane.



It is important throughout this exercise that both the coach and the learners act as though the learners have absolutely no prior knowledge of this activity.

Equipment needed:

- ♦ A4 medium weight paper (enough sheets for everyone plus spares);
- ♦ White board/flip chart
- ♦ Appropriate pens for medium in at least 4 different colours.


Procedure:

- ♦ Start by explaining the objective of the exercise – to produce a paper ‘plane that will fly when thrown into the air.
- ♦ Then demonstrate the whole process yourself so the learners have a mental image of their goal.
- ♦ Then take them through it step-by-step, illustrating each fold on the board as you goes.


Step 1: Fold paper in half lengthways




Step 2: Open out paper and make folds 2 and 3




Step 3: Keeping folds 2 and 3 in place, make folds 4 and 5




Step 4: Keeping folds 4 and 5 in place, refold along fold 1



Step 5: Make folds 6 & 7, then raise wings until perpendicular to fuselage



Step 6: Grip between thumb and fingers approximately ½-way down fuselage. Cock wrist.



Step 7: Pull arm back, then forward, releasing 'plane at furthest point of arm movement forward. Flex wrist as 'plane is released.

5. Objectives of on the job training

- ♦ **Increase effectiveness and productivity:** Employees would undoubtedly perform better if their knowledge, skills and attitudes have been positively influenced.
- ♦ **Benefit from increased productivity:** Lower costs, Greater competition, Higher profits
- ♦ **Prevent manpower shortages:** Trained personnel would be able to take over when a manpower shortage occurs. Employees would have considerable self-confidence after the training they received and absenteeism would therefore be low.
- ♦ **Adapt to change and development:** Training is indispensable in the face of ongoing change and development in an organisation's activities.
- ♦ **Cultivate the right attitude:** All employees are exposed to the same inputs during a training programme. This could mean that they would be more inclined to be loyal to and involved in the organisation.
- ♦ **Motivate by training:** Training has a significant motivational value because of increased job satisfaction, more self-confidence, a feeling of security, the self-actualisation that results from increased competence and having mastered a task, and pride of accomplishment.
- ♦ **Encourage independent work and reduce supervision:** Employees who have been properly trained know what to do. They therefore require less supervision and take up less of the supervisor's time.
- ♦ **Reduced staff turnover:** The full potential of all employees can be developed with appropriate training.

6. Identifying OHS training material

The department of Labour, sets many standards for employers and workplaces. They do this for the welfare and safety of employees but it can seem overwhelming if you're an employer.

OHS standards reflect their belief that training is essential for employee safety and health in the workplace.

Research reports that new workers (with less training) have more accidents and injuries on the job than do seasoned employees. Keep in mind that training employees will not only keep everyone else safe, but also protecting the welfare of employee families and saving a business money. A safe workplace is a less expensive workplace in terms of insurance, workers comp, and re-hiring expenses.

Some general standards that OHSS sets for employers include:

- ♦ It's the employer's responsibility to fit proper employees to proper jobs. This can be based on employee experience, training to date, certification, or be based on physical limitations. Such as don't hire someone with a bad back or fear of heights to climb ladders frequently, that would be a poor hiring decision.
- ♦ Current employee safety and health trainings and evaluations of these training must be up-to-date. Trainings must combine established goals and objectives. Training should be evaluated for positive outcomes. If positive outcomes are not met, trainings need to be revised and employee must be re-trained. Another option is to conduct frequent trainings on the same topics.
- ♦ On a side, but important note, it's wise to keep records of employee trainings. Certain trainings such as CPR or blood borne pathogen safety are state required so records are always kept. But what if your employee gets cut on a band saw? An accident investigator will ask, "Was this employee trained on band saw use and can you prove it?" Cover your back and keep good records.

OHS training material can be obtained from various sources. These sources includes:

- ♦ The internet
- ♦ Formal studies
- ♦ The HR Department within your company
- ♦ NOSA

After going through a needs analyses it can be identified which OHS training is essential and ultimately necessary.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

WORDS/ACRONYMS	EXPLANATION OF ACRONYMS
ASSESSMENT	"A structured process of gathering evidence and making judgments about an individual's performance in relation to registered national standards and qualifications"
ASSESSMENT CRITERIA	It describe the evidence that is needed to show that the learner has demonstrated the outcome correctly. A list of evidence to be supplied by the candidate as proof of his / her ability to integrate all of the competencies listed earlier in the standard.
COMPETENCE	Competence is the ability to do certain things in a range of different environments with knowledge and understanding about what is being done and the effect this has on others. It includes <u>Knowledge, skills, attitudes, values and ethics.</u>
CREDIT	Each unit standard is worth a number of credits which gives an indication of the size and scope of the unit standard, the standard is worth. (1 credit = 10 notional hours of learning)
CRITICAL CROSSFIELD OUTCOMES	critical cross field outcomes is to direct educational activities towards development of the learners within a social and economic environment.
EMBEDDED KNOWLEDGE	Body of theory essential for understanding and applying the standard. Principles, methods and techniques that would underpin good practice of this unit standard.
EVIDENCE	Evidence is a set of information or observations that provides proof of the learner's competence.
FORMATIVE ASSESSMENT	Aims to assist the learner to identify any knowledge/skills gaps when demonstrating his/her current competence. Diagnostic assessment supports learning and progress of the learner.
INTEGRATED ASSESSMENT	Integrated assessment refers to: • assessing a number of outcomes together • assessing a number of assessment criteria together • assessing a number of unit standards together • using a combination of assessment methods and instruments for an outcome/s • collecting naturally occurring evidence in the workplace • Acquiring evidence from other sources such as supervisor's reports, testimonials, portfolio of work previously done, logbooks, journals etc.
LEARNING ASSUMED TO BE IN PLACE	Building blocks (knowledge, skill and understanding) assumed to be in place
LEARNING PROGRAM	A "learning program is a set of learning activities in which the learner will be involved in working towards the achievement of one or more outcomes.
LEVEL	Each unit standard is registered on the NQF at a particular level based on the complexity of the outcomes and stringency of the standards.
NQF	National Qualifications Framework
RANGE STATEMENTS	The range statements indicate detailed requirements of the assessment criteria.

RE-ASSESSMENT	• The same method and instrument may be used, but, the task and materials should be different • The task and materials should, however, be of the same complexity and level as the previous ones. • In case the methods and instruments are changed it must be ensured that they are appropriate for the outcomes specified.
RPL ASSESSMENT	RPL is a way of recognizing what individuals already know and can do. The basic premise underlying it is that people, especially mature adults, learn many things inside and outside the formal structures of education and training and that irrespective of where, how and when learning was acquired, subject to assessment, it can be worthy of recognition and credit.
RPL	Recognition of prior learning
SASSETA	Safety & security sector education and training authority.
SAQA	SOUTH AFRICAN QUALIFICATION AUTHORITY
SPECIFIC OUTCOMES	An outcome is a statement that describes the required competency that must be demonstrated by the learner on successful completion of a training intervention. Key performance areas in the standard are given, the focus is <i>not</i> only on current competence, but also on future competence in this standard.
SUMMATIVE ASSESSMENT	Assessment used to record the level of competence achieved by a learner over a period of time, e.g. at the end of a program, term or year.
QUALIFICATIONS	Represent a planned combination of learning outcomes which has a defined purpose and intended to provide learners with applied competence and a basis for further learning
UNIT STANDARDS	the “building blocks” of qualifications. All qualifications are plotted on the National Qualifications Framework (NQF). “A statement of the outcomes that the learner must achieve to earn credit. Standards are nationally agreed and internationally comparable.”

Research and information has been extracted from the following books, articles and websites

- ♦ http://safety.lovetoknow.com/OSHA_Training_Requirement
- ♦ <http://www.oshforeveryone.org>
- ♦ The Occupational Health and Safety Act of (No 85 of 1993)
- ♦ <http://www.paralegaladvice.org.za/>
- ♦ <http://www.businesslink.gov.uk>

Apply occupational health, safety and environmental principles

SAQA US ID		UNIT STANDARD TITLE	
113852		Apply occupational health, safety and environmental principles	
ORIGINATOR		REGISTERING PROVIDER	
SGB Transport and Logistics Operations			
FIELD		SUBFIELD	
Field 11 - Services		Transport, Operations and Logistics	
ABET BAND	UNIT STANDARD TYPE	NQF LEVEL	CREDITS
Undefined	Regular	Level 3	10
REGISTRATION STATUS	REGISTRATION START DATE	REGISTRATION END DATE	SAQA DECISION NUMBER
Passed the End Date - Status was "Registered"	2004-12-02	2007-12-02	SAQA 1357/04
LAST DATE FOR ENROLMENT		LAST DATE FOR ACHIEVEMENT	
2008-12-02		2011-12-02	

PURPOSE OF THE UNIT STANDARD

Learners acquiring this standard will be learning towards obtaining a national qualification or are working within a health and safety environment, where acquisition of competence against this standard will add value to learner's job, or chances of finding employment.

The qualifying learner is capable of:

- Identifying hazards
- Evaluating hazards
- Controlling hazards
- Explaining and using relevant legislation and regulations
- Gathering and organising occupational health, safety and environmental information from the workplace
- Carrying out occupational health and safety training

LEARNING ASSUMED TO BE IN PLACE AND RECOGNITION OF PRIOR LEARNING

Learners accessing this unit standard / qualification will have demonstrated competence against adequate reading and writing skills as well as knowledge of the workplace in terms of the jobs performed by people on a team, procedures required of them and experience of dealing with problems and processes in the workplace.

UNIT STANDARD RANGE

- Activities will be conducted in the immediate work environment.
- Legislation and regulation will include: The Occupational Health and Safety Act (OHS), Compensation for Occupational Injuries and Diseases (COID) and relevant sections of the Labour Relations, Basic Conditions of Employment, Equity Acts and environmental legislation.
- Gathered information will concern workplace hazards, budgeting, absenteeism and training and occupational incident statistics, amongst others.

- Carry out informal training with small, mixed gender and language groups.

UNIT STANDARD OUTCOME HEADER

N/A

Specific Outcomes and Assessment Criteria:

SPECIFIC OUTCOME 1

Identify hazards.

ASSESSMENT CRITERIA

ASSESSMENT CRITERION 1

1. Different hazards are identified and categorised according to specific area, job category, work procedure, machinery or substances used.

ASSESSMENT CRITERION 2

2. Workplace inspections are undertaken in specific work areas/procedures.

ASSESSMENT CRITERION 3

3. Information on specific Occupational Risk Exposure Profiles is contributed (OREP) in reports.

ASSESSMENT CRITERION 4

4. Individual and categories of employees are assisted in contributing to their OREPs.

ASSESSMENT CRITERION 5

5. Employees are assisted in hazard identification (informal on the job hazard education/training for other employees).

ASSESSMENT CRITERION 6

6. Hazard identification is communicated in specific areas and jobs with employees and management.

ASSESSMENT CRITERION 7

7. The links between work, health, safety and the environment are explained (public safety).

SPECIFIC OUTCOME 2

Evaluate and report hazards.

ASSESSMENT CRITERIA

ASSESSMENT CRITERION 1

1. Hazards are evaluated and prioritised (in particular area, work procedures and job categories) according to the risk of exposure and the risk of detrimental health outcome (occupational injury or disease).

ASSESSMENT CRITERION 2

2. Recommendations on hazards drafted in H&S structures are reported on and discussed.

ASSESSMENT CRITERION 3

3. Participation in incident investigations is secured.

ASSESSMENT CRITERION 4

4. Incident investigation outcomes are communicated with employees.

ASSESSMENT CRITERION 5

5. A rudimentary knowledge of Risk Assessment (R.A.) and ability to contribute information to R.A. is displayed.

ASSESSMENT CRITERION 6

6. Employees are informed of hazard evaluation activities, results and R.A. reports.

SPECIFIC OUTCOME 3

Apply preventative measures (including training) in the workplace.

ASSESSMENT CRITERIA**ASSESSMENT CRITERION 1**

1. Control measures in place are identified and explained.

ASSESSMENT CRITERION 2

2. The principle of the hierarchy of control measures to the workplace are applied.

ASSESSMENT CRITERION 3

3. Hazard control measures are communicated, in specific areas and jobs with employees and management.

ASSESSMENT CRITERION 4

4. The control measures in place for particular area, work procedure, machinery or substance are described, evaluated and reported on.

ASSESSMENT CRITERION 5

5. Informal, on the job peer learning is facilitated from shared experiences.

ASSESSMENT CRITERION 6

6. Useful OH&S training materials and resources are identified and evaluated.

ASSESSMENT CRITERION 7

7. Relevant OH&S training is undertaken.

ASSESSMENT CRITERION 8

8. OH&S training needs are identified.

SPECIFIC OUTCOME 4

Explain, use and comply with relevant legislation and regulations.

ASSESSMENT CRITERIA**ASSESSMENT CRITERION 1**

1. The responsibilities, duties and rights of individuals in the workplace and the relevant internal and external bodies are described correctly.

ASSESSMENT CRITERION 2

2. The OH&S information relevant to the workplace are located and explained.

ASSESSMENT CRITERION 3

3. Relevant COID Act rights and procedures are explained and interpreted.

ASSESSMENT CRITERION 4

4. Employees are informed of their OH&S rights.

ASSESSMENT CRITERION 5

5. Employees are advised of the duties, functions and responsibilities of the employer and the H&S role players in the workplace.

ASSESSMENT CRITERION 6

6. Information is utilised from the legislation to perform responsibilities/duties to engage.

ASSESSMENT CRITERION 7

7. Employers' representatives on OH&S related issues are identified.

ASSESSMENT CRITERION 8

8. The Department of Labour (DoL) representatives, OH practitioners and occupational hygienists responsible for measuring or undertaking surveillance programmes are engaged with

ASSESSMENT CRITERION 9

9. Workplace compliance with regulations and legislation is assessed and reported on.

SPECIFIC OUTCOME 5

Gather and organise OHS information from the workplace.

ASSESSMENT CRITERIA

ASSESSMENT CRITERION 1

1. Meetings and interviews with employees are conducted to gather OH&S needs and information.

ASSESSMENT CRITERION 2

2. Information from reports, meetings and inspections is summarised to address H&S issues with affected employees.

UNIT STANDARD ACCREDITATION AND MODERATION OPTIONS

- An individual wishing to be assessed (including through RPL) against this unit standard may apply to an assessment agency, assessor or provider institution accredited by the relevant ETQA
- Anyone assessing a learner against this unit standard must be registered as an assessor with the relevant ETQA.
- Any institution offering learning that will enable achievement of this unit standard or assessing this unit standard must be accredited as a provider with the relevant ETQA
- Moderation of assessment will be conducted by the relevant ETQA at its discretion.

UNIT STANDARD ESSENTIAL EMBEDDED KNOWLEDGE

- General Knowledge of occupational health and hygiene and the effects of injury and disease
- Observational, listening and inquiry knowledge and skills
- Networking knowledge and skills
- Report writing knowledge and skills

UNIT STANDARD DEVELOPMENTAL OUTCOME

N/A

UNIT STANDARD LINKAGES

N/A

Critical Cross-field Outcomes (CCFO):

UNIT STANDARD CCFO WORKING

Work effectively with others as a member of a team and organisation in the running of training groups.

UNIT STANDARD CCFO COLLECTING

Collect, analyse, organise and critically evaluate information in drawing relevant information from the various acts.

UNIT STANDARD CCFO COMMUNICATING

Communicate effectively using visual, mathematical and/or language skills in the modes of oral and/or written persuasion, with regards to talking to employees.

UNIT STANDARD CCFO SCIENCE

Use science and technology effectively and critically, showing responsibility towards attempting to control hazard and in identifying and solving problems in reviewing control measures.

UNIT STANDARD CCFO DEMONSTRATING

Demonstrating an understanding of the world as a set of related systems through evaluating and prioritising hazards.

UNIT STANDARD ASSESSOR CRITERIA

N/A

UNIT STANDARD NOTES

N/A

QUALIFICATIONS UTILISING THIS UNIT STANDARD:

	ID	QUALIFICATION TITLE	LEVEL	STATUS	END DATE
Core	57879	National Certificate: Manufacturing of Surface Coatings	Level 3	Registered	2010-02-21
Core	49083	National Certificate: Wood Products Processing	Level 3	Registered	2008-04-13
Core	57849	Further Education and Training Certificate: Dangerous Goods: Multi-modal Transportation	Level 4	Registered	2010-02-21
Core	49489	Further Education and Training Certificate: Road Transport Management in the Public Sector	Level 4	Registered	2008-04-13
Core	48439	Further Education and Training Certificate: Road Transport Supervision	Level 4	Passed the End Date - Status was "Registered"	2007-12-02
Elective	58577	National Certificate: General Security Practices	Level 3	Registered	2010-11-28
Elective	58143	National Certificate: Music Industry Practice	Level 3	Registered	2010-10-18
Elective	50285	National Certificate: Professional Driving	Level 3	Registered	2009-06-29
Elective	57712	Further Education and Training Certificate: Generic Management	Level 4	Registered	2009-11-16