

SUMMATIVE ASSESSMENT

FULL NAME & SURNAME	
ID NUMBER:	
NAME OF ASSESSOR	
DATE OF ASSESSMENT	
VENUE	

MODEL ANSWERS

	ACHIEVED	NOT ACHIEVED
KNOWLEDGE		
SKILLS		

Signature of learner

Signature of Assessor

ASSESSMENT PACK

Please complete the following sections (A and B) before commencing with this assessment. The moderator of this assessment will complete section C.

Section A Learner Information															
Name:															
Surname:															
Date:															
Contact telephone no:															
Learnership agreement no:															
Company:										Site:					
ID															

Section B Assessor Information															
Name:															
Surname:															
Date:															
Contact telephone no:															
Assessor no:															
Provider no:										Site:					
ID															

Section C Moderator Information															
Name:															
Surname:															
Date:															
Contact telephone no:															
Moderator no:															
Company:										Site:					
ID															

Results:

P A R T

1: Assessors Guide

1. Instructions to Assessor

Introduction:

This assessment guide has been designed as a generic assessment guide and is intended for use by the accredited Security Industry Training Providers.

Purpose of the assessment

The purpose of summative assessment against this unit standard is to:

- ♦ Award credits to the NQF to learners who are able to Handle and defuse security related conflict

Learning assumptions

The following knowledge, skills, attitude and/or equivalent:

- ♦ A knowledge, comprehension and application of language at NQF 02.

Assessment methods

The following assessment methods will be used for the summative assessments:

- ♦ Written and/or/verbal questioning
- ♦ Product sample and on site assessment

2. Assessment Process

General

- ♦ Use the assessment guide and your latest company policies and standard operating procedures to assess the evidence received from the learner.
- ♦ Use the section: Addition Comments/Questions to note down any further comments or questions on the evidence assessed.
- ♦ Use the model answers as a guideline to assess the learner's answers to the assessment questionnaire.
- ♦ The learner can complete the assessment questionnaire orally. In this case, agree a date, time and venue.
- ♦ Provide the learner with a feedback within 10 working days of receiving the evidence.

Step 1 - Planning for the Assessment

Review this assessment guide to:

- ♦ Ensure that you understand all the requirements of the assessment in terms of evidence required to prove competence.
- ♦ Identify and prepare the learner for the assessment by:
 - ⇒ Completing the Assessment Plan with the learner to discuss and agree the details regarding the assessment.
 - ⇒ Completing the Assessment Preparation Checklist and getting the learner to sign.
- ♦ Ensure that you have familiarized yourself with the following:
 - ⇒ All basic first aid procedures for treatment
 - ⇒ First aid equipment

Step 2: Complete the Assessment

- ♦ Collect the evidence in accordance with the methods and evidence requirements specified.
- ♦ Mark each question as correct or incorrect in the “Office Use” column.
- ♦ Record the evidence on the assessment guide and indicate “Competent”, “Not Yet Competent” or “Not Assessed” for each assessment criterion. Note down any comments at the back of the assessment guide.
- ♦ Ask the learner additional questions, if necessary, to clarify points. Record these on the guide.
- ♦ All questions must be complete as per the criteria specified.
- ♦ Answers provided must be similar to the model answers.

Step 3 - After the Assessment

- ♦ Prepare the feedback by writing comprehensive, developmental feedback after each section on the Assignment Sheets. In addition to this, you are required to write a summary overall feedback on the Assessment Guide.
- ♦ Provide the feedback to the learner in a safe, undisturbed in nature.
- ♦ Ensure that your feedback is developmental and supportive in nature.
- ♦ Advise the learner on what action to follow in the event of a “Not Yet Competent” rating.
- ♦ Advise the learner on what action to take where he/she feels the need to appeal against your decision.
- ♦ Allow the learner time to provide you with feedback relevant to the process.
- ♦ Record the learner’s feedback in the guide and ensure that it is given to the person responsible for the quality assurance of assessment tools.
- ♦ Ensure that the learner co-signs the assessment guide to indicate agreement with the feedback.

3. Assessment documentation required:

Step 1: Planning for the Assessment

- ♦ Assessment Plan
- ♦ Assessment Preparation Checklist
- ♦ Assessment Policy (including Appeals)
- ♦ Evidence Matrix
- ♦ Assessment Instruments

Step 2: Conducting the Assessment

- ♦ Assessor Guide
- ♦ Learner's workbook
- ♦ Summative assessment pack

Step 3: After the Assessment

- ♦ Assessment Comments
- ♦ Feedback Report

Specific Instructions

Please note that Part 3 Assessment Instruments are not included in this guide and are to be included by the assessor on an individual basis.

The actual summative assessments need to be completed and signed off by both learner and assessor. The assessor will take control of the completed assessment instruments and will file them under the tab for Assessment Evidence.

The completed assessment pack will be kept in safekeeping at the training provider for three months after endorsement by SASSETA and will then be returned to the learner.

Guidelines where an appeal is lodged

The normal appeal procedure prescribed by SASSETA and described by the provider's Quality Management System will be followed.

P A R T

2: Assessment Planning

ASSESSMENT PLAN

ASSESSMENT DETAILS					
Date of Assessment		Option 1	Option 2	Option 3	Option 4
TIME OF ASSESSMENT					
Start:			End:		
VENUE			Contact person		
LANGUAGE MEDIUM					
METHOD OF ASSESSMENT (please tick off the one to be used)					
OBSERVATION		ORAL		WRITTEN	
Simula- tion		Knowledge test		Knowledge test	
Product		Interview			

PRE-ASSESSMENT MEETING CHECKLIST

ACTION	YES/NO	COMMENTS
Set learner at ease; be friendly, polite and professional.		
Explain to the learner and agree on the following issues. 1. The unit standard that will be assessed 2. Date, time, venue and process to be followed during the assessment. 3. Summative assessment tools to be used for the assessment. 4. The assessment plan 5. Purpose of assessment		
Explain to the learner and agree on the role of all involved during the assessment process.		
Identify possible barriers and or disabilities of the learner.		
Explain the meaning and application of RPL.		
Explain, discuss and provide one complete set of the Appeals process documentation.		
Explain to the learner when final results will be available and how feedback will be provided.		
Discuss previous assessment results if applicable.		

I, _____ (initials and surname of learner), DECLARE THE FOLLOWING:

A copy of the unit standard(s) involved has been given to me prior to this meeting. I know I will be assessed against the criteria, which have been set to the applicable unit standards. The criteria have been discussed with me, and the procedures and purpose of the assessment has been clearly explained to me.

I am well aware of the venue, date and time that I will be assessed. I consider the period of time given to me to prepare myself for the assessment to be fair.

I understand clearly that I have the right to appeal against any decision made by the assessor during the assessment of the evidence provided by me, and that I have free access to the appeals procedures attached to this assessment pack. I understand that I have the right to be accompanied by another person during all procedures, and that I have free access to the Training Division of SBV'S Health and Safety Procedures- filed at the offices.

Signature of learner

Date

P A R T

3: Assessment Evidence

Assessment Instruments



The assessment instruments included in this assessment pack are all summative assessment instruments and are to be read in conjunction with the formative assessment instruments contained in the learner workbook. Both formative (workbook) and summative assessments are to be retained as part of the learner's portfolio of evidence.

A number of the assessment instruments contained in this assessment are workplace knowledge based questions.

This means that you will arrange with the learner, a time that is suitable, during which the learner will complete each questions.

OBSERVATION CHECKLISTS 1: VITAL SIGNS (PULSE AND RESPIRATION)

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
ACTIVITY: Pulse measurement			
	Correctly locates artery (radial or carotid)		
	Palpates with fingertips, not thumb		
	Times pulse for at least 15 sec.		
	Reports pulse rate, rhythm and strength		
ACTIVITY: Measurements of respiration			
	Watches patient's chest rise		
	Times respirations for at least 15 sec.		
	Reports rate depth and rhythm		

Requirements achieved	YES	NO
-----------------------	-----	----

Comments in support of decision

OBSERVATION CHECKLISTS 2: UNCONSCIOUS PATIENT

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
ACTIVITY: Primary survey			
	Opens airway with a jaw thrust		
	Checks breathing		
	Checks pulse		
	Checks for profuse bleeding		
ACTIVITY: Assess appearance			
	State of consciousness		
	Obvious wounds and deformities		
	Skin colour, temp. and conditions		
ACTIVITY: Vital signs			
	Pulse and respiration		
ACTIVITY: Head to toe survey			
	Keeps head and neck still		
	Examines scalp for injury		
	Checks nose and ear canals for injury or discharge		
	Checks for injury to the eye		
	Checks pupil size, equality and reaction		
	Checks facial bones and jaw for deformity		
	Checks mouth for foreign material and odors		
	Checks neck for wounds and deformity		
	Checks chest for wounds and stability		
	Checks abdomen for wounds and distention		
	Checks pelvis for wounds and stability		
	Checks all extremities for injury		
	Checks all extremities for distal pulses and nerve function		
	Checks back for wounds and deformity		
	Checks for medical identification		

Requirements achieved	YES		NO	
Comments in support of decision				

OBSERVATION CHECKLISTS 3: PADDED BOARD SPLINT (Forearm fracture)

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
ACTIVITY: Primary survey			
	Examiner states that a patient is conscious and has a simple fracture of the forearm		
ACTIVITY: Patient assessment			
	Verbally indicates that a primary and secondary survey be preformed		
	Exposes forearm without moving it		
	Checks radial pulse		
	Checks sensation and movement in the fingers		
	Checks wrist, elbow and shoulder for associated injury		
ACTIVITY: Splinting			
	Explains procedure to patient		
	Requests 2 nd person to immobilize the limb		
	Lines up padded board splint above arm		
	Splint extends below wrist and above elbow		
	Adds padding as needed to fill in spaces between splint and arm		
	Secures splint to arm with 3 triangular bandages		
	No motion of arm during procedure		
	Requests 2 nd person to release the limb		
	Asks patient if he feels any numbness or tingling in splinted hand (pins & needles)		
	Checks radial pulse and nail beds for capillary refill		
	Splinted arm elevated		
Requirements achieved		YES	
		NO	

Comments in support of decision

OBSERVATION CHECKLISTS 4: PADDED BOARD SPLINT (Lower leg)

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
	Examiner states that patient is conscious and has a simple fracture of the lower leg		
ACTIVITY: Patient assessment			
	Verbally indicates that a primary and secondary survey be preformed		
	Exposes leg without moving		
	Checks pedal pulses (removes shoe and sock without moving leg)		
	Checks sensation and movement in toes		
	Checks ankle, knee and hip for associated injury		
ACTIVITY: Splinting			
	Explains procedure to patient		
	Requests 2 nd person to stabilize the limb		
	Places padded splint under the limb		
	Splint long enough to extend from foot to mid-thigh		
	Adds padding as needed to fill in spaces between splint and leg		
	Secures splint to leg with triangular bandages along the length of splint (3)		
	Requests 2 nd person to release the limb		
ACTIVITY: Checking the splint			
	Checks for presence of pedal pulses		
	Asks patient if he feels numbness or tingling in foot (pins & needles)		
	Elevates injured leg		
Requirements achieved		YES	NO

Comments in support of decision

OBSERVATION CHECKLISTS 5: TREATMENT FOR IMPALED OBJECTS

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
ACTIVITY: Patient assessment			
	Candidate verbally states that primary and secondary surveys have been done		
ACTIVITY: Preparing for treatment			
	Exposes wound		
	Controls bleeding, direct pressure		
	Prepares ring bandage		
	Bandage to be firm		
	Ring large enough to fit over object		
	Applies sterile bandage around object		
	Stabilizes object in position found with ring bandage		
	No pressure on object		
ACTIVITY: Patient assessment			
	Keeps patient at rest and provide emotional support		
	Checks blood pressure, pulses and respiration		

Requirements achieved	YES	NO
-----------------------	-----	----

Comments in support of decision

OBSERVATION CHECKLISTS 6: THE USE OF PRESSURE POINTS

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
	Examiner states which pressure point to use by giving examples of bleeding sites		
Temporal			
	Locates pulse point		
	Uses sides of thumb to compress artery		
	Right position, if incorrect minus 1 mark		
ACTIVITY: Facial			
	Locates pulse point		
	Uses side of thumb to compress artery		
	Right position, if incorrect minus 1 mark		
ACTIVITY: Brachial			
	Locates pulse point		
	Uses finger tips to compress artery		
	Right position, if incorrect minus 1 mark		
	Feels for radial pulse (absent)		
ACTIVITY: Femoral			
	Locates pulse point		
	Sits opposite side of injury		
	Places thumbs on top of each other		
	Uses body weight to compress artery		
	Right position, if incorrect minus 1 mark		
	Feels for pedal pulse (absent)		

Requirements achieved	YES	NO
-----------------------	-----	----

Comments in support of decision

OBSERVATION CHECKLISTS 7: APPLICATION OF A FIELD DRESSING

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
	Examiner states that patient is conscious and has a wound. Examiner selects wound site.		
ACTIVITY: Patient assessment primary survey			
	Candidates verbally indicates that a secondary survey should be preformed		
	Checks pulses distal to wound if wound is to a limb		
ACTIVITY: Wound care			
	Checks wound for foreign object		
	Irrigates wound		
ACTIVITY: Opening sterile packaging			
	Opens packaging without causing contamination and removes dressing		
	Unrolls short end of bandage until dressing is free		
	Keeps wound surface of dressing folded in upon itself		
ACTIVITY: Application of dressing			
	Opens wound surface of dressing and applies it immediately to wound		
	Uses bandage to secure dressing		
	Covers both ends of dressing		
	Dressing secure but not tight enough to restrict circulation		
	Checks distal pulses if wound is to a limb		
	Elevates injured part if possible		

Requirements achieved	YES	NO
-----------------------	-----	----

Comments in support of decision

OBSERVATION CHECKLISTS 8: BASIC LIFE SUPPORT (CPR) (One man on adult manikin without equipment)

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
ACTIVITY: Establish unresponsiveness			
	Shouts "Are you O.K.?" and pinches patient if no response		
ACTIVITY: Open airway			
	Head tilt – chin lift		
ACTIVITY: Establish breathlessness			
	Puts ear over nose and mouth, listens for breathing		
	Observe for chest movement		
ACTIVITY: Provide ventilation			
	Ventilate two times until chest rises		
	Adequate ventilation volume		
	Palpate pulse		
ACTIVITY: Provide CPR			
	Correct body position		
	Correct landmark check		
	Correct hand position		
	Correct compression depth (4 – 5 cm)		
	No bouncing		
	Correct compression rate (80 min)		
	Adequate ventilation volume		
	Correct ration (15-2)		
ACTIVITY: Monitor effectiveness			
	Intermittent check of pupils and skin colour		
ACTIVITY: Establish success			
	Palpates carotid pulse		
	Checks breathing		
Requirements achieved		YES	NO
Comments in support of decision			

OBSERVATION CHECKLISTS 9: BASIC LIFE SUPPORT (CPR) (On infant manikin)

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
ACTIVITY: Establish unresponsiveness			
	Flick feet or blow on baby’s face		
	Shout at baby		
ACTIVITY: Open airway			
	Moderate head tilt/chin lift		
ACTIVITY: Establish breathlessness			
	Ear over mouth and nose		
	Observe for chest movement		
ACTIVITY: Provide ventilation			
	Ventilate two times until chest rises		
ACTIVITY: Establish no pulse			
	Palpate BRACHIAL pulse		
ACTIVITY: Provide CPR			
	Correct land mark		
	Correct finger position (1 finger with below nipple line)		
	Correct compression depth (1 – 2 cm)		
	Correct compression rate (80 – 100 min)		
	Adequate ventilation volume		
	Correct ratio (5 – 1)		
	8 – 1 full cycles		
ACTIVITY: Monitor effectiveness			
	Intermittent check of pupils and skin colour		
ACTIVITY: Establish success			
	Palpates brachial pulse		
	Checks for breathing		

Requirements achieved	YES		NO	
Comments in support of decision				


OBSERVATION CHECKLISTS 10: AIRWAY OBSTRUCTION (conscious patient)

No	Evidence required: Did the learner adhered to:	Judgment	
		Achieved	Not Achieved
ACTIVITY: Establish obstruction			
	Asks, “Can you speak or cough?”		
	Checks for partial breathing		
ACTIVITY: Deliver abdominal thrusts (Heimlich maneuver)			
	Explains procedure to patient		
	Stands behind patient with arms around patient’s waist		
	Grasps one fist with other hand		
	Places fist between sternum and navel		
	Presses fist into abdomen with quick upward thrusts four times		
ACTIVITY: Check effect			
	Checks if obstruction has cleared		
	Indicates that the maneuver must be repeated until effective		

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

QUESTION 1: Explain the four steps in the first aid process.



Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

QUESTION 2: List the four vital functions that should be monitored and recorded.

- ♦ State of consciousness (awake, confused, semi-conscious or unconscious)
- ♦ Breathing
- ♦ Pulse
- ♦ Skin temperature

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

QUESTION 3: Explain the function of the spiral column.**Functions of the spinal column**

- ♦ Protects the spinal cord
- ♦ Movement
- ♦ Supports torso and skull
- ♦ Shock absorbing

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

QUESTION 4: List two place where you can take a pulse. Show and demonstrate the taking of a pulse. The assessor must use a c0learner as a role player.

Your pulse is caused by your heart beating. As your heart beats and forces blood through your body, you can feel a throbbing sensation (the pulse) by putting your fingers over one of your arteries at any point where the artery comes close to the surface of your skin, such as your wrist, neck, or upper arm.

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 5: Describe the treatment protocol for a incident where you have three patients with the following injuries:

- ♦ Patient 1: Closed fracture
- ♦ Patient 2: Arterial bleeding from a deep laceration on the upper arm.
- ♦ Patient 3: Clinically dead (for past 45 seconds)

Method of using triage

Triage can be performed rapidly by assessing.....

- ♦ Ability to walk
- ♦ Airway
- ♦ Respiratory rate
- ♦ Pulse rate or capillary return

Procedure


- ♦ Check the time.
- ♦ Use safety, gloves and mouthpiece.
- ♦ Communicate with all role players.
- ⇒ Offer assistance.
- ⇒ Incident history, mechanism of **injury**, clues.
- ⇒ Get help immediately! Call **ALS!**
- ⇒ Involve bystanders, other patients.
- ♦ Visually sort patients between obviously conscious and obviously unconscious.
- ♦ Conscious patients that bleed severely need immediate attention!
- ⇒ Stop severe bleeding by direct pressure and elevation - use patient, bystanders, etc. and position patient correctly.
- ⇒ Reassure and calm other patients and try to use them for assistance.
- ♦ Unconscious (or those who seem to be unconscious)
- ⇒ Stop bleeding
- ⇒ Check for response, determine if actually unconscious
- ⇒ Check ABC
- ☐ **A = airway, open (beware of neck injuries), finger sweep.**
- ☐ **B = breathing, look, listen and feel for 10 seconds, RB if necessary.**
- ☐ **C = circulation, check for 10 seconds, CPR if necessary, first stop bleeding**

- ◆ If ABC is in order, stop bleeding
- ⇒ Neck injuries, apply cervical collar
- ⇒ Position correctly
- ◆ If possible, do secondary survey on all patients and treat accordingly (if possible)
- ◆ Priority of treatment
 - ☐ **Severe bleeding**
 - ☐ **Shock**
 - ☐ **Severe fractures**
 - ☐ **Convulsions**
 - ☐ **Minor injuries and conditions**
- ◆ Position patients
- ◆ Cover patient
- ◆ Monitor each patient's vital signs regularly
- ⇒ Airway
- ⇒ Breathing
- ⇒ Circulation
- ⇒ Temperature
- ◆ Record keeping
- ◆ Hand-over and report to ALS

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 6: The primary survey is described as a process of definite steps. Discuss this process.

2.1 Survey (TSCABC)



Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 7: You are called to an office next to yours for a person that is unresponsive. You walk to the office and find that there are about 7 people cluttering the office. Explain point by point how you will go about doing a survey of the scene and the patient.

- ♦ Secure the scene and environment. Remove all possible Hazards.
- ♦ Secure your own safety. Use protective devices. I.e. Gloves and CPR mouthpiece.
- ♦ Secure the safety of bystanders.
- ♦ Secure the safety of your patient. Either remove your patient with care or remove the elements that endanger the patient.

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 8: What are the specific signs of a total airway obstruction?

Three specific signs of a total airway obstruction are.

- ♦ The patient cannot speak
- ♦ The patient cannot cough
- ♦ The patient cannot breathe

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

QUESTION 9: You stop at a scene of a motor vehicle accident. There is one patient that is bleeding severely from a wound in his leg.

You find the following vital signs:

- ♦ Skin condition: Pale and Moist
- ♦ Pupils: Dilated.
- ♦ Breathing: 36 and shallow
- ♦ Pulse: 126 and weak
- ♦ State of Consciousness: Confused

Your diagnosis is SHOCK!!!!

Describe the different shock that might/can occur.

♦ **Hypovolaemic Shock**

Too little blood to carry sufficient oxygen deprives body of oxygen.

♦ **Cardiogenic Shock**

Heart not able to effectively circulate oxygen rich blood, deprives body of oxygen.

♦ **Neurogenic Shock**

Blood vessels dilated resulting in too little blood for enlarged vessels, deprives body of oxygen.

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 10: Define the following:

- ♦ Arterial bleeding
- ♦ Venous bleeding

Arterial bleeding

Bright red colour - oxygen rich, spurts out, can be fatal very quickly.

Venous bleeding

Dark red colour (maroon) - oxygen poor, flows out.

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 11: Name the levels of consciousness and unconsciousness in the correct order.

- ♦ Normal
- ♦ Confused or disorientated
- ♦ Drowsy or sleepy
- ♦ Stupor
- ♦ Coma
- ♦ Death

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

QUESTION 12: What is the difference between a stupor and coma?

CRITERIA	COMA	STUPOR
CAN IT BE AWAKEN	NO	YES
IS THERE A CORNEAL REFLEX	NO	YES
IS THERE A PUPIL REACTION	NO	YES

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

QUESTION 13: You are visiting friends in the country. While you are having lunch, your ten year old boy comes running in, shouting to you that something has happened. He then takes you to where his 11 year old friend is lying on the ground having convulsions. He is frothing and bleeding around his mouth.

- ♦ What is your diagnosis
- ♦ Define your diagnosis
- ♦ How will you treat this patient t while he is having convulsions?

Head injuries

Treatment

Scalp injuries

- ♦ TSCABC! - RB and CPR may be necessary.
 - ♦ Check LOC regularly.
 - ♦ Suspect skull fractures and brain injuries.
 - ♦ Suspect neck injuries.
 - ♦ Cervical collar and spine board if necessary.
 - ♦ Ring bandage to control bleeding.
 - ♦ Positioning.
-
- ☐ Semi-Fowler (conscious)
 - ☐ recovery position (unconscious)

ALS! (Advance Life Support

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

[illegible]

[illegible]Comments in support of decision

QUESTION 15: When treating bruises, the best method to use is RICE. What does RICE mean?

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

QUESTION 16: Define and classify fractures.

It is a broken or cracked bone in the body. according to the Oxford English Dictionary it is defined as "the act of being broken."

Types of Fractures

- ♦ Open Fracture
- ♦ Closed Fracture

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 17: When applying a bandage, one should always keep the distal neurovascular functions in mind. How will you test if there is anything wrong with them?

- ♦ As soon as you have put the bandage on, ask the person if the bandage feels too tight and check the circulation by pressing a nail or a piece of skin until it turns pale. If it the colour does not return straight away the bandage may be too tight, so you should loosen it. Limbs can swell up after an injury so check the circulation every ten minutes after you have put the bandage on.

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 18: Demonstration: The assessor needs to arrange sufficient bandages for the learners to demonstrate the following:

- ♦ How to apply a roller bandage on the eyes and or ears
- ♦ How to apply a triangular bandage for a shoulder injury.
- ♦ How to use Gauze bandage for an open fracture on the arm.

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 19: List the general rules for using dressings and bandages.

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 20: Define the following:

- ♦ Heart attack
- ♦ Stroke

Complete or partial obstruction of a coronary artery that cause inadequate circulation of oxygen rich blood to the heart muscle which may result in irreversible damage.

Complete or partial obstruction of an artery in the brain that causes inadequate circulation of oxygen rich blood to the brain which may result in irreversible damage.

Requirements achieved	YES		NO	
Comments in support of decision				

You find the following vital signs:

Pupils: big

Breathing: 12/minute and laboured

Pulse: 126 and weak

State of Consciousness: Unconscious

- ◆ What is wrong with this patient?
- ◆ How will you treat this patient?

[illegible]

[illegible]

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 22: List the stock that needs to be in standard first aid kit.

Minimum quantities for low risk establishments and activities may be considered as a general guidance leaflet on first aid.

- ♦ 20 individually wrapped sterile adhesive dressings (assorted sizes) appropriate for the activity (detectable dressings (coloured blue) should be available if catering is to be undertaken)
- ♦ 2 sterile eye pads
- ♦ 4 individually wrapped triangular bandages (preferably sterile)
- ♦ 6 safety pins* (see note)
- ♦ 6 medium sized individually wrapped sterile unmediated wound dressings (approx. 12cm × 12cm)
- ♦ 2 large sterile individually wrapped unmediated wound dressings (approx. 18cm × 18cm)
- ♦ 1 pair of disposable gloves.
- ♦ In situations where mains tap water is not readily available for eye irrigation, sterile normal saline solution (0.9%) in sealed disposable containers should be provided. Once opened they must not be re-used. The use of eye baths/cups or re-fillable containers is not recommended.

Requirements achieved	YES		NO	
Comments in support of decision				

QUESTION 23: Explain the best possible way to maintain a first aid kit

The contents of first aid boxes and travelling first aid kits should be replenished as soon as possible after use to ensure a continued sufficient supply of materials. All first aid boxes, etc. should be checked regularly to ensure the contents are not used after their expiry date.

Requirements achieved	YES		NO	
Comments in support of decision				
