

LEARNER WORKBOOK

FULL NAME & SURNAME	
ID NUMBER:	
NAME OF ASSESSOR	
DATE OF ASSESSMENT	
VENUE	

MODEL ANSWERS

	ACHIEVED	NOT ACHIEVED
KNOWLEDGE		
SKILLS		

Signature of learner

Signature of Assessor

In terms of the Copyright Act 1978:

No part of this manual may be reproduced or translated in any form or by any means, electronic or mechanical including photocopying, recording or by an information storage and retrieval system without the express permission from TDA.

COPYRIGHT: TRAINING DYNAMICS AFRICA

First edition 2008

Publications disclaimer

Neither the authors nor the SETA can accept any responsibility for any legal or any other consequences, which may arise directly or indirectly as a result of the use or adaptation of or reliance upon any of the content of this material.

This material has been compiled based on the **UNIT STANDARD 114941 APPLY KNOWLEDGE OF HIV/AIDS TO A SPECIFIC BUSINESS SECTOR AND A WORKPLACE.**

The program has been accredited by SASSETA in the Republic of South Africa.

Material compiled by: Training Dynamics Africa

HOW THIS LEARNER WORKBOOK IS COMPILED

This learner workbook has been compiled to provide learners with a broad introduction to HIV/AIDS in the workplace. It introduces knowledge about HIV/AIDS that will enable learners to be informed and caring workers in an industry and managers to develop appropriate policies to deal with the pandemic.

1. Explaining HIV/AIDS
2. Describing what behaviour is safe and what behaviour carries the risk of HIV/AIDS transmission
3. Interpreting data and trends on HIV/AIDS in order to explain the potential impact on a community, an organisation and a business sector.
4. Investigating the guidelines and assistance that are available to support workers by HIV/AIDS
5. Explaining the implications of the HIV/AIDS pandemic for the community, the economy, an organisation and a specific workplace.

You have to study the content and guidelines given in your learner reference guide to complete this workbook.

Remember that this completed workbook must be handed in as it will form part of your formative assessment and will play a role in awarding you the required 04 credits that are to be achieved upon completion of this module.

Write neatly and legibly and ensure that you do not simply copy the information contained in the learner reference guide into your workbook. Give your own opinion and ideas where applicable and write the answers in your own words to indicate your level of understanding and learning.

Good luck with the completion of this workbook.

LEARNING UNIT 1

Understand HIV

- ♦ Define the term “HIV”.
- ♦ Explain HIV and AIDS.
- ♦ Demonstrate knowledge on the effect of HIV on the body by explaining the effects.
- ♦ Explain the immune system and the functions of it.
- ♦ Explain the effects of HIV on the immune system.
- ♦ Explain what is meant by a window period.
- ♦ Explain the symptoms of HIV.
- ♦ Explain the stages of HIV infection.
- ♦ Understand and explain Opportunistic infections
- ♦ Explain ways on how an individual can get aids.

LEARNER ACTIVITY 1**Multiple choice questions****1. Human Immunodeficiency Virus (HIV) is...a)**

- [A] Bacterial illness treated with antibiotics
- [B] A virus which has no cure but can be controlled with medicines
- [C] The virus that causes AIDS
- [D] Answers b and c**

2. HIV can infect which of the following groups....

- [A] Teens, the elderly, and newborns
- [B] College professors, the homeless, men, women, and all ethnic groups
- [C] Bisexuals, homosexuals, and heterosexuals
- [D] All of the above**

3. Which of the following increase your risk of HIV exposure...a)

- [A] Unprotected anal, oral, or vaginal sex
- [B] Sharing needles
- [C] Drug used) infection with another sexually transmitted disease
- [D] All of the above**

4. If I find I am infected, what should I do next...a)

- [A] Run away...there's no hope for me.
- [B] Talk to a doctor asap..earlier treatment means a healthier life.
- [C] Seek out support from family, friends, loved ones or HIV agencies.
- [D] Answers b and c are correct.**

5. HIV is spread from person to person by...a)

- [A] Shaking hands, kissing or hugging
- [B] Unprotected anal, oral or vaginal sexual contact
- [C] Sharing needles to inject recreational drugs
- [D] Answers b and c**

6. The best way to prevent HIV infection is...a)

- [A] Not to have sexual contact with anyone**
- [B] Stay away from those with HIV
- [C] Use latex condoms and don't share needles
- [D] I don't have to worry because I'm not at risk

LEARNER ACTIVITY 2

True and false questions: Please make a right mark next to the correct answer.

Nr.	Question	True	False
1.	Acquired Immunodeficiency Syndrome (AIDS) is a recognized infectious disease in which the body's immune system is damaged and causes those with AIDS to be vulnerable to a number of serious, often fatal, opportunistic infections and cancers.	✓	
2.	Signs and symptoms of AIDS or other AIDS-related conditions may include loss of appetite, weight loss, fever, night sweats, skin rashes, diarrhea, tiredness, lack of resistance to infection or swollen lymph nodes.	✓	
3.	Casual contact with people with AIDS, or those who are HIV-infected can place others at risk for acquiring AIDS. The virus can be spread by casual contact such as hugging, handshaking, riding in the same car, touching the same papers or using the same office furniture, typewriter or telephone.		
4.	The Human Immunodeficiency Virus (HIV) is spread through sexual intercourse, anal or oral sex acts, sharing of hypodermic needles, syringes or other drug paraphernalia by infecting drug users, mother-to-child transmissions during pregnancy or childbirth, or rarely, through transfusions of HIV-infected blood or its components, or other exchanges of HIV-infected blood.		
5.	AIDS or its virus cannot be transmitted by using bathroom facilities, sinks, bath-tubs, toilets, drinking from the same water fountain, using dishes, utensils, or food handled by a person with AIDS, or from sneezing, or coughing.		
6.	There is a virus antibody test that tells if someone has been infected with the virus (i.e., has a positive test result). This does not mean this individual has AIDS. In fact, many who have HIV may feel well, show no disease symptoms, and may not come down with AIDS for many years.		
7.	There is no risk at all that a donor could acquire HIV or AIDS by giving blood.		
8.	Dogs, cats, and domestic animals are not a source of infection; but transmission by insects, such as mosquitoes, is a means by which the virus may be acquired.		
9.	There is a high risk of contracting HIV or AIDS by being or working around someone with either condition on a daily basis over a long period of time.		
10.	You will need to take special measures at the workplace to protect yourself or those you work with from infection by HIV.		

LEARNER ACTIVITY 3 (page 16)**Why is it difficult for the immune system to fight off HIV infection.**

- HIV attacks the immune system itself, weakening its ability to fight back.
- HIV replicates in large quantities that are more than the compromised immune system can handle.
- HIV has the ability to mutate (change itself) very quickly, making it more difficult for the body to fight the infection.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 4 (page 16)

Explain in your own words what does it mean if the term “window period is used.

The window period is the time it takes for your body to produce HIV antibodies after you have been infected by the virus. In most people, this period is between 2 and 12 weeks. In a very small number of people, the process takes up to 6 months.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 5 (page 17)

Discuss the symptoms of HIV during the following stages:

- ♦ **Latent infection**
 - ♦ **Early HIV virus progression**
 - ♦ **Late HIV illness**
-
- ♦ **Latent infection**

The next HIV AIDS symptoms stage begins when the immune system starts to break down. This is often preceded by subtle mutations in the virus, during which it becomes more aggressive in damaging white cells.

Several glands in the neck and armpits may swell and remain swollen for more than three months without any explanation. This is known as persistent generalized lymphadenopathy (PGL).

- ♦ **Early HIV virus progression**

As the HIV disease progresses, the person starts showing up other AIDS symptoms. A simple boil or warts may spread all over the body. The mouth may become infected by thrush (thick white coating), or may develop some other problem. Dentists are often the first to be in a position to make the diagnosis. People may develop severe shingles (painful blisters in a band of red skin), or herpes.

They may feel overwhelmingly tired all the time, have high temperatures, drenching night sweats, lose more than 10% of their body weight, and have diarrhoea lasting more than a month. No other cause is found and a blood test will usually be positive.

Some used to call this stage ARC, or AIDS related complex.

♦ Late HIV illness

The final stage is AIDS. Most of the immune system is intact and the body can deal with most infections, but one or two more unusual infections become almost impossible for the body to get rid of without medical help, usually intensive antibiotics.

These infections can be a nightmare for doctors and patients. The desperate struggle is to find the new germ, identify it, and give the right drug in huge doses to kill it.

The germ may be hiding deep in a lung requiring a tube (bronchoscope) to be put down the windpipe into the lung to get a sample. The person is sedated for this. It may be hiding in the fluid covering the brain and spinal cord, requiring a needle to be put into the spine (lumbar puncture). It may be hiding in the brain itself. It may hide in the liver or gallbladder or bowel. It can hide anywhere.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 6 (page 19)**Explain the various stages of HIV Infection.****STAGE 1 : Primary HIV Infection**

This stage of infection lasts for a few weeks and is often accompanied by a short flu-like illness. In up to about 20% of people the symptoms are serious enough to consult a doctor, but the diagnosis of HIV infection is frequently missed.

During this stage there is a large amount of HIV in the peripheral blood and the immune system begins to respond to the virus by producing HIV antibodies and cytotoxic lymphocytes. This process is known as seroconversion. If an HIV antibody test is done before seroconversion is complete then it may not be positive.

STAGE 2 : Clinically Asymptomatic Stage

This stage lasts for an average of ten years and, as its name suggests, is free from major symptoms, although there may be swollen glands. The level of HIV in the peripheral blood drops to very low levels but people remain infectious and HIV antibodies are detectable in the blood, so antibody tests will show a positive result.

Research has shown that HIV is not dormant during this stage, but is very active in the lymph nodes. A test is available to measure the small amount of HIV that escapes the lymph nodes. This test which measures HIV RNA (HIV genetic material) is referred to as the **viral load test**, and it has an important role in the **treatment of HIV infection**.

STAGE 3 : Symptomatic HIV Infection

Over time the immune system becomes severely damaged by HIV. This is thought to happen for three main reasons:

- The lymph nodes and tissues become damaged or 'burnt out' because of the years of activity;
- HIV mutates and becomes more pathogenic, in other words stronger and more varied, leading to more T helper cell destruction;
- The body fails to keep up with replacing the T helper cells that are lost.

As the immune system fails, so symptoms develop. Initially many of the symptoms are mild, but as the immune system deteriorates the symptoms worsen.

STAGE 4 : Progression from HIV to AIDS

As the immune system becomes more and more damaged the illnesses that occur become more and more severe leading eventually to an AIDS diagnosis.

At present in the UK an AIDS diagnosis is confirmed if a person with HIV develops one or more of a specific number of severe opportunistic infections or cancers. In the US, someone may also be diagnosed with AIDS if they have a very low count of T helper cells in their blood. It is possible for someone to be very ill with HIV but not have an AIDS diagnosis.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 7 (page 20)**Explain in your own words “opportunistic infections.”**

People with advanced HIV infection are vulnerable to infections and malignancies that are called 'opportunistic infections' because they take advantage of the opportunity offered by a weakened immune system.

A partial list of the world's most common HIV-related opportunistic infections and diseases includes:

- Bacterial diseases such as **tuberculosis**, MAC, bacterial pneumonia and septicaemia (blood poisoning)
- Protozoal diseases such as toxoplasmosis, microsporidiosis, cryptosporidiosis, isosporiasis and leishmaniasis
- Fungal diseases such as PCP, candidiasis, cryptococcosis and penicilliosis
- Viral diseases such as those caused by cytomegalovirus, herpes simplex and herpes zoster virus
- HIV-associated malignancies such as Kaposi's sarcoma, lymphoma and squamous cell carcinoma.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 8 (page 21)**List three ways in which you can get HIV.**

- By having unprotected penetrative sex (anal and vaginal)
- By getting HIV infected blood into your blood stream.
- From an HIV positive mother to her baby before and during birth and when breastfeeding.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

SELF-ASSESSMENT

The learner must make use of the following self-evaluation checklist to rate himself against the learning outcomes of this particular training module in establishing the level of mastery of the information.

1. Not able to comply
2. Reasonable compliance (Not acceptable for final evaluation)
3. Able to comply fully

LEARNING OUTCOMES		1	2	3
1	Define the term "HIV"			
2	Explain HIV and AIDS			
3	Demonstrate knowledge on the effect of HIV on the body by explaining the effects			
4	Explain the immune system and the functions of it			
5	Explain the effects of HIV on the immune system			
6	Explain what is meant by a window period			
7	Explain the symptoms of HIV			
8	Explain the stages of HIV infection			
9	Understand and explain Opportunistic infections			
10	Explain ways on how an individual can get aids			

Evidence Collector Signature

Date

Security Officer Signature

Date

LEARNING UNIT 2

Behaviour

LEARNING OUTCOMES

A learning credited with this unit will be able to:

1. Explain ways on preventing yourself from getting aids or gets infected by the HIV virus
2. Identify safe activities
3. Identify those factors involved when getting tested for HIV
4. Explain the treatment of HIV
5. Explain safe sex practices
6. Identify and explain the risk categories of HIV

LEARNER ACTIVITY 1 (page 27)

List three preventative measures that one can follow to prevent getting infected with the HIV virus.

- Safer Sex
- Use clean needles
- Abstaining from sex and needle

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 2 (page 35)**List three activities which is considered as safe.**

While certain sexual activities have little or no risk of HIV transmission (i.e. mutual masturbation, protected oral sex, oral to anal contact (rimming), fingering) possibilities sometimes exist for other sexually transmitted infections (STI's) to be transmitted. While HIV is transmitted only by blood, semen, vaginal fluid, and breast milk, other STI's can be transmitted by simple genital skin-to-skin contact or oral sex.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 3**Discuss the following statement****“HIV can not be treated”**

There are three key things that can be done to help prevent all forms of HIV transmission. First among these is promoting widespread awareness of HIV and how it can be spread. Media campaigns and education in schools are among the best ways to do this.

Another essential part of a prevention program is HIV counseling and testing. People living with HIV are less likely to transmit the virus to others if they know they are infected and if they have received counseling about safer behaviour. In particular, a pregnant woman who has HIV will not be able to benefit from interventions to protect her child unless her infection is diagnosed. Those who discover they are uninfected can also benefit, by receiving counseling on how to remain that way.

The third key factor is providing antiretroviral treatment. This treatment enables people living with HIV to enjoy longer, healthier lives, and as such it acts as an incentive for HIV testing. It also brings HIV-positive people into contact with health care workers who can deliver prevention messages and interventions. Studies suggest that HIV-positive people may be less likely to engage in risky behaviour if they are enrolled in treatment programs. Nevertheless, it is also possible that widespread availability of treatment may make some members of the wider population less fearful of HIV infection, and hence less willing to take precautions.

We can not cure HIV, but antiretroviral therapy has extended life for HIV positive clients. The goal of antiviral therapy is to lower the viral count in the bloodstream. There are three major classes of drugs.

Despite this progress, these drugs typically lose their effectiveness after a period of treatment because the virus mutates and becomes resistant, much like bacterial resistance to antibiotics. Cross-resistance, or the virus' ability to mutate to be resistant to multiple drugs of the same class, is also a potential problem.

The only real weapons we have against viruses are natural ones, that is antibodies which can destroy viruses and bacteria. The problem with HIV is that the body cannot produce antibodies against the HIV virus. That is how a HIV test if performed, that is not looking for virus but testing for antibodies.

No antibodies have yet been found in a human being that are effective in the long term against HIV. That is why a vaccine will be so difficult to find.

[illegible]

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 4 (page 38)

List the risk categories , provide a explanation of each with at least three practical examples to motivate your understanding of the risk categories

No Risk

The following sexual behaviour involves no risk and can be regarded as safe:

- Abstinence
- Erotic massage
- Hugging
- Body rubbing
- Kissing
- Petting
- Showering or bathing together
- Masturbation
- Mutual masturbation - providing there is no contact between broken skin and semen or vaginal fluids
- Thigh sex
- Sexual fantasies
- Phone sex
- Using your own personal sex toys

Low Risk

The following sexual behaviour is regarded as safe, but is still associated with a low risk of HIV/Aids:

- Oral sex on a man (fellatio) who is wearing a condom.
- Oral sex on a woman (cunnilingus) with a latex barrier.
- Anilingus (oral-anal sex) with a latex barrier.
- Contact with urine ("golden showers" or "water sports" on unbroken skin).

If you participated in one of these acts, you are still practicing "safer" sex, but with no absolute guarantee of zero risk. Opt for an HIV-test to put your mind at rest, and try to avoid "Some Risk", "High Risk" and "Very High Risk" behaviors.

Some risk

These sexual acts are associated with some risk of HIV/Aids. They can be regarded as "fairly safe", but not without some risk:

- Oral sex (on a man or woman) without a condom or latex barrier.
- Vaginal penetration with a condom.

Anal penetrative sex with a condom. It is safer to withdraw before ejaculation. Is this an accurate description of your sex life? Then you are at some risk of contracting HIV/Aids. Opt for an HIV-test to put your mind at rest, and try to avoid "High Risk" and "Very High Risk" behaviour.

High risk

Unfortunately, many sexual practices are associated with a high risk of HIV/Aids. These include:

- Vaginal penetration without a condom
- Swallowing semen
- Sharing uncovered sex toys
- Vaginal or oral penetrative sex with a condom if using a petroleum-based lubricant
- Unprotected oral contact if blood is present
- Unprotected manual-anal intercourse (fisting) without a latex glove
- Unprotected manual-vaginal intercourse (fisting) without a latex glove
- Contact with menstrual blood

Very High Risk

There is sexual behaviour associated with a very high risk of HIV/Aids. These include:

- Anal penetrative sex without a condom.
- Unprotected anal contact if blood is present.

If this is a true description of your sexual behaviour, you are at an extremely high risk to contract HIV/Aids. A test to determine your HIV status is essential, as well as real changes to your sexual behaviour. Since there is more than one HI-virus, try to avoid "High Risk" and "Very High Risk" behaviour. With good nutrition and a healthy lifestyle, many people live with the virus for 15 years or longer.

[illegible]

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 5 (page 40)

List seven issues which will definitely not result in HIV infection at the workplace.

A person in the workplace can not get AIDS from.....

- Kissing
- Sharing eating utensils
- Eating food prepared by an HIV positive person
- Eating food served by an HIV positive person
- Sharing bathrooms or toilets
- Sneezing
- Hugging
- Social contact
- Condoms
- Contact sport
- Mosquitoes or other insects/animals
- Swimming pools

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

SELF-ASSESSMENT

The learner must make use of the following self-evaluation checklist to rate himself against the learning outcomes of this particular training module in establishing the level of mastery of the information.

1. Not able to comply
2. Reasonable compliance (Not acceptable for final evaluation)
3. Able to comply fully

LEARNING OUTCOMES		1	2	3
1	Explain ways on preventing yourself from getting aids or gets infected by the HIV virus			
2	Identify safe activities			
3	Identify those factors involved when getting tested for HIV			
4	Explain the treatment of HIV			
5	Explain safe sex practices			
6	Identify and explain the risk categories of HIV			

Evidence Collector Signature

Date

Security Officer Signature

Date

LEARNING UNIT 3

Data and trends of HIV

- ♦ Explain the trends in spreading HIV in the RSA regions.
- ♦ Explain where reliable HIV statistics can be obtained.
- ♦ Understand the trends and data of HIV and the impact that it have on the country and economic environment.
- ♦ Understand the impact of HIV on the business environment.
- ♦ Understand the impact of HIV on the private security industry

LEARNER ACTIVITY 1 (page 45)**Where can anyone obtain reliable HIV statistic.**

- ♦ SASETA HIV report
- ♦ The South African Department of Health Study, 2006

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 2 (page 49)**Explain the impact of HIV on the workplace.**

Recruitment and training: The more skilled and unskilled employees you lose due to HIV/AIDS, the more time and money you need to spend on recruiting and training new staff.

Higher pension fund and insurance premiums: The more employees you lose due to HIV/AIDS, the more likely your premiums will increase.

Administration: As more of your employees become affected by or infected with HIV, the greater your administrative work. In some companies, a full-time person/team may be needed to handle the extra administrative work.

Medical care: As more of your employees become infected by HIV, your medical aid premiums will increase. If your company offers ill employees other kinds of healthcare support, your expenses in this regard will also climb.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

SELF-ASSESSMENT

The learner must make use of the following self-evaluation checklist to rate himself against the learning outcomes of this particular training module in establishing the level of mastery of the information.

1. Not able to comply
2. Reasonable compliance (Not acceptable for final evaluation)
3. Able to comply fully

LEARNING OUTCOMES		1	2	3
1	Explain the trends in spreading HIV in the RSA regions			
2	Explain where reliable HIV statistics can be obtained			
3	Understand the trends and data of HIV and the impact that it have on the country and economic environment			
4	Understand the impact of HIV on the business environment			
5	Understand the impact of HIV on the private security industry			

Evidence Collector Signature

Date

Security Officer Signature

Date

LEARNING UNIT 4

Legislation and policy

LEARNING OUTCOMES

A learning credited with this unit will be able to:

1. Identify and explain legislation that have an impact on the workplace concerning HIV/AIDS
2. Explain the importance of developing a HIV workplace policy
3. Use the guidelines to develop a workplace HIV policy

LEARNER ACTIVITY 1 (page 62)**What effect have the employment equity Act on the management of HIV in the workplace.**

- Force an employee or prospective employee to have an HIV Test without first getting permission from the Labour Court. Only under very specific circumstances, will the Labour Court give such permission.
- An employer cannot refuse to employ an HIV positive person, or dismiss an employee because of his/her HIV status.
- **An employee with HIV is not required to reveal his/her HIV status** to the employer. However, if an HIV positive employee does disclose his/her status, he/she may benefit if management is understanding and provides some form of help, treatment and support.
- If **an employer or co-worker becomes aware** of an employee's HIV status, **they are expected to keep such information confidential**, unless the employee with HIV gives specific consent for the information to be disclosed.
- **No employee may refuse to work with a fellow-employee with HIV**. Such refusal should lead to disciplinary action.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 3

What should you do to ensure that your company is legally compliant.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 4

Explain the guidelines that can be used when developing a company HIV Policy.

- ♦ **Establish a representative task team**
- ♦ **Prepare a draft policy document**
- ♦ **Consult with employee representatives**
- ♦ **Revise and finalize your policy**
- ♦ **Develop a marketing plan to make your policy known and understood by all staff members** (provide all employees with copies of your policy, display posters highlighting key points, etc)

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

SELF-ASSESSMENT

The learner must make use of the following self-evaluation checklist to rate himself against the learning outcomes of this particular training module in establishing the level of mastery of the information.

1. Not able to comply
2. Reasonable compliance (Not acceptable for final evaluation)
3. Able to comply fully

LEARNING OUTCOMES		1	2	3
1	Identify and explain legislation that have an impact on the workplace concerning HIV/AIDS			
2	Explain the importants of developing a HIV workplace policy use the guidelines to develop a workplace HIV policy			
3	Use the guidelines to develop a workplace HIV policy			

Evidence Collector Signature

Date

Security Officer Signature

Date

LEARNING UNIT 5

Dealing with HIV in the workplace

LEARNING OUTCOMES

A learning credited with this unit will be able to:

1. Understand the importance of writing a HIV/AIDS strategy
2. Explain and apply strategies to prevent HIV/AIDS in the workplace
3. Explain the term voluntary counseling
4. Explain how the workplace can provide support for HIV infected employees
5. Explain how employers can monitor and evaluate the HIV infected employees
6. Explain and apply monitoring and evaluation tools

LEARNER ACTIVITY 1 (page 76)

How can you obtain management buy in when a HIV strategy needs to be developed and implemented.

Step 1: Make them aware of your concerns about HIV/AIDS affecting the company

Step 2: Tell them about your plan of action and solutions i.e. what you propose doing

Step 3: Ask for their opinions and suggestions

Step 4: Get their consensus i.e. their agreement

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 2**List 5 types of management blocks that resulted in the delaying of HIV strategies.**

When presenting your strategy, don't get put off if people block you with any of the following negative responses:

- They deny the fact that HIV/AIDS is a business threat by saying things like "We don't have a problem".
- They hear what you're saying but are apathetic or don't want to take any action and so will say things like "The problem is too big for us, so leave it alone" or "Let someone else deal with it, not us".
- They block you with a prejudiced attitude towards people living with HIV/AIDS by saying things like, "It's not our fault they have HIV".
- They use the excuse of time pressures by saying things like, "We're far too busy to worry about HIV/AIDS issues".
- They use the excuse of not having budget, people and other resources needed to implement HIV/AIDS related activities by saying things like "We don't have any money or the people to implement anything in the workplace".
- They use the excuse of not having sufficient information by saying things like "We don't know where to go to get support, so let's forget about it", etc.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 3

Explain the guidelines that can be followed when HIV task team needs to be structured and formed.

1. Based on your company's culture and size, think about how many people you ideally need to put your strategy into action. Remember, even if your company is large, you don't necessarily need to have a large team. Often a relatively small team will be more successful in making things happen.
2. Look carefully at your company's structure in terms of divisions and departments, as well as your various employee levels, and then work towards building a team that is truly representative of your company. In other words, your team should comprise a mix of staff, male and female, ranging from senior and middle-level managers through to supervisors and lower-level employees.
3. When you know the levels or divisions which need to be represented in your HIV/AIDS task team, you can do any of the following:
 - Send out a call for volunteers. That's not to say you should automatically bring all volunteers on board without first interviewing them. You should find out why they want to be involved and how they will play an active role in supporting and acting your strategy.
 - Have an election and let all employees nominate and vote for your task team members.
 - Ask management to identify the appropriate people.

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 4 (page 80)

Explain the following methods to prevent HIV in the workplace:

- ♦ **HIV training and education.**
- ♦ **Peer education**
- ♦ **Condom distribution in the workplace**
- ♦ **Voluntary counseling**

HIV training and education.

To ensure that your HIV negative employees remain negative, and those that are HIV positive, remain as well as possible and do not infect others, you need to make sure all your employees understand the important issues relating to HIV/AIDS.

To get the various messages across, you could run training sessions and/or use industrial theatre and/or printed educational material. Just ensure that your printed material is easy for all employees to understand. Check that the language used matches your employees' general literacy levels. If necessary, consider translating the material into appropriate languages.

Remember, DO NOT exclude your company's management/leadership. They also need to know or be reminded of the basic facts. Plus they need to be equipped to deal with HIV/AIDS workplace issues.

What's more, management's participation in the training will prove just how seriously they take HIV/AIDS.

Peer education

Often employees are more comfortable talking to their co-workers about HIV/AIDS related issues, and getting advice from them, rather than talking to their managers/supervisors.

Based on this, the idea of peer education is about using employees to educate, inform and advise their co-workers or peers on HIV/AIDS issues, provided they are correctly trained.

Condom distribution in the workplace

Contact guide Safe, protected sex is about using condoms. They are vital for preventing the spread of HIV and all sexually transmitted infections (STIs) such as syphilis and herpes.

You can distribute condoms in any of the following ways:

- ♦ Install the dispensers in your employees 'toilet areas
- ♦ Remember to use the women's toilets as well as the men's.
- ♦ Install the dispensers in other public areas such as your staff canteen.
- ♦ If you use peer educators, they can distribute condoms.
- ♦ Insert condoms in employee pay packets.

Voluntary counseling

Voluntary Counseling and Testing (VCT) which includes confidential HIV testing, together with pre- and post-test counseling is very important because:

- ♦ It is the only way in which your employees can know their status.
- ♦ It gives them an opportunity to think about their life style options and make appropriate choices.

Requirements achieved	YES	NO
Comments in support of decision		

LEARNER ACTIVITY 5 (page 85)**List 4 ways in which an employee can be supported during the event of HIV infection.**

Treatment, care and support of your HIV positive employees, and possibly their families, can take various forms, this section gives you a number of different tools to consider. These include:

- Reviewing your company's medical aid benefits
- Helping employees access public health services
- Counseling
- Lifestyle and nutrition counseling and support
- On-site private healthcare services
- Post-exposure prophylactics
- Treatment of opportunistic infections
- Anti-retroviral therapy (ART)
- Incapacity management

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

LEARNER ACTIVITY 6 (page 91)**How can the HIV strategy be monitored in the workplace**

Before actioning your HIV/AIDS strategy or any program, you first need to know what the issues of concern are. Then once you have identified these issues, and you action the appropriate program (s), you need to monitor or check how things are progressing.

There are a number of ways of monitoring and evaluating your HIV/AIDS strategy. These include:

- ♦ An organizational HIV/AIDS needs assessment
- ♦ An organizational impact assessment
- ♦ An organizational prevalence survey

Requirements achieved	YES		NO	
-----------------------	-----	--	----	--

Comments in support of decision

SELF-ASSESSMENT

The learner must make use of the following self-evaluation checklist to rate himself against the learning outcomes of this particular training module in establishing the level of mastery of the information.

1. Not able to comply
2. Reasonable compliance (Not acceptable for final evaluation)
3. Able to comply fully

LEARNING OUTCOMES		1	2	3
1	Understand the importance of writing a HIV/AIDS strategy			
2	Explain and apply strategies to prevent HIV/AIDS in the workplace			
3	Explain the term voluntary counseling			
4	Explain how the workplace can provide support for HIV infected employees			
5	Explain how employers can monitor and evaluate the HIV infected employees			
6	Explain and apply monitoring and evaluation tools			

Evidence Collector Signature

Date

Security Officer Signature

Date