

V1.0.0

Using a 32-bit motor driver chip and
Field-Oriented Control (FOC), the
RoboMaster G20 Brushless DC Motor Speed
Controller enables precise control over motor
torque.



Exclusively designed for the RoboMaster
M6000 PMS Brushless DC Motor Driver and
G20 Brushless DC Motor Speed Controller,
the M6000 Accessories Kit includes several
cables and a terminal board.

RoboMaster System Specification Manual,
RoboMaster User Manual, Introduction
of RoboMaster System Module

The M6000 Accessories Kit includes several
cables and a terminal board, enabling a
complete competition system solution for your
RoboMaster system.

The 25th China University Robot Competition

ROBOMASTER 2026

University Championship

Rule Manual

Prepared by RoboMaster Organizing Committee

Released in October, 2025

Intellectual Property Statement

The RoboMaster Organizing Committee (RMOC) encourages and promotes technical innovation and open-source technology and respects the intellectual property rights of participating teams. All rights related to the intellectual property developed during the competition are owned by individual teams. The RMOC will not participate in the handling of intellectual property disputes within the team. The participating teams must properly handle all aspects of intellectual property rights among internal school members, company members, and other members of the team.

While using the RoboMaster Referee System and other supporting materials provided by the RMOC, participating teams should respect the ownership of all intellectual property. Participating teams are also prohibited from engaging in any behavior that violates intellectual property rights, including but not limited to reverse engineering, replication, or translation.





Any behavior that may infringe upon the intellectual property rights of the RMOC or other organizers in relation to the provided educational materials for the competition will be investigated and the infringer will be held legally liable in strict accordance with the law.

For suggestions regarding open-source materials, please refer to: <https://bbs.robomaster.com/article/4820?source=1>.

Using this Manual

The RoboMaster competition is a robotics event aimed at cultivating youth engineers. Documents related to the competition may contain sensitive terms, names, operations, and technical content. These do not reflect any existing technologies or actions in reality, nor do they intend to involve any specific country, organization, or individual. This manual is intended solely to explain the rules of the RoboMaster competition and must not be used for any other purposes. It should not be interpreted as being associated with any real events or entities.

Legend for Battlefield Drawings

		
Buff point for both sides	Buff point for one side	Penalty zone for both sides
		
One side penalty zone	The plane on which the battlefield is located is its lowest plane	Dimensions are for reference only

Release Notes

Date	Version	Revisions
October 21, 2025	V1.0.0	First release

Table of Contents

Intellectual Property Statement.....	2
Using this Manual	2
Legend for Battlefield Drawings	2
Release Notes	3
1. Foreword.....	8
1.1 About the Competition	8
1.2 Main Changes to New Season.....	9
1.3 About the Competition Rule Documents.....	9
1.4 Q&A.....	10
2. Key Terms.....	11
3. 3V3 Match.....	15
3.1 Robot and Operator.....	15
3.1.1 Hero	16
3.1.2 Infantry.....	17
3.1.3 Sentry.....	19
3.2 Competition Area	20
3.2.1 Battlefield Overview.....	20
3.2.2 Starting Zone and Resupply Zone	22
3.2.3 Elevated Zone	24
3.2.4 Control Zone.....	24
3.2.5 Miscellaneous	26
3.3 Competition Mechanism	28
3.3.1 HP Loss and Penalty for Exceeding Limit	28
3.3.2 HP Recovery and Respawn Mechanism.....	34
3.3.3 Economy System.....	35
3.3.4 Control Zone and Victory Point Mechanism	36
3.3.5 Match Format and Winning Criteria	37
4. Infantry Match.....	38
4.1 Robot and Operator.....	38
4.2 Infantry	39
4.3 Competition Area	40
4.4 Competition Mechanism	44
4.4.1 HP Loss and Penalty for Exceeding Limit	44
4.5 Match Format and Winning Criteria	44
5. Engineer Challenge	45
5.1 Robot and Operator.....	45
5.2 Competition Area	46

5.2.1	Starting Zone	46
5.2.2	Resource Zone	46
5.2.3	Assembly Zone	47
5.3	Mission	50
6.	Competition Process	52
6.1	Pre-Match Inspection	53
6.2	Staging	54
6.3	Setup Period	54
6.3.1	Official Technical Timeout	55
6.3.2	Team Technical Timeout	56
6.4	15-Second Referee System Initialization Period	57
6.5	5-Second Countdown	57
6.6	Competition Stage	57
6.7	End of Round	58
6.8	Result Confirmation	58
6.9	Exit the Field	58
7.	Violations and Penalties	59
7.1	Penalty System	59
7.1.1	Forms of Penalties	59
7.1.2	Types of Penalties	60
7.2	Penalty Rules	62
7.2.1	Personnel	62
7.2.2	Robot	66
7.2.3	Interaction	67
7.3	Serious Violations	70
8.	Irregularities	71
9.	Appeal	73
9.1	Appeal Process	74
9.2	Appeal Materials	75
9.3	Appeal Decision	75

Tables Directory

Table 2-1 Overview of Key Terms	11
Table 3-1 Robot and Operator Lineup for 3V3 Match	15
Table 3-2 Key Features of Hero.....	16
Table 3-3 Key Features of Infantry	17
Table 3-4 Key Features of Sentry Robots	19
Table 3-5 Projectile Parameters and Scenarios of Use	26
Table 3-6 Speed Ranges of Different Types of Projectiles for Effective Detection by Armor Modules.....	28
Table 3-7 Attack Damage and HP Loss Mechanism	29
Table 3-8 Penalty Mechanism for Exceeding the Initial Launching Speed Limit	29
Table 3-9 Penalty Mechanism for Robots in Abnormal Disconnection Status.....	32
Table 3-10 Passive Gold Coin Gains.....	35
Table 3-11 Exchange Rules.....	36
Table 4-1 Robot and Operator Lineup for Infantry Match.....	38
Table 4-2 Key Features of Infantry	39
Table 5-1 Robot and Operator Lineup for Engineer Challenge	45
Table 5-2 Pose Value Ranges and Assembly Requirements for Different Tech Cores	50
Table 6-1 Malfunctions.....	56
Table 7-1 Forms of Penalties.....	59
Table 7-2 Types of Penalties.....	60
Table 7-3 Collision Violation Penalty Standards	68
Table 7-4 Types of Serious Violations	70

Figures Directory

Figure 1-1 Talent Development Philosophy	8
Figure 3-1 Axonometric View of 3V3 Match Battlefield	21
Figure 3-2 3V3 Match Battlefield Modules	21
Figure 3-3 3V3 Match Battlefield Dimensions.....	22
Figure 3-4 Starting Zone and Resupply Zone	22
Figure 3-5 Starting Zone and Resupply Penalty Zone.....	23
Figure 3-6 Elevated Zone	24
Figure 3-7 Control Zone	25
Figure 3-8 Control Zone Dimensions.....	25
Figure 3-9 Layout of RFID Interaction Cards	26
Figure 3-10 Penalty Mechanism for Exceeding the Barrel Heat Limit	30
Figure 3-11 Barrel Heat Cooling Mechanism	30
Figure 3-12 Robot Chassis Power Detection and Penalty for Exceeding Limit	31
Figure 3-13 HP Loss Mechanism for Armor Module and Supercapacitor Management Module Disconnection ..	33
Figure 3-14 Power-off Mechanism for Speed Monitor Module Disconnection	34
Figure 4-1 Axonometric View of Infantry Match Battlefield.....	40
Figure 4-2 Top View of Infantry Match Battlefield	41
Figure 4-3 Infantry Match Battlefield Dimensions	42
Figure 4-4 Bunker.....	43
Figure 5-1 Starting Zone.....	46
Figure 5-2 Energy Unit.....	47
Figure 5-3 Energy Units - Interaction Areas within the Tech Core.....	48
Figure 5-4 Interaction Areas and Typical Working Conditions	49
Figure 5-5 Spherical Coordinate System	50
Figure 6-1 Process of a Single Match.....	52
Figure 6-2 Pre-Match Inspection Flowchart	53
Figure 7-1 Battlefield Penalty Zone	69
Figure 9-1 Appeal Process	74

1. Foreword

1.1 About the Competition

RoboMaster University League (RMUL), under China University Robot Competition, is organized by local academic institutions and universities, and engages nearby universities. The aim is to promote robotic technology exchanges among regional universities, foster a strong academic atmosphere, and boost regional technology innovation.

RMUL is dedicated to cultivate excellent youth engineers. Participating team members are encouraged to put what they have learned into practice and achieve continued growth during the process.




Figure 1-1 Talent Development Philosophy

The RMUL 2026 comprises three formats: 3V3 Match, Infantry Match, and Engineer Challenge.

- For 3V3 Match, both teams need to independently develop their own Hero, Infantry, and Sentry Robots, and conduct tactical combat on the Battlefield by controlling the robots to launch projectiles against the opponent's robots. At the end of the match, the winner will be the team with overwhelming advantage.
- For Infantry Match, both teams need to independently develop their own Infantry, and engage in 1V1 battles on the Battlefield by controlling their robots to launch projectiles. The winner at the end of the Match will be the team with the higher Infantry remaining HP.
- For Engineer Challenge, Engineer needs to complete Energy Unit assembly tasks. The teams will be scored and ranked based on their Engineer's performance and time used for completing the energy unit assembly task.

1.2 Main Changes to New Season

The main changes for RMUL 2026 compared to RMUL 2025 are as follows:

3V3 Match

- Adjusted the Battlefield, removing bunkers and visual markers and adding Elevated Ground
- Adjusted Attack Damage
- Removed the Projectile Re-loader
- Adjusted the Performance System and removed the Level-Up Mechanism
- Adjusted the Respawn Mechanism

Infantry Match

- Adjusted the Performance System

Engineer Challenge

- Adjusted challenge tasks and changed Ore exchange tasks to Energy Unit assembly tasks

Penalties for Violations

- Adjusted the maximum number of Yellow Cards for Robots

1.3 About the Competition Rule Documents

The competition rule documents include the Rule Manual, Participant Manual, Robot Specification Manual, Referee System Serial Protocol, and supplements to these documents. The competition rule documents are applicable to all participating teams, referees, competition staff, and other partners.

The RMOC reserves the right to update the competition rule documents outside of the competition period as necessary.

The RMOC reserves the right of final interpretation over the competition rule documents. During the event, only the Chief Referee can answer queries on the competition rule documents on behalf of the RMOC. Any questions related to the competition rule documents may only be directed to the Chief Referee for consultation.



For more reference materials on RMU, please refer to the “[Rules/Resource Hub](#),” a site built and maintained by the RMOC that provides all the official materials required for participation, enabling teams to access information more efficiently. Materials on this site include:

- Rulebooks: rule manual, robot specification manual, participant manual, Referee System serial
-

protocol

- Event Products: Referee System (including on-board modules and the RoboMaster Champion), robot kits & accessories, RM Assistant product details, downloads, purchase & after-sales policies
 - Technical Assessment: assessment criteria, instructions for each stage
 - Event Promotion Kit: promotional material package
 - Event Sponsorship Guide: sponsorship guidelines
 - Learning Labs: participation guide, course salon, open-source materials
-

1.4 Q&A

Any participating team or other relevant personnel who have questions about the competition rule documents may submit them through our official channel. The RMOC will reply to them through the following Q&A process.

1. To submit questions about the competition rule documents, please complete a questionnaire available at:

<https://qingflow.com/f/c5rf6rkkbs02>

2. The RMOC will respond at:

<https://qingflow.com/appView/c5rf6rkkbs02/shareView/c5rf6slgbs02>

Notes about timeliness:

- Questions submitted during the Competition Period will be answered by the RMOC within one calendar day.
- Questions submitted during the Preparation Period will be answered by the RMOC within five business days.

-
- Competition Period: From the check-in day of the event until the end of the final competition day.



- Preparation Period: Any time outside of the competition period.

Note: The Preparation Period and Competition Period are calculated separately for different events and stages.

The Rules Q&A is considered as authoritative as the competition rule documents. In the case of any discrepancy between the Q&A and the competition rule documents, the latest document shall prevail. The Q&A for a given season applies only to that season.

2. Key Terms

In this chapter, we will provide a list of commonly used terms in the competition rules. For details on each term, please refer to the relevant chapter using associated keywords.

Table 2-1 Overview of Key Terms

Term	Definition
Robot	
A Robot's Main States	● Alive: The Referee System Main Control Module is normally connected to the Referee System server and the robot's HP is not zero. ● Defeated: The robot's HP drops to zero. (Reasons include: Armor Module suffering damage from attacks or collision, Referee System Onboard Module disconnection, and robot ejection.) ➢ Ejected: A robot is issued a Red Card. ➢ Temporarily Activated: A robot's chassis and gimbal is powered on temporarily after it has been defeated or ejected. The Launching Mechanism of the robot is powered off in this period. ● Abnormal Disconnection: The Referee System Main Control Module is disconnected from the Referee System server during the competition, due to a power outage on the robot or other reasons. Note: After a robot is defeated, the Referee System will cut off the power supply to the robot (except for the Mini PC).
Referee System	It is an electronic penalty system integrating computation, communication, and control features. It includes the onboard modules, as well as the RoboMaster Champion (Server, Referee's Client, Player's Client) installed on the PC. It can monitor robots' power, projectile launches, and damage, and automatically determine the outcome according to competition rules.
Inter-robot Communication	It is an interactive method for robots to communicate with one another through the Referee System serial protocol.
Robot Chassis	It is a mechanism that carries the robot propulsion system and its accessories; a mechanism that supports the body of a robot.

Term	Definition
Chassis Power	The power of the system that enables robots to move horizontally and rotate; for details, please refer to the definition of Chassis Power in the “Referee System Mounting Specifications” section of the RoboMaster 2026 University Series Robot Specification Manual .
Launching Mechanism	It is a mechanism capable of launching a projectile from a robot on a fixed trajectory and at a certain initial speed.
Locking of the Launching Mechanism	A locked Launching Mechanism is powered off.
Unlocking of the Launching Mechanism	If the Launching Mechanism is unlocked, it will be powered on or off depending on its Projectile Allowance.
Launch	A robot’s action of releasing projectiles or Darts. “Launch” mentioned in the following “Competition Mechanism” section is considered valid when a launch action is detected by the Referee System.
Initial Launching Speed	The velocity detected by the relevant modules of the Referee System after a projectile has completed its acceleration.
Barrel Heat	Barrel heat accumulates as a robot launches projectiles. It is used to limit continuous projectile firing.
Projectile Allowance	The quantity of projectiles each robot is allowed to launch currently.
Initial HP	The HP value set by the Referee System for a robot at the start of the competition.
Current HP	A robot’s real-time HP.
Maximum HP	The maximum value to which a robot’s HP can be restored.
Invincible	A state in which a robot is immune to a projectile attack or impact.
Attack	A robot’s behaviour in launching projectiles.
Destroy	Where a robot attacks the Armor Module of the opponent’s robot until the latter’s HP drops to zero.

Term	Definition
Occupy	It refers to a situation where an alive robot has reached a Buff Point, its RFID Interaction Module has detected the RFID Interaction Card in the area or has met other conditions, and it has obtained certain special effects.
Entanglement	Mechanisms of robots are entangled with one another during the competition, i.e., one robot remains connected to the other robot and is pulled with said robot whichever direction it moves.
Collision	An active act of collision by a robot during the competition.
Battlefield	
Buff Point	A zone that, once occupied by a robot during the competition, will generate a special effect.
Penalty Zone	An area into which a robot's entry is forbidden.
Battlefield Component	Composite elements of the Battlefield.
Personnel	
Arbitration Commission	A body consisting of the Chief Referee and other members of the RMOC, responsible for handling appeals.
Referee	Personnel responsible for maintaining the order of the competition and enforcing its rules.
Chief Referee	The person with the final right of interpretation over the competition rule documents during the competition.
Head Referee	The lead referee responsible for maintaining the order of the competition and enforcing its rules.
Head Inspector	The referee responsible for leading and assigning pre-match inspection tasks, with the final right of interpretation over the inspection standards.
Participants	Individuals who have registered and been recorded in the registration system for the current competition season.
Participating Teams	The teams that have registered and been recorded in the registration system for the current competition season.

Term	Definition
Pit Crew	Regular Member, Team Advisor, and Supervisor who have registered for this Season and have been entered into the registration system, can enter the Staging Area and Competition Area.
Operator	The Pit Crew members responsible for controlling robots during the competition.
Offending Team	A participating team that violates the competition rules.
Offender	Participants that violate the competition rules.
Competition Process	
Round	A complete competition that includes the Setup Period, the Referee System Initialization Period, a Five-Second Countdown Period, and the competition round.
Match	Depending on the Competition System, a match may contain several rounds.
Official Technical Timeout	A Technical Timeout initiated by the Head Referee during the Setup Period or Referee System Initialization Period.
Team Technical Timeout	A Technical Timeout requested by a Participating Team during the Setup Period.
Regular Battle Damage	During a Setup Period between rounds or during a round of a match, a Referee System Onboard Module experiences a fault.
Victory Determination	
Attack Damage	The HP a robot loses when the robot is hit by projectiles. Note: HP Loss caused by the imposition of penalty for the violation of one side's robot is included in the opponent's Attack Damage.
Non-attack Damage	HP lost as a result of collision on an Armor Module or Referee System Onboard Module disconnection.
Total Remaining HP	The total remaining HP of one's alive robots at the end of each round.

3. 3V3 Match

During a five-minute round, both teams control their robots to engage in tactical combat in the core competition area: the Battlefield. The team that gains greater control over the Battlefield can cause their opponent to lose Victory Points. The team that reduces the Opponent's Victory Points to zero first wins.

3.1 Robot and Operator

RoboMaster requires robots to fight together as a team with good coordination and teamwork. For the robot specifications, please refer to [the RoboMaster 2026 University Series Robot Building Specifications Manual](#).

The lineup of Robots and Operators is as follows:

Table 3-1 Robot and Operator Lineup for 3V3 Match

Robot Type	No.	Quantity (set)	Operator Lineup
Hero	1	1	1 Operator/Robot
Infantry	3	1	1 Operator/Robot
Sentry	7	1	0 Operator/Robot



- The minimum lineup for the first round of each match is two robots.
- An Operator must be a Regular Member of a Participating Team or a Team Advisor for the current season.
- After the end of each round, the Operator can be replaced by a Regular Member or Team Advisor among the Pit Crew members for the current match.

3.1.1 Hero

Hero is the only robots that can launch 42 mm projectiles on the Battlefield.

Table 3-2 Key Features of Hero

Key Feature	Description
Initial Zone	Starting Zone
Operating Mode	No restrictions. Up to one remote controller and one custom controller.
Inter-robot Communication	Allowed
Launching Mechanism	One Launching Mechanism (42 mm projectile)
Performance	● Initial HP/Maximum HP: 350 ● Chassis Power Limit: 100 W ● Initial Launching Speed Limit: 12 m/s ● Barrel Heat Limit: 200 ● Barrel Heat Cooling Rate: 24/second
HP Loss and Penalty for Exceeding Limit	● Exceeding the Initial Launching Speed Limit: applicable ● Exceeding Barrel Heat Limit and Cooling: applicable ● Exceeding Chassis Power Consumption Limit: applicable ● Attack Damage or Collision: applicable ● Referee System Onboard Module Disconnection: applicable ● Penalty Damage: applicable See details in “3.3.1 HP Loss and Penalty for Exceeding Limit”.
HP Recovery and Respawn Mechanism	● HP Recovery Method: Occupy the Resupply Zone for HP Recovery ● Respawn Method: Progressive Respawn See details in “3.3.2 HP Recovery and Respawn Mechanism”.
Projectile Loading and Reloading	During the Three-Minute Setup Period, 42 mm projectiles can be preloaded. The Initial Projectile Allowance is 0.

Key Feature	Description
Buff Point Occupation	● Buff Point in the Control Zone (see “3.3.4 Control Zone and Victory Point Mechanism”) ● Buff Point in the Resupply Zone (see “3.3.2 HP Recovery and Respawn Mechanism”)

3.1.2 Infantry

Infantry can launch 17 mm projectiles.

Table 3-3 Key Features of Infantry

Key Feature	Description
Initial Zone	Starting Zone
Operating Mode	No restrictions. Up to one remote controller and one custom controller.
Inter-robot Communication	Allowed
Launching Mechanism	One Launching Mechanism (17 mm projectile)
Initial Launching Speed Limit (m/s)	25
Performance	After the beginning of the Setup Period, the operator of the Infantry can choose a Chassis Type (HP-focused or Power-focused) and a Launching Mechanism Type (Burst-focused or Cooling-focused). Once the round has begun, the robots' chassis and launching mechanism types, once selected, cannot be changed during the entire round. If the chassis or launching mechanism types are not selected, after the start of the round, the chassis type will be automatically set to “HP-focused”, and the launching mechanism type will be automatically set to “Cooling-focused”. Chassis Type ● Power-focused: ➤ Initial HP/Maximum HP: 300 ➤ Chassis Power Limit: 90 W ● HP-focused:

Key Feature	Description
	➤ Initial HP/Maximum HP: 350 ➤ Chassis Power Limit: 75 W Launching Mechanism Type ● Burst-focused: ➤ Barrel Heat Limit: 230 ➤ Barrel Heat Cooling Rate: 14/second ● Cooling-focused: ➤ Barrel Heat Limit: 88 ➤ Barrel Heat Cooling Rate: 24/second
HP Loss and Penalty for Exceeding Limit	● Exceeding the Initial Launching Speed Limit: applicable ● Exceeding Barrel Heat Limit and Cooling: applicable ● Exceeding Chassis Power Consumption Limit: applicable ● Attack Damage or Collision: applicable ● Referee System Onboard Module Disconnection: applicable ● Penalty Damage: applicable See details in “3.3.1 HP Loss and Penalty for Exceeding Limit”.
HP Recovery and Respawn Mechanism	● HP Recovery Method: Occupy the Resupply Zone for HP Recovery ● Respawn Method: Progressive Respawn See details in “3.3.2 HP Recovery and Respawn Mechanism”.
Projectile Loading and Reloading	During the Three-Minute Setup Period, 17 mm projectiles can be preloaded. The Initial Projectile Allowance is 0.
Buff Point Occupation	● Buff Point in the Control Zone (see “3.3.4 Control Zone and Victory Point Mechanism”) ● Buff Point in the Resupply Zone (see “3.3.2 HP Recovery and Respawn Mechanism”)

3.1.3 Sentry

Sentry must operate fully automatically and can launch 17 mm projectiles.

Table 3-4 Key Features of Sentry Robots

Key Feature	Description
Initial Zone	Starting Zone
Operating Mode	Autonomous, up to one remote controller for commissioning
Inter-robot Communication	Not allowed
Launching Mechanism	One Launching Mechanism (17 mm projectile)
Initial Launching Speed Limit (m/s)	25
Performance	● Initial HP/Maximum HP: 400 ● Chassis Power Limit: 100 W ● Barrel Heat Limit: 260 ● Barrel Heat Cooling Rate: 30/second
HP Loss and Penalty for Exceeding Limit	● Exceeding the Initial Launching Speed Limit: applicable ● Exceeding Barrel Heat Limit and Cooling: applicable ● Exceeding Chassis Power Consumption Limit: applicable ● Attack Damage or Collision: applicable ● Referee System Onboard Module Disconnection: applicable ● Penalty Damage: applicable See details in “3.3.1 HP Loss and Penalty for Exceeding Limit”.
HP Recovery and Respawn Mechanism	● HP Recovery Method: Occupy the Resupply Zone for HP Recovery ● Respawn Method: Progressive Respawn See details in “3.3.2 HP Recovery and Respawn Mechanism”.
Projectile Loading and Reloading	● During the Three-Minute Setup Period, 17 mm projectiles can be preloaded. ● During the Five-Minute Round, the Initial Projectile Allowance is 750 and cannot be increased during the match.

Key Feature	Description
Buff Point Occupation	● Buff Point in the Control Zone (see “3.3.4 Control Zone and Victory Point Mechanism”) ● Buff Point in the Resupply Zone (see “3.3.2 HP Recovery and Respawn Mechanism”)

3.2 Competition Area

3.2.1 Battlefield Overview



- Unless otherwise specified, all dimensional tolerances described in this document are within $\pm 10\%$, Battlefield structure angular tolerances are within $\pm 3^\circ$, Battlefield Component angular tolerances are within $\pm 1^\circ$, and dimensional errors for structures smaller than 100 mm are within ± 5 mm. All dimensional parameters in Battlefield Instruction drawings are indicated in mm. To ensure the stability and safety of the battlefield, adjustments may be made to specific dimensions and workmanship during actual construction. For battlefield elements or dimensions not explicitly specified in the drawings, please refer to the actual battlefield.
- The Battlefield has a centrally symmetrical layout. All descriptions and illustrations of Battlefield modules in this text will be based on the Red Team, with the same applying to the Blue Team. The Battlefield has a complex environment that may feature non-uniform magnetic fields, air conditioner winds, and other environmental conditions that are not fully symmetrical.

The core competition area of the 3V3 Match is called the Battlefield. The Battlefield is 12 m x 8 m (L x W) in size. The interior features a wooden structure with a 3 mm PVC flooring surface, and certain areas are reinforced with a metal protective layer. There are separate Resupply Zones and Control Zones for both the red and blue teams within the area.





Figure 3-1 Axonometric View of 3V3 Match Battlefield



[1] Resupply Zone [2] Elevated Zone [3] Control Zone

Figure 3-2 3V3 Match Battlefield Modules




Figure 3-3 3V3 Match Battlefield Dimensions

3.2.2 Starting Zone and Resupply Zone

The Starting Zone is where robots are placed before a match. The Starting Zone is also used as the Resupply Zone, an important area for projectile allowance exchange and robot HP recovery, and is overlaid with RFID Interaction Cards.




Figure 3-4 Starting Zone and Resupply Zone

One team's Resupply Zone is considered the Resupply Penalty Zone for the Opponent's robots.




Figure 3-5 Starting Zone and Resupply Penalty Zone

3.2.3 Elevated Zone





Figure 3-6 Elevated Zone

3.2.4 Control Zone

The Control Zone is located at the center of the Battlefield and is overlaid with RFID Interaction Cards.



[1] Control Zone

Figure 3-7 Control Zone





Figure 3-8 Control Zone Dimensions



[1] Locations where RFID Interaction Cards are lodged

Figure 3-9 Layout of RFID Interaction Cards



- There may be deadbands for the RFID Interaction Cards in the Control Zone and the Resupply Zone. The teams have to adjust on their own.
- An additional layer of PVC flooring surface will be installed above the existing PVC flooring surface in the Control Zone and Resupply Zone, specifically on top of the RFID Interaction Cards.

3.2.5 Miscellaneous

3.2.5.1 Projectiles

Robots deal damage by firing projectiles to attack Armor Modules. The parameters and scenarios of use for projectiles in the competition are as follows:

Table 3-5 Projectile Parameters and Scenarios of Use

Type	Appearance	Color	Dimensions	Weight	Shore Hardness	Material	Scenarios of Use
42 mm projectile	Similar to a golf ball	White	42.5 mm ± 0.5 mm	41 g ± 1 g	90 A	Plastic (TPE)	3V3 Match
17 mm projectile	Sphere	Yellow -green	16.8 mm ± 0.2 mm	3.2 g ± 0.1 g	90 A	Plastic (TPU)	3V3 Match and Infantry Match

3.2.5.2 Operation Room

The Operation Room is equipped with the required number of computers, and each computer comes with its own

display, mouse, keyboard, RoboMaster Referee System Video Transmitter Module (Receiver) and its mounting bracket, three USB Type-A receptacle ports, one RS232 plug port, and other official equipment.

3.3 Competition Mechanism

3.3.1 HP Loss and Penalty for Exceeding Limit

3.3.1.1 Attack Damage or Collision

Hero, Infantry, and Sentry Robots may lose HP when their Armor Modules are attacked or collide with other objects. The mechanism is as follows.

An Armor Module can detect projectile attacks. The shortest detection interval for an Armor Module is 50 ms (when an Armor Module is hit with a 42 mm projectile, the detection interval can be extended to a maximum of 200 ms).

The projectile needs to come into contact with the impact surface of the Armor Module at a certain speed in order to be successfully detected. The speed ranges in which Armor Modules can effectively detect different types of projectiles are as follows:

Table 3-6 Speed Ranges of Different Types of Projectiles for Effective Detection by Armor Modules

Armor Module	17 mm Projectile	42 mm Projectile
Large Armor Module, Small Armor Module	Higher than 12 m/s	Higher than 10 m/s



- In an actual match, the normal speed of a projectile that touches the Armor Module attack surface is different from its Projectile Speed due to the projectile's speed decay and its incident angle not being normal to the Armor Module attack surface. Damage detection is based on the normal component of the projectile's speed upon contact with the Armor Module attack surface.
- If a Hero does not launch a 42 mm projectile for four consecutive seconds, the Armor Modules of the opponent's robots will become immune to 42 mm projectile damage until the Hero launches a 42 mm projectile again.
- The Referee System will round off the HP loss to the nearest integer when calculating the HP.

The Armor Modules of a robot can probably register collision as projectile damage. However, causing damage through collision (including ramming with robots or throwing objects) is not allowed.

Without buffs, the original damage shall be as follows:

Table 3-7 Attack Damage and HP Loss Mechanism

Damage Type Target	42 mm projectile	17 mm projectile	Collision
Robot Armor Module	200	20	2

3.3.1.2 Exceeding the Initial Launching Speed Limit

The Launching Mechanisms of Hero, Infantry, and Sentry will be locked for a certain duration if the robots exceed the Initial Launching Speed Limit. The duration does not accumulate.

Locks and unlocks due to exceeding the Initial Launching Speed Limit are independent from locks and unlocks caused by other reasons. Assume the Initial Launching Speed Limit is V_0 (m/s), and the actual speed detected by the Referee System is V_1 (m/s). The specific lock durations are shown in the table below.

Table 3-8 Penalty Mechanism for Exceeding the Initial Launching Speed Limit

17 mm Projectile	42 mm Projectile	Lock Duration
$0 < V_1 - V_0 < 5$	$V_0 < V_1 \leq 1.1 * V_0$	15 seconds
$5 \leq V_1 - V_0 < 10$	$1.1 * V_0 < V_1 \leq 1.2 * V_0$	20 seconds
$10 \leq V_1 - V_0$	$1.2 * V_0 < V_1$	The remainder of the current round

3.3.1.3 Exceeding Barrel Heat Limit and Cooling

The Launching Mechanisms of Hero, Infantry, and Sentry will be locked when the robots exceed the Barrel Heat Limits. Locks and unlocks due to exceeding the Barrel Heat Limits are independent from locks and unlocks caused by other reasons. The calculations are performed as follows:

Set Q_0 as the Barrel Heat Limit and Q_1 as the current Barrel Heat. For each 17 mm projectile detected by the Referee System, the current Barrel Heat Q_1 is increased by 10 (regardless of the 17 mm projectile's initial speed). For each 42 mm projectile detected, the current Barrel Heat Q_1 is increased by 100 (regardless of the 42 mm projectile's initial speed). The Barrel Heat cools at a frequency of 10 Hz. The cooling value per detection cycle is equal to the cooling rate/10.

When $Q_2 > Q_1 > Q_0$, the First-Person-View (FPV) visibility of the robot operator's computer will be reduced, and the Launching Mechanism of the robot will be locked. These restrictions will remain in place until $Q_1 = 0$.

When $Q_1 > Q_2$, the Launching Mechanism of the robot will be locked for the remainder of the current round.

For the 17 mm Launching Mechanism, $Q_2=Q_0+100$.

For the 42 mm Launching Mechanism, $Q_2=Q_0+200$.




Figure 3-10 Penalty Mechanism for Exceeding the Barrel Heat Limit




Figure 3-11 Barrel Heat Cooling Mechanism

3.3.1.4 Exceeding Chassis Power Consumption Limit

The chassis power of robots will be continuously monitored by the Referee System, and the robot chassis needs to run within the Chassis Power Limit. Hero, Infantry, and Sentry will have their buffer energy deducted when they exceed the Chassis Power Consumption Limit. Upon the exhaustion of buffer energy, if the chassis power is still above the limit, the chassis will be powered off for 5 seconds. The Referee System calculates chassis power consumption at a frequency of 10 Hz.

Set Z as the buffer energy, Q as the Buffer Energy Limit (60 J), P_r as the instantaneous chassis output power, and

P_l as the power limit.




Figure 3-12 Robot Chassis Power Detection and Penalty for Exceeding Limit

3.3.1.5 Referee System Onboard Module Disconnection

Participating teams must mount the corresponding Referee System Onboard Module on their robots in accordance with the requirements of the [RoboMaster 2026 University Series Robot Specification Manual](#), and ensure stable connection between each module of the Referee System and the server throughout the competition. The Referee System server detects the connectivity of each module at a frequency of 2 Hz.

3.3.1.5.1 Abnormal Disconnection

If the Main Control Module of the robots becomes disconnected during the match and enters the “Abnormal Disconnection” state, it can reconnect to the competition.

Table 3-9 Penalty Mechanism for Robots in Abnormal Disconnection Status

Robot Type	Consequences of Abnormal Disconnection
Hero, Infantry, and Sentry	● The Launching Mechanism (if any), Gimbal, and Chassis are powered off, and 5% of the Maximum HP is dealt for each second elapsed until it drops to zero. ● The RFID Interaction Module is disabled. ● The robot no longer detects any damage caused by collision and projectile hits and any HP Loss. ● The respawn process stops. ● The inter-robot communication disconnects.

3.3.1.5.2 Armour Module or Super-capacitor Management Module Disconnection

If the design or structural issues of a Hero, Infantry or Sentry cause the disconnection of its Armor Module or Supercapacitor Management Module, the robot will lose HP.




Figure 3-13 HP Loss Mechanism for Armor Module and Supercapacitor Management Module Disconnection

3.3.1.5.3 Speed Monitor Module Disconnection

If a Speed Monitor Module (17 mm or 42 mm projectile) mounted on a Hero, Infantry, or Sentry goes disconnected, the robot's Launching Mechanism (17 mm or 42 mm projectile) will be powered off immediately.




Figure 3-14 Power-off Mechanism for Speed Monitor Module Disconnection

3.3.1.6 Penalty Damage

When a Hero, Infantry, or Sentry receives penalties such as a Yellow Card or Red Card, the robot may lose HP. For details, refer to “7.1 Penalty System”.

3.3.2 HP Recovery and Respawn Mechanism

Except when in an Abnormal Disconnection state or after being ejected, Ground Robots can recover their HP and

respawn.

3.3.2.1 HP Recovery Mechanism

When occupying their side's Resupply Zone, the Hero, Infantry, and Sentry may restore up to 25% of maximum HP per second.

3.3.2.2 Respawn Mechanism

When a robot is defeated, its Barrel Heat and Buffer Energy will be reset to 0. Defeated ground robots must complete the respawn timer in order to be automatically respawned. While robots are automatically respawned, the respawn time progresses 1 point per second. The respawn timer for a robot after its first defeat is 5. That value increases by 5 each time after the same robot is defeated again.

After robots revive, their HP is restored to 20% of the maximum, and they temporarily enter the "Weakened" state for 30 seconds. Robots in the "Weakened" state have the following characteristics:

- The Launching Mechanism is locked
- Unable to occupy the Control Zone

Afterward, when the RFID Interaction Card in the own side's Resupply Zone is detected, both the "Weakened" and "Invincible" states will be removed.

3.3.3 Economy System

Both teams will receive Gold Coins regularly during the competition. Gold Coins can only be exchanged for Projectile Allowance.

At the start of a round, each team receives a certain quantity of initial Gold Coins. As the competition progresses, both sides passively gain Gold Coins, as detailed in the table below.

Table 3-10 Passive Gold Coin Gains

Game Countdown	Red Team	Blue Team
04:59	200 (initial)	200 (initial)
03:59	200	200
02:59	200	200
01:59	300	300

Game Countdown	Red Team	Blue Team
00:59	300	300

When the difference between two teams' Victory Points reaches 70 or 140 for the first time, the team with fewer Victory Points can get 200 Gold Coins. In each round, one team's robots are allowed to procure a maximum of 400 Gold Coins. For details on the Victory Points mechanism, see "3.3.4 Control Zone and Victory Point Mechanism".

Table 3-11 Exchange Rules

Exchange Items	Exchange Ratio
17 mm projectile	10 Gold Coins/10 rounds
42 mm projectile	10 Gold Coins/1 round

For every round of projectiles fired by a robot, the Projectile Allowance corresponding to the type of projectiles fired is reduced by one round. When the Launching Mechanism is locked, its power stays off; when it is unlocked and the Projectile Allowance for the corresponding projectile type is greater than zero, its power remains on, otherwise it is powered off.

In the following special circumstances, the Armor Modules of the opponent's robots will become immune to 42 mm projectile damage until the Hero is alive and has a Projectile Allowance greater than 0:

1. Three seconds after the Hero becomes defeated or abnormally disconnected
2. When the Hero launches a 42 mm projectile despite having a Projectile Allowance of 0 (it launches more projectiles than its allowance)
3. After the Hero launches the third 42 mm projectile after it is defeated

When a Hero or Infantry occupies the Resupply Zone, the Operator can use the Referee System Player's Client to exchange for 42 mm and 17 mm Projectile Allowance, respectively.

3.3.4 Control Zone and Victory Point Mechanism

At the start of the round, each team receives 200 Victory Points. The Control Zone activates after the competition starts. At any given time, the Control Zone can only be occupied by one side (one or multiple robots). If robots from both teams enter the Control Zone simultaneously, the side that arrives first will occupy the zone. The calculations are performed as follows:

- Each time when a robot occupies the Control Zone, the opponent team will lose 1 Victory Point per second.

- Each time when a robot is defeated, that team will lose 20 Victory Points.
-



If a robot does not detect the RFID Interaction Card of the Control Zone, the occupation will expire in two seconds.

3.3.5 Match Format and Winning Criteria

The 3V3 Match consists of the Group Stage and the Knockout Stage. The competition format of Group Stage is BO2, and that of Knockout Stage is BO3 or BO5.

The winning criteria for a single round are described below:

1. When one team's Victory Points drop to 0, the current round ends immediately, and the team whose Victory Points are not 0 wins.
2. If a round has ended and both teams have more than 0 Victory Points, then the team with the higher Victory Points wins.
3. If a round has ended, the two teams tie on Victory Points, and neither team has zero Victory Points, then the team that inflicts greater Attack Damage wins.
4. If a round has ended, the two teams tie on Victory Points, neither team has zero Victory Points, and the two have inflicted the same Attack Damage, then the team with higher total robot remaining HP wins.
5. If none of these criteria is met, the round shall be considered a draw. A draw in the Knockout Stage leads to an immediate tie-breaker round until a team wins.

4. Infantry Match

During a Two-Minute Round, the robots from both teams engage in a shooting battle on the Battlefield. The team that destroys the other’s robots will be the winner.

4.1 Robot and Operator

The lineup of Robots and Operators is as follows:

Table 4-1 Robot and Operator Lineup for Infantry Match

Type	No.	Quantity (set)	Operator Lineup
Infantry	3	1	1 Operator/Robot



- Operators must be Regular Members of a Participating Team in the current season and Team Advisors.
- After the end of each round, the Operator can be replaced by a Regular Member or Team Advisor among the Pit Crew members for the current match.

4.2 Infantry

Infantry can launch 17 mm projectiles.

Table 4-2 Key Features of Infantry

Key Feature	Description
Initial Zone	Starting Zone
Operating Mode	No restrictions. Up to one remote controller and one custom controller.
Inter-robot Communication	Not applicable
Launching Mechanism	One Launching Mechanism (17 mm projectile)
Initial Launching Speed Limit (m/s)	25
Performance	● Initial HP/Maximum HP: 200 ● Barrel Heat Limit: 80 ● Barrel Heat Cooling Rate: 12/second ● Chassis Power Limit: 120 W
HP Loss and Penalty for Exceeding Limit	● Exceeding the Initial Launching Speed Limit: applicable ● Exceeding Barrel Heat Limit and Cooling: applicable ● Exceeding Chassis Power Consumption Limit: applicable ● Attack Damage or Collision: applicable ● Referee System Onboard Module Disconnection: applicable ● Penalty Damage: applicable See details in “3.3.1HP Loss and Penalty for Exceeding Limit”.
HP Recovery and Respawn Mechanism	Not applicable
Projectile Loading and Reloading	● During the Two-Minute Setup Period, 17 mm projectiles can be preloaded. ● During the Two-Minute Round, the Initial Projectile Allowance is 200 and cannot be increased during the match.

4.3 Competition Area

The core competition area of the Infantry Match is called the "Battlefield". The Battlefield is a 5 m x 5 m area that contains the Starting Zones and Bunkers for both the blue and red teams. For details about projectiles and the Operation Room, please refer to “3.2.5.1 Projectiles” and “3.2.5.2 Operation Room”.





Figure 4-1 Axonometric View of Infantry Match Battlefield



[1] Red Team's Starting Zone [2] Bunker [3] Blue Team's Starting Zone

Figure 4-2 Top View of Infantry Match Battlefield




Figure 4-3 Infantry Match Battlefield Dimensions




Figure 4-4 Bunker

4.4 Competition Mechanism

4.4.1 HP Loss and Penalty for Exceeding Limit

See details in “3.3.1 HP Loss and Penalty for Exceeding Limit”.

4.5 Match Format and Winning Criteria

The Infantry Match consists of the Group Stage and the Knockout Stage. The competition format of Group Stage is BO2, and that of Knockout Stage is BO3.

The winning criteria for a single round are described below:

1. When one team's HP drops to 0, the current round ends immediately, and the opponent team wins.
2. If a round has ended and neither team's HP is 0, then the team with higher Remaining HP wins.
3. If a round has ended and both teams have the same Remaining HP (not 0), then the team whose Lost HP occurred later wins.
4. If a round has ended and both teams are at full HP, then the team with higher total projectile count wins.
5. If a round has ended and both teams are at full HP and have the same total projectile count, then the team that fired the first projectile earlier wins.
6. If none of these criteria is met, the round shall be considered a draw.

5. Engineer Challenge

During the Three-Minute Round, the Engineer acquires and assembles Energy Units in the core competition area. Teams with higher scores are ranked higher.

5.1 Robot and Operator

The lineup of Robots and Operators is as follows:

Table 5-1 Robot and Operator Lineup for Engineer Challenge

Type	No.	Quantity (set)	Operator Lineup
Engineer	2	1	1 Operator/Robot



- Operators must be Regular Members of a Participating Team in the current season and Team Advisors.
- Up to one remote controller and one Custom Controller can be configured for an Engineer.

5.2 Competition Area

The core Battlefield for the Engineer Challenge is a $5\text{ m} \times 5\text{ m}$ (L $\times$ W) area, consisting mainly of the Starting Zone, Resource Zone, and Assembly Zone.



The drawings of the competition area, Resource Zone, and Assembly Zone mentioned in this section will be updated later.

5.2.1 Starting Zone

The Starting Zone is where the Engineer is placed before a match.





Figure 5-1 Starting Zone

5.2.2 Resource Zone

There are three Energy Units placed in the Resource Zone. An Energy Unit is a cylindrical component weighing approximately 400 to 500 g, with a height of 150 mm, an upper diameter of 95 mm, a lower diameter of 80 mm, and asymmetrical ends.



[1] Axis of rotation

Figure 5-2 Energy Unit

5.2.3 Assembly Zone


The Assembly Zone is where Robots assemble Energy Units. Within the Assembly Zone, there are three independent Tech Cores, each with a distinct pose. For each Tech Core, establish a right-handed Cartesian coordinate system named Assembly Coordinate System OXYZ, where the origin O is set at the midpoint of the intersection line between the front of the base and the Battlefield surface. The negative X-axis is defined by the direction of the base front normal pointing toward the Tech Core, and the positive Z-axis points vertically upward. A right-hand orthogonal coordinate system EX'Y'Z' is established using the geometric center of the front surface of the Tech Core's entry as the origin E. The X', Y', and Z' axes align parallel to, and share the same positive directions as, the X, Y, and Z axes. The unit normal vector of the front surface of the Tech Core's entry is denoted as $\vec{e}$. A spherical coordinate system (r, θ, φ) is established based on the coordinate system of the Tech Core, where θ is the angle between the projection of vector $\vec{e}$ on the X'Y' plane and the positive X' axis, with $\theta \in [-90, 90]$; φ

is the angle between vector $\vec{e}$ and the positive Z' axis, with $\varphi \in [0, 90]$. Additionally, α is defined as the rotation angle of the Tech Core around the direction of $\vec{e}$. A counterclockwise rotation is considered positive for α , where $\alpha \in [-45, 45]$.

The pose of the Tech Core is defined as the combination of the coordinates (x, y, z) of the center point E on the front surface of the Tech Core's entry in the OXYZ coordinate system, the orientation coordinates (θ, φ) of the unit normal vector $\vec{e}$ in the spherical coordinate system of the Tech Core, and the rotation angle α of the Tech Core around the direction of $\vec{e}$, forming $(x, y, z, \theta, \varphi, \alpha)$.


There is space inside the Tech Core, allowing an Energy Unit to be inserted up to a depth of 100 mm and moved horizontally up to 100 mm relative to the insertion surface. After placing the energy unit and performing horizontal movement, there is still additional space, allowing the energy unit to rotate up to 90° around the rotation axis. For details, see “[Figure 5-2 Energy Unit](#)”.

The detailed shape and dimensions of the Tech Core will be updated later. However, when the Energy Unit is inside the Tech Core, there is an area relative to the Energy Unit for each difficulty level in which the Engineer can move freely without any structural interference with the Tech Core, as shown in the following figure:




[1] Energy Unit [2] Interaction Area for Level 1 Difficulty [3] Interaction Area for Level 2, 3, and 4 Difficulty

Figure 5-3 Energy Units - Interaction Areas within the Tech Core



[1] Gripper [2] Interaction Area



[1] Suction Cup [2] Interaction Area

Figure 5-4 Interaction Areas and Typical Working Conditions



For example, when assembling an Engineer at the Level 1 difficulty, its terminal executive mechanisms can secure the Energy Unit from both its top and side Interaction Areas. However, when assembling an Engineer at the Level 3 difficulty, the Energy Unit can only be secured from its side Interaction Area.




Figure 5-5 Spherical Coordinate System

Table 5-2 Pose Value Ranges and Assembly Requirements for Different Tech Cores

Tech Core	x	y	z	θ	φ	α	Panning Requirements	Spinning Requirements
A	[0,-100]	[-100,100]	800	0	90	0	No panning requirements	No spinning requirements
B	[0,-100]	[-100,100]	[700, 900]	0	[0,90]	[-45,45]	100 mm movement after insertion	No spinning requirements
C	[0,-100]	[-100,100]	[700, 900]	[-90,90]	[0,90]	[-45,45]	100 mm movement after insertion	After the translation is complete, use the specified axis of rotation, as detailed in “Figure 5-2 Energy Unit”, and rotate it to the designated angle within the permissible 90° range, with 5° precision.

5.3 Mission

Engineer stands by in the Starting Zone before the match.

After the round begins, Engineer Robots must retrieve Energy Units from the Resource Zone and assemble them into the Tech Core as required. The match ends after all the Energy Units have been successfully assembled and the robot returns to the Starting Zone, or when the match time runs out.

Scoring Rules

The Energy Units in Tech Cores A, B, and C are scored separately using different rules. Details are as follows:

- Tech Core A: 1 point for successful assembly
- Tech Core B: 10 points for successful assembly
- Tech Core C: 100 points for successful assembly
- If all three Energy Units are successfully assembled before the time of the match runs out, 1 additional point is awarded for each second remaining in the match.
- When the match time runs out, if the robot is outside the Starting Zone, the last assembled Energy Unit will not be counted for scoring.

Ranking Rules

Each team can attempt the challenge twice and take the highest total score out of the two attempts as its final score. Teams with higher scores are ranked higher.

Award Criteria & Eligibility

Engineer has assembled at least one Energy Unit.

6. Competition Process

- In the Engineer Challenge, each challenge is called a match.



- Descriptions related to the Referee System Initialization Period, Five-Second Countdown, and projectiles do not apply to the Engineer Challenge.




Figure 6-1 Process of a Single Match

6.1 Pre-Match Inspection



- The inspection results of the Mock Inspection and Practice Match are for reference only and are not taken into account for the inspection in the actual competition.
- The inspection results during the competition are only applicable to the current match.
- Passing of inspection only means that the robot meets the standards at the time of inspection. Teams are required to ensure that their robots fulfill the requirements of the Building Specifications Manual at all times.

To ensure that the Robots built by the Participating Teams comply with the requirements outlined in the [RoboMaster 2026 University Series Robot Specifications Manual](#), participating Teams in the 3V3 Match, Infantry Match, and Engineer Challenge are required to arrive at the Inspection Area 60 minutes, 40 minutes, and 30 minutes prior to their respective matches for Pre-Match Inspection. The inspection process is as follows:




Figure 6-2 Pre-Match Inspection Flowchart

The rules regarding backup robots are as follows:

- During the Mock Inspection for the 3V3 Match, each team may bring up to four Robots for inspection; during the Mock Inspection for the Infantry Match and Engineer Challenge, each team may bring up to two Robots for inspection, respectively.
- Each team can carry no more than one backup robot for each round of competition.

- Team members are required to declare the types of backup robots they are carrying during the Pre-Match Inspection. The backup Hero must have an Armor Sticker affixed in the Inspection Area. If the backup robot needs to enter the field as an Infantry or Sentry, the Pit Crew must promptly obtain the appropriate Armor Sticker from the Referee. Armor stickers must be affixed in accordance with the requirements stated in the [RoboMaster 2026 University Series Robot Specifications Manual](#).

For all RMUL events, each team can borrow at most one backup robot's Referee System.

6.2 Staging

After the Pre-Match Inspection, the teams should arrive at the Staging Area at least 10 minutes before the start of each round. In a 3V3 Match, each team is allowed to have a maximum of seven Pit Crew members, consisting of up to six Regular Members (including Team Advisor), and one Supervisor. In an Infantry Match or Engineer Challenge, each team is allowed to have a maximum of three Pit Crew members, consisting of up to two Regular Members (including Team Advisor) and one Supervisor. One Pit Crew Member should wear the "Captain" armband and undertake the Captain's role. If any team needs to repair its robots after entering the Staging Area, they must obtain the permission of the referee. A robot may leave the Staging Area for repair only after the staff at the Staging Area have removed the Pass Card on the robot. When repair is finished, the robot needs to be brought back to the Inspection Area for another Pre-Match Inspection before re-entering the Staging Area. If the team is unable to arrive at the Staging Area in time as a result of this delay, the robot will not be able to enter the match, and the team will bear the consequences.



Captain Armband: Any Regular Member that wears the Captain armband performs the Captain role during the match. The Captain is responsible for leading the team in the competition process, confirming results, and requesting for Team Technical Timeouts, appeals, etc.

After leaving the Staging Area, the participating teams will enter the waiting area of the competition area to place their robots. With the permission of the referee, the participating teams will wait at the entrance of the Battlefield with their robots for further instructions. The referee will follow the competition process and open the door and lead the team members into the competition area. The countdown for the Setup Period will begin when the doors are opened.

6.3 Setup Period



After the end of the second and fourth round of a BO5 match, both teams have five minutes to commission their robots. When five minutes run out, the Setup Period of the next round begins.

The Setup Period for a 3V3 Match is three minutes, and two minutes for an Infantry Match and Engineer Challenge. During the Setup Period, Pit Crew members need to place their robots in their respective Initial Zones, check whether their Referee Systems are operating normally, and preload the robots with projectiles. Pit Crew members may repair robots or replace equivalent parts, provided the requirements of the specifications documents are met. Pit Crew members are required to commission their robots near their team's Robot Initial Zone. Only one Pit Crew member of each team is allowed to leave the Initialization Area to commission their robots.



- Equivalent Part: Standard modules or components having the same material, form and functions, for example, motors of the same model and self-built friction wheel modules. The main structure supporting the robot's body, such as a robot's chassis or the body of a Drone, cannot be replaced as equivalent parts.
- If the equivalent part includes Referee System Onboard Modules, the participating team must ensure that the Referee System Onboard Modules work properly, including version number, sensor calibration, and mounting specifications. When any Referee System Onboard Module in the equivalent part experiences an abnormality, it will not trigger an Official Technical Timeout.

When there are 1 minute and 30 seconds remaining in the Setup Period, it is recommended that Operators enter the Operation Room to complete the commissioning of keyboards and mice (both of which may be brought by themselves). The USB keyboard and mouse connected to the Operation Room computer must be produced by qualified manufacturers with proper certification and comply with the USB HID protocol. Operators should check to confirm that the control of the Robots and the official equipment are functioning normally. If any official equipment does not operate normally, the Pit Crew members must raise the issue before entering the final 15 seconds of the Setup Period. Otherwise, no Technical Timeout will be allowed by the referee. Except for the Operators of the robots on the Battlefield, the Pit Crew are not allowed in the Operation Room.

When the Setup Period is down to 30 seconds, all robots in the Battlefield must be powered up, robots that are not powered up must be removed from the Battlefield, and the staff in the Battlefield should leave the Competition Area in an orderly manner. After the end of the Setup Period, Pit Crew must place the Sentry's remote controller in the designated area at the Battlefield entrance.

6.3.1 Official Technical Timeout

During the Setup Period, if the Referee System or equipment inside the Operation Room malfunctions (for details, see the table below), or the robot needs temporary Pre-Match Inspection, the Head Referee can announce an Official Technical Timeout and pause the setup countdown. The starting time of the Timeout is decided by the Head Referee

based on the situation.

During an Official Technical Timeout, Pit Crew members cannot fix the malfunctions of the Referee System or other official equipment unless the fix is required by the referee. If a replacement is needed for a malfunctioning Referee System, replace the Referee System Onboard Modules within the time limit specified in the [RoboMaster 2026 University Series Robot Specification Manual](#). When the relevant malfunctions of the Referee System or official equipment have been eliminated and the Head Referee has resumed the countdown, Pit Crew members are required to follow the set procedures for the Three-Minute Setup Period and leave the Battlefield within the specified time.

Table 6-1 Malfunctions

Regulation	Description
1	A fault occurs with the official equipment in the Operation Room, and any key competition component in the Battlefield experiences structural damage or functional irregularity.
2	During the Setup Period of the first round, a Referee System Onboard Module experiences faults, such as damage to the Armor Module, Speed Monitor Module disconnection, etc.
3	During the Setup Period, the main controller of the Referee System is unable to connect to the server or a robot cannot transmit images to the Operation Room.
4	Other situations where the Head Referee deems it necessary to call an Official Technical Timeout.

As it is impossible to determine whether the malfunction stems from the Referee System Onboard Module itself, flaws in the robot's electrical or structural design, or damage caused during previous matches, an Official Technical Timeout will not be called for regular battle damage, except for the situations mentioned in Rule 3 above. The referee will provide backup Referee System Onboard Modules. Participating teams may request a "Team Technical Timeout" to repair their robots.

If the referee determines that the malfunction referred to in Rule 2 and 3 above is caused by the team, the referee will explain the situation and end the Official Technical Timeout.

6.3.2 Team Technical Timeout

If the mechanical structure of a robot, a software system, the keyboard or mouse in the Operation Room or other equipment experiences any faults, the team Captain may make a request to the referee in the Battlefield or Operation Room for "Team Technical Timeout" only before the 15-second countdown in the Setup Period, and indicate the requested timeout length and reasons for the request. Team Technical Timeout once requested and conveyed to the

Head Referee, this Timeout cannot be cancelled or revised.

After the Team Technical Timeout is confirmed by the Head Referee, the Referee will notify both teams at the same time regardless of which team initiated the timeout.

The Head Referee may end the Technical Timeout once they determine that the teams are ready. Even if the participating team does not enter the Battlefield or ends the Technical Timeout early, the opportunity consumed is still the opportunity corresponding to the time declared by the participating team when applying for the timeout.

To ensure that subsequent matches begin on time, only one Team Technical Timeout is allowed in each Setup Period on a first-come-first-served basis. The Technical Timeout usage is recorded in the Match Results Confirmation Form.

During a 3V3 Match or Infantry Match, each team has 2 two-minute Technical Timeout opportunities. During an Engineer Challenge, each team has one two-minute Technical Timeout opportunity. A team cannot request Team Technical Timeout once their opportunities have been used up.

6.4 15-Second Referee System Initialization Period

After the Setup Period, the match enters a 15-Second Referee System Initialization Period. During the Initialization Period, the Referee System server automatically detects the connection status of the Referee System Player's Client, the status of Referee System Onboard Modules, the status of Battlefield Components, and reset the HP of all robots to ensure their HP is full when the match officially begins.

6.5 5-Second Countdown

After the 15-Second Referee System Initialization Period, the match enters a 5-Second Countdown. At this time, the Referee System Player's Client will not respond to control commands from robots (including Custom Controllers). Once the countdown ends, the keyboard is unlocked and the competition starts.

6.6 Competition Stage

3V3 Match and Infantry Match

Robots from both teams engage in a shooting battle on the Battlefield.

Engineer Challenge

Engineer completes the mission.

6.7 End of Round

3V3 Match and Infantry Match

When the time of one round of competition runs out or one team triggers the winning criteria in advance, this round of competition ends. The match is over when a winner has emerged or all rounds have ended.

Engineer Challenge

A match ends when its time has run out or teams fulfill the criteria for ending the challenge early.

6.8 Result Confirmation

During a match, the referee will record on the Match Results Confirmation Form the penalties issued for each round, the key competition data at the end of the match, the winning teams, the use of Team Technical Timeout opportunities by the teams, and other relevant details.

Within 5 minutes after the end of a match, the Captains of both teams must sign and confirm the match results. If a team Captain does not sign and confirm the results within 5 minutes or has not requested an appeal, it is deemed that the team agrees with the match results.

6.9 Exit the Field

After a match is over, members from both teams in the 3V3 Match must power off all their robots, remove them from the Battlefield, and proceed to the Projectile Unloading Area to unload their projectiles. At the Projectile Unloading Area, teams must follow the instructions from the staff and return all armbands and pass cards, empty the projectiles in their robots, and return all projectiles used in the competition. Teams participating in the Infantry Match and Engineer Challenge should perform the aforementioned exiting operations in the Battlefield.

7. Violations and Penalties

In order to ensure the fairness of the competition and maintain competition discipline, the participating teams, participants, and participating robots must strictly follow the competition rules. If there is a violation, the referee will give a corresponding penalty for the violation. Some violation penalties issued before the official start of the competition will be enforced after the official start of the competition. Serious violations and all appeals in the competition will be publicized.

Penalty for violation stated in this chapter will be determined by the Head Referee according to the actual situation. If an event that affects competition fairness happens during the competition but it does not involve penalty rules or serious violations, the Head Referee will make a decision based on the actual situation.



If a team's actions have directly caused the other team to commit a violation, the other team is not penalized but must cease its violating behavior immediately.

7.1 Penalty System

7.1.1 Forms of Penalties

During a match, the referee may issue penalties against participants and robots that have failed to comply with competition rules. The forms of penalties are as follows:

Table 7-1 Forms of Penalties

Forms of Penalties	Description
Automatic penalties by the Referee System	All HP losses in “3.3.1 HP Loss and Penalty for Exceeding Limit”, except those caused by attacks or collision and the penalty damage, are automatic penalties by the Referee System.
Manual penalties through the Referee System	Penalties issued by the referee through the server against robots for violation of rules.
Manual penalties by human referees	Where penalties cannot be issued through the Referee System, for example issuing a Verbal Warning or disqualifying a team.

7.1.2 Types of Penalties

The types of manual penalties are as shown below:

Table 7-2 Types of Penalties

Types of Penalties	Description
A Verbal Warning	A Verbal Alert
A Yellow Card	● One team receives a Yellow Card: ➤ If the offending robot is a Sentry, its chassis is powered off for 2 seconds while the operating interface of other alive robots is blocked for 2 seconds. ➤ If the offending robot is not a Sentry, the operating interface for the offending robot is blocked for 5 seconds and those for other robots are blocked for 2 seconds. ➤ The Referee System will automatically deduct the offending robot's HP by 15% of its current Maximum HP, while the remaining alive robots will have their HP deducted by 5% of their current Maximum HP. If the robot receives a Yellow Card again within 30 seconds after it receives a Yellow Card, the percentage of their current Maximum HP lost will be twice that of the previous loss for that robot, and 5% for the other alive robots on the team. ➤ In each round, a robot that has been issued three Yellow Cards in total will receive a Red Card. ● Both teams receive a Yellow Card: The interface of all operators is blocked for 2 seconds and all robots lose 5% of their maximum HP, without taking into account the cumulative number of Yellow Cards received by one robot. ● If a robot receives successive Yellow Cards, the time that the operation interface is blocked will add up accordingly. The 30-second period will be reset. ● If a robot's remaining HP is less than or equal to that needs to be deducted from penalty, this robot's HP reduces to 1.

Types of Penalties	Description
	● The duration of chassis power off, blockage of the operation interface, and other such situations caused by violation penalties is independent from the Competition Mechanism and will not be combined.
Red Card (Ejection)	● Ejection of robots: ➤ If a robot is ejected before entering the 15-Second Referee System Initialization Period, the offending robot will not be allowed to enter and must be removed from the Battlefield, nor can it be replaced by other robots in any round of the current match. ➤ If a robot is ejected during the 15-Second Referee System Initialization Period, the Red Card should be issued after the competition starts. ➤ If a robot is ejected during the competition, the robot's HP will turn zero and the transmitted images will become monochrome. ● Pit Crew members ejected by a referee must leave the Competition Area immediately and cannot be replaced by other Pit Crew for all rounds in the current match. All robots controlled by an ejected Operator must also be ejected for the current round, and will not be allowed to join the Battlefield nor can they be replaced by other robots for all rounds in the current match.
Forfeiture	● If a Forfeiture is issued for a round (hereinafter referred to as "Round Forfeiture"), the following rules shall apply. 3V3 Match: ➤ If a Forfeiture is issued before the Five-Minute Round (including during the Setup Period and Referee System Initialization Period), the offending team's Victory Points will be zero, its robots (except the rule-violating one) will be at full HP, and the opponent team's Victory Points and robots' HP will be full. ➤ If a Forfeiture is issued during the Five-Minute Round, the round will end immediately. The offending team's Victory Points will be zero, and the team's robots (except the rule-violating one) will maintain their HP levels at the end of the round. The opposing team's Victory Points and robots' HP will remain at the levels when the round ends.

Types of Penalties	Description
	➤ If a Forfeiture is issued after a Five-Minute Round, the offending team's Victory Points will be zero, and the team's robots (except the rule-violating one) will maintain their HP levels at the end of the round. The opposing team's Victory Points and robots' HP will remain at the levels when the round ends. Infantry Match: ➤ If a Forfeiture is issued before the Two-Minute round (including the setup period and Referee System Initialization Period), the HP of the offending team's robot will become zero, and the HP of the other team's robots will be full. ➤ When a Forfeiture is issued during the two-minute match, this round of the match ends immediately. The HP of both teams' robots will be recorded as it is when the round ends. ➤ When a Forfeiture is issued after the two-minute match, the HP of both teams' robots will be recorded as it is when the round ends. ● If a Forfeiture is issued in a match (hereinafter referred to as "Match Forfeiture"), it applies to all rounds in the match, and the HP for each round should be calculated according to the above descriptions.
Exclusion from Awards	● Participants are excluded from awards. ● Participating teams are excluded from awards.
Disqualification from the competition	● The team member is disqualified from the current season. ● The team is disqualified from the current season, but its results in the season will be maintained as a basis for other teams' advancement.

7.2 Penalty Rules

This section introduces the Penalty Rules. The rules numbered R# clearly specify the regulations that Participating Teams, Participants, and Robots must follow.

7.2.1 Personnel

7.2.1.1 General Rules

R1 Participating Teams must comply with the requirements outlined in the [RoboMaster 2026 University League](#)

[Participant Manual.](#)

Penalty: The highest penalty that can be imposed on the offending team is disqualification.

- R2 Participants and their actions must not interfere with the normal operation of the Official Equipment, competition processes, or the regular work of the RMOC staff.

Penalty: The highest penalty that can be imposed on the offending team is disqualification.

- R3 Teams must not set up their own wireless networks or communicate with team members using walkie-talkies in the relevant competition areas (including but not limited to the Preparation Area, Inspection Area, Staging Area, and Competition Area).

Penalty: The highest penalty that can be imposed on the offending team is disqualification.

- R4 Teams must not damage any official equipment (including but not limited to equipment in the Competition Area, Staging Area, Preparation Area, and Inspection Area).

Penalty: The highest penalty that can be imposed on the offending team is disqualification and compensation as per the price.

- R5 Apart from Pit Crew members who have entered the Staging Area and Competition Area due to match-related reasons, no participants are allowed inside either area without special reasons.

Penalty: The highest penalty that can be imposed on the offender is disqualification.

- R6 Any Pit Crew member who has entered the Staging Area and Competition Area for competition may not leave either area or be replaced by another Pit Crew member without the permission of the referee.

Penalty: Offenders are not allowed to enter the Staging Area and Competition Area. The highest penalty that can be imposed is disqualification from the competition.

- R7 Except for the projectiles preloaded in the Inspection Area, participating teams are not allowed to bring any projectiles intended for use in the competition into the Staging Area or Competition Area.

Penalty: Confiscation of projectiles and Verbal Warning. If the warning is ineffective, the offender may be disqualified as the highest penalty.

- R8 After a match is over, the Pit Crew must power off all their robots, remove them from the Competition Area and empty all projectiles inside the robots at the projectile unloading area.

Penalty: The offending robot will be detained in the Projectile Unloading Area, until its projectiles are cleared.

- R9 After a match ends, Pit Crew must return all projectiles used in the competition to the Projectile Unloading Area.

Penalty: Confiscation of projectiles and disqualification of the offender from subsequent matches held at the same competition site. The highest penalty that can be imposed on the offender is disqualification.

R10 Except for emergency situations, teams must be present at the Inspection Area before the start of each match (see “6.1 Pre-Match Inspection”) for Pre-match Inspection. The team must stand by at the Staging Area 10 minutes before each match.

Penalty: The highest penalty is an immediate Round Forfeiture.

R11 Without the permission of the referee, a team may not power on and commission or repair a robot in areas outside the Battlefield from the time the robot passes an Inspection to the end of a match.

Penalty: The highest penalty is an immediate Round Forfeiture.

R12 The identities and number of personnel of each team entering designated areas such as the Preparation, Inspection, Staging, and Competition Areas must meet the relevant requirements.

Penalty: The highest penalty that can be imposed on the offending team is disqualification.

R13 One member of a Pit Crew must wear the "Captain" armband, which must not be covered.

Penalty: The highest penalty that can be imposed on the offender is disqualification.

R14 Without the permission of the referee, Pit Crew members entering the Battlefield must not communicate with anyone from the outside.

Penalty: Verbal Warning. If the warning is ineffective, the offender may be disqualified as the highest penalty.

R15 Pit Crew members are not allowed to power their equipment using the power supply for official equipment in the Competition Area. However, they may bring their own power supply.

Penalty: Verbal Warning. If the warning is ineffective, the offender will be issued a Red Card. The highest penalty that can be imposed on the offending team is disqualification.

R16 Except for special circumstances, Pit Crew are prohibited from wearing slippers into the Competition Area.

Penalty: The offender may receive a Red Card as the highest penalty.

R17 The team that makes an appeal must provide valid evidence or the specifications or rules in the official documents they are citing.

Penalty: The highest penalty that can be imposed on the offender is disqualification.

7.2.1.2 Battlefield Regulations

R18 Participants must wear goggles when inside the Battlefield (except for Engineer Challenge).

Penalty: The offender will be barred from the Battlefield.

R19 During an Official Technical Timeout, Pit Crew members are not allowed to fix faults other than those in modules related to the Referee System.

Penalty: Verbal Warning. If the warning is ineffective, the offender will be issued a Red Card.

R20 After the end of the Setup Period, Pit Crew members must return to the designated area outside the Battlefield. During the competition, Pit Crew are not allowed to leave the area without the permission from the referee.

Penalty: Verbal Warning. If the warning is ineffective, the offender will be issued a Red Card.

R21 After the preparation phase ends, the pit crew must place the commissioning remote controller for the Sentry at the battlefield entrance, and may not use the remote controller to commission the Sentry after the five-second countdown has begun.

Penalty: If the violation is committed before the five-minute round, a Verbal Warning will be issued. If the warning is ineffective, the offending robot will be issued a Red Card; if it is during the five-minute round, the offending robot will be issued a Red Card.

R22 After the Five-Second Countdown, the Pit Crew must not operate remote controllers located outside the Operation Room that correspond to deployed robots.

Penalty: The offending robot will be issued a Red Card, with the highest penalty being a Round Forfeiture.

R23 Pit crew members must ensure their robots are operating safely and will not cause harm to any person or equipment in the Competition Area.

Penalty: The offending team must bear the corresponding responsibility.

7.2.1.3 Operation Room Regulations

R24 Except for the Operators of the robots on the Battlefield, the Pit Crew are not allowed in the Operation Room.

Penalty: Verbal Warning. If the warning is ineffective, the offender will be issued a Red Card.

R25 Operators must operate the relevant robot control equipment in the relevant Operation Room during the 15-Second Referee System Initialization Period and the Five-Minute Round, and must remain in their location after the Setup Period, unless otherwise permitted by the referee.

Penalty: Verbal Warning. If the warning is ineffective, the offender will be issued a Red Card.

R26 During the competition, each operator is equipped with at most one remote controller and one custom controller.

Penalty: Verbal Warning. If the warning is ineffective, the offender will be issued a Red Card.

R27 Operators are not allowed to use their own headphones or computers in the Operation Room.

Penalty: Verbal Warning. If the warning is ineffective, the team will be issued a Round Forfeiture.

R28 USB keyboards and mice that are produced by unqualified manufacturers, modified, homemade, or do not comply with the USB HID protocol are not allowed to be connected to the Operation Room computer.

Penalty: Verbal Warning and prohibition of using the violating device. If the warning is ineffective, the offender will be issued a Red Card.

7.2.2 Robot

R29 Robots and custom controllers to be deployed in a match must pass the Pre-Match Inspection.

Penalty: Round Forfeiture.

R30 In the first round of a match, the robots must meet the minimum battle team lineup.

Penalty: Match Forfeiture.

R31 Robots must meet the requirements in the [RoboMaster 2026 University Series Robot Specification Manual](#).

Penalty: The highest penalty that can be imposed on the offending team is disqualification.

-
- The RMOC will conduct random checks on robots.
 - Any report made against a robot for not complying with the robot building specifications manual must be supported by the relevant evidence.
 - If the Speed Monitor Module or Armor Module is not installed according to requirements during the match, the corresponding module will be considered offline.
-



R32 Before the 15-Second Referee System Initialization Period, armor stickers that meet the requirements in the specifications documents must be attached to robots equipped with Armor Modules.

Penalty: Verbal Warning. If the warning is ineffective, the offending robot will be issued a Red Card.

R33 When waiting in the Staging Area, team members are not allowed to bring robots out of the Staging Area without permission.

Penalty: Verbal Warning. If the warning is ineffective, the offenders and robots will be issued a Red Card, with the highest penalty being disqualification.

R34 Robots must not have, or develop, any safety hazards, including but not limited to short circuits, crashes, smoke, open flames, falling to the ground, or gas cylinder explosions. If any safety hazard is identified, participants must cooperate with the referee to carry out the necessary actions.

Penalty: If it happens before the start of a match, the Pit Crew need to resolve the safety issue as required by

the referee. Otherwise, the offending robot will not be allowed to appear on the Battlefield. If it is during the competition, a Verbal Warning shall be issued. If the warning is ineffective, the offender or the offending robot will be issued a Red Card. Any incident involving serious safety hazards must be handled by the Head Referee in accordance with “8 Irregularities”.

R35 Robots are not allowed to launch projectiles off the Battlefield.

Penalty: Verbal Warning. If the warning is ineffective, the offending robot will be issued a Red Card.

R36 During the Setup Period and the 15-Second Referee System Initialization Period, robots in the Battlefield are not allowed to leave their corresponding Initial Zones.

Penalty: The offending robot may be issued a Red Card as the highest penalty.

R37 If any projectile needs to be launched during the Setup Period, it must be launched into the projectile clearance bag offered by the referee.

Penalty: The offender and the offending robot may be issued a Red Card as the highest penalty.

R38 During the competition, the robot is not allowed to disintegrate into sub-robots or sub-systems connected by multiple flexible cables, and must not cast or launch their own parts.

Penalty: The offending robot will be issued a Red Card.

R39 During the competition, alive robots are not allowed to block any of its Armor Modules with its body or transform beyond its maximum expansion size.

Penalty: Warnings are issued against the offending team based on their subjective intention. If the blocking was intentional, a Yellow Card will be issued along with a Verbal Warning. If the Verbal Warning is ineffective, a Red Card will be issued. If the blocking was passive in nature, the offender will be issued a Yellow Card.

R40 During the setup period, replacement modules or parts used on robots must comply with the requirements for “Equivalent Parts.” For details, please refer to “6.3 Setup Period”.

Penalty: The offending robot may be issued a Red Card as the highest penalty.

7.2.3 Interaction

7.2.3.1 Interaction between Robots

R41 A robot may not use any of its body structures to strike an opponent robot in collision. If a defeated robot is blocking a key path, the robot can be slowly pushed away.



In any collision between robots, the offending robot will be deemed by the referee as the initiator.

Penalty: Warnings shall be issued against the offending robot based on their subjective intention and the degree of collision.

Table 7-3 Collision Violation Penalty Standards

Violation Level	Description
A Yellow Card	● Actively causing frontal and high-speed collision ● Active pushing that causes the other team's robot to move noticeably ● Active pushing that impedes the normal movement of the other team's robot
A Red Card	● Actively causing high-speed, repeated, and intense frontal collision ● Active pushing that causes the other team's robot to move for a longer distance ● Active pushing that seriously impedes the normal movement of the other team's robot

R42 A robot must not get stuck together with any other robot due to active interference, blocking, or collision.


Penalty: Counting from when an entanglement is determined, warnings should be issued against the offending robot based on the length of the violation. If it exceeds 10 seconds, a first Yellow Card will be issued. Thereafter, each 20 seconds will incur a further Yellow Card. This should carry on until the offending robot is ejected. Regardless of whether the offending robot is alive, if the violation lasts longer than 90 seconds, the offending team may be issued a Round Forfeiture, which is the highest penalty, based on their subjective intention.

R43 A robot must not interrupt any opponent robot's regular HP recovery by any means of contact.

Penalty: The offending robot will be issued a Yellow Card.

7.2.3.2 Interaction between Robots and Battlefield Components

To ensure the fairness of the competition and that robots in the Battlefield are able to receive buffs and reloads effectively, Resupply Penalty Zones have been set up in the Battlefield where the robots of one or both teams are forbidden from entering, as shown below. The Resupply Zone of one team is the Resupply Penalty Zone for the other.



[1] Resupply Penalty Zone

Figure 7-1 Battlefield Penalty Zone

R44 Robots are not allowed to enter the Resupply Penalty Zone.

Penalty: Warnings will be issued against the offending team based on how long the robot remained in the Penalty Zone and the impact of its violation. If the violation lasts longer than 3 seconds, a Yellow Card warning will be issued for the first time. Thereafter, a Yellow Card warning will be issued every 10 seconds until the robot is defeated or goes Abnormal Disconnection. An offending robot that causes serious damage to an opponent robot by remaining in a Penalty Zone will be issued a Red Card.

R45 During the competition, robots may only use projectiles supplied by the RMOC.

Penalty: The highest penalty that can be imposed on the offending team is disqualification.

R46 During the competition, robots are not allowed to destroy the Battlefield Components or projectiles nor affect the normal function of the Battlefield Components.

Penalty: The highest penalty that can be imposed on the offending team is disqualification.

7.3 Serious Violations

The following actions are considered serious violations of rules. The highest penalty the RMOC may impose on an offending team for serious violations is disqualification. In the event of any violation of local laws and regulations, the RMOC will fully cooperate with the relevant authorities to hold the offender legally responsible.

Table 7-4 Types of Serious Violations

Regulation	Type
1.	Malicious destruction of the Battlefield, Battlefield Components, other official equipment, or the robots or equipment of other teams.
2.	Falsification, assumption of a false identity, or any other behavior determined as cheating.
3.	Tampering with or damaging the Referee System, or interfering with any detecting function of the Referee System through technical means.
4.	Circumstances that violate the specifications documents and are determined by the Chief Referee as a serious violation.
5.	Disobedience over penalties, refusal to cooperate, deliberate delay, disrupting the competition, forfeiting without valid reasons, boycotting, or other behavior that hinders the competition.
6.	Match throwing or manipulation.
7.	Providing property to others or illegally soliciting or accepting property from others for the purpose of obtaining an unjust competition outcome or improper benefits.
8.	Uncivilized and immoral conduct involving defamation, verbal abuse, rude gestures, malicious heckling, or malicious throwing of objects.
9.	Publishing, spreading, or disseminating to the media false or irresponsible remarks.
10.	Deliberately attacking or colliding with others in a manner that endangers themselves or others.
11.	Carrying hazardous items or contrabands.
12.	Other behavior that violates the spirit of the competition and are deemed a serious violation.
13.	Other conduct that violates core socialist values, sports ethics, public order and norms, the culture and discipline of the competition, laws and regulations, or that causes an adverse impact on society.

8. Irregularities



There will be a certain delay in the referee's manual penalties and handling of abnormal situations. If it has a major impact on the result of the competition, the Chief Referee will determine the final result according to the actual situation.

If any of the following anomalies occur during the competition, it will be handled according to the corresponding process, to which both teams cannot object. The handling process is as follows:

- When a serious safety hazard or abnormality has occurred, such as: a battery explosion, stadium power outage, explosion of a compressed gas cylinder, or interpersonal conflict, the Head Referee will notify both teams' operators after discovering and confirming the emergency, and eject all robots through the Referee System. The result of the round will be invalidated. The round will restart after the safety hazard or abnormality has been eliminated. The RMOC will give priority to addressing safety issues and will make every effort to protect Robots within reasonable limits. However, it cannot guarantee that Robots will be entirely unaffected, and any loss or impact resulting from safety measures shall be borne by the participating teams.
- If non-key Battlefield Components are damaged during a match (e.g., damage to the PVC Flooring) and the damage does not affect the fairness of the match, the match will proceed as usual.
- The competition will carry on despite any anomaly with a robot's armor light effects or light indicator effects or any damage to an Armor Module Sticker.
- If key Battlefield Components experience logical or structural faults, for example, where the network connections are disrupted causing a robot to disconnect or a Battlefield Component does not operate normally, the referee will solve the problem manually through the Referee System. If the failure cannot be dealt with manually, the referee will notify the operators of both sides and eject all robots at the same time. The competition will end immediately, and the result of the competition will be invalid. When problems are solved, there will be a rematch.
- During a match, if there is structural damage or malfunction of key Battlefield Components that affects the fairness of the competition but the Head Referee did not confirm and end the competition round in time, and as a result, a round that should have ended continues and has a winner, the results of the round will be invalidated once the Chief Referee has confirmed the issue within five minutes after the end of the round, and a round of rematch will be held.
- In the case of a serious violation that would clearly have triggered a penalty of forfeiture, and the Head Referee did not confirm and execute it in time, the results for the round shall be invalidated once the Head Referee has

made a determination to that effect within five minutes after the end of the round, and the offending team will be issued a forfeiture.

- During the competition, if any situation has occurred that may affect the fairness of the competition, the Chief Referee shall notify the Captains of both teams of the situation and suspend the results confirmation process within five minutes after the end of the match, and shall make a determination within 60 minutes and notify both Captains of the final course of action. The handling outcome is final and cannot be challenged by both teams.

9. Appeal

Each team has one opportunity to appeal in each event of each competition site during the RMUL 2026. Such opportunities cannot be accumulated. If an appeal is successful, the team involved retains its right to appeal again in future matches. If it is unsuccessful, the team will have exhausted its one opportunity to appeal. When a team has exhausted its opportunity to appeal, the Arbitration Commission will no longer accept any appeal from the team. After the appeal is accepted, the Arbitration Commission will deliberate on the appeal materials and relevant evidence. On behalf of the Arbitration Commission, the Chief Referee will then communicate the appeal decision to both teams. The Arbitration Commission has the right to final interpretation of the appeal decision.

The following situations do not constitute a basis for appeal:

- Verbal Warnings and Yellow and Red Cards issued as penalties for violations.
- The types and processes of Technical Timeouts initiated.
- "Regular battle damage" occurred at the Referee System Onboard Modules.
- Human timing error in Engineer Challenge.

No appeal is allowed five minutes after a Match Results Confirmation Form has been signed or a match has ended.

9.1 Appeal Process

Teams filing an appeal need to follow the procedures as shown below:



Figure 9-1 Appeal Process

9.2 Appeal Materials

Each file submitted by participating teams as appeal materials must not exceed 500 MB in size. No more than 10 files can be submitted.

9.3 Appeal Decision

Appeal Decisions include: Maintaining the original match results, Forfeiture against the respondent, and Rematch between both teams. After the Arbitration Commission confirms the appeal decision, neither team is allowed to challenge it.



- Successful appeal: Forfeiture against the respondent, Rematch between both teams
- Appeal failed: Maintaining the original match results

If the communicated appeal decision is a rematch, but neither team is willing to accept a rematch, the appeal will be deemed failed and the original match results will be maintained.



- Provided it does not affect the schedule of the entire competition, the rematch will in principle be held on the same day after all the other matches, depending on the actual situation.
- The flow of the rematch will be the same as regular matches. Both teams are required to compete according to the time stipulated by the RMOC and comply with relevant rules.

If the round involved in the appeal decides the final winner of a match, the match winner must be re-decided.

Example: In a BO3 match with a result of 1:2, the Red Team wins the first round, while the Blue Team wins the second and third rounds. After the end of round, the Red Team files an appeal regarding the second round, and the appeal decision is a rematch between both teams. If the Red Team wins the rematch round, the final match result becomes 2:0; if the Blue Team wins the rematch round, the final result remains 1:2.



E-mail: robomaster@dji.com

Forum: <https://bbs.robomaster.com>

Website: <https://www.robomaster.com>

Tel: +86 0755-84357613 (GTC+8, 10:30AM-7:30PM, Monday to Friday)

Address: T2, 22F, DJI Sky City, No. 55 Xianyuan Road, Nanshan District, Shenzhen, China