

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

Navigation: estructura_datos

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

```
1 -- Creamos la base de datos
2 CREATE DATABASE IF NOT EXISTS transactions;
3 USE transactions;
4
5 -- Creamos la tabla company
6 CREATE TABLE IF NOT EXISTS company (
7   id VARCHAR(15) PRIMARY KEY,
8   company_name VARCHAR(255),
9   phone VARCHAR(15),
10  email VARCHAR(100),
11  country VARCHAR(100),
12  website VARCHAR(255)
13 );
14
15
16 -- Creamos la tabla transaction
17 CREATE TABLE IF NOT EXISTS transaction (
18   id VARCHAR(255) PRIMARY KEY,
19   credit_card_id VARCHAR(15) REFERENCES credit_card(id),
20   company_id VARCHAR(20),
21   user_id INT REFERENCES user(id),
22   lat FLOAT,
23   longitude FLOAT,
24   timestamp TIMESTAMP,
25   amount DECIMAL(10, 2),
26   declined BOOLEAN,
27   FOREIGN KEY (company_id) REFERENCES company(id)
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

#	Time	Action	Message	Duration / Fetch
3	20:22:20	CREATE DATABASE IF NOT EXISTS transactions	1 row(s) affected	0.000 sec
4	20:22:20	USE transactions	0 row(s) affected	0.000 sec
5	20:22:20	CREATE TABLE IF NOT EXISTS company (id VARCHAR(15) PRIMARY KEY, company_name VARCHAR(255), phone VARCHAR(15), email VARCHAR(100), country VARCHAR(100), website VARCHAR(255)	0 row(s) affected	0.032 sec
6	20:22:20	CREATE TABLE IF NOT EXISTS transaction (id VARCHAR(255) PRIMARY KEY, credit_card_id VARCHAR(15) REFERENCES credit_card(id), company_id VARCHAR(20), user_id INT REFERENCES user(id), lat FLOAT, longitude FLOAT, timestamp TIMESTAMP, amount DECIMAL(10, 2), declined BOOLEAN, FOREIGN KEY (company_id) REFERENCES company(id)	0 row(s) affected	0.031 sec

Object Info Session

Type here to search

Humedad 8:22 PM 9/13/2026

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

Navigation: estructura_datos Administration - Data Import/Restore

SCHEMAS

- Filter objects
- sakila
- sys
- transactions
- Tables
- transaction
- Views
- Stored Procedures
- Functions
- world

Administration Schemas

Information

No object selected

ITA Data Import

Import from Disk Import Progress

Import Completed

Status: 1 of 1 imported.

Log:

```
20:23:16 Restoring Z:\SQL\data\data_import.sql
Running: mysql.exe --defaults-file="C:\Users\Ita\AppData\Local\Temp\Impleau92.cmf" --protocol=tcp --host=localhost --user=root --port=3306 --default-character-set=utf8 --comments <"Z:\SQL\data\data_import.sql"
20:23:17 Import of Z:\SQL\data\data_import.sql has finished
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output


#	Time	Action	Message	Duration / Fetch
3	20:22:20	CREATE DATABASE IF NOT EXISTS transactions	1 row(s) affected	0.000 sec
4	20:22:20	USE transactions	0 row(s) affected	0.000 sec
5	20:22:20	CREATE TABLE IF NOT EXISTS company (id VARCHAR(15) PRIMARY KEY, company_name VARCHAR(255), phone VARCHAR(15), email VARCHAR(100), country VARCHAR(100), website VARCHAR(255)	0 row(s) affected	0.032 sec
6	20:22:20	CREATE TABLE IF NOT EXISTS transaction (id VARCHAR(255) PRIMARY KEY, credit_card_id VARCHAR(15) REFERENCES credit_card(id), company_id VARCHAR(20), user_id INT REFERENCES user(id), lat FLOAT, longitude FLOAT, timestamp TIMESTAMP, amount DECIMAL(10, 2), declined BOOLEAN, FOREIGN KEY (company_id) REFERENCES company(id)	0 row(s) affected	0.031 sec

Object Info Session

Type here to search

Humedad 8:23 PM 9/13/2026

S2L1E1



Tras cargar los ficheros [estructura_dades](#) y [dades_introduir](#), se genera un esquema 'transactions' con dos tablas:

transaction	company
Cada entrada en esta tabla representa una transaccion monetaria cual cuenta como completada (es decir, es una venta) solo cuando declined es False (es igual a 0). Es una tabla de hechos.	Cada entrada en esta tabla representa una empresa. Tal como es una tabla que simplemente añade informacion contextual a las transacciones, es una tabla de dimension.
Se ha de mencionar que las variables credit_card_id y user_id son claves foraneas/externas, que enlazan a otras tablas aun no cargadas.	

Este esquema es un esquema estrella centrado en la tabla de transacciones. Segun el diagrama, una empresa puede tener de una a muchas transacciones, pero realmente es posible que una empresa nueva no tenga transacciones. Por lo contrario, una transaccion tiene una y solo una empresa. Interpreto que una transaccion concluida corresponde a una venta donde el usuario intercambia dinero con la empresa por un bien.

S2L1E2

The screenshot shows the MySQL Workbench interface within a Win10 Virtual Machine. The main window displays a SQL query in the editor, which is a JOIN query designed to list countries generating sales. The query is as follows:

```
-- Utilitzant JOIN realitzaràs les següents consultes:
-- Llistat dels països que estan generant vendes.
SELECT DISTINCT c.country
FROM transaction AS t
JOIN company AS c
ON t.company_id = c.id
-- Des de quants països es generen les vendes?
```

The results are displayed in a table with the following data:

country
Germany
Australia
United States
New Zealand
Norway
United Kingdom
Italy
Belgium
Sweden
Ireland
China
Canada
France
Netherlands
Spain

The bottom panel shows the Output window with the following log entries:

#	Time	Action	Message	Duration / Fetch
6	20:22:20	CREATE TABLE IF NOT EXISTS transaction (id VARCHAR(255) PRIMARY KEY, credit_card_id VARCHAR(15) REFERENCES cred...	0 row(s) affected	0.031 sec
7	20:24:59	SELECT DISTINCT c.country FROM transaction AS t JOIN company AS c ON t.company_id = c.id LIMIT 0, 1000	15 row(s) returned	0.015 sec / 0.000 sec
8	20:24:59	SELECT COUNT(DISTINCT c.country) FROM transaction AS t JOIN company AS c ON t.company_id = c.id LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
9	20:24:59	SELECT c.id, c.company_name, COUNT(t.id) AS n_vendes FROM transaction AS t JOIN company AS c ON t.company_id = c.id WHERE t...	1 row(s) returned	0.015 sec / 0.000 sec

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

- Filter objects
- sakila
- sys
- transactions
 - Tables
 - company
 - transaction
 - Views
 - Stored Procedures
 - Functions
- world

SQL1162

```
7 JOIN company AS c
8 ON t.company_id = c.id
9
10
11 -- Des de quants països es generen les vendes?
12
13 SELECT COUNT(DISTINCT c.country)
14 FROM transaction AS t
15 JOIN company AS c
16 ON t.company_id = c.id
17
```

Result Grid

Result 1	Result 2	Result 3
COUNT(DISTINCT c.country)		
15		

Output

Action Output

#	Time	Action	Message	Duration / Patch
6	20:22:20	CREATE TABLE IF NOT EXISTS transaction (id VARCHAR(255) PRIMARY KEY, credit_card_id VARCHAR(15) REFERENCES credi...	0 row(s) affected	0.031 sec
7	20:24:59	SELECT DISTINCT c.country FROM transaction AS t JOIN company AS c ON t.company_id = c.id LIMIT 0, 1000	15 row(s) returned	0.015 sec / 0.000 sec
8	20:24:59	SELECT COUNT(DISTINCT c.country) FROM transaction AS t JOIN company AS c ON t.company_id = c.id LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
9	20:24:59	SELECT c.id, c.company_name, COUNT(t.id) AS n_ventas FROM transaction AS t JOIN company AS c ON t.company_id = c.id WHERE t...	1 row(s) returned	0.015 sec / 0.000 sec

Object Info

Session

Type here to search

24°C Despejado

8:26 PM 9/13/2026

Right Ctrl

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

- Filter objects
- sakila
- sys
- transactions
 - Tables
 - company
 - transaction
 - Views
 - Stored Procedures
 - Functions
- world

SQL1162

```
22
23 SELECT
24 c.id,
25 c.company_name,
26 COUNT(t.id) AS n_ventas
27 FROM transaction AS t
28 JOIN company AS c
29 ON t.company_id = c.id
30 WHERE t.declined = FALSE
31 GROUP BY
32 c.id,
33 c.company_name
34 ORDER BY n_ventas DESC
35 LIMIT 1
36
37
```

Result Grid

id	company_name	n_ventas
104	Nunc Interdum Incorporated	104

Output

Action Output

#	Time	Action	Message	Duration / Patch
6	20:22:20	CREATE TABLE IF NOT EXISTS transaction (id VARCHAR(255) PRIMARY KEY, credit_card_id VARCHAR(15) REFERENCES credi...	0 row(s) affected	0.031 sec
7	20:24:59	SELECT DISTINCT c.country FROM transaction AS t JOIN company AS c ON t.company_id = c.id LIMIT 0, 1000	15 row(s) returned	0.015 sec / 0.000 sec
8	20:24:59	SELECT COUNT(DISTINCT c.country) FROM transaction AS t JOIN company AS c ON t.company_id = c.id LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
9	20:24:59	SELECT c.id, c.company_name, COUNT(t.id) AS n_ventas FROM transaction AS t JOIN company AS c ON t.company_id = c.id WHERE t...	1 row(s) returned	0.015 sec / 0.000 sec

Object Info

Session

Type here to search

24°C Despejado

8:26 PM 9/13/2026

Right Ctrl

S2L1E3

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

ITA x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

sakila
 sys
 transactions
 Tables
 company
 transaction
 Views
 Stored Procedures
 Functions
 world

Administration Schemas

Information

No object selected

SQL1E2 SQL1E3

Limit to 1000 rows

```
1 -- Utilitzant només subconsultes (sense utilitzar JOIN):  
2  
3 -- Nostra totes les transaccions realitzades per empreses d'Alemanya.  
4  
5 SELECT t.id  
6 FROM transaction AS t  
7 WHERE "Germany" = (  
8   SELECT c.country  
9   FROM company AS c  
10  WHERE t.company_id = c.id  
11 )  
12
```

Result Grid

id
1089 ID ID-9823-A76C-58EP-C586E-4A0200
EAC3283-C9C1-A387-44F0-729F465C76
00D2608-5C9E-D183-4999-699F-0A0735A
AB06F53-963E-42A8-CE6A-CABC-FD292501
046A4-4E-4CF-8D24-FD01-C0B69713128
0A47620-4C1D-5062-F07C-035539346339
122DC333-E19F-0629-DCD8-9C54CF-EB989A
1352678A-2E70-957C-C42C-6450A28ED54
14C4E55-9F81-2E4A-4C35-0E4A41612344
158A3ACB-541C-D8CC-658D-6373C678F3C
162C7E78-2B6B-7971-4E4-02124E732451
1717P048-ACAD-7582-A748-9112B892CC0C
1713A248-9FC1-5256-FC39-A19F1937023A
189F532E-DE27-61FE-892F-15961CEB7726

Output

Action Output

#	Time	Action	Message	Duration / Fetch
12	20:27:02	SELECT COUNT(1) FROM company LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
13	20:27:02	SELECT COUNT(1) FROM company AS c WHERE EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14	20:27:02	SELECT COUNT(1) FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
15	20:27:02	DELETE FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id)	0 row(s) affected	0.000 sec

Object Info Session

Type here to search

24°C Despejado 8:27 PM 9/13/2026

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

ITA x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

sakila
 sys
 transactions
 Tables
 company
 transaction
 Views
 Stored Procedures
 Functions
 world

Administration Schemas

Information

No object selected

SQL1E2 SQL1E3

Limit to 1000 rows

```
13 -- Llista les empreses que han realitzat transaccions per un amount superior a la mitjana de totes les transaccions.  
14  
15 SELECT DISTINCT  
16   c.id,  
17   c.company_name  
18 FROM company AS c  
19 WHERE EXISTS (  
20   SELECT 1  
21   FROM transaction AS t  
22   WHERE t.company_id = c.id  
23   AND t.amount > (  
24     SELECT AVG(t.amount)  
25     FROM transaction AS t  
26   )  
27 )  
28  
29 -- Eliminar del sistema les empreses que no tenen transaccions registrades, entrega el llistat d'aquestes empreses.
```

Result Grid

id	company_name
b-2222	Ac Fermentum Incorporated
b-2226	Magna A Neque Industries
b-2230	Fusce Corp.
b-2238	Arne Jacula Nec Foundation
b-2242	Donec Ltd
b-2246	Sed Nunc Ltd
b-2254	Naeetur Ridiculus Mus Inc.
b-2258	Vestibulum Lorem PC

Output

Action Output

#	Time	Action	Message	Duration / Fetch
12	20:27:02	SELECT COUNT(1) FROM company LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
13	20:27:02	SELECT COUNT(1) FROM company AS c WHERE EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14	20:27:02	SELECT COUNT(1) FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
15	20:27:02	DELETE FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id)	0 row(s) affected	0.000 sec

Object Info Session

Type here to search

24°C Despejado 8:27 PM 9/13/2026

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- sys
- transactions
 - Tables
 - company
 - transaction
 - Views
 - Stored Procedures
 - Functions
- world

Administration Schemas

Information

No object selected

Result Grid

Filter Rows

Export

Wrap Cell Contents

SQL112 SQL113

Limit to 1000 rows

```
28
29 -- Eliminaran del sistema les empreses que no tenen transaccions registrades, entrega el llistat d'aquestes empreses.
30
31 -- Con esta consulta se puede observar que hay 100 empresas.
32 * SELECT COUNT(1)
33 FROM company;
34
35 -- De las cuales 100 empresas tienen transacciones.
36 * SELECT COUNT(1)
37 FROM company AS c
38 WHERE EXISTS (
39     SELECT 1
40     FROM transaction AS t
41     WHERE t.company_id = c.id
42 );
43
44 -- Efectivamente, 0 empresas no tienen transacciones,
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

transaction 1 company 2 Result 3 x Result 4 Result 5

Read Only

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Patch
12	20:27:02	SELECT COUNT(1) FROM company LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
13	20:27:02	SELECT COUNT(1) FROM company AS c WHERE EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14	20:27:02	SELECT COUNT(1) FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT ...	1 row(s) returned	0.000 sec / 0.000 sec
15	20:27:02	DELETE FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id)	0 row(s) affected	0.000 sec

Object Info Session

Type here to search

24°C Despejado

8:28 PM 9/13/2026

Right Ctrl

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

- Filter objects
- sakila
- sys
- transactions
 - Tables
 - company
 - transaction
 - Views
 - Stored Procedures
 - Functions
- world

Administration Schemas

Information

No object selected

Result Grid

Filter Rows

Export

Wrap Cell Contents

SQL12 SQL13

Limit to 1000 rows

```
28
29 -- Eliminar del sistema las empresas que no tienen transacciones registradas, entrega el listado de estas empresas.
30
31 -- Con esta consulta se puede observar que hay 100 empresas.
32 * SELECT COUNT(1)
33 FROM company;
34
35 -- De las cuales 100 empresas tienen transacciones.
36 * SELECT COUNT(1)
37 FROM company AS c
38 WHERE EXISTS (
39 SELECT 1
40 FROM transaction AS t
41 WHERE t.company_id = c.id
42 );
43
44 -- Efectivamente, 0 empresas no tienen transacciones,
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

transaction 1 company 2 Result 3 Result 4 Result 5

Read Only

Context Help Snippets

Action Output

#	Time	Action	Message	Duration / Fetch
12	20:27:02	SELECT COUNT(1) FROM company LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
13	20:27:02	SELECT COUNT(1) FROM company AS c WHERE EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14	20:27:02	SELECT COUNT(1) FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
15	20:27:02	DELETE FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id)	0 row(s) affected	0.000 sec

Object Info Session

Type here to search

24°C Despejado

8:29 PM 9/13/2025

Right Ctrl

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

- Filter objects
- sakila
- sys
- transactions
 - Tables
 - company
 - transaction
 - Views
 - Stored Procedures
 - Functions
- world

Administration Schemas

Information

No object selected

Result Grid

Filter Rows

Export

Wrap Cell Contents

SQL12 SQL13

Limit to 1000 rows

```
43
44 -- Efectivamente, 0 empresas no tienen transacciones,
45 -- con lo cual la operación eliminará 0 empresas.
46 * SELECT COUNT(1)
47 FROM company AS c
48 WHERE NOT EXISTS (
49 SELECT 1
50 FROM transaction AS t
51 WHERE t.company_id = c.id
52 );
53
54 -- Esta operación elimina las empresas.
55 -- Disabled Safe Mode on Workbench, since there didn't seem a way around it.
56 * DELETE FROM company AS c
57 WHERE NOT EXISTS (
58 SELECT 1
59 FROM transaction AS t
60 WHERE t.company_id = c.id
61 );
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

transaction 1 company 2 Result 3 Result 4 Result 5

Read Only

Context Help Snippets

Action Output

#	Time	Action	Message	Duration / Fetch
12	20:27:02	SELECT COUNT(1) FROM company LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
13	20:27:02	SELECT COUNT(1) FROM company AS c WHERE EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14	20:27:02	SELECT COUNT(1) FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
15	20:27:02	DELETE FROM company AS c WHERE NOT EXISTS (SELECT 1 FROM transaction AS t WHERE t.company_id = c.id)	0 row(s) affected	0.000 sec

Object Info Session



Type here to search


24°C Despejado

8:29 PM 9/13/2025

Right Ctrl

S2L1E4





Win10 [running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL11E4

```

10 CREATE TABLE IF NOT EXISTS credit_card (
11   id VARCHAR(15) PRIMARY KEY,
12   iban VARCHAR(50),
13   pan VARCHAR(30),
14   pin INT,
15   cvv INT,
16   expiring_date VARCHAR(10)
17 );
18
19 ALTER TABLE transaction
20 ADD CONSTRAINT fk_card
21 FOREIGN KEY (credit_card_id)
22 REFERENCES credit_card(id);
23
24 SELECT *
25 FROM credit_card;
26
27 ALTER TABLE transaction
28 DROP CONSTRAINT fk_card;
29

```

Result Grid

id	iban	pan	pin	cvv	expiring_date
Cd5-4857	XX4857591835262505880771	231404285112824	1819	467	09/27/25
Cd5-4858	XX581768137002436094025	658272029715533	3664	817	12/28/26
Cd5-4859	XX7826930491425533609370	8861684536289642	4983	277	11/26/26
Cd5-4860	XX535959038853304645269	2461155515498459	6876	661	07/27/27
Cd5-4861	XX2035182877195191627307	1308930301146957	5710	398	04/24/26

credit_card 2 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
25	20:35:58	DROP TABLE IF EXISTS credit_card	0 row(s) affected	0.015 sec
26	20:37:25	CREATE TABLE IF NOT EXISTS credit_card (id VARCHAR(15) PRIMARY KEY, iban VARCHAR(50), pan VARCHAR(30), pin INT, cvv INT, expiring_date VARCHAR(10))	0 row(s) affected	0.016 sec
27	20:39:22	ALTER TABLE transaction ADD CONSTRAINT fk_card FOREIGN KEY (credit_card_id) REFERENCES credit_card(id)	587 row(s) affected Records: 587 Duplicates: 0 Warnings: 0	0.094 sec
28	20:39:22	SELECT * FROM credit_card LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

8:39 PM 9/13/2026

S2L1E4

S2L1E4

transaction

- id VARCHAR(255)
- credit_card_id VARCHAR(15)
- company_id VARCHAR(20)
- user_id INT
- lat FLOAT
- longitude FLOAT
- timestamp TIMESTAMP
- amount DECIMAL(10,2)
- declined TINYINT(1)
- Indexes

company

- id VARCHAR(15)
- company_name VARCHAR(255)
- phone VARCHAR(15)
- email VARCHAR(100)
- country VARCHAR(100)
- website VARCHAR(255)
- Indexes

credit_card

- id VARCHAR(15)
- user_id INT
- iban VARCHAR(50)
- pan VARCHAR(30)
- pin INT
- cvv INT
- track1 VARCHAR(79)
- track2 VARCHAR(40)
- expiring_date DATE
- card_type VARCHAR(20)
- card_renewal_flag TINYINT(1)
- Indexes

Se puede observar la nueva tabla "credit_card" presente. Es una tabla de dimensión. Una instancia de la tabla "transaction" tiene una (y no menos de una) tarjeta de crédito enlazada. El diagrama indica que una instancia de "credit_card" tiene enlazadas de una a muchas instancias de "transaction". En realidad, una instancia de "credit_card" no tiene por qué tener una instancia de "transaction" enlazada.

Staged Changes

- Changes
- S2L1E4.sql
- S2L1E5.sql
- S2L1E6.sql
- S2L1E7.sql
- workspace.json

0 backlinks 70 words 438 characters main

S2L1E5

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

SQL1E5

```
-- que ha de mostrar-se per a aquest registre és: TR323456312213576817699999.
-- Recorda mostrar que el canvi es va realitzar.

7 • SELECT *
8 FROM credit_card AS c
9 WHERE c.id = "Ccu-2938"
10
11
12 -- Asumo que per "Informació que s'ha de mostrar en aquest registre",
13 -- se esta referindo al iban que inicialmente es "TR301950312213576817630661".
14
15 • UPDATE credit_card AS c
16 SET iban = "TR323456312213576817699999"
17 WHERE c.id = "Ccu-2938"
18
19
20 • SELECT *
21 FROM credit_card AS c
22 WHERE c.id = "Ccu-2938"
23
```

Result Grid

id	iban	pan	cvv	expiring_date
Ccu-2938	TR323456312213576817630661	5424463566813633	3237	08/20/22

credit_card 1 x credit_card 2

Output

#	Time	Action	Message	Duration / Fetch
28	20:39:22	SELECT * FROM credit_card LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
29	20:40:19	SELECT * FROM credit_card AS c WHERE c.id = "Ccu-2938" LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
30	20:40:19	UPDATE credit_card AS c SET iban = "TR323456312213576817699999" WHERE c.id = "Ccu-2938"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
31	20:40:19	SELECT * FROM credit_card AS c WHERE c.id = "Ccu-2938" LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

24°C Despejado 8:43 PM 9/13/2026

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

SQL1E5

```
-- que ha de mostrar-se per a aquest registre és: TR323456312213576817699999.
-- Recorda mostrar que el canvi es va realitzar.

7 • SELECT *
8 FROM credit_card AS c
9 WHERE c.id = "Ccu-2938"
10
11
12 -- Asumo que per "Informació que s'ha de mostrar en aquest registre",
13 -- se esta referindo al iban que inicialmente es "TR301950312213576817630661".
14
15 • UPDATE credit_card AS c
16 SET iban = "TR323456312213576817699999"
17 WHERE c.id = "Ccu-2938"
18
19
20 • SELECT *
21 FROM credit_card AS c
22 WHERE c.id = "Ccu-2938"
23
```

Result Grid

id	iban	pan	cvv	expiring_date
Ccu-2938	TR323456312213576817699999	5424463566813633	3237	08/20/22

credit_card 1 x credit_card 2

Output


#	Time	Action	Message	Duration / Fetch
28	20:39:22	SELECT * FROM credit_card LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
29	20:40:19	SELECT * FROM credit_card AS c WHERE c.id = "Ccu-2938" LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
30	20:40:19	UPDATE credit_card AS c SET iban = "TR323456312213576817699999" WHERE c.id = "Ccu-2938"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
31	20:40:19	SELECT * FROM credit_card AS c WHERE c.id = "Ccu-2938" LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

24°C Despejado 8:43 PM 9/13/2026

S2L1E6

Este ejercicio no se puede ejecutar porque las FK que se piden introducir no son válidas. Una solución sería introducir unos registros inventados. Otra sería eliminar las restricciones FK. Asumo que el ejercicio espera que me niegue a hacer chapuzas.



S2L1E7

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

ITA x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Status and Privileges
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL1E7

```
1
2 -- Des de recursos humans et sol·liciten eliminar la columna "pan" de
3 -- la taula credit_card. Recorda mostrar el canvi realitzat.
4
5 SELECT *
6 FROM credit_card
7 LIMIT 10;
8
9 ALTER TABLE credit_card
10 DROP COLUMN pan;
11
12 SELECT *
```

Result Grid

	id	iban	pin	pin	cvv	expiring_date
Cd-	4857	XX485759183529205880771	2314242385113924	1819	467	09/27/25
Cd-	4858	XX858176813702420694025	638272029715333	3564	817	12/28/28
Cd-	4859	XX782693049142353609370	8861684536289642	4983	277	11/26/26
Cd-	4860	XX555959036883304645299	2481155515498459	6876	661	07/27/27
Cd-	4861	XX203518277195191627307	130893031149557	5710	398	04/25/26
Cd-	4862	XX4747472146246346463758	6715617006807829	4942	174	11/27/26
Cd-	4863	XX1476829664245046207111	3140879819451394	5969	449	12/27/29
Cd-	4864	XX838028893385731196159	5793672113649114	8481	139	02/28/26
Cd-	4865	XX788507896101023280599	510153360751213	7947	903	11/25/28
Cd-	4866	XX479285918820659640639	8080768801072613	9271	961	02/28/25

credit_card 1 x credit_card 2

Output

Action Output

#	Time	Action	Message	Duration / Fetch
43	20:49:32	SELECT * FROM company AS c WHERE c.id = 'b-9999' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
44	20:50:34	SELECT * FROM credit_card LIMIT 10	10 row(s) returned	0.000 sec / 0.000 sec
45	20:50:34	ALTER TABLE credit_card DROP COLUMN pan	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.016 sec
46	20:50:34	SELECT * FROM credit_card LIMIT 10	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

24°C Despejado

8:50 PM 9/13/2026

Right Ctrl

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

ITA x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Status and Privileges
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL1E7

```
1
2 -- Des de recursos humans et sol·liciten eliminar la columna "pan" de
3 -- la taula credit_card. Recorda mostrar el canvi realitzat.
4
5 SELECT *
6 FROM credit_card
7 LIMIT 10;
8
9 ALTER TABLE credit_card
10 DROP COLUMN pan;
11
12 SELECT *
```

Result Grid

	id	iban	pin	cvv	expiring_date
Cd-	4857	XX485759183529205880771	1819	467	09/27/25
Cd-	4858	XX858176813702420694025	3564	817	12/28/28
Cd-	4859	XX782693049142353609370	4983	277	11/26/26
Cd-	4860	XX555959036883304645299	6876	661	07/27/27
Cd-	4861	XX203518277195191627307	5710	398	04/25/26
Cd-	4862	XX4747472146246346463758	4942	174	11/27/26
Cd-	4863	XX1476829664245046207111	5969	449	12/27/29
Cd-	4864	XX838028893385731196159	8481	139	02/28/26
Cd-	4865	XX788507896101023280599	7947	903	11/25/28
Cd-	4866	XX479285918820659640639	9271	961	02/28/25

credit_card 1 credit_card 2 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
43	20:49:32	SELECT * FROM company AS c WHERE c.id = 'b-9999' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
44	20:50:34	SELECT * FROM credit_card LIMIT 10	10 row(s) returned	0.000 sec / 0.000 sec
45	20:50:34	ALTER TABLE credit_card DROP COLUMN pan	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.016 sec
46	20:50:34	SELECT * FROM credit_card LIMIT 10	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

24°C Despejado

8:50 PM 9/13/2026

Right Ctrl

S2L1E8

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

S2L1E4 S2L1E5 S2L1E6 S2L1E7 S2L1E8

Filter objects

S2L1E8

Tables

companies

products

transactions

users

Stored Procedures

Functions

skilla

sys

transactions

world

No object selected

Object Info Session

Type here to search

24°C Despejado

8:53 PM 9/13/2026

Right Ctrl

SQL Editor

```
16 CREATE SCHEMA IF NOT EXISTS S2L1E8;
17 USE S2L1E8;
18
19 DROP TABLE IF EXISTS transactions;
20 DROP TABLE IF EXISTS products;
21 DROP TABLE IF EXISTS cards;
22 DROP TABLE IF EXISTS users;
23 DROP TABLE IF EXISTS companies;
24
25 CREATE TABLE IF NOT EXISTS users (
26   id INT PRIMARY KEY,
27   name VARCHAR(20),
```

Result 1

id	name	surname	phone	email	birth_date	country	city	postal_code	address	signup_date	segment	income_band
1	Zeus	Gamble	1-282-581-0551	interdum.enim@protonmail.edu	1985-11-17	United States	New York	10001	348-7818 Sagitta St.	2014-04-23	young_professional	high
2	Garrett	Mcconnell	7180 257-2412	interdum.vitae.nisi@protonmail.org	1992-08-23	United States	Philadelphia	19101	9030 5th Ave	2014-07-04	young_professional	high
3	Caran	Harrison	3232 598-1365	interdum.feugiat@outlook.org	1998-04-29	United States	Houston	77001	736-2063 Tellus St.	2014-02-15	frequent_shopper	high
4	Howard	Stefford	1-411-740-3269	omare.egestas@cloud.edu	1989-02-18	United States	Phoenix	85001	Ap #545-2244 Erat. Rd.	2014-08-21	premium	high
5	Hayfa	Pierce	1-554-541-2077	et.malesuada.fames@hotmail.org	1998-09-26	United States	Philadelphia	19101	341-2821 Ultrices Av.	2013-04-28	frequent_shopper	high
6	Jed	Tylen	7180 388-8020	gravida.nunc.nisi@yahoo.ca	1989-10-15	United States	San Jose	95101	888-2709 Aenean Street	2013-06-15	young_professional	medium
7	Rafael	Jimenez	(817) 689-0478	egest@outlook.ca	1981-12-04	United States	Chicago	60601	8627 Malesuada Rd.	2013-01-15	frequent_shopper	high
8	Nosim	Franks	(892) 157-5469	egestas.aliquam.fringilla@protonmail.org	1993-08-01	United States	New York	10001	Ap #251-7144 Integer St.	2013-02-16	young_professional	medium
9	Hervia	Mcconn	(990) 883-2184	aliquam.nisi@outlook.com	1987-01-24	United States	San Antonio	78201	647-3080 Lacus. St.	2014-02-13	young_professional	medium
10	Robert	McCarthy	1234 746-6771	fermentum@protonmail.com	1984-04-30	United States	San Jose	95101	P.O. Box 773	2013-10-19	premium	high
11	Joan	Bard	(881) 429-8106	et.11@outlook.net	1990-02-25	United States	Los Angeles	90001	P.O. Box 687	2013-01-11	premium	very_high
12	Benedict	Wheeler	1-515-824-2815	tristique.donec.vitae@hotmail.co.uk	1999-08-06	United States	Phoenix	85001	748-8694 Porttitor Avenue	2013-05-14	student	medium
13	Alegxa	Stanton	1-923-731-4488	proin.egest@protonmail.ca	1990-05-19	United States	New York	10001	4457 Ante. Av.	2013-10-29	frequent_shopper	medium
14	Sara	Flynn	1-311-646-9333	interdum@outlook.net	1988-12-27	United States	Los Angeles	90001	P.O. Box 865	2014-09-08	young_professional	medium

Result 1 users 2 x cards 3 companies 4 products 5 transactions 6

Output

Action Output

#	Time	Action	Message	Duration / Fetch
72	20:52:44	LOAD DATA LOCAL INFILE 'C:\Program Files\MySQL\MySQL Server 8.0\Uploads\VN1-Ex-8_products.csv' INTO TABLE products FIELD...	100 row(s) affected Records: 100 Deleted: 0 Skipped: 0 Warnings: 0	0.016 sec
73	20:52:44	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.000 sec / 0.000 sec
74	20:52:44	LOAD DATA LOCAL INFILE 'C:\Program Files\MySQL\MySQL Server 8.0\Uploads\VN1-Ex-8_transactions.csv' INTO TABLE transactions...	10000 row(s) affected Records: 10000 Deleted: 0 Skipped: 0 Warnings: 0	6.688 sec
75	20:52:51	SELECT * FROM transactions LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

S2L1E4 S2L1E5 S2L1E6 S2L1E7 S2L1E8

Filter objects

S2L1E8

Tables

companies

products

transactions

users

Stored Procedures

Functions

skilla

sys

transactions

world

No object selected

Object Info Session

Type here to search

24°C Despejado

8:10 PM 9/13/2026

Right Ctrl

SQL Editor

```
285 LOAD DATA LOCAL
286 INFILE 'C:\Program Files\MySQL\MySQL Server 8.0\Uploads\VN1-Ex-8_credit_cards.csv'
287 INTO TABLE cards
288 FIELDS TERMINATED BY ','
289 LINES TERMINATED BY '\n'
290 IGNORE 1 ROWS
291 SET
292   (@id, @user_id, @iban, @pan, @pin, @cvv, @track1, @track2, @expiring, @card_t, @renewal)
293   id = TRIP(@id),
294   user_id = CAST(@user_id AS UNSIGNED),
295   iban = TRIP(@iban),
296   pan = REPLACE(@pan, '-', ''),
```

Result 1

id	user_id	iban	pin	cvv	track1	track2	expiring_date	card_type	renewal_flag
Cd-4857	276	E54156794166769671699008	2314242385113924	1819	467	%B2314242385113924%WCBULWCBUD%22...	2028-09-25	debit	1
Cd-4858	277	N43208303700698162422444	65827269715533	3964	817	%B5827269715533%TRQWMTQWMT%2464...	2028-12-28	debit	0
Cd-4859	278	8F70084018594364774776782	886168436389642	4963	277	%B886168436389642%CFBZCCFBZC%28...	2028-11-26	credit	0
Cd-4860	279	E51655747064531436538427	248115551598459	6876	661	%B248115551598459%TRUTUTUTUTU%3104...	2028-07-27	prepaid	0
Cd-4861	280	565656762210431025196630841	1308930301149557	5710	398	%B1308930301149557%PCBZPCBZC%330...	2028-04-26	credit	0
Cd-4862	281	N43693642072049660707325	671561700867829	4042	174	%B671561700867829%LWMTLWMTLWMT%13...	2028-11-26	credit	0
Cd-4863	282	FR6282118510116211488674	314087819451394	9569	449	%B314087819451394%OXOXOXOXOXOX%230...	2028-12-29	debit	0
Cd-4864	283	E45592168367679252782001	5793672133649114	8481	139	%B5793672133649114%WBYWBYWBYWBYR%30...	2028-02-26	debit	0
Cd-4865	284	PL1133309841263394460219	5101532872511312	7847	903	%B5101532872511312%WQWQWQWQWQ%130...	2028-11-28	debit	0
Cd-4866	285	E5185959132223334343430	8080768010726153	9271	961	%B8080768010726153%WEGOWEGOWEGO%321...	2028-02-25	debit	1
Cd-4867	286	N4360007593542296474321	7761849537661098	4820	862	%B7761849537661098%LORSLOLSLOLS%2811...	2028-11-25	credit	1
Cd-4868	287	D650402393989318335747030	4160419663151801	6860	549	%B4160419663151801%WQWQWQWQWQ%276...	2028-08-25	credit	1
Cd-4869	288	IT80404362515165866527991	5892930716233310	4775	448	%B5892930716233310%ONGONGONGONG%230...	2028-09-25	premium	1

Result 1 users 2 x cards 3 companies 4 products 5 transactions 6

Output

Action Output

#	Time	Action	Message	Duration / Fetch
72	20:52:44	LOAD DATA LOCAL INFILE 'C:\Program Files\MySQL\MySQL Server 8.0\Uploads\VN1-Ex-8_products.csv' INTO TABLE products FIELD...	100 row(s) affected Records: 100 Deleted: 0 Skipped: 0 Warnings: 0	0.016 sec
73	20:52:44	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.000 sec / 0.000 sec
74	20:52:44	LOAD DATA LOCAL INFILE 'C:\Program Files\MySQL\MySQL Server 8.0\Uploads\VN1-Ex-8_transactions.csv' INTO TABLE transactions...	10000 row(s) affected Records: 10000 Deleted: 0 Skipped: 0 Warnings: 0	6.688 sec
75	20:52:51	SELECT * FROM transactions LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

Filter objects

Tables

cards

companies

products

transactions

users

Views

Stored Procedures

Functions

skilla

sys

transactions

world

SQL14 SQL15 SQL16 SQL17 SQL18

Limit to 1000 rows

SQL18

LOAD DATA LOCAL

229 INFIL "C:\Program Files\MySQL\MySQL Server 8.0\Uploads\W1-Ex-8_companies.csv"

230 INTO TABLE companies

231 FIELDS TERMINATED BY ','

232 LINES TERMINATED BY '\n'

233 IGNORE 1 ROWS

234 (@id, @name, @phone, @email, @country, @website, @category, @price)

235 SET

236 id = TRIM(@id),

237 name = TRIM(@name),

238 phone = TRIM(@phone),

239 email = TRIM(@email),

240

Result Grid

id	name	phone	email	country	website	category	price
b-2222	Ac Fermentum Incorporated	+64 601 244 6320	donec.portitor.tellus@yahoo.net	Germany	https://www.ac-fermentum-incorporated.com	Beauty	mid-market
b-2226	Magna & Neque Industries	+33 623 960 3779	nus.donec.rn@cloud.net	Australia	https://www.magna-neque-industries.com	Travel	budget
b-2230	Fusce Corp.	+29 657 646 4324	nus@protonmail.edu	United States	https://www.fusce-corp.com	Home	mid-market
b-2234	Convalis Incorporated	+6 693 982 1255	mauris.ut@ad.co.uk	Germany	https://www.convalis-incorporated.com	Sports	mid-market
b-2238	Ante Lacus Nec Foundation	+69 914 549 3099	sed.dctum.prim@outlook.ca	New Zealand	https://www.ante-lacus-nec-foundation.com	Toys	mid-market
b-2242	Donec Ltd.	+66 897 341 8438	at.ac@protonmail.co.uk	Norway	https://www.donec-ltd.com	Home	mid-market
b-2246	Sed Nunc Ltd.	+5 238 900 3393	nbi@yahoo.co.uk	United Kingdom	https://www.sed-nunc-ltd.com	Home	mid-market
b-2250	Amet Nulla Donec Corporation	+96 338 276 8449	mattis.integer.eu@protonmail.net	Italy	https://www.amet-nulla-donec-corporation.com	Gaming	budget
b-2254	Nascetur Ridiculus Maui Inc.	+40 316 953 7970	suspendisse.du@cloud.net	United States	https://www.nascetur-ridiculus-maui-inc.com	Food	budget
b-2258	Vestibulum Lorem PC	+27 788 560 5000	aenean.mass.integer@aol.net	Belgium	https://www.vestibulum-lorem-pc.com	Electronics	premium
b-2262	Gravida Sagittis LLP	+98 204 198 9702	turpis.vitae@google.ca	Sweden	https://www.gravida-sagittis-llp.com	Sports	premium
b-2266	Mus Aenean Eget Foundation	+1 504 922 3000	m.duis@protonmail.net	Sweden	https://www.mus-aenean-eget-foundation.com	Sports	premium
b-2270	De Parturient Institute	+69 962 744 6899	parus@protonmail.org	Ireland	https://www.de-parturient-institute.com	Food	premium
b-2274	Sed LLC	+3 536 122 8140	et@outlook.com	Belgium	https://www.sed-llc.com	Fashion	mid-market

Result 1 users: 2 cards: 3 companies: 8 products: 5 transactions: 6

Action Output

#	Time	Action	Message	Duration / Fetch
72	20:52:44	LOAD DATA LOCAL INFILE "C:\Program Files\MySQL\MySQL Server 8.0\Uploads\W1-Ex-8_products.csv" INTO TABLE products FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS SET id = CAST(@id AS UNSIGNED), name = TRIM(@name), price = CAST(REPLACE(@price, '\$', '') AS DECIMAL(8,2)), hex_color = UPPER(REPLACE(TRIM(@color), '#', ''))	100 row(s) affected Records: 100 Deleted: 0 Skipped: 0 Warnings: 0	0.016 sec
73	20:52:44	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.000 sec / 0.000 sec
74	20:52:44	LOAD DATA LOCAL INFILE "C:\Program Files\MySQL\MySQL Server 8.0\Uploads\W1-Ex-8_transactions.csv" INTO TABLE transactions FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS SET id = CAST(@id AS UNSIGNED), name = TRIM(@name), price = CAST(REPLACE(@price, '\$', '') AS DECIMAL(8,2)), hex_color = UPPER(REPLACE(TRIM(@color), '#', ''))	10000 row(s) affected Records: 10000 Deleted: 0 Skipped: 0 Warnings: 0	6.688 sec
75	20:52:51	SELECT * FROM transactions LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

24°C Despejado

9:11 PM 9/13/2026

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

Filter objects

Tables

cards

companies

products

transactions

users

Views

Stored Procedures

Functions

skilla

sys

transactions

world

SQL14 SQL15 SQL16 SQL17 SQL18

Limit to 1000 rows

SQL18

LOAD DATA LOCAL

250 INFIL "C:\Program Files\MySQL\MySQL Server 8.0\Uploads\W1-Ex-8_products.csv"

251 INTO TABLE products

252 FIELDS TERMINATED BY ','

253 LINES TERMINATED BY '\n'

254 IGNORE 1 ROWS

255 (@id, @name, @price, @color, @weight, @w_id, @category, @brand, @cost, @launch_date)

256 SET

257 id = CAST(@id AS UNSIGNED),

258 name = TRIM(@name),

259 price = CAST(REPLACE(@price, '\$', '') AS DECIMAL(8,2)),

260 hex_color = UPPER(REPLACE(TRIM(@color), '#', '')),

261

Result Grid

id	name	price	hex_color	weight	warehouse_id	category	brand	cost	launch_date
1	Dreadoff Stanis	161.11	7C7C7C	1.00	4	Sports	Runway Pro	63.84	2014-11-01
2	Tarly Stark	9.24	939393	2.00	3	Gaming	QuestByte	4.74	2013-02-07
3	dul Journey Lanneter	171.13	080808	1.50	2	Food	Daily Pantry	107.07	2013-08-18
4	warden south duel	71.89	111111	3.00	1	Books	NordPress	36.17	2012-12-31
5	skywalker evrok	171.22	080808	3.20	0	Home	Nordhaus	83.69	2014-07-17
6	books solo	136.60	C4C4C4	0.80	1	Home	Nordhaus	66.78	2014-03-14
7	north of Casterly	63.33	878787	0.60	2	Electronics	Nesa	37.41	2013-10-10
8	Winterfel	32.37	383838	1.40	3	Travel	Voyago	15.20	2013-01-27
9	Winterfel	76.40	898989	1.20	4	Books	Campus Read	40.42	2013-08-14
10	Karstark Dome	119.52	F4F4F4	2.40	5	Food	FeedBox	89.07	2013-10-04
11	Karstark Dome	49.70	141414	2.70	6	Electronics	Nesa	34.45	2014-09-01
12	dul Dreadoff	181.60	ASASAS	2.10	7	Gaming	QuestByte	99.46	2013-10-11
13	podivine chevbecca	139.59	282828	1.00	8	Travel	Calybro	82.76	2014-04-26
14	Dreadoff	147.53	C4C4C4	2.00	9	Home	Nordhaus	71.07	2014-03-29

Result 1 users: 2 cards: 3 companies: 8 products: 5 transactions: 6

Action Output

#	Time	Action	Message	Duration / Fetch
72	20:52:44	LOAD DATA LOCAL INFILE "C:\Program Files\MySQL\MySQL Server 8.0\Uploads\W1-Ex-8_products.csv" INTO TABLE products FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS SET id = CAST(@id AS UNSIGNED), name = TRIM(@name), price = CAST(REPLACE(@price, '\$', '') AS DECIMAL(8,2)), hex_color = UPPER(REPLACE(TRIM(@color), '#', ''))	100 row(s) affected Records: 100 Deleted: 0 Skipped: 0 Warnings: 0	0.016 sec
73	20:52:44	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.000 sec / 0.000 sec
74	20:52:44	LOAD DATA LOCAL INFILE "C:\Program Files\MySQL\MySQL Server 8.0\Uploads\W1-Ex-8_transactions.csv" INTO TABLE transactions FIELDS TERMINATED BY ',' LINES TERMINATED BY '\n' IGNORE 1 ROWS SET id = CAST(@id AS UNSIGNED), name = TRIM(@name), price = CAST(REPLACE(@price, '\$', '') AS DECIMAL(8,2)), hex_color = UPPER(REPLACE(TRIM(@color), '#', ''))	10000 row(s) affected Records: 10000 Deleted: 0 Skipped: 0 Warnings: 0	6.688 sec
75	20:52:51	SELECT * FROM transactions LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

24°C Despejado

9:11 PM 9/13/2026

S2L1E9

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

▼ s2l1e9

- Tables
- cards
- companies
- products
- transactions
- users
- Views
- Stored Procedures
- Functions
- sys
- transactions
- world

Administration Schemas

Information

No object selected

SQL Editor

Limit to 1000 rows

Realitza una subconsulta que mostri tots els usuaris amb més de 80 transaccions utilitzant almenys 2 taules.

```
1 WITH
2 tr_count AS (
3   SELECT t.user_id, COUNT(1) AS n
4   FROM transactions AS t
5   GROUP BY t.user_id
6   HAVING n > 80
7 )
8
9
10 SELECT u.*, c.n
11 FROM users AS u
12 JOIN tr_count AS c;
```

Result Grid

id	name	surname	phone	email	birth_date	country	city	postal_code	address	signup_date	segment	income_band	n
1894	Muxfe	Qrrpcfg	+49-129-4358	muxfe.qrrpcfg@example.com	1971-07-03	Spain	Barcelona	08001	560 Qrrpcfg St	2015-04-05	occasional	low	110
1893	Alruqj	Josaklog	+73-516-8611	alruqj.josaklog@example.com	1983-10-06	United States	Philadelphia	19101	299 Josaklog St	2014-09-21	family	medium	110
1892	Gmjbz	Loandrhx	+67-909-4866	gmjbz.loandrhx@example.com	1972-07-24	Netherlands	Rotterdam	3011	603 Loandrhx St	2014-11-12	family	medium	110
1891	Kongmq	Hdhkicx	+53-728-4502	kongmq.hdhkicx@example.com	1955-01-10	United States	Philadelphia	19101	656 Hdhkicx St	2014-12-09	established	medium	110
1890	Iohnzn	Ogcedbdp	+67-105-4819	iohnzn.ogcedbdp@example.com	1958-10-23	France	Paris	75001	305 Ogcedbdp St	2014-07-14	occasional	low	110
1889	Incipi	Nngpno	+53-776-8605	incipi.nngpno@example.com	1994-03-01	Germany	Stuttgart	70173	75 Nngpno St	2015-01-13	occasional	medium	110
1888	Nwvrbz	Ggzbauk	+79-906-7054	nwvrbz.ggzbauk@example.com	1970-05-01	Spain	Madrid	28001	320 Ggzbauk St	2015-01-05	family	medium	110
1887	Bdeiyk	Cnvsenmx	+65-889-8297	bdeiyk.cnvsenmx@example.com	1957-01-22	France	Toulouse	31000	715 Cnvsenmx St	2014-11-20	established	high	110
1886	Huzni	Hochvymz	+79-833-2259	huzni.hochvymz@example.com	1995-11-01	United Kingdom	Manchester	M1 1AE	713 Hochvymz St	2015-09-13	frequent_shopper	high	110
1885	Fykxop	Eerghaln	+84-296-7411	fykxop.eerghaln@example.com	1960-04-27	Portugal	Lisbon	1000-001	979 Eerghaln St	2014-06-04	occasional	low	110
1884	Purjhd	Gvehhvrt	+55-978-4332	purjhd.gvehhvrt@example.com	2004-08-19	Netherlands	The Hague	2511	685 Gvehhvrt St	2014-12-09	young_professional	low	110
1883	Npcymk	Vvnhlxi	+37-580-9442	npcymk.vvnhlxi@example.com	1954-08-17	Poland	Krakow	30-001	434 Vvnhlxi St	2013-07-08	occasional	medium	110
1882	Ekupg	Qvklfngp	+48-824-0949	ekupg.qvklfngp@example.com	1990-10-01	Poland	Lodz	90-001	997 Qvklfngp St	2014-06-23	family	medium	110
1881	Dwufth	Zwcardup	+91-884-4228	dwufth.zwcardup@example.com	1992-06-11	Sweden	Malmö	211 43	213 Zwcardup St	2014-03-09	frequent_shopper	medium	110

Output

Action Output

#	Time	Action	Message	Duration / Fetch
73	20:52:44	SELECT * FROM products LIMIT 0, 1000	100 row(s) returned	0.000 sec / 0.000 sec
74	20:52:44	LOAD DATA LOCAL INFILE 'C:\Program Files\MySQL\MySQL Server 8.0\Uploads\VM1 Ex 8_transactions.csv' INTO TABLE transaction...	100000 row(s) affected Records: 100000 Deleted: 0 Skipped: 0 Warnings: 0	6.688 sec
75	20:52:51	SELECT * FROM transactions LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
76	21:12:29	WITH tr_count AS (SELECT t.user_id, COUNT(1) AS n FROM transactions AS t GROUP BY t.user_id HAVING n > 80) SELECT u...	20000 row(s) returned	0.094 sec / 0.110 sec

Object Info Session

Type here to search

9:12 PM 9/13/2026

Right Ctrl

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

S2L1E10

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

SCHEMAS

▼ s2l1e10

- Tables
 - cards
 - companies
 - products
 - transactions
 - users
- Views
- Stored Procedures
- Functions
- schemas
- sys
- transactions
- world

Administration Schemas

Information

No object selected

Result Grid

iban	mitjana
CA901355773386771626108990	361.010000
US729213643816951961403791	142.360000
US899450803230933276819251	246.900000
US381097432668325541442297	154.010000
CA441226267105857473757574	250.510000
CA332171962352073015086775	203.950000
US98339628701198880628720	438.160000
US788111972997693675524914	520.366667
CA867886529238377442046998	204.630000

Result 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
74	20:52:44	LOAD DATA LOCAL INFILE 'C:\Program Files\MySQL\MySQL Server 8.0\Uploads\VM1-Ex-8_transactions.csv' INTO TABLE transactions...	100000 row(s) affected Records: 100000 Deleted: 0 Skipped: 0 Warnings: 0	6.688 sec
75	20:52:51	SELECT * FROM transactions LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
76	21:12:29	WITH tr_count AS (SELECT t.user_id, COUNT(*) AS n FROM transactions AS t GROUP BY t.user_id HAVING n > 80) SELECT u...	20000 row(s) returned	0.094 sec / 0.110 sec
77	21:13:15	SELECT c.iban, AVG(t.amount) AS mitjana FROM transactions AS t JOIN users AS u ON t.user_id = u.id JOIN cards AS c ON u.id = c.user_id ...	371 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

Aire: moderado

9:13 PM 9/13/2026

Right Ctrl

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

S2L2E1

Win10 [running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

▼ s2l2e1

- Tables
- cards
- companies
- products
- transactions
- users
- Views
- Stored Procedures
- Functions
- sys
- transactions
- world

Administration Schemas

Information

No object selected

Result Grid

t_day	total	m
2022-12-13	1561.10	1
2018-11-26	1251.38	2
2015-05-09	1208.56	3
2024-10-25	974.56	4
2015-12-04	974.22	5

SQL Editor

```
1 -- Identifica els cinc dies que es va generar la quantitat més gran d'ingressos a l'empresa per vendes.
2 -- Mostra la data de cada transacció juntament amb el total de les vendes.
3
4 -- Asumo que me pide que muestre las 5 datas y la suma de sus ingresos en la compania
5 -- del enunciado anterior "Donec Ltd"
6
7 WITH
8   agregated AS (
9     SELECT
10       DATE(t.instant) AS t_day,
11       SUM(t.amount) AS total
12     FROM transactions AS t
13     WHERE
14       t.company_id = (
15         SELECT c.id
16         FROM companies AS c
17         WHERE c.name = "Donec Ltd")
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
75	20:52:51	SELECT * FROM transactions LIMIT 0.1000	1000 row(s) returned	0.000 sec / 0.000 sec
76	21:12:29	WITH tr_count AS (SELECT t.user_id, COUNT(*) AS n FROM transactions AS t GROUP BY t.user_id HAVING n > 80) SELECT u...	20000 row(s) returned	0.094 sec / 0.110 sec
77	21:13:15	SELECT c.id, AVG(a.amount) AS m FROM transactions AS t JOIN users AS u ON t.user_id = u.id JOIN cards AS c ON u.id = c.user_id ...	371 row(s) returned	0.000 sec / 0.000 sec
78	21:14:10	WITH agregated AS (SELECT DATE(t.instant) AS t_day, SUM(a.amount) AS total FROM transactions AS t WHERE t.comp...	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

Humedad 9:14 PM 9/13/2026

S2L2E2

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

Filter objects

▼ s2l2e8

- Tables
- cards
- companies
- products
- transactions
- users
- Views
- Stored Procedures
- Functions
- skilla
- sys
- transactions
- world

Administration Schemas

Information

No object selected

Object Info Session

Type here to search

SQL Editor

-- Asumo que el valor se cuenta por transaccion, no la suma del día:

```
SELECT
  c.name,
  c.phone,
  c.country,
  DATE(t.instant) AS t_day,
  t.amount
FROM companies AS c
JOIN transactions AS t
ON t.company_id = c.id
```

Result Grid

	name	phone	country	t_day	amount
▶	Non Magna LLC	+94 833 862 7544	United Kingdom	2015-03-29	398.89
▶	Auctor Mauris Vel LLP	+32 133 447 8239	United States	2024-03-13	383.58
▶	Quam A Fele Industries	+14 677 174 5530	Italy	2015-03-29	378.65
▶	Pede Cum Ltd	+26 625 788 6126	Norway	2018-07-20	358.64
▶	Nebus Et Malesuada Ltd	+52 818 402 1838	Netherlands	2024-03-13	352.21
▶	Tempor Diam Institute	+89 848 141 3136	Netherlands	2024-03-13	350.71

Output

Action Output

#	Time	Action	Message	Duration / Fetch
77	21:13:15	SELECT c.id, AVG(t.amount) AS mitjana FROM transactions AS t JOIN users AS u ON t.user_id = u.id JOIN cards AS c ON u.id = c.user_id	371 row(s) returned	0.000 sec / 0.000 sec
78	21:14:10	WITH aggregated AS (SELECT DATE(t.instant) AS t_day, SUM(t.amount) AS total FROM transactions AS t WHERE t.comp...	5 row(s) returned	0.000 sec / 0.000 sec
79	21:14:55	SELECT c.name, c.phone, c.country, DATE(t.instant) AS t_day, t.amount FROM companies AS c JOIN transactions AS t ON t.comp...	6 row(s) returned	0.406 sec / 0.000 sec
80	21:14:55	SELECT c.name, c.phone, c.country, DATE(t.instant) AS t_day, SUM(t.amount) AS total FROM companies AS c JOIN transactions AS t O...	5 row(s) returned	0.344 sec / 0.000 sec

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

9:15 PM 9/13/2026

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

Filter objects

▼ s2l2e8

- Tables
- cards
- companies
- products
- transactions
- users
- Views
- Stored Procedures
- Functions
- skilla
- sys
- transactions
- world

Administration Schemas

Information

No object selected

Object Info Session

Type here to search

SQL Editor

-- Asumo que el valor es la suma del día:

```
SELECT
  c.name,
  c.phone,
  c.country,
  DATE(t.instant) AS t_day,
  SUM(t.amount) AS total
FROM companies AS c
JOIN transactions AS t
ON t.company_id = c.id
WHERE
  DATE(t.instant) IN (
    DATE '2015-3-29',
    DATE '2018-7-20',
    DATE '2024-3-13'
```

Result Grid

	name	phone	country	t_day	total
▶	Non Magna LLC	+94 833 862 7544	United Kingdom	2015-03-29	398.89
▶	Auctor Mauris Vel LLP	+32 133 447 8239	United States	2024-03-13	383.58
▶	Pede Cum Ltd	+26 625 788 6126	Norway	2018-07-20	358.64
▶	Nebus Et Malesuada Ltd	+52 818 402 1838	Netherlands	2024-03-13	352.21
▶	Tempor Diam Institute	+89 848 141 3136	Netherlands	2024-03-13	350.71

Output

Action Output

#	Time	Action	Message	Duration / Fetch
77	21:13:15	SELECT c.id, AVG(t.amount) AS mitjana FROM transactions AS t JOIN users AS u ON t.user_id = u.id JOIN cards AS c ON u.id = c.user_id	371 row(s) returned	0.000 sec / 0.000 sec
78	21:14:10	WITH aggregated AS (SELECT DATE(t.instant) AS t_day, SUM(t.amount) AS total FROM transactions AS t WHERE t.comp...	5 row(s) returned	0.000 sec / 0.000 sec
79	21:14:55	SELECT c.name, c.phone, c.country, DATE(t.instant) AS t_day, t.amount FROM companies AS c JOIN transactions AS t ON t.comp...	6 row(s) returned	0.406 sec / 0.000 sec
80	21:14:55	SELECT c.name, c.phone, c.country, DATE(t.instant) AS t_day, SUM(t.amount) AS total FROM companies AS c JOIN transactions AS t O...	5 row(s) returned	0.344 sec / 0.000 sec

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

9:15 PM 9/13/2026

S2L2E3

The screenshot displays the MySQL Workbench interface within a Windows 10 Virtual Machine. The main window shows a SQL query being executed in the 'SQL Editor' tab. The query is a SELECT statement with a CASE WHEN clause to categorize transactions based on their amount. The results are displayed in the 'Result Grid' tab, showing a list of companies and their transaction amounts categorized as '400+', '400+', or '400+'. The 'Output' tab at the bottom shows the execution log with timestamps and row counts for each query step.

SQL Query:

```
-- que es requereixi, per la qual cosa et demanen la informació sobre la quantitat de
-- transaccions que realitzen les empreses, però el departament de recursos humans és exigent
-- i vol un llistat de les empreses on especifiquis si tenen igual o més de 400 transaccions o menys.

-- Asumo que se quiere que discretice el amount

SELECT
  t.id,
  t.name,
  CASE
    WHEN n_tr > 400 THEN '400+'
    WHEN n_tr = 400 THEN '400+'
    ELSE '<400'
  END AS category
FROM (
  SELECT
    c.id
```

Result Grid:

id	name	category
b-2222	Ac Fermentum Incorporated	400+
b-2302	Nunc Interdum Incorporated	400+
b-2330	Donec Fringilla PC	400+
b-2364	Morris Institute	400+
b-2614	Rutrum Non Inc.	400+
b-2330	Aliquet Vel Vulputate Incorporated	400+
b-2566	Aliquam PC	400+
b-2574	Orci Adipiscing Limited	400+
b-2478	Etiam Bibendum Fermentum Industries	400+
b-2400	Alienware Firm	400+

Output Log:

#	Time	Action	Message	Duration / Fetch
78	21:14:10	WITH aggregated AS (SELECT DATE@instant) AS t_day, SUM@ amount) AS total FROM transactions AS t WHERE t.comp...	5 row(s) returned	0.000 sec / 0.000 sec
79	21:14:55	SELECT c.name, c.phone, c.country, DATE@instant) AS t_day, t.amount FROM companies AS c JOIN transactions AS t ON t.comp...	6 row(s) returned	0.406 sec / 0.000 sec
80	21:14:55	SELECT c.name, c.phone, c.country, DATE@instant) AS t_day, SUM@ amount) AS total FROM companies AS c JOIN transactions AS t O...	5 row(s) returned	0.344 sec / 0.000 sec
81	21:16:21	SELECT t.id, t.name, CASE WHEN n_tr > 400 THEN '400+' WHEN n_tr = 400 THEN '400' ELSE '<400' END AS category FROM ...	100 row(s) returned	0.125 sec / 0.000 sec

S2L2E4

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

Filter objects

▼ s2l2e4

- Tables
- cards
- companies
- products
- transactions
- users
- Views
- Stored Procedures
- Functions

Administration Schemas

Information

No object selected

SQL Editor

```
-- de la base de datos.
SELECT *
FROM transactions AS t
WHERE t.id = '000447FE-B658-4DCF-85DE-C7ED0EE1CAAD';
DELETE FROM transactions AS t
WHERE t.id = '000447FE-B658-4DCF-85DE-C7ED0EE1CAAD';
SELECT *
FROM transactions AS t
WHERE t.id = '000447FE-B658-4DCF-85DE-C7ED0EE1CAAD';
```

Result Grid

id	card_id	company_id	instant	amount	declined	product_id	user_id	latitude	longitude	discount	tax	shipping	channel	campaign_id	device_type
000447FE-B658-4DCF-85DE-C7ED0EE1CAAD	Cs-5019	b-2370	2016-12-21 20:07:18	172.56	0	66, 69, 87	438	41.5972	12.2218	19.92	29.86	6.99	online	CHRISTMAS_PEAK	tablet

Output

transactions 1 x transactions 2

Apply Save

Context Help Snippets

Object Info Session

Type here to search

24°C Despejado 9:17 PM 9/13/2026

Win10 [Running] - Oracle VM VirtualBox

File Machine View Input Devices Help

MySQL Workbench

Navigator

Schemas

Filter objects

▼ s2l2e4

- Tables
- cards
- companies
- products
- transactions
- users
- Views
- Stored Procedures
- Functions

Administration Schemas

Information

No object selected

SQL Editor

```
-- de la base de datos.
SELECT *
FROM transactions AS t
WHERE t.id = '000447FE-B658-4DCF-85DE-C7ED0EE1CAAD';
DELETE FROM transactions AS t
WHERE t.id = '000447FE-B658-4DCF-85DE-C7ED0EE1CAAD';
SELECT *
FROM transactions AS t
WHERE t.id = '000447FE-B658-4DCF-85DE-C7ED0EE1CAAD';
```

Result Grid

id	card_id	company_id	instant	amount	declined	product_id	user_id	latitude	longitude	discount	tax	shipping	channel	campaign_id	device_type	international	decline_reason	distance_km
----	---------	------------	---------	--------	----------	------------	---------	----------	-----------	----------	-----	----------	---------	-------------	-------------	---------------	----------------	-------------

Output

transactions 1 transactions 2 x

Apply Save

Context Help Snippets

Object Info Session

Type here to search

24°C Despejado 9:17 PM 9/13/2026

S2L2E5

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

▼ s2l2e5

- Tables
- cards
- companies
- products
- transactions
- users
- Views
- Stored Procedures
- Functions
- schemas
- sys
- transactions
- world

Administration Schemas

Information

View: vistamarketing

Columns:

- name varchar(30)
- phone varchar(20)
- country varchar(20)
- avg_sale decimal(12,4)

SQL Editor

```
15 SELECT
16   c.name,
17   c.phone,
18   c.country,
19   AVG(t.amount) AS avg_sale
20 FROM companies AS c
21 JOIN transactions AS t
22 ON t.company_id = c.id
23 WHERE t.declined = FALSE
24 GROUP BY
25   c.name,
26   c.phone,
```

Result Grid

name	phone	country	avg_sale
Ac Fermentum Incorporated	+44 601 244 6320	Germany	330.705819
Ut Sempor Foundation	+10 383 900 6440	Sweden	307.296890
Dolor Vitae Limited	+4 421 567 9195	France	306.207815
Orci Adipiscing Limited	+60 897 390 5820	United Kingdom	305.873303
Nunc In Foundation	+13 267 741 2519	Italy	305.676477
Mororisi Molestiae Fringilla Inc.	+51 673 546 5280	Netherlands	304.486358
Turpis Company	+17 624 311 7168	Netherlands	303.469952
Nulla Integer Vulputate Corp.	+75 236 687 9162	Sweden	303.276887
Hon Justo Corp.	+87 963 294 1666	Sweden	303.167851
Aliquet Sem Limited	+44 744 425 9915	Netherlands	302.767909
Aliquam Erat Vulputat LLP	+39 372 330 7229	Italy	302.242581
Placerat LLP	+17 324 602 5033	Netherlands	302.186960
Amet Lorem LLP	+46 868 847 7738	Spain	301.113879
Integer Mollis Corp.	+38 803 863 7881	Italy	300.791700

Output

Action Output

#	Time	Action	Message	Duration / Fetch
83	21:17:08	DELETE FROM transactions AS t WHERE t.id = '000447FE-B650-4DCF-85DE-C7ED0EE1CAAD'	1 row(s) affected	0.015 sec
84	21:17:08	SELECT * FROM transactions AS t WHERE t.id = '000447FE-B650-4DCF-85DE-C7ED0EE1CAAD' LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
85	21:18:11	CREATE OR REPLACE VIEW VistaMarketing AS SELECT c.name, c.phone, c.country, AVG(t.amount) AS avg_sale FROM companies AS c	0 row(s) affected	0.000 sec
86	21:18:44	SELECT * FROM vistamarketing LIMIT 0, 1000	100 row(s) returned	0.407 sec / 0.000 sec

Object Info Session

Type here to search

Aire: moderado

9:19 PM 9/13/2026

Right Ctrl

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

S2L3E1

The screenshot shows the MySQL Workbench interface with a SQL query editor and the Output window. The query is a complex SELECT statement involving a subquery and a CASE statement.

```
29 FROM ranked AS r
30 WHERE r.rn < 4
31 GROUP BY r.id
32 HAVING act > 0
33 )
34 SELECT
35 a.id,
36 CASE
37 WHEN act < 1 THEN FALSE
38 ELSE TRUE
39 END AS is_active
40 FROM activity AS a
41 )
42
43 SELECT * FROM cards_activity;
44
45 SELECT COUNT(1) AS n_active
46 FROM cards_activity AS c
47 WHERE c.is_active = TRUE;
```

The Output window shows the execution results of the query. The first result set is a table with columns 'id' and 'is_active'. The second result set is a table with columns 'name', 'phone', 'country', and 'avg_sale'.

id	is_active
Cd-4057	1
Cd-4058	1
Cd-4059	1
Cd-4060	1
Cd-4061	1
Cd-4062	1
Cd-4063	1

name	phone	country	avg_sale
Cd-4057	1	1	1
Cd-4058	1	1	1
Cd-4059	1	1	1
Cd-4060	1	1	1
Cd-4061	1	1	1
Cd-4062	1	1	1
Cd-4063	1	1	1

The screenshot shows the MySQL Workbench interface with a simplified SQL query and its execution results. The query is a simple SELECT statement.

```
29 FROM ranked AS r
30 WHERE r.rn < 4
31 GROUP BY r.id
32 HAVING act > 0
33 )
34 SELECT
35 a.id,
36 CASE
37 WHEN act < 1 THEN FALSE
38 ELSE TRUE
39 END AS is_active
40 FROM activity AS a
41 )
42
43 SELECT * FROM cards_activity;
44
45 SELECT COUNT(1) AS n_active
46 FROM cards_activity AS c
47 WHERE c.is_active = TRUE;
```

The Output window shows the execution results of the query. The first result set is a table with columns 'id' and 'is_active'. The second result set is a table with columns 'name', 'phone', 'country', and 'avg_sale'.

id	is_active
Cd-4057	1
Cd-4058	1
Cd-4059	1
Cd-4060	1
Cd-4061	1
Cd-4062	1
Cd-4063	1

name	phone	country	avg_sale
Cd-4057	1	1	1
Cd-4058	1	1	1
Cd-4059	1	1	1
Cd-4060	1	1	1
Cd-4061	1	1	1
Cd-4062	1	1	1
Cd-4063	1	1	1

S2L3E2

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

Navigator

S2L1E8 S2L1E9 S2L1E10 S2L2E1 S2L2E2 S2L2E3 S2L2E4 S2L2E5 S2L3E1 S2L3E2

Filter objects

S2L1E8

Tables

cards

companies

products

transactions

users

Views

Stored Procedures

Functions

sys

transactions

world

View: vistamarketing

Columns:

name varchar(30)

phone varchar(20)

country varchar(20)

avg_sale decimal(12,4)

7 DROP TABLE IF EXISTS orders;

8 CREATE TABLE IF NOT EXISTS orders (

9 transaction_id VARCHAR(40),

10 product_id INT,

11 PRIMARY KEY (transaction_id, product_id),

12 FOREIGN KEY (transaction_id) REFERENCES transactions(id),

13 FOREIGN KEY (product_id) REFERENCES products(id),

14 INDEX idx_product_id (product_id),

15 INDEX idx_transaction_id (transaction_id)

16);

17

18

Result Grid

transaction_id product_id

001A06EA-DC0C-4E5A-946D-662B8100E1 1

002F0B8-8B65-A458-BEE4-ED3333C048 1

00340281-903D-42D8-B548-F2D0FFA4C7 1

004C0A8B-E537-4628-BE44-343D2176DF15 1

004D1D85-63CB-446D-9886-31C2C4A8E3F 1

006299C-0A1F-4455-A255-4E2D048B551 1

007B1297-C3ED-4966-800C-48FE106AD23C 1

007EA13D-AA1F-4F83-9483-7D05E99CEC0 1

0097001-1849-47C1-96B8-6F6CEA5F32 1

009KA2B8-8D4D-47DE-85AD-BA374BE7736 1

00C61197-09FF-4ECD-A523-6D04E230D0D 1

00E800C3-F09E-4662-8BA4-4D18CF32F9E5 1

00E9A76-49A1-42EC-83BC-6C8E-4AAE55B 1

00EAF316-6667-4A1F-8C48-53EDF32DF9E 1

orders 1 x Result 2

Output

Action Output

Time Action Message Duration / Fetch

103 21:25:57 CREATE TABLE IF NOT EXISTS orders (transaction_id VARCHAR(40), product_id INT, PRIMARY KEY (transaction_id, product_id), F... 0 rows) affected 0.047 sec

104 21:25:57 INSERT INTO orders (transaction_id, product_id) WITH RECURSIVE split AS (SELECT t.id AS tr, SUBSTRING_INDEX(product_id, 253388 row(s) affected Records: 253388 Duplicates: 0 Warnings: 0 8.531 sec

105 21:26:06 SELECT * FROM orders AS o LIMIT 0, 1000 1000 row(s) returned 0.000 sec / 0.000 sec

106 21:26:06 SELECT o.product_id, o.p.name, COUNT(o.transaction_id) AS n_sales FROM orders AS o JOIN transactions AS t ON o.transaction_id = t.id J... 100 row(s) returned 1.172 sec / 0.000 sec

Object Info Session

Type here to search

24°C Despejado 9:26 PM 9/13/2026

Win10 [Running] - Oracle VM VirtualBox

MySQL Workbench

File Machine View Input Devices Help

Navigator

S2L1E8 S2L1E9 S2L1E10 S2L2E1 S2L2E2 S2L2E3 S2L2E4 S2L2E5 S2L3E1 S2L3E2

Filter objects

S2L1E8

Tables

cards

companies

products

transactions

users

Views

Stored Procedures

Functions

sys

transactions

world

View: vistamarketing

Columns:

name varchar(30)

phone varchar(20)

country varchar(20)

avg_sale decimal(12,4)

53 SELECT *

54 FROM orders AS o;

55

56 SELECT

57 o.product_id,

58 p.name,

59 COUNT(o.transaction_id) AS n_sales

60 FROM orders AS o

61 JOIN transactions AS t

62 ON o.transaction_id = t.id

63 JOIN products AS p

64 ON o.product_id = p.id

Result Grid

product_id name n_sales

1 Drevoff Stannis 2450

2 Tary Stark 2552

3 duel tourney Lannister 2507

4 warden south duel 2563

5 skywalker evok 2530

6 dook solo 2460

7 north of Casterly 2535

8 Winterfell 2473

9 Winterfell 2467

10 Karstark Dome 2554

11 Karstark Dome 2556

12 duel Drevoff 2531

13 palatine chesbacca 2538

14 Drevoff 2470

orders 1 x Result 2 x

Output

Action Output

Time Action Message Duration / Fetch

103 21:25:57 CREATE TABLE IF NOT EXISTS orders (transaction_id VARCHAR(40), product_id INT, PRIMARY KEY (transaction_id, product_id), F... 0 rows) affected 0.047 sec

104 21:25:57 INSERT INTO orders (transaction_id, product_id) WITH RECURSIVE split AS (SELECT t.id AS tr, SUBSTRING_INDEX(product_id, 253388 row(s) affected Records: 253388 Duplicates: 0 Warnings: 0 8.531 sec

105 21:26:06 SELECT * FROM orders AS o LIMIT 0, 1000 1000 row(s) returned 0.000 sec / 0.000 sec

106 21:26:06 SELECT o.product_id, o.p.name, COUNT(o.transaction_id) AS n_sales FROM orders AS o JOIN transactions AS t ON o.transaction_id = t.id J... 100 row(s) returned 1.172 sec / 0.000 sec

Object Info Session

Type here to search

24°C Despejado 9:26 PM 9/13/2026