

# HW3

## W3101: Programming Languages, C++: Homework 3

---

- **Due Oct 07.**

- Please submit your solutions in Courseworks, do not mail them to me.
  - Please submit ONLY your source (.cpp) files, not the entire project.
  - Please call your files < YourName >\_HW\_3 to help TAs identify your file quickly.
- 

1. Make the Game class of HW2 an abstract class. Modify it as given below. It should have the following:
  - I. A private variable called "numberOfPlayers" of type integer.
  - II. A public constructor without any arguments that sets "numberOfPlayers" to 1.
  - III. A second public constructor with an integer argument "n", which sets "numberOfPlayers" to "n".
  - IV. A public pure virtual function called "bool isValid( )".
  - V. A public pure virtual function called "bool isOver( )".
  - VI. A public pure virtual function called "void PrintGamePosition( )".
2. Design a simple "Chess" program (for chess game) with only pawns and king as a child class of the "Game" class. That is, your program should have a white king, a black king, white pawns in the range 0 to 8 and black pawns, also in the range 0 to 8. The class should have the following:
  - I. A private two-dimensional 8x8 array of characters, called "board" to represent the chess board. Each element may contain a chess piece. You can assume 'K' represents the white king, 'k' represents the black king, 'P' represents a white pawn and 'p' represents a black pawn. If a square doesn't have any piece, you can use a default character, say '0' to represent it.
  - II. A public constructor that sets the "numberOfPlayers" to 2 in the parent class and sets all the squares of the board to '0', indicating all the 8x8 = 64 squares are empty.
  - III. A public function called "void readDataFromFile(char \*fileName)" that reads a chess position from a file and sets the "board" variable. I will post the code for it in Courseworks.
  - IV. Implement the public function "void PrintGamePosition( )". It should print the chess board as 8 rows. Print a blank (nothing) if there is no piece in a square.
  - V. Implement the "bool isValid( )" function as follows:
    - i. There should be only one white king and one black king.
    - ii. There should be a maximum of 8 white pawns and 8 black pawns.
    - iii. No white pawn should be on the first row (row 0).
    - iv. No black pawn should be on the last row (row 7).
    - v. A king cannot attack the other king (i.e., no check by king).
 If all the above conditions are satisfied, return true. Otherwise, return false.
  - VI. Implementing the "bool isOver( )" function is a bit more complicated, but not impossible. You can return "false", for this HW.

**Optional:** If you are interested, you can write the code to check if a king is in check and has no other free (unattacked) square to go. If so, return true; otherwise return false.

  - VII. Design the rest of the chess class -- list as many functions that you think will help in designing a full chess class. Write the details of your design and what the function is supposed to do, as comments in the function. No need to implement them.
    - i. What data, if any, would you store in the class, apart from the board information?
    - ii. What functions will you implement?
    - iii. How will you alternate the moves between the two players?
    - iv. When and how would decide when the game is over?

