
« package model »
« package controller »
« package view »
player
Effect
- type : EffectType
- value : int
- duration : int
+ getType() : EffectType
+ getValue() : int
+ getDuration() : int
0..1
Capacity
- id : int
- name : string
- type1, type2 : string
- damage : int
- heal : int
- targetType : TargetType
- targetCount : int
- gearLevel : int
- unlockLvl : int
- percentage : int
- effect : Effect*
+ getName() : string
+ getDamage() : int
+ getHeal() : int
+ getPercentage() : int
+ getEffect() : Effect*
+ getTargetType() : TargetType
+ getTargetCount() : int
1..*
Character
- id : int
- name : string
- type : CharType
- rarity : Rarity
- dmg : int
- pvBase : int
- speed, atk, def : int
- hakiR, hakiA, hakiO : int
- lvl : int
- nbCapa : int
- capacities : Capacity*[]
+ getName() : string
+ getType() : CharType
+ getRarity() : Rarity
+ getPV() : int
+ getSpeed() : int
+ getLvl() : int
+ updateLvl(delta : int)
+ upgradeCost() : int
+ resetPV()
+ resetCombatState()
+ chooseCapa() : Capacity*
+ addToCapa(c : Capacity*)
bank 0..*
team[ ]
Player
- pseudo : string
- accountLvl : int
- xp : int
- berries : int
- teamMax : int
- bank : Character*[]
- nbBank : int
- team : Character*[]
- nbTeam : int
- unlocked : string[]
- fragments : FragEntry[]
+ getBerries() : int
+ addBerries(n : int)
+ addXP(n : int)
+ getAccountLvl() : int
+ addToBank(c : Character*)
+ addToTeam(c : Character*)
+ removeFromTeam(idx : int)
+ unlockCharacter(c : Character*)
+ isUnlocked(name) : bool
+ addFragments(name, n)
+ getFragments(name) : int
+ clearTeam() / resetTeamPV()
Campaign
- arcs : Arc*[18]
- currentArcIdx : int
- currentEpIdx : int
+ getNbArcs() : int
+ getCurrentArc() : Arc*
+ getCurrentEpisode() : Episode*
+ getCurrentArcIdx() : int
+ getCurrentEpIdx() : int
+ selectArc(idx) / selectEpisode(idx)
+ arcUp() / arcDown()
+ episodeUp() / episodeDown()
+ completeCurrentEpisode()
18
joueur
campaign
sérialise
Game
- player : Player*
- campaign : Campaign*
- settings : Settings*
- shop : Shop*
- currentBattle : Battle*
- state : GameState
- selectedIndex : int
+ update(ev : Event*)
+ input(c : char) : EventType
+ startBattle()
+ buildEnemyTeam(enemy, diff)
+ applyRewards()
+ save() / load() : bool
+ getPlayer() : Player*
+ getState() : GameState
battle
lit état
lit état
ViewText
- game : Game*
- win : WinTXT
+ run()
- render()
- renderMainMenu()
- renderSettings()
- renderBank() / renderBankDetail()
- renderCampaign() / renderCampaignArc()
- renderBattlePrepa() / renderBattle()
- renderShop()
- readString(x,y,maxLen) : string
ViewGraph
- game : Game*
- window : SDL_Window*
- renderer : SDL_Renderer*
- font : TTF_Font*
+ run()
- render()
- handleSDLEvent(e : SDL_Event*)
- renderMainMenu() / renderBank()
- renderCampaign() / renderBattle()
- renderShop()
utilise
crée
crée
WinTXT «fourni»
Ne pas modifier
+ print(s : char*)
+ move(x : int, y : int)
+ clear() / refresh()
+ getKey() : int
Battle
- player : Player*
- enemy : Player*
- map : BattleMap*
- log : BattleLog[64]
- nbLog : int
+ init()
+ playTurn()
+ getOrder() : Character*[]
+ getWinner() : int
+ isDead(p : Player*) : bool
+ addLog(attaquant, capa, cible, val)
+ getEnemy() : Player*
update(ev)
Squares
- charId : int
- occupied : bool
- row : int
- col : int
+ getCharId() : int
+ isOccupied() : bool
+ setChar(id : int)
2×10
BattleMap
- grid : Squares[2][10]
- nbRows : int
- nbCols : int
+ getSquare(r, c) : Squares&
+ placeChar(charId, r, c)
+ removeChar(r, c)
+ findChar(charId) : int[2]
Reward
- berries : int
- fragmentCharName : string
- nbFragments : int
- dropChance : float
+ getBerries() : int
+ getFragmentCharName() : string
+ getNbFragments() : int
+ getDropChance() : float
0..*
Episode
- name : string
- difficulty : int
- isBoss : bool
- isMiniBoss : bool
- completed : bool
- nbRewards : int
- rewards : Reward*[]
1..*
Arc
- name : string
- bossName : string
- unlockCharName : string
- unlockChance : float
- nbBanned : int
- banned : string[]
- nbEpisodes : int
- episodes : Episode*[]
+ isBanned(name : string) : bool
map
Shop
enemy (owned)
settings
Event
+ type : EventType
MAIN_MENU | SETTINGS | PLAY_MENU | BANK
CAMPAIGN | BATTLE | TEAM | SHOP
SAVE | LOAD | QUIT | NONE ...
Coffre
- rarity : Rarity
+ open() : Reward*
utilise
Shop
- daily : ShopOffer
- weekly : ShopOffer
- monthly : ShopOffer
- permanent : ShopOffer[3]
+ getDaily() : ShopOffer
+ getWeekly() : ShopOffer
+ getMonthly() : ShopOffer
+ getPermanent(i) : ShopOffer
Family
- name : string
- members : string[]
- nbMembers : int
- bonusAtk : float
- bonusPV : float
- bonusDef : float
+ getName() : string
+ isActive(team, n) : bool
+ getBonusAtk() : float
+ getBonusPV() : float
+ getBonusDef() : float
Settings
- fps : int {30 | 60}
- volume : int [0..100]
- brightness : int [0..100]
+ toggleFps()
+ volumeUp() / volumeDown()
+ brightnessUp() / brightnessDown()
+ save(path : string)
+ load(path : string)
SaveData «static»
+ {static} save(path, player, campaign)
+ {static} load(path, player, campaign) : bool
+ {static} getSummary(path) : string
Légende
Composition
Agrégation
Association

Dépendance / utilise