

```
CREATE TABLE Refugee(  
    Safr_id      VARCHAR(20) PRIMARY KEY,  
    Full_name    VARCHAR(100) NOT NULL,  
    Date_of_Birth DATE,  
    Blood_Group  VARCHAR(5),  
    Country      VARCHAR(50),  
    City         VARCHAR(50),  
    Reg_date     DATE  
);
```

```
CREATE TABLE Volunteer (  
    Volunteer_id VARCHAR(20) PRIMARY KEY,  
    Name         VARCHAR(100) NOT NULL,  
    Email        VARCHAR(100),  
    Phone        VARCHAR(20),  
    Home_Country VARCHAR(50)  
);
```

```
CREATE TABLE Donor (  
    Name         VARCHAR(100) PRIMARY KEY,  
    Phone        VARCHAR(20),  
    Email        VARCHAR(100),  
    Payment_Method VARCHAR(50),  
    Total_Amount  DECIMAL(12,2),  
    Donation_type VARCHAR(50),  
    Donor_type    VARCHAR(20)  
);
```

```
CREATE TABLE Camp (  
    Camp_id      VARCHAR(20) PRIMARY KEY,  
    Location     VARCHAR(100) NOT NULL,  
    Capacity     INT,  
    Volunteer_id VARCHAR(20),  
    FOREIGN KEY (Volunteer_id) REFERENCES Volunteer(Volunteer_id)  
);
```

```
CREATE TABLE NGO (  
    NGO_name     VARCHAR(100) PRIMARY KEY,  
    Contact_Email VARCHAR(100),  
    Manager_name VARCHAR(100),  
    Operating_Areas VARCHAR(100),  
    Camp_id      VARCHAR(20) UNIQUE,  
    Item_req      VARCHAR(40),  
    Item_quantity INT,  
    FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id)
```

);

```
CREATE TABLE Aid (  
    Item_name VARCHAR(100),  
    Category VARCHAR(50),  
    Unit INT,  
    Camp_id VARCHAR(20),  
    NGO_name VARCHAR(100),  
    PRIMARY KEY (Item_name, Camp_id, NGO_name),  
    FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id),  
    FOREIGN KEY (NGO_name) REFERENCES NGO(NGO_name)  
);
```

```
CREATE TABLE Camp_Medical_Inventory (  
    Inventory_id VARCHAR(20) ,  
    Item_name VARCHAR(100) ,  
    Camp_id VARCHAR(20),  
    PRIMARY KEY (Inventory_id, Item_name),  
    FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id)  
);
```

```
CREATE TABLE Inventory_update(  
    Inventory_id VARCHAR(20),  
    Item_name VARCHAR(100),  
    Last_updated DATE,  
    PRIMARY KEY (Inventory_id, Item_name),  
    FOREIGN KEY (Inventory_id, Item_name)  
    REFERENCES Camp_Medical_Inventory(Inventory_id, Item_name)  
);
```

```
CREATE TABLE ITEM_amount(  
    Inventory_id VARCHAR(20),  
    Item_name VARCHAR(100),  
    Quantity INT,  
    PRIMARY KEY (Inventory_id, Item_name),  
    FOREIGN KEY (Inventory_id, Item_name)  
    REFERENCES Camp_Medical_Inventory(Inventory_id, Item_name)  
);
```

```
CREATE TABLE Vehicle (  
    Vehicle_id VARCHAR(20) PRIMARY KEY,  
    Vehicle_type VARCHAR(50),  
    Capacity INT,
```

```
Operating_Areas VARCHAR(100),
Camp_id    VARCHAR(20),
FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id)
);
```

```
CREATE TABLE Evac_Request (
    Evareq_id    VARCHAR(20) PRIMARY KEY,
    Status        BOOLEAN,
    Priority      VARCHAR(20),
    Request_date  DATE,
    Allocation_date DATE,
    Vehicle_id    VARCHAR(20),
    Safr_id       VARCHAR(20),
    Operating_areas VARCHAR(100),
    FOREIGN KEY (Vehicle_id) REFERENCES Vehicle(Vehicle_id),
    FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id)
);
```

```
ALTER TABLE Camp ADD COLUMN Evareq_id VARCHAR(20);
ALTER TABLE Camp ADD CONSTRAINT fk_camp_evareq
    FOREIGN KEY (Evareq_id) REFERENCES Evac_Request(Evareq_id);
```

```
CREATE TABLE Match_details (
    Safr_id    VARCHAR(20) PRIMARY KEY,
    Camp_location VARCHAR(100),
    FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id)
);
```

```
CREATE TABLE Identity_Doc (
    Safr_id    VARCHAR(20),
    Doc_number VARCHAR(50),
    Doc_type   VARCHAR(50),
    PRIMARY KEY (Safr_id, Doc_number),
    FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id)
);
```

```
CREATE TABLE Search_Req (
    Safr_id    VARCHAR(20),
    Status      BOOLEAN,
    Missing_Name VARCHAR(100),
    Doc_number  VARCHAR(50),
    Match_Safr_id VARCHAR(20),
    PRIMARY KEY (Safr_id),
    FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id),
```

```

FOREIGN KEY (Safr_id, Doc_number)
REFERENCES Identity_Doc(Safr_id, Doc_number),
FOREIGN KEY (Match_Safr_id) REFERENCES Match_details(Safr_id)
);

CREATE TABLE Assignment (
    Assignment_ID VARCHAR(20),
    Volunteer_id VARCHAR(20),
    Assigned_Date DATE,
    Camp_id VARCHAR(20),
    PRIMARY KEY (Assignment_ID, Volunteer_id),
    FOREIGN KEY (Volunteer_id) REFERENCES Volunteer(Volunteer_id),
    FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id)
);

CREATE TABLE Assignment_required_skill(
    Assignment_ID VARCHAR(20) PRIMARY KEY,
    Skill_name VARCHAR(100),
    FOREIGN KEY (Assignment_ID) REFERENCES Assignment(Assignment_ID)
);

CREATE TABLE Volunteers_quota(
    Volunteer_id VARCHAR(20) PRIMARY KEY,
    Outcome VARCHAR(255),
    FOREIGN KEY (Volunteer_id) REFERENCES Assignment(Volunteer_id)
);

CREATE TABLE NGO_Inventory (
    NGO_name VARCHAR(100),
    Item_name VARCHAR(100),
    Category VARCHAR(50),
    Unit INTEGER,
    PRIMARY KEY (NGO_name, Item_name),
    FOREIGN KEY (NGO_name) REFERENCES NGO(NGO_name)
);

CREATE TABLE Donor_NGO (
    NGO_name VARCHAR(100),
    Donor_Name VARCHAR(100),
    PRIMARY KEY (NGO_name, Donor_Name),
    FOREIGN KEY (NGO_name) REFERENCES NGO(NGO_name),
    FOREIGN KEY (Donor_Name) REFERENCES Donor(Name)
);

```

```

CREATE TABLE Refugee_Has_Requested_Vehicle (
    Safr_id      VARCHAR(20),
    Vehicle_id   VARCHAR(20),
    Destination_camp VARCHAR(20),
    PRIMARY KEY (Safr_id, Vehicle_id),
    FOREIGN KEY (Safr_id)      REFERENCES Refugee(Safr_id),
    FOREIGN KEY (Vehicle_id)   REFERENCES Vehicle(Vehicle_id)
);

```

```

CREATE TABLE Refugee_Stay_in_Camp (
    Safr_id      VARCHAR(20),
    Camp_id      VARCHAR(20),
    Arrival_date  DATE,
    Departure_date DATE,
    PRIMARY KEY (Safr_id, Camp_id),
    FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id),
    FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id)
);

```

```

CREATE TABLE Camp_Request (
    Camp_id      VARCHAR(20),
    NGO_name     VARCHAR(100),
    Item_Requested VARCHAR(100),
    Item_quantity INT,
    PRIMARY KEY (Camp_id, NGO_name),
    FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id),
    FOREIGN KEY (NGO_name) REFERENCES NGO(NGO_name)
);

```

```

CREATE TABLE Camp_Medical_Inventory_Askes_For (
    Requesting_Inventory_id VARCHAR(20),
    Requested_Inventory_id  VARCHAR(20),
    Item_needed             VARCHAR(100),
    Units                   INTEGER,
    Status                   BOOLEAN,
    PRIMARY KEY (Requesting_Inventory_id, Requested_Inventory_id),
    FOREIGN KEY (Requesting_Inventory_id)
    REFERENCES Camp_Medical_Inventory(Inventory_id),
    FOREIGN KEY (Requested_Inventory_id)
    REFERENCES Camp_Medical_Inventory(Inventory_id)
);

```