

```
CREATE TABLE Refugee(  
    Safr_id      VARCHAR(20) PRIMARY KEY,  
    Full_name    VARCHAR(100) NOT NULL,  
    Date_of_Birth DATE,  
    Blood_Group  VARCHAR(5),  
    Photo        VARCHAR(255),  
    Origin_location VARCHAR(100),  
    Country      VARCHAR(50),  
    City         VARCHAR(50),  
    Reg_date     DATE  
);
```

```
CREATE TABLE Volunteer (  
    Volunteer_id VARCHAR(20) PRIMARY KEY,  
    Name         VARCHAR(100) NOT NULL,  
    Email        VARCHAR(100),  
    Phone        VARCHAR(20),  
    Home_Country VARCHAR(50)  
);
```

```
CREATE TABLE Donor (  
    Name         VARCHAR(100) PRIMARY KEY,  
    Phone        VARCHAR(20),  
    Email        VARCHAR(100),  
    Payment_Method VARCHAR(50),  
    Total_Amount  DECIMAL(12,2),  
    Donation_type VARCHAR(50),  
    Donor_type    VARCHAR(20)  
);
```

```
CREATE TABLE NGO (  
    NGO_name     VARCHAR(100) PRIMARY KEY,  
    Contact_Email VARCHAR(100),  
    Manager_name VARCHAR(100),  
    Operating_Areas VARCHAR(100),  
    Camp_id      VARCHAR(20) UNIQUE,  
    Item_req      VARCHAR(40),  
    Item_quantity INT  
);
```

```
CREATE TABLE Camp (  
    Camp_id VARCHAR(20) PRIMARY KEY,  
    Location VARCHAR(100) NOT NULL,  
    Capacity INT,
```

```
Volunteer_id VARCHAR(20),
Evareq_id VARCHAR(20),
FOREIGN KEY (Volunteer_id) REFERENCES Volunteer(Volunteer_id)
);
```

```
ALTER TABLE NGO
ADD CONSTRAINT fk_ngo_camp
FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id);
```

```
CREATE TABLE Aid (
Item_name VARCHAR(100),
Category VARCHAR(50),
Unit INT,
Camp_id VARCHAR(20),
NGO_name VARCHAR(100),
PRIMARY KEY (Item_name, Camp_id, NGO_name),
FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id),
FOREIGN KEY (NGO_name) REFERENCES NGO(NGO_name)
);
```

```
CREATE TABLE Camp_Medical_Inventory (
Inventory_id VARCHAR(20) PRIMARY KEY,
Item_name VARCHAR(100) NOT NULL,
Quantity INT,
Last_updated DATE,
Camp_id VARCHAR(20),
FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id)
);
```

```
CREATE TABLE Vehicle (
Vehicle_id VARCHAR(20) PRIMARY KEY,
Vehicle_type VARCHAR(50),
Capacity INT,
Operating_Areas VARCHAR(100),
Camp_id VARCHAR(20),
FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id)
);
```

```
CREATE TABLE Evac_Request (
Evareq_id VARCHAR(20) PRIMARY KEY,
Status VARCHAR(30),
Priority VARCHAR(20),
Request_date DATE,
Allocation_date DATE,
```

```
Vehicle_id VARCHAR(20),  
Safr_id VARCHAR(20),  
operating_areas VARCHAR(100),  
FOREIGN KEY (Vehicle_id) REFERENCES Vehicle(Vehicle_id),  
FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id)  
);
```

```
ALTER TABLE Camp  
ADD CONSTRAINT fk_camp_evareq  
FOREIGN KEY (Evareq_id) REFERENCES Evac_Request(Evareq_id);
```

```
CREATE TABLE Match_details (  
Safr_id VARCHAR(20) PRIMARY KEY,  
Camp_location VARCHAR(100),  
FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id)  
);
```

```
CREATE TABLE Identity_Doc (  
Safr_id VARCHAR(20),  
Doc_number VARCHAR(50),  
Doc_type VARCHAR(50),  
PRIMARY KEY (Safr_id, Doc_number),  
FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id)  
);
```

```
CREATE TABLE Search_Req (  
Safr_id VARCHAR(20),  
Status VARCHAR(30),  
Missing_Name VARCHAR(100),  
Missing_photo VARCHAR(255),  
Doc_number VARCHAR(50),  
Match_Safr_id VARCHAR(20),  
PRIMARY KEY (Safr_id),  
FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id),  
FOREIGN KEY (Safr_id, Doc_number)  
REFERENCES Identity_Doc(Safr_id, Doc_number),  
FOREIGN KEY (Match_Safr_id) REFERENCES Match_details(Safr_id)  
);
```

```
CREATE TABLE Assignment (  
Assignment_ID VARCHAR(20),  
Volunteer_id VARCHAR(20),  
Skill_name VARCHAR(100),  
Assigned_Date DATE,
```

```

Outcome    VARCHAR(255),
Camp_id    VARCHAR(20),
PRIMARY KEY (Assignment_ID, Volunteer_id),
FOREIGN KEY (Volunteer_id) REFERENCES Volunteer(Volunteer_id),
FOREIGN KEY (Camp_id)    REFERENCES Camp(Camp_id)
);

```

```

CREATE TABLE NGO_Inventory (
  NGO_name VARCHAR(100),
  Item_name VARCHAR(100),
  Category VARCHAR(50),
  Unit    INTEGER,
  PRIMARY KEY (NGO_name, Item_name),
  FOREIGN KEY (NGO_name) REFERENCES NGO(NGO_name)
);

```

```

CREATE TABLE Donor_NGO (
  NGO_name VARCHAR(100),
  Donor_Name VARCHAR(100),
  PRIMARY KEY (NGO_name, Donor_Name),
  FOREIGN KEY (NGO_name) REFERENCES NGO(NGO_name),
  FOREIGN KEY (Donor_Name) REFERENCES Donor(Name)
);

```

```

CREATE TABLE Refugee_Has_Requested_Vehicle (
  Safr_id    VARCHAR(20),
  Vehicle_id VARCHAR(20),
  Destination_camp VARCHAR(20),
  PRIMARY KEY (Safr_id, Vehicle_id),
  FOREIGN KEY (Safr_id)    REFERENCES Refugee(Safr_id),
  FOREIGN KEY (Vehicle_id) REFERENCES Vehicle(Vehicle_id),
  FOREIGN KEY (Destination_camp) REFERENCES Camp(Camp_id)
);

```

```

CREATE TABLE Refugee_Stay_in_Camp (
  Safr_id    VARCHAR(20),
  Camp_id    VARCHAR(20),
  Arrival_date DATE,
  Departure_date DATE,
  PRIMARY KEY (Safr_id, Camp_id),
  FOREIGN KEY (Safr_id) REFERENCES Refugee(Safr_id),
  FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id)
);

```

```
CREATE TABLE Camp_Request (  
    Camp_id    VARCHAR(20),  
    NGO_name   VARCHAR(100),  
    Item_Requested VARCHAR(100),  
    Item_quantity INT,  
    PRIMARY KEY (Camp_id, NGO_name),  
    FOREIGN KEY (Camp_id) REFERENCES Camp(Camp_id),  
    FOREIGN KEY (NGO_name) REFERENCES NGO(NGO_name)  
);
```

```
CREATE TABLE camp_medical_inventory_ASKS_FOR (  
    Requesting_Inventory_id VARCHAR(20),  
    Requested_Inventory_id VARCHAR(20),  
    Item_needed             VARCHAR(100),  
    Units                   INTEGER,  
    Status                   VARCHAR(30),  
    PRIMARY KEY (Requesting_Inventory_id, Requested_Inventory_id),  
    FOREIGN KEY (Requesting_Inventory_id)  
    REFERENCES Camp_Medical_Inventory(Inventory_id),  
    FOREIGN KEY (Requested_Inventory_id)  
    REFERENCES Camp_Medical_Inventory(Inventory_id)  
);
```