Tarama Raporu

NMAP

x

NMAP

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-06-02 18:19 EDT
Unable to split netmask from target expression: "http://vulnweb.com/"
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.09 seconds
```

NMAP

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-06-02 18:19 EDT
Unable to split netmask from target expression: "http://vulnweb.com/"
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.09 seconds
```

NMAP

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-06-02 18:20 EDT
Unable to split netmask from target expression: "http://vulnweb.com/"
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.09 seconds
```

NMAP

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-06-02 18:20 EDT
Unable to split netmask from target expression: "http://vulnweb.com/"
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.09 seconds
```

NIKTO

```
- Nikto v2.5.0
---------------------------------------------------------------------------
+ Target IP:          44.228.249.3
+ Target Hostname:    vulnweb.com
+ Target Port:        80
+ Start Time:         2025-06-02 18:20:03 (GMT-4)
---------------------------------------------------------------------------
+ Server: nginx/1.19.0
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 2 item(s) reported on remote host
+ End Time:           2025-06-02 18:21:23 (GMT-4) (80 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested
```

NIKTO

```
- Nikto v2.5.0
---------------------------------------------------------------------------
+ Target IP:          44.228.249.3
+ Target Hostname:    vulnweb.com
+ Target Port:        80
+ Start Time:         2025-06-02 18:20:05 (GMT-4)
---------------------------------------------------------------------------
+ Server: nginx/1.19.0
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 2 item(s) reported on remote host
+ End Time:           2025-06-02 18:21:25 (GMT-4) (80 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested
```

NIKTO

```
- Nikto v2.5.0
---------------------------------------------------------------------------
+ Target IP:          44.228.249.3
+ Target Hostname:    vulnweb.com
+ Target Port:        80
+ Start Time:         2025-06-02 18:20:07 (GMT-4)
---------------------------------------------------------------------------
+ Server: nginx/1.19.0
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 2 item(s) reported on remote host
+ End Time:           2025-06-02 18:21:28 (GMT-4) (81 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested
```

NIKTO

```
- Nikto v2.5.0
---------------------------------------------------------------------------
+ Target IP:          44.228.249.3
+ Target Hostname:    vulnweb.com
+ Target Port:        80
+ Start Time:         2025-06-02 18:20:08 (GMT-4)
---------------------------------------------------------------------------
+ Server: nginx/1.19.0
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 2 item(s) reported on remote host
+ End Time:           2025-06-02 18:21:28 (GMT-4) (80 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested
```

NMAP

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-06-02 18:22 EDT
Unable to split netmask from target expression: "http://testphp.vulnweb.com"
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.09 seconds
```

NIKTO

```
- Nikto v2.5.0
---------------------------------------------------------------------------
+ Target IP:          44.228.249.3
+ Target Hostname:    testphp.vulnweb.com
+ Target Port:        80
+ Start Time:         2025-06-02 18:22:21 (GMT-4)
---------------------------------------------------------------------------
+ Server: nginx/1.19.0
+ /: Retrieved x-powered-by header: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1.
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ /clientaccesspolicy.xml contains a full wildcard entry. See: https://docs.microsoft.com/en-us/previous-versions/windows/silverlight/dotnet-windows-silverlight/cc197955(v=vs.95)
+ /clientaccesspolicy.xml contains 12 lines which should be manually viewed for improper domains or wildcards. See: https://www.acunetix.com/vulnerabilities/web/insecure-clientac
+ /crossdomain.xml contains a full wildcard entry. See: http://jeremiahgrossman.blogspot.com/2008/05/crossdomainxml-invites-cross-site.html
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 6 item(s) reported on remote host
+ End Time:           2025-06-02 18:23:41 (GMT-4) (80 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested
```

WPSCAN

```
         __          __  _____                    
         \ \        / / |  __ \  / ____|          
          \ \  /\  / /| |__) | (___   ___  __ _ _ __   Â®
           \ \/  \/ / |  ___/ \___ \ / __|/ _` | '_ \ 
            \  /\  /  | |     ____) | (__| (_| | | | |
             \/  \/   |_|    |_____/ \___|\__,_|_| |_|

        WordPress Security Scanner by the WPScan Team
                       Version 3.8.28

        @_WPScan_, @ethicalhack3r, @erwan_lr, @firefart
```

Scan Aborted: Update required, you can not run a scan if a database file is missing.

NMAP

```
Starting Nmap 7.95 ( https://nmap.org ) at 2025-06-02 18:49 EDT
Unable to split netmask from target expression: "http://testphp.vulnweb.com"
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.09 seconds
```

NMAP

NIKTO

```
- Nikto v2.5.0
---------------------------------------------------------------------------
+ Target IP:          44.228.249.3
+ Target Hostname:    testphp.vulnweb.com
+ Target Port:        80
+ Start Time:         2025-06-02 18:49:33 (GMT-4)
---------------------------------------------------------------------------
+ Server: nginx/1.19.0
+ /: Retrieved x-powered-by header: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1.
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ /clientaccesspolicy.xml contains a full wildcard entry. See: https://docs.microsoft.com/en-us/previous-versions/windows/silverlight/dotnet-windows-silverlight/cc197955(v=vs.95)
+ /clientaccesspolicy.xml contains 12 lines which should be manually viewed for improper domains or wildcards. See: https://www.acunetix.com/vulnerabilities/web/insecure-clientac
+ /crossdomain.xml contains a full wildcard entry. See: http://jeremiahgrossman.blogspot.com/2008/05/crossdomainxml-invites-cross-site.html
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 6 item(s) reported on remote host
+ End Time:           2025-06-02 18:50:56 (GMT-4) (83 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested
```

WPSCAN

```
         __          __  _____                    
         \ \        / / |  __ \  / ____|          
          \ \  /\  / /| |__) | (___   ___  __ _ _ __   Â®
           \ \/  \/ / |  ___/ \___ \ / __|/ _` | '_ \ 
            \  /\  /  | |     ____) | (__| (_| | | | |
             \/  \/   |_|    |_____/ \___|\__,_|_| |_|

        WordPress Security Scanner by the WPScan Team
                       Version 3.8.28

        @_WPScan_, @ethicalhack3r, @erwan_lr, @firefart
```

Scan Aborted: Update required, you can not run a scan if a database file is missing.

NIKTO

```
- Nikto v2.5.0
---------------------------------------------------------------------------
+ Target IP:          44.228.249.3
+ Target Hostname:    testphp.vulnweb.com
+ Target Port:        80
+ Start Time:         2025-06-02 18:49:49 (GMT-4)
---------------------------------------------------------------------------
+ Server: nginx/1.19.0
+ /: Retrieved x-powered-by header: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1.
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
```

+ /clientaccesspolicy.xml contains a full wildcard entry. See: https://docs.microsoft.com/en-us/previous-versions/windows/silverlight/dotnet-windows-silverlight/cc197955(v=vs.95)
+ /clientaccesspolicy.xml contains 12 lines which should be manually viewed for improper domains or wildcards. See: https://www.acunetix.com/vulnerabilities/web/insecure-clientac
+ /crossdomain.xml contains a full wildcard entry. See: http://jeremiahgrossman.blogspot.com/2008/05/crossdomainxml-invites-cross-site.html
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 6 item(s) reported on remote host
+ End Time: 2025-06-02 18:51:09 (GMT-4) (80 seconds)

+ 1 host(s) tested

NIKTO

- Nikto v2.5.0

+ 0 host(s) tested

WPSCAN

```
        __          _____   _____
        \ \        / /  __ \ / ____|
         \ \  /\  / /| |__) | (___   ___  __ _ _ __   Â®
          \ \/  \/ / |  ___/ \___ \ / __|/ _` | '_ \
           \  /\  /  | |      ____) | (__| (_| | | | |
            \/  \/   |_|     |_____/ \___|\__,_|_| |_|

          WordPress Security Scanner by the WPScan Team
                        Version 3.8.28

          @_WPScan_, @ethicalhack3r, @erwan_lr, @firefart
```

Scan Aborted: Update required, you can not run a scan if a database file is missing.

WPSCAN

```
        __          _____   _____
        \ \        / /  __ \ / ____|
         \ \  /\  / /| |__) | (___   ___  __ _ _ __   Â®
          \ \/  \/ / |  ___/ \___ \ / __|/ _` | '_ \
           \  /\  /  | |      ____) | (__| (_| | | | |
            \/  \/   |_|     |_____/ \___|\__,_|_| |_|

          WordPress Security Scanner by the WPScan Team
                        Version 3.8.28
          Sponsored by Automattic - https://automattic.com/
          @_WPScan_, @ethicalhack3r, @erwan_lr, @firefart
```

Scan Aborted: The remote website is up, but does not seem to be running WordPress.

NIKTO

- Nikto v2.5.0

+ Target IP: 44.228.249.3
+ Target Hostname: vulnweb.com
+ Target Port: 80
+ Start Time: 2025-06-07 10:22:30 (GMT-4)

+ Server: nginx/1.19.0
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 2 item(s) reported on remote host
+ End Time: 2025-06-07 10:23:56 (GMT-4) (86 seconds)

+ 1 host(s) tested

NMAP

Starting Nmap 7.95 (https://nmap.org) at 2025-06-07 10:25 EDT
Nmap scan report for vulnweb.com (44.228.249.3)
Host is up (0.21s latency).
rDNS record for 44.228.249.3: ec2-44-228-249-3.us-west-2.compute.amazonaws.com
Not shown: 999 filtered tcp ports (no-response)
PORT   STATE SERVICE VERSION
80/tcp open http   nginx 1.19.0

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 41.84 seconds

NIKTO

- Nikto v2.5.0

+ Target IP: 44.228.249.3
+ Target Hostname: vulnweb.com
+ Target Port: 80
+ Start Time: 2025-06-07 11:03:39 (GMT-4)

+ Server: nginx/1.19.0
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 2 item(s) reported on remote host
+ End Time: 2025-06-07 11:05:01 (GMT-4) (82 seconds)

+ 1 host(s) tested

NIKTO

- Nikto v2.5.0

+ Target IP: 44.228.249.3
+ Target Hostname: vulnweb.com
+ Target Port: 80
+ Start Time: 2025-06-07 11:03:40 (GMT-4)

+ Server: nginx/1.19.0
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options

+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 2 item(s) reported on remote host
+ End Time: 2025-06-07 11:05:03 (GMT-4) (83 seconds)

+ 1 host(s) tested

NIKTO

- Nikto v2.5.0

+ Target IP: 44.228.249.3
+ Target Hostname: vulnweb.com
+ Target Port: 80
+ Start Time: 2025-06-07 13:37:52 (GMT-4)

+ Server: nginx/1.19.0
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 2 item(s) reported on remote host
+ End Time: 2025-06-07 13:39:20 (GMT-4) (88 seconds)

+ 1 host(s) tested

+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.net
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ ERROR: Error limit (20) reached for host, giving up. Last error: error reading HTTP response
+ Scan terminated: 20 error(s) and 2 item(s) reported on remote host
+ End Time: 2025-06-07 11:05:03 (GMT-4) (83 seconds)

+ 1 host(s) tested

NIKTO

- Nikto v2.5.0

+ Target IP: 44.228.249.3
+ Target Hostname: vulnweb.com
+ Target Port: 80
+ Start Time: 2025-06-07 13:37:52 (GMT-4)

+ Server: nginx/1.19.0
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options