

Customer & Driver App Changes Report

Adios · 7 October 2026 · Branch `dev`, changes not yet committed

All 15 requested changes are done, along with a mock-data clean-up across five of the six projects. Every project builds or typechecks, and lint and tests show nothing new. **Nothing has been tested on a phone yet** — the checklist at the end covers what to try.

15

requested changes done

135

files changed, 6 new

5

bugs found and fixed on the way

5 / 6

projects cleaned of mock data

1. Customer app — requested changes

#	REQUEST	WHAT CHANGED	MAIN FILES
1	Headline on one line	"Craving something delicious?" always fits one line. The app measures it and renders the largest size that fits (Android's built-in shrink-to-fit made it far too small).	<code>features/home/components/HomeIntro.tsx</code>
2	Delivery address on one line	"DELIVERY TO Home · street" on a single line at normal size, cut off with "..." when long.	<code>HomeTopBar.tsx</code> , <code>home.styles.root.ts</code>
3	Smaller carousel text	Card headline 24 → 18 dp, caption 14 → 12 dp, each limited to two lines.	<code>PromoCarousel.tsx</code> , <code>home.styles.root.ts</code>
4	Bigger header icons	Bell and radius icons 18 → 24 dp; their circles unchanged. The radius icon is now a pin with a circle (<code>map-marker-radius-outline</code>).	<code>HomeTopBar.tsx</code>
5	Bigger restaurant cards	Photo 90 → 116 dp, padding 14 → 16 dp, minimum height 148 dp, larger favourite icon.	<code>RestaurantListItem.styles.ts</code>
6	Closed label	A closed restaurant's card just says CLOSED (no "Closed · opens Mon 9:00 AM").	<code>components/RestaurantListItem.tsx</code>
7	No ordering from closed restaurants	Adds are refused from the first frame on the menu, the dish sheet, dish search and the cart screen ("+" and "complement your cart"). See bug 1 for why they were getting through.	<code>useOutletOrderingState.ts</code> , <code>useCart.tsx</code> , <code>useRestaurantMenuId.tsx</code>
8	Glass sliding filter	The selected category sits in a frosted-glass bubble that springs to the next tab; the strip scrolls to keep it in view.	<code>features/food/components/CategoryTabs.tsx</code>
9	No bottom tab bar on the restaurant screen	Tab bar hidden on the menu and on Restaurant info (for consistency); the cart stripe stays and sits on the bottom edge.	<code>AppTabBar.tsx</code> (<code>hideTabs</code>), <code>useAppTabBarHeight.ts</code>
10	Veg toggle position	"Veg only" badge, then the toggle, on the right above the search bar. Tapping either toggles it.	<code>MenuVegOnly.tsx</code>
11	Rating badge on one line	"5 ★ (4)" now reads on a single line inside the green badge.	<code>MenuVegOnly.tsx</code> , <code>restaurant-menu.styles.ts</code>
12	Remove mock data	Done across all apps — see section 3.	—
13	Cart stripe redesign	Restaurant photo, name on line 1, "₹total · N items" on line 2. Falls back to looking the restaurant up when the cart was restored after a restart.	<code>components/CartStripe.tsx</code> (<code>new</code>), <code>contexts/cartStore.ts</code>

#	REQUEST	WHAT CHANGED	MAIN FILES
14	Promo code input	Tapping Apply / Add opens the input with the keyboard already up (cart and checkout). "Tap to add it at checkout" removed.	<code>CartBillSummary.tsx</code> , <code>CheckoutSection.tsx</code>
15	Payment result animation	Full-screen success or failure animation (Lottie) on return from Razorpay, for food, ride, courier and the cold-start payment link. A cancelled payment shows none.	<code>components/PaymentOutcomeOverlay.tsx</code> , <code>assets/lottie/*.json</code> , <code>utils/razorpay.ts</code>
+	Follow-up: gaps on the restaurant screen	On scroll, the pinned filter strip now attaches to the measured header (it used to leave a sliver of menu showing). Space between the strip and the first category: 30 → 14 dp.	<code>app/restaurant-menu.tsx</code> , <code>MenuBody.tsx</code>

Paths are under `app/`. The two animation files were built for this change and checked frame by frame in lottie-web.

2. Bugs found and fixed on the way

#	PROBLEM	CAUSE	FIX
1	Closed restaurants could still be ordered from	The menu counted every restaurant as open until <code>GET /vendors/:id/ordering-state</code> answered. That endpoint only arrived in commit 1b7856e (5 Oct), so on any backend without it, nothing was ever blocked.	Menu starts from the home card's open/closed verdict and falls back to <code>GET /vendors/:id</code> , which has carried the same open state for longer.
2	Riders sent to a made-up pickup point	Food checkout sent the pickup as the customer's own location + 0.004° (about 500 m away). The server stored it as-is.	Server pins the pickup to the outlet's stored location (<code>OrdersService.pinPickupToOutlet</code>); the app also sends the real location. Prices unaffected.
3	"[Customer Socket] Connection failed: websocket error"	The dev PC's address changed from 192.168.1.4 to 192.168.1.9; the app still pointed at the old one.	<code>app/.env</code> updated (local file, not in git). Reserve the IP in the router to stop it recurring.
4	Hero carousel disappeared	The four hero banners had been deleted from the shared database — the only code that deletes banners is the admin panel's delete action. Not caused by these changes.	The four banners were re-inserted (section 5).
5	Tracking ETA was a fake countdown	ETA started at 15 min and dropped one minute every 30 s; a 7-second poll kept resetting the live GPS estimate to the whole trip's time.	ETA comes from the route time, then the driver's live position; hidden until a real estimate exists.

3. Mock data removed (request 12)

PROJECT	FAKE DATA REMOVED	SHOWS NOW
Customer app	Built-in offer cards (code FLAV50 does not exist, "42 outlets near you"); fallback ratings "4.8 ★ (2k+)", "4.2", "4.3", "34 ratings"; stock Unsplash food photos; invented "Fresh {name}" descriptions; Rajahmundry default coordinates at checkout.	Only banners published from admin; real ratings or none; a neutral placeholder; real weight; an address without a map pin must be re-picked.
Driver app	Invented payout bonuses (surge, peak, rain, tip); "Mock Driver / +1 (555) 987-6543" sent to customers when an accept failed; fixed "high demand zones"; "Demo OTP: 123456"; dialling 1234567890 when a phone was missing; a fake road-closure alert; hardcoded 4.9 rating, 98% acceptance, "Expired" licence and "Valid" insurance.	The real payout total (plus distance); a visible accept error; real areas from <code>/drivers/high-demand-areas</code> ; a "no phone number" alert; real profile figures or "—".

PROJECT	FAKE DATA REMOVED	SHOWS NOW
Admin	Seven fake drivers; invented Payments figures (+12.4%, 98.2%, fixed 35/65 and 65/25/10 splits, an "insight" panel, fake pagination and export); vendor rating "4.8" and "+0%" badges; a fallback analytics series; "Marcus Rodriguez" as driver; fake map pins; "+8% this month"; Dev Drivers page in production.	Empty states, real totals, working pagination and CSV export, real vendor rating and driver names, pins only for real coordinates; Dev Drivers only in development builds.
Backend	The seeder overwrote real vendors' ratings and opening hours on every boot and inserted demo users, orders, tickets and outlets; the ₹149 store invented prices, ratings and photos; invoices printed driver "Dinesh Nidadavolu", plate AP39RN7856 and a fake GSTIN/FSSAI, with random invoice numbers; admin payments returned three invented rows; dashboard charts used random numbers; acceptance rate fixed at 98.	No overwrites; demo data only with <code>SEED_DEMO_DATA=true</code> ; real dish price, photo and vendor rating; real names, the vendor's own legal numbers (or omitted), invoice numbers derived from the order id; empty lists; zeros; a computed rate or null.
Partner website	Menu rating fallbacks "4.0" and "100+".	The real rating, or a "New" chip.
Food-Partner	None found.	—

4. Behaviour changes to check before release

- **₹149 store** now lists only dishes priced ₹149 or less, at their real price. Before, it showed every dish as ₹149 while checkout showed the full price. It may be empty in some areas.
- **Driver sign-up** no longer shows "Demo OTP: 123456". The backend sends no SMS and accepts any 6-digit code, so drivers get no code until SMS is set up.
- **Driver accept:** a failed accept now shows an error instead of opening a job screen for an order the driver does not have.
- **Driver "Call customer"** on the en-route screen now actually dials (it only showed a message before).
- **Fresh databases** start empty unless `SEED_DEMO_DATA=true` (documented in `backend/.env.example`).
- **Restaurant info screen** also lost its bottom tab bar, to match the menu. Easy to restore if unwanted.

5. Database changes

The local backend and production share one database, so these changes are live for customers.

- **Inserted** the four hero banners — "Craving something delicious?", "Need a helping hand today?", "Going somewhere?", "Fresh Meat Daily!" — in that order (display order 1–4). Nothing else was touched; the Flipkart and welcome ads remain. The images are stock links from `backend/seed-banners.ts`; replace them from the admin Banners page.
- **Not restored:** the "Special Weekend Offer" ad, which was deleted at the same time.
- **Do not run** `backend/seed-banners.ts` or `upload-generated-banners.ts`: both delete every banner first.
- **Suggested, not run:** reset any fake ratings the old seeder wrote onto real outlets; and for digital-menu restaurants still on the old default, `db.digitalmenurestaurants.updateMany({rating: 4, reviews: "1"}, {$set: {rating: 0, reviews: "0"}})`.

6. Left for a decision

These were found but not changed: they affect login, verification, pricing or contact details, not just displayed data.

RISK	FINDING	WHERE	NEEDS
High	Any OTP code is accepted at login	backend/src/modules/auth/auth.service.ts	Real SMS provider, then remove the bypass
High	Aadhaar / PAN checks pass as "Demo User" without an API key	backend/src/services/surepass.service.ts	Surepass key; fail closed
High	Driver bank, Aadhaar and PAN verification succeed when the check fails	driver/features/onboarding/hooks/useVerifyBank.ts , useIdentityVerifyActions.ts	Remove the fallbacks
High	Google Maps API key hardcoded	admin/.../useZonesList.ts , useOrderDetail.ts ; backend/src/services/invoice.service.ts	Move to env, rotate the key
Medium	Courier and helper fares are calculated on the phone; the charged price can differ	app/contexts/deliveryStore.ts , useHelperTaskInsets.tsx	Use GET /orders/estimate-fare
Medium	Company GSTIN, addresses and state hardcoded on invoices	backend/src/services/invoice.service.ts	Real company details, ideally in env
Medium	Fake support numbers "+1 (800) 555-DRIV" and "+91-XXXXX-XXXXX"	driver/locales/*/common.json	Real support contact
Medium	Dev-only admin endpoints reachable in production (random test orders; seed / delete "check..." drivers)	backend/src/modules/admin/admin.controller.ts	Restrict to development
Low	Insurance shown "valid" whenever a vehicle type is set	backend/src/modules/drivers/drivers.service.ts	Real insurance data
Low	Admin support chat: call, attachment and emoji buttons only show toasts	admin/src/features/support/components/	Implement or hide

7. Verification

PROJECT	TYPECHECK / BUILD	LINT	TESTS
Customer app	tsc clean	0 errors from these changes	15 suites, 103 tests pass
Driver app	tsc clean	No new issues (33 older typography errors in untouched files)	No test suite
Admin	Build passes	No new issues	1 / 1 pass
Backend	Build passes	No new issues (24 older errors)	No test suite
Partner website	Build passes	No new issues (20 older errors)	No test suite
Food-Partner	Not changed		

The admin typecheck still reports 4 errors that were already on HEAD ; one older error was fixed.

Device test checklist

- ☐ Home: headline and address each on one line; bigger bell and radius icons
- ☐ Home: carousel shows the four hero cards with smaller text
- ☐ Restaurant cards larger; closed ones say CLOSED
- ☐ Closed restaurant: Add, dish sheet and cart "+" all refuse
- ☐ Filter bubble slides; pinned strip sits flush under the header
- ☐ Restaurant screen: no tab bar; veg badge then toggle on the right
- ☐ Add an item: stripe shows photo, name, then price
- ☐ Promo Apply opens the keyboard at once
- ☐ Online payment success and failure (Razorpay test mode) animate; cancel does not
- ☐ Food order: rider's pickup pin is at the restaurant
- ☐ Tracking ETA appears only once real, and follows the driver
- ☐ Driver: accept, deliver, payout shows the real total
- ☐ Admin: Payments, Drivers and Order detail show real data
- ☐ Invoice PDF shows the real driver and invoice number