

Ataki Evil Twin, KARMA i MANA

Analiza, detekcja i przeciwdziałanie atakom Rogue Access Point

AGH WIEiT · 2026

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

An error occurred on this slide. Check the terminal for more information.

Podsumowanie

3

typy ataków
przeprowadzone

Evil Twin · KARMA · MANA

3

metody detekcji
zaimplementowane

IE · RSSI · Seq Numbers

55k+

pakietów
przechwyconych

10 cykli ON/OFF

Wszystkie ataki przeprowadzone i udokumentowane

3 metody detekcji niezależnie potwierdzają Evil Twin

Evil Twin — najskuteczniejszy i najłatwiejszy do wykrycia

KARMA — stealthowa, ale słabsza na nowych systemach

WiFiSlayer uzupełnia zestaw o captive portal

Własne narzędzia: `analize_pcap.py`, `beacon_diff.py`

Dziekujemy za uwagę

github.com/Hose-Zur/BBSK-Evil-Twin