

Markup Languages & Web Tech (ETE1AE)

Active Recall Memorization Checklist & Quick Cram Study Sheet

Double-check your concepts before the exam. Mark off your mastery. Correct options are highlighted in bold green.

HTML & Semantics

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	Which of the following tags are found in the <head> section of an HTML document? ☐ ☐ <p> ☒ <title> ☐ ☒ <meta> ☒ <link>
☐	☐	Which of the following elements is used to create a table in HTML5? ☐ <grid> ☒ <table> ☐ <array> ☐ <data table>
☐	☐	Which attribute is used to define a CSS file in HTML5? ☐ src ☒ href ☐ url ☐ path
☐	☐	Which of the following HTML5 elements are used for semantic tagging of content? ☒ <footer> ☒ <header> ☒ <aside> ☐
☐	☐	What are the benefits of semantics and structured data on web pages? ☒ a.Improved display of search results ☒ b.Better indexing for search engines ☒ c.Improved accessibility for reading devices ☒ Improved display of search results ☒ Better indexing for search engines ☒ Improved accessibility for reading devices
☐	☐	Ordered list in HTML5 (1)? ☐ <unnumberedlist> ☐ <numberedlist> ☐ ☒
☐	☐	Which of the following are current HTML standards? ☒ HTML 5 ☒ HTML 4.01 ☐ HTML 5.5 ☐ HTML 1.0 ☐ HTML 3.4

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	HTML5 microdata specific elements and attributes ☒ <code>itemtype</code> ☒ <code>itemscope</code> ☐ <code>vocap</code> ☐ <code>pulfi</code>
☐	☐	What is the correct DOCTYPE declaration for HTML5? ☒ <code><!DOCTYPE html></code> ☐ <code><!DOCTYPE xml></code> ☐ <code><DOCTYPE html></code> ☐ <code><DOCTYPE xml></code>
☐	☐	Which element is used to define navigation links in HTML5? ☒ <code>nav</code> ☐ <code>section</code> ☐ <code>menu</code> ☐ <code>dl</code>
☐	☐	Which of the following elements can be used inside the HTML5 <header> element? ☒ <code>div</code> ☒ <code>nav</code> ☒ <code>span</code> ☒ <code>ol</code> ☒ <code>ul</code> ☒ <code>li</code> ☒ <code>p</code> ☒ <code>img</code> ☒ <code>h1 to h6</code>
☐	☐	Which of the following elements is correct for embedding video in an HTML 5 pages? ☐ <code><media></code> ☐ <code><object></code> ☐ <code><embed></code> ☒ <code><video></code> ☒ <code><video></code> Extra questions Who created HTML? HTML was created by Tim Berners-Lee in 1989 while working
☐	☐	How do you define a hyperlink in HTML5? ☒ <code>link text</code> ☐ <code><a>"link text"</code> ☐ <code><href="URL">"link text"</code> ☐ <code><a> "link text" < / a></code> ☒ <code>link text< / a></code> ☐ <code><a href= link text< / a></code> ☐ <code><href="URL" > "link text"</code>
☐	☐	Ordered list in HTML5? ☒ <code></code>

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	HTML5 microdata specific elements and attributes ☒ itemtype ☒ itemscope
☐	☐	Who created HTML? ☒ Tim Berners-Lee in CERN
☐	☐	How to put a link in a HTML5 document? ☒ using the anchor tag (<a>) with the href attribute
☐	☐	What is the difference between <section> and <article>? ☒ Section is a section of a document (doesn't make sense on its own) while article refers directly to a
☐	☐	What can we use in the <footer>? ☒ <p>, , , <a> and more
☐	☐	What are semantics in HTML? ☒ They bring meaning to a piece of code, such as using <article> for an article, they also include metadata
☐	☐	Which HTML tag do we use for audio? ☒ <audio>
☐	☐	Which HTML tag do we use for navigation? ☒ <nav>
☐	☐	Can be used within a form in HTML5? ☒ Input ☒ Form
☐	☐	Semantic elements ☒ Aside ☒ Header ☒ Article ☒ Nav ☒ Main ☒ Section ☒ Footer

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	Basic elements in HTML ☒ html ☒ body ☒ h1 ☒ head ☒ a ☒ ol ☒ p ☒ li ☒ img ☒ title ☒ ul
☐	☐	Who is behind the HTML language and related technologies? ☒ Tim Berners Lee ☐ Bill Gates ☐ William Tunnicliffe ☐ Charles Goldfarb ☐ Steve Jobs
☐	☐	What is the correct syntax for HTML 5? ☐ Tags must always be written in lowercase ☐ Tags must always be written in capital letters. ☒ Some elements may be without an exit tag. ☒ Uppercase and lowercase letters are not important in tag names.
☐	☐	Elements in HTML header ☐ img ☒ link ☒ meta ☒ style ☒ script ☒ title
☐	☐	How is doctype written in header? ☐ <! DOCTYPE xml> ☐ <DOCTYPE xml> ☐ <DOCTYPE html> ☒ <! DOCTYPE html>
☐	☐	What do itemscope and itemprop elements mean in HTML5? ☒ <itemscope> and <itemprop> are used to indicate microdata (metadata) in the content of a web page ☐ <itemscope> and <itemprop> are used for optical zoom of the predetermined part of the site

Mastered	Review	Exam Question & Multiple Choice Options
☐	☐	Which of the following elements should be used to navigate the page? ☐ <menu> ☐ <dl> ☒ <nav> ☐ <section>
☐	☐	Types of audio files in HTML ☒ Ogg ☒ AAC ☒ MP3 ☒ WAV
☐	☐	HTML5 allows you to use the <aside> tag - for what? ☒ To insert a block tangentially dependent on the content of the element in which it is located ☐ To move content to a page ☐ To embed absolutely independent content ☐ To align text ☐ To create alternative content for Responsive design
☐	☐	What format can a video be in HTML? ☒ Ogg ☐ WMV ☒ WebM ☒ MP4 ☐ AVI

XML Basics

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	In SVG, image data is represented in what format? ☐ Binary ☐ Numerically ☒ Textually ☐ Bicubic ☐ Bitmap
☐	☐	What is the main difference between a well-formed and a valid XML document? ☒ A well-formed document adheres to the basic syntax rules, while a valid document meets the requirements of an XML schema or DTD. ☐ A well-formed document has correctly nested tags, while a valid document has properly closed tags. ☐ A well-formed document meets the requirements of an XML schema or DTD, while a valid document adheres to the basic syntax rules. ☐ A well-formed document contains only ASCII characters, while a valid document contains only Unicode characters. ☒ A well-formed document adheres to the basic syntax rules, while a valid document meets the requirements
☐	☐	Which of the following are allowed for XML elements? ☒ Elements can have attributes ☒ Elements can contain other elements. ☒ Elements can have textual content. ☐ Elements can have multiple root/parent elements. ☒ Elements can have attributes (if only one then this one)
☐	☐	XML can be? ☐ strict, well-balanced ☐ valid, well-balanced ☐ well-formed, strict ☒ valid, well-formed
☐	☐	What is the true about XML namespaces? ☐ XML namespaces limit the validity of an XML schema. ☒ XML namespaces prevent conflicts between element and attribute names in an XML document. ☐ XML namespaces group XML elements into logical blocks. ☐ XML namespaces define shortcuts for elements and attributes. ☒ XML namespaces prevent conflicts between element and attribute names in an XML document
☐	☐	Which organization is responsible for specifying XML? ☐ Institute of Electrical and Electronics Engineers (IEEE) ☒ World Wide Web Consortium (W3C) ☐ Internet Engineering Task Force (IETF) ☐ International Organization for Standardization (ISO) ☒ W3C

Mastered	Review	Exam Question & Multiple Choice Options
☐	☐	What is true about a valid XML document? ☐ XML attributes must have a value. ☒ A valid XML document complies with requirements defined by an XML schema or DTD. ☒ A valid XML document is always well-formed. ☐ A valid XML document does not need to have a root element. ☒ A valid XML document complies with requirements defined by an XML schema or DTD ☒ A valid XML document is always well-formed
☐	☐	What format is used for SVG files? ☐ CSV ☒ XML ☐ Binary ☐ JSON
☐	☐	What are the purposes of using XML? ☐ a. For defining the structure of documents ☒ b. For defining custom markup languages ☐ c. For transferring data between different applications and systems; ☒ for defining the structure of documents ☒ for defining custom markup languages ☒ for transferring data between different applications and systems
☐	☐	What rules apply to XML element names? ☒ a.Element names can include colons when using a namespace ☒ b.Element names can include hyphens, underscores, and periods ☐ c.Element names can include spaces ☒ d.Element names must not start with a number ☒ Element names can include colons when using a namespace ☒ Element names can include hyphens, underscores, and periods ☒ Element names must not start with a number
☐	☐	What must have a well formed XML document contain (1)? ☒ ... Exactly one root element ☐ ... DTD declaration at least one ☐ unlimited number ☐ two root elements ☒ ... Exactly one root element
☐	☐	XML was created by ☐ sgml increasing ☒ simplifying SGML
☐	☐	XML is a? ☒ W3C recommendation ☐ ISO standard ☐ de jure standard ☐ ANSI recommendation

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	Which of the following statements about XML attributes are true? ☒ can be listed in any order ☒ enclosed in single or double quotes ☒ must have a value ☐ can have multiple values
☐	☐	What type of graphics does SVG represent? ☒ Vector Graphics ☐ Raster Graphics ☐ Bitmap Graphics ☐ 3D Graphics
☐	☐	Which of these are generally marked as successful states? ☒ 200 ☒ 201 ☒ 204
☐	☐	Which languages do we use for transforming XML files? ☒ XSLT
☐	☐	Latest version of Doc book is defined using? ☒ RelaxNG with XSD provided
☐	☐	Definition of XML rules ☐ defined using HTML syntax or HTML schemas ☐ defined using JSON syntax or JSON schemas ☒ defined using XML syntax or XML Schemas
☐	☐	How many elements are defined by the XML language specification? ☒ 0 ☐ hundreds ☐ dozen ☐ up to 10
☐	☐	Who manages XML? ☐ C4W ☐ Steve Jobs ☐ NASA ☒ W3C
☐	☐	Who standardized XML? ☒ W3C ☐ Xavier Martinez ☐ Steve Jobs

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	The XML language ☐ ANSI recommendation ☐ de jure standard ☒ W3C recommendation ☐ ISO standard
☐	☐	What is SVG for? ☐ Defines what elements and attributes can be used in XML ☐ For data exchange ☒ Displaying vector graphics on a website
☐	☐	What types of entities can be represented using a dictionary Schema.org? ☒ Place ☒ Educational organizations ☒ Book titles ☒ Recipe
☐	☐	Which of the following are allowed for XML attributes? ☒ Attributes must have a value ☒ Attributes can be listed in any order ☐ Attributes can have multiple values ☐ Attribute values must be quoted - single or triple
☐	☐	What does W3C stand for? ☒ World Wide Web Consortium
☐	☐	What is schema? ☒ A set of rules and restrictions that determine the structure, format, and validity of data in a particular
☐	☐	Who invented XML? ☒ W3C (World Wide Web Consortium) ☐ Not known ☐ C3W (Consortium Web Wide World)
☐	☐	What is the URI abbreviation? ☐ Universal Remote Informator ☒ Uniform Resource Identifier ☐ Universal Resource Identifier ☐ Uniform Remote Identifier

XML Schema (XSD)

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	What can be used to define custom data types in XML Schema? ☒ xs:simpleType ☐ xs:attribute ☐ xs:element ☒ xs:complexType
☐	☐	Which of the following elements can be used inside xs:restriction to restrict the value of elements and attributes? ☐ xs:minLenght ☐ xs:maxLenght ☒ xs:enumeration ☒ xs:pattern
☐	☐	What does xs:simpleType allow you to define? ☒ Custom data type based on an existing simple data type. ☐ Element containing child elements. ☐ Attribute with multiple values. ☐ Elements with attributes and child elements. ☒ Custom data type based on an existing simple data type
☐	☐	What can be defines using xs:complexType in XML Schema? ☐ Restrictions on the values of elements. ☐ Elements with nested child elements. ☒ Elements with attributes. ☒ Custom data type based on an existing complex data type. ☒ Custom data type based on an existing complex data type ☒ Elements with nested child elements (if only one then this one) ☒ Elements with attributes
☐	☐	What is the main purpose of XSD design patterns? ☒ Creating a consistent and maintainable structure for XML Schema; ☒ Creating a consistent and maintainable structure for XML Schema
☐	☐	Which of the following elements are used to apply restrictions on numeric values of elements and attributes within xs:restriction? ☒ a. xs:maxInclusive ☒ b. xs:minInclusive
☐	☐	Syntax XSD to set a number of occurrences unlimited ☐ <xs:element name="majitel" type="xs:string"/> ☒ <xs:element name="majitel" type="xs:string" minOccurs="0" maxOccurs="unbounded"/> ☐ <xs:element name="majitel" type="xs:string" minCount="0" maxCount="unbounded"/> ☐ <xs:element name="majitel" type="xs:string" minElement="0" maxElement="unbounded"/>
☐	☐	How do you define a custom data type in XML Schema? ☒ Using xs:simpleType and facets like xs:maxLength ☐ Using xs:complexType with child elements ☐ Using xs:element type

Mastered	Review	Exam Question & Multiple Choice Options
☐	☐	Which of the following elements can be used inside xs:restriction to restrict the value? ☒ xs:minLength ☒ xs:maxLength ☒ xs:enumeration ☒ xs:pattern
☐	☐	Which of the following elements is used to define an attribute in an XML Schema? ☒ xs:attribute ☐ xs:simpleType ☐ xs:complexType ☐ xs:element
☐	☐	How do we write the unlimited occurrence of an element in XSD? ☐ <xs:element name="majitel" type="xs:string" minCount="0" maxCount="unbounded"/> ☒ <xs:element name="majitel" type="xs:string" minOccurs="0" maxOccurs="unbounded"/> ☐ <xs:element name="majitel" type="xs:string" minElement="0" maxElement="unbounded"/> ☐ <xs:element name="majitel" type="xs:string"/>
☐	☐	What can we define using XML Schema? ☒ Data types of elements and attributes ☐ XML document encoding ☒ Restrictions on element and attribute values ☒ XML document structure

XPath & XQuery

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	Which of the following technologies can use XPath expressions? ☒ XPointer ☒ XSLT ☐ XML Schema ☒ XQuery
☐	☐	What is the symbol for the root tag in Xpath? /? ☒ /
☐	☐	Absolute XPath vs. Relative XPath ☒ Absolute uses / while relative uses .
☐	☐	A document node in XPath that indicates a tag selection independent of the hierarchy ☐ / ☒ // ☐ . ☐ *
☐	☐	What is XQuery? ☐ XML data manipulation and transformation language ☒ Language for querying XML data ☐ XML document validation tool ☐ XSLT transformation visual design tool

XSLT Transformations

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	Which languages are used for addressing nodes in XSLT, among other things? ☒ XPath ☐ XAddress ☐ XQuery ☐ XLink ☒ Xpath
☐	☐	What can be the output of an XSLT transformation? ☒ a.XML ☒ b.CSS ☒ c.HTML ☐ d.JSON ☒ XML ☒ CSS ☒ HTML ☒ JSON (questionable)
☐	☐	Which of the following elements are used in XSLT for conditional processing? ☐ xsl:switch ☒ xsl:choose ☒ xsl:otherwise ☒ xsl:if
☐	☐	What are the goals of XSLT design patterns? ☒ Creating a consisent and maintainable structure for XML transformations
☐	☐	What does XSLT do? ☒ It transforms XML into other formats like HTML, CSS, PDF and others
☐	☐	How is sorting done in XSLT? ☐ Using the xsl: select function and the "sort" parameter ☒ Using the xsl: sort function and the "select"parameter ☐ Sort by alphabetical order ☐ They are sorted by how they are written in the code
☐	☐	Elements in XSLT used to define templates and process XML data ☒ xsl:apply-teplates ☒ xsl:value-of ☒ xsl:for-each ☒ xsl:template

JSON & Schema

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	Which keywords are used to limit the length of a string in JSON schema? ☐ max Size ☐ max Value ☐ min Length ☐ max Length ☒ minLength ☒ maxLength
☐	☐	What is the purpose of JSON schema? ☐ API serialization ☒ Describing the structure of JSON data ☐ Serializing JSON data to XML ☒ Validating JSON data ☒ Describing the structure of JSON dat
☐	☐	Which of the following are true about XML and JSON? ☒ XML and JSON can be used for application configuration. ☒ XML and JSON can be used for serializing objects. ☒ XML and JSON are formats for storing and transmitting data. ☐ XML and JSON are styling languages. ☒ XML and JSON can be used for application configuration ☒ XML and JSON can be used for serializing objects ☒ XML and JSON are formats for storing and transmitting data
☐	☐	In JSON, which data type cannot be used? ☒ Date ☐ float ☐ string ☐ boolean ☐ null ☒ date
☐	☐	What data types are supported in JSON? ☒ a.Null ☒ b.Number ☒ c.String ☒ d.Boolean; ☒ Null ☒ Number ☒ String ☒ Boolean
☐	☐	How is an empty array written in JSON? <code>[]</code> <code>{}</code> <code>{}()</code>? ☒ []

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	What basic structures are supported in JSON? ☒ a.Object ☒ b.Array ☒ Object ☒ Array
☐	☐	Which keyword is used to restrict the maximum number of properties in a JSON Schema? ☒ maxProperties ☐ maxItems ☐ maximum ☐ maxLength
☐	☐	Which of the following keywords can be used to define object properties in JSON Schema? ☐ Items ☐ Attributes ☒ Pattern properties ☒ Properties
☐	☐	Which keyword is used to define unique values in an array within JSON schema? ☐ Distinct ☒ Unique ☒ uniqueItems ☐ uniqueIndex
☐	☐	Which keywords is used to minimum the value of a ... in JSON schema? ☒ minLength ☒ maxLength
☐	☐	A JSON array looks like this? ☒ ["apple", "banana", "cherry"] ☐ XSLT is used to transform XML documents into other formats, such as HTML, plain text, or PDF. ☐ Absolute XPath specifies the full path to an element from the root of the document, while ☐ relative XPath specifies the path to an element relative to the current node. For absolute XPath, the root is denoted by a single forward slash (/), while for relative XPath, the root is denoted by a period (.).
☐	☐	Key word maximum number of properties in JSON Schema ☒ MaxProperties
☐	☐	Defining object properties in Json schema ☒ properties ☒ pattern properties
☐	☐	Empty object in JSON ☐ [] ☒ {} ☐ 0 ☐ <>

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	How to limit string length in JSON? ☒ min_lenght ☐ fitIn_lenght ☐ optimal_lenght ☒ max_lenght
☐	☐	The size of the element length in XSD/JSON is denoted? ☐ optimalLenght ☒ maxLenght ☐ tooManyLenght ☒ minLenght
☐	☐	Cannot use data type in JSON? ☐ string ☐ null ☒ date ☐ boolean ☐ float
☐	☐	Acronym JSON ☐ Java Object Normalization ☐ JavaScript Over Notation ☒ JavaScript Object Notation
☐	☐	How to write an empty field in JSON? ☒ [] ☐ ("") ☒ {} ☐ [null]
☐	☐	Which of the following types can be used in a JSON schema? function? ☒ array ☒ string ☒ integer ☒ boolean ☒ object
☐	☐	What can be stored in JSON? ☒ object ☒ string ☒ number ☐ field ☒ logical values

HTTP & REST APIs

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	Which of the following HTTP methods allow manipulation of data on the server? ☒ POST ☒ DELETE ☐ GET ☒ PUT
☐	☐	Which of the following statement about the HTTP protocol is true? ☐ HTTP is the primary protocol of the internet. ☒ HTTP is a protocol for transferring data between a client and a server. ☐ HTTP is the leading protocol for the World Wide Web. ☐ HTTP is a protocol for transferring data to a database. ☒ HTTP is a protocol for transferring data between a client and a server
☐	☐	Which of the following principles of REST architecture are correct? ☒ a.Cachability ☒ b.Client-Server Interface ☒ c.Unified Interface ☐ d.Statelessness ☒ Cachability ☒ Client-Server interface ☒ Unified Interface ☒ Statelessness
☐	☐	Which HTTP status code signifies an Internal Server Error? ☐ 301 ☒ 500 ☐ 200 ☐ 204
☐	☐	Which of the following HTTP status codes represent a successful communication? ☒ 200 ok ☒ 201 created ☒ 204 No Content ☐ 404 error
☐	☐	advantages Web sockets over Traditional HTTP protocol ☐ Bidirectional communication ☒ Bidirectional communication
☐	☐	Which of the following elements are used to apply restrictions on numeric values of? ☒ xs:maxInclusive ☒ xs:minInclusive
☐	☐	What are the RES API processes? (f.e. Post, Delete)? ☒ POST, GET, PUT, DELETE, PATCH, they modify/update resources on a server

Mastered	Review	Exam Question & Multiple Choice Options
☐	☐	Abbreviation REST ☒ Representational State Transfer ☐ Representational Section Translator ☐ Remote Super Transfer
☐	☐	Error messages with the number 5XX mean ☐ Successful statuses ☒ Server errors ☐ Redirection ☐ Information statuses
☐	☐	What is the truth about HTTP? ☐ HTTP is the primary internet protocol ☒ HTTP is the leading protocol for WWW ☐ HTTP is a protocol for transferring data to a database ☒ HTTP is a protocol for transferring data between a client and a server
☐	☐	What is the REST API used for? ☒ Allows you to access data on the server and obtain this data in XML or JSON format ☒ Communication between web applications using the http protocol ☐ To restore lost data after a power failure
☐	☐	What is API? ☐ This is a standard format for describing a web service. ☒ Application Programming Interface ☒ It determines how software components or entire applications can communicate with each other.
☐	☐	Short for SOAP ☐ Smart Object Access Protocol ☒ Simple Object Access Protocol ☐ Simple Object Active Protocol

CSV & Other Formats

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	Which programs can be used to open and edit CSV files? ☒ Notepad ☒ Microsoft Excel ☐ Adobe Photoshop ☒ Libre Office Calc
☐	☐	Which of the following formats are text-based? ☒ JSON ☒ CSV ☒ XML ☐ PNG
☐	☐	What are the advantages of CSV format? ☒ a.Universality ☒ b.Space efficiency ☒ c.Simple syntax ☒ Universality ☒ Space efficiency ☒ Simple syntax
☐	☐	Which characters are commonly used as delimiters in CSV files? ☒ a.Tabs ☒ b.Commas ☒ Tabs ☒ Commas
☐	☐	What is the primary purpose of TeX? ☒ Language for publishing and scientific publications that require a precise layout ☐ For data exchange ☐ For creating web animations
☐	☐	What is TeX? ☒ Language for creating professional text documents ☐ A database system ☐ A programming compiler
☐	☐	Which of the following are true properties of CSV files? ☒ Can be enclosed in quotes ☒ Can be without quotes ☐ Must be in quotes ☐ Mustn't be in quotes
☐	☐	RelaxNG is a schema language for which format? ☒ xml ☐ json ☐ csv ☐ svg

Master ed	Review	Exam Question & Multiple Choice Options
☐	☐	What is the primary purpose of DocBook? ☒ For writing technical documentation and books in XML format ☐ To check the syntax of web pages ☐ For creating animations on websites
☐	☐	Which of the following tools does Google offer for working with structured data? ☒ Google Structured Data Markup Helper ☒ Google Structured Data Testing Tool ☐ Google AdWords ☐ Google Analytics
☐	☐	What is a DTD (Document Type Definition)? ☒ A set of rules describing elements, attributes, structure, and content of an XML document. ☐ Data Type Design ☐ Document Transfer Design
☐	☐	CSV files are commonly used for? ☒ Data storage and exchange, for large datasets that consist of rows and columns
☐	☐	What is RelaxNG? ☒ Schema language for XML designed to simplify of defining XML document structures and its validation
☐	☐	Choose examples of structured data ☒ Excel table ☒ Relational data
☐	☐	Organizational standardizing CSV ☒ None
☐	☐	Correct statements about DTD ☒ Document Type Definition ☒ A set of rules describing the elements ☒ This is how the structure and content of a document in XML are defined ☒ XML validation
☐	☐	What does SGML stand for? ☐ Standard Generitic Markup Library ☒ Standard Generalized Markup Language ☐ Simple Generalized Markup Library
☐	☐	CSV abbreviation ☐ Common Section Validator ☐ Common Separated Values ☐ Comma Separated Validators ☒ Comma-separated values

Mastered	Review	Exam Question & Multiple Choice Options
☐	☐	What DocBook is used for? ☐ To check the syntax of web pages ☐ For creating animations and interactive elements on websites ☒ For writing technical documentation and books in XML format ☐ For compiling and packaging software applications
☐	☐	Benefits of CSV ☒ flexibility and compatibility ☒ easy editing ☒ small file size ☒ simplicity and versatility
☐	☐	Which of the following metadata formats can be used for structured data on websites? ☒ JSON-LD ☒ RDFa ☐ JSON-meta ☒ Microdata
☐	☐	What is the data in the data pyramid? ☐ Stock or quantitative values ☐ Data interpretation ☐ Personal experience ☒ Unprocessed and unorganized values
☐	☐	Values in CSV files? ☐ Must be in quotation marks ☐ Must not be in quotes ☒ They can be in quotes ☒ Can be without quotes