

Paper A Source-Adjudication Review Packet

AI-Candidate Rows Rewritten in Human Coding Terms

Date: 2026-06-14 | Scope: priority source-adjudication subset S057, S138, S176

1. Plain answer

현재 표기된 후보값은 “인간 코더가 확실히 찾지 못한 값”으로 단정하면 안 됩니다. 정확한 현재 지위는 “최신 human-coded Paper A matrix에는 없지만 AI/source-trace workflow가 source-adjudication 후보로 올린 값”입니다.

Trace CSV의 candidate_value가 비어 있으므로 AI가 numeric value를 추가한 것이 아닙니다. 값을 실제 matrix에 추가하려면 사람이 PDF/source package에서 같은 source matrix 안에 두 target construct와 numeric correlation cell이 존재함을 확인해야 합니다.

Decision headline: 이 priority subset에서는 HIGH confidence add-now 값이 아직 없습니다. S057은 manual review priority이고, S138/S176은 대부분 construct mismatch 또는 target-construct absence 가능성이 큼니다.

2. Human-coding terminology to use

Human coding term	Meaning in this packet
raw coder value	original human coding workflow가 입력한 값
source-check queue	PDF/source 확인 전까지 matrix에 영향을 주지 않는 검토 대기 항목
source_confirmed_add	현재 human matrix에는 없지만 acceptable source matrix에서 두 construct와 numeric cell이 확인된 값
source_corrected_add	construct label, row/column orientation, source location 등을 보정한 후 추가 가능한 값
exclude_no_target_construct	용어는 보이지만 Paper A target construct가 source matrix에 없는 경우
exclude_no_usable_r	construct 논의는 있으나 usable correlation/latent correlation cell이 없는 경우
exclude_source_type_mismatch	beta/path coefficient, HTMT, loading, reliability 등 비대상 statistic인 경우
defer_unclear	OCR/table layout/source identity가 불명확하여 판단 보류하는 경우

3. Confirmation procedure

1. Open the PDF/source package for the study ID and locate the exact reported matrix/table.
2. Verify that both constructs are Paper A target constructs or explicitly approved remaps. Do not rely on generic word hits such as use, support, risk, or trust in narrative text.
3. Confirm that the value is a usable correlation/latent-correlation cell, not a path coefficient, loading, HTMT, reliability, descriptive statistic, or theory-only statement.
4. Confirm that the sample/study identity matches the coded study and that no duplicate row already exists in the current human-coded matrix.
5. Assign one status: source_confirmed_add, source_corrected_add, exclude_no_target_construct, exclude_no_usable_r, exclude_source_type_mismatch, or defer_unclear.

4. Confidence rubric

Tier	Operational meaning
HIGH_ADD_CANDIDATE	Exact target constructs or approved remaps plus a visible numeric cell in an acceptable source matrix. These are the rows one can ask: “왜 안 넣었어요?” in an audit sense.
MEDIUM_REVIEW_PRIORITY	The source may contain the construct pair, but abbreviation, source type, table alignment, or remap must be checked before adding.
LOW_REVIEW_ONLY	The hit is likely conceptual/theoretical text, references, generic wording, or a loose remap. Do not add without stronger PDF/table evidence.
PROBABLE_DO_NOT_ADD	Target construct appears absent from the source matrix or the remap is unsafe.

5. Priority studies: current adjudication notes

S057: Manual source-table review priority, not add-now

Evidence summary: 최신 human-coded direct input에는 이 17개 missing-pair 후보가 없고, trace 파일의 candidate_value도 비어 있다. 따라서 AI가 숫자를 추가한 것이 아니라 사람이 source table에서 확인해야 하는 상태다.

Coding decision: source matrix에서 두 construct가 실제 target construct이고 같은 상관행렬의 numeric cell이 보이면 source_confirmed_add 후보가 될 수 있다. 그 전에는 add 금지.

S138: Mostly construct-remap review, not add-now

Evidence summary: 최신 human-coded input은 Table 5 기반 28개 상관쌍을 이미 포함하지만 ANX/FC 관련 후보는 없다. source text의 risk/fear/resources/support term hit만으로 ANX/FC target construct를 확정할 수 없다.

Coding decision: ANX는 perceived risk/fear를 anxiety로 오코딩할 위험이 있어 낮은 confidence. FC는 resources/support term hit 만으로는 부족하므로 facilitating conditions label 확인 전 add 금지.

S176: Probable do-not-add due to target-construct absence

Evidence summary: PDF text로 확인된 Table 4 construct set은 HM, UB, BI, EE, FC, HA, PE, PI, SI, TR이다. ANX와 SE는 보이지 않는다.

Coding decision: ANX/SE 후보 17개는 현재 human omission이 아니라 target construct absent 또는 construct mismatch로 처리한다. PI/HA/TR을 SE/ANX로 자동 remap하지 않는다.

6. Reviewer language for “why was this not added?”

- Potential omission: the source matrix appears to contain both target constructs and a numeric cell, but the current human-coded matrix does not include the pair. Human confirmation required before adding.
- Not added because the target construct is absent from the coded source matrix.
- Not added because the source provides conceptual discussion only, not a usable matrix value.
- Not added because the candidate depends on an unapproved construct remap.
- Not added because the visible statistic is not an acceptable correlation/latent-correlation value.

7. Priority candidate decision table

The Word packet keeps the adjudication table readable by grouping repeated missing-pair patterns. The full row-level reason text is preserved in the companion CSV decision table.

Study	Candidate group	Confidence	Provisional decision	Human coding reason
S057	17 pairs involving TRU and/or UB	MEDIUM_REVIEW_PRIORITY	review_before_add_no_numeric_value_yet	Candidate_value is blank. Treat as a source-check queue: add only if the PDF/source matrix visibly contains both target constructs and a usable numeric correlation cell.
S138	9 ANX-related pairs	LOW_PROBABLE_CONSTRUCT_MISMATCH	do_not_add_now_unless_anxiety_construct_confirmed	Risk/fear term hits are not enough to code ANX. Add only if anxiety or an approved anxiety-equivalent construct is explicitly present in the source matrix.
S138	8 FC-related pairs	LOW_TO_MEDIUM_REMAP_REVIEW	do_not_add_now_unless_facilitating_conditions_confirmed	Resources/support term hits are not enough to code FC. Add only if facilitating conditions or an approved equivalent is explicitly present in the source matrix.
S176	9 ANX-related pairs	LOW_PROBABLE_NOT_TARGET_CONSTRUCT	do_not_add_probable_construct_absent	Current PDF text shows Table 4 constructs as HM, UB, BI, EE, FC, HA, PE, PI, SI, TR. ANX is not visible in that matrix.
S176	8 SE-related pairs	LOW_PROBABLE_NOT_TARGET_CONSTRUCT	do_not_add_probable_construct_absent_or_mismatch	Current PDF text shows Table 4 constructs as HM, UB, BI, EE, FC, HA, PE, PI, SI, TR. SE is not visible; PI/HA/TR must not be auto-remapped to SE.

Appendix A. Pair-level source-check queue

These are not matrix-ready values. Each row remains candidate-only until a human reviewer records source value, evidence type, and source location.

Study	Missing pair	Confidence	Provisional decision
S057	ANX-TRU	MEDIUM review	review before add
S057	ANX-UB	MEDIUM review	review before add
S057	ATT-TRU	MEDIUM review	review before add
S057	ATT-UB	MEDIUM review	review before add
S057	BI-TRU	MEDIUM review	review before add
S057	BI-UB	MEDIUM review	review before add
S057	EE-TRU	MEDIUM review	review before add
S057	EE-UB	MEDIUM review	review before add
S057	FC-TRU	MEDIUM review	review before add
S057	FC-UB	MEDIUM review	review before add
S057	PE-TRU	MEDIUM review	review before add
S057	PE-UB	MEDIUM review	review before add
S057	SE-TRU	MEDIUM review	review before add
S057	SE-UB	MEDIUM review	review before add
S057	SI-TRU	MEDIUM review	review before add
S057	SI-UB	MEDIUM review	review before add
S057	TRU-UB	MEDIUM review	review before add
S138	ANX-ATT	LOW mismatch	do not add unless ANX confirmed
S138	ANX-BI	LOW mismatch	do not add unless ANX confirmed
S138	ANX-EE	LOW mismatch	do not add unless ANX confirmed
S138	ANX-FC	LOW mismatch	do not add unless ANX confirmed
S138	ANX-PE	LOW mismatch	do not add unless ANX confirmed
S138	ANX-SE	LOW mismatch	do not add unless ANX confirmed
S138	ANX-SI	LOW mismatch	do not add unless ANX confirmed
S138	ANX-TRU	LOW mismatch	do not add unless ANX confirmed
S138	ANX-UB	LOW mismatch	do not add unless ANX confirmed
S138	ATT-FC	LOW/MED remap	do not add unless FC confirmed
S138	BI-FC	LOW/MED remap	do not add unless FC confirmed
S138	EE-FC	LOW/MED remap	do not add unless FC confirmed
S138	FC-PE	LOW/MED remap	do not add unless FC confirmed

Study	Missing pair	Confidence	Provisional decision
S138	FC-SE	LOW/MED remap	do not add unless FC confirmed
S138	FC-SI	LOW/MED remap	do not add unless FC confirmed
S138	FC-TRU	LOW/MED remap	do not add unless FC confirmed
S138	FC-UB	LOW/MED remap	do not add unless FC confirmed
S176	ANX-ATT	LOW not target	probable do not add
S176	ANX-BI	LOW not target	probable do not add
S176	ANX-EE	LOW not target	probable do not add
S176	ANX-FC	LOW not target	probable do not add
S176	ANX-PE	LOW not target	probable do not add
S176	ANX-SE	LOW not target	probable do not add
S176	ANX-SI	LOW not target	probable do not add
S176	ANX-TRU	LOW not target	probable do not add
S176	ANX-UB	LOW not target	probable do not add
S176	ATT-SE	LOW not target	probable do not add/remap
S176	BI-SE	LOW not target	probable do not add/remap
S176	EE-SE	LOW not target	probable do not add/remap
S176	FC-SE	LOW not target	probable do not add/remap
S176	PE-SE	LOW not target	probable do not add/remap
S176	SE-SI	LOW not target	probable do not add/remap
S176	SE-TRU	LOW not target	probable do not add/remap
S176	SE-UB	LOW not target	probable do not add/remap