
CS4037D Cloud Computing

Programming Assignment 1: Build your own cloud management system using the libvirt API

Dev Sony, B180297CS

Anish Sharma, B181065CS

Arjun Syam, B180031CS

Adil Chery, B180372CS

Indrajith T S, B180486CS

[Github Repo](#)

To setup

Clone the repo

```
git clone
```

Start the first VM and then launch the programs:

```
python src/client.py
python src/client_communicator.py
python src/autoscaler.py
```

The VMs are to have auto-login, with the server script starting up on boot. To do so, you may add the following line to `.bashrc` :

```
python3 server.py
```

P.S. The examples folder was used to just experiment from the libvirt API.

The Autoscaling Algorithm

We use a modified **Dual-Threshold Horizontal Scaling Algorithm** in order to autoscale the VMs. [Reference](#)

The α and β values for the first and second thresholds are taken as 50% and 75%. What this implies is that, every cycle around the array, `[1, 1, 1, 1, 1]`, the algorithm will proceed to update the array element up or down, depending on the element values and the threshold crossed by the CPU. The cycle moves

on to the next element when any of the rules are satisfied.

The rules are as follows:

1. If the value of the array element is 1, and the CPU USAGE has crossed α , the array element is updated to 2.
2. If the value of the array element is 2, and the CPU USAGE has crossed β , the array element is updated to 3.
3. If the value of the array element is 3, and the CPU USAGE is below β , the array element is updated to 2.
4. If the value of the array element is 2, and the CPU USAGE is below α , the array element is updated to 1.
5. If all the elements in the array are 3, the array is reset and a new VM is attempted to be spawned.