

# CRUD REST API for Library Books Using Ruby on Rails

## Project Report

---

Anish Sharma, B181065CS

Arjun Syam, B180031CS

Dev Sony, B180297CS

[Github Repo](#)

## Problem Statement

---

The following specifications have been given -

- Fetch the data from the database and send the response in JSON.
- Post the request to the API to perform the database operations. The post request method must display the books newly added to the database collection.
- Create a database to store the details of books.
- Book[*Bid*, *Btitle*, Author, Publisher, Year]

We have to develop the API using the Ruby on Rails framework and with MVC architecture.

## Procedure

---

We first create a new RoR application using the `rails` utility.

```
rails new LibraryCRUD --api
```

## Setup the Database

---

Since we are using a MySQL database for this project, we need to configure the database options inside `config/database.yml`

```
default: &default
  adapter: mysql2
  username: monkeywings
  password: 3p1cburg3r
  pool: <%= ENV.fetch("RAILS_MAX_THREADS") { 5 } %>
  timeout: 5000

development:
  <<: *default
  database: LibraryBooks

# Warning: The database defined as "test" will be erased and
```

```
# re-generated from your development database when you run "rake".
# Do not set this db to the same as development or production.
test:
  <<: *default
  database: LibraryBooks

production:
  <<: *default
  database: LibraryBooks
```

We also add `mysql2` in the Gemfile and install `mysql2` using `gem install mysql2`

Next, following the MVC architecture, we create the following `book` model for the database.

```
rails g model book Title:string Author:string Publisher:string Year:integer
```

Now in order to generate tables in the MySQL database according to this, we need to run a database migration using the `rails` utility.

```
rails db:migrate
```

Finally we configure `db/seeds.rb` to populate the database with books using the [Faker Library](#) for Ruby on Rails.

```
5.times do
  Book.create({
    Title: Faker::Book.title,
    Author: Faker::Book.author,
    Publisher: Faker::Book.publisher,
    Year: Faker::Number.between(from: 1800, to: 2022)
  })
end
```

Then we can run the following command to populate the database.

```
rails db:seed
```

## Building the API

---

We create a new controller for the endpoint `/api/v1/books`

```
rails g controller api/v1/books index show create update destroy
```

After that we update the API code to execute the CRUD operations appropriately. The API code is located in `app/controllers/api/v1/books_controller.rb`

Once we have defined the correct functionality in the code, we can start the server using the following command

```
rails s
```

## Testing the API

---

We can now use a REST Client Utility such as Postman or the REST Client extension in VSCode to send HTTP requests to this server and test the functionality.

Here are the HTTP requests that have been stated in the question, their responses in JSON format and screenshots from Postman.

### GET All Books in the DB

#### Request

```
GET http://localhost:3000/api/v1/books HTTP/1.1
```


#### Response

```
{
  "status": "SUCCESS",
  "message": "Loaded Books",
  "data": [
    {
      "id": 5,
      "Title": "Mother Night",
      "Author": "Elidia Wisoky Jr.",
      "Publisher": "Harvard University Press",
      "Year": 1985,
      "created_at": "2021-11-14T14:22:07.670Z",
      "updated_at": "2021-11-14T14:22:07.670Z"
    },
    {
      "id": 4,
      "Title": "Many Waters",
      "Author": "Rev. Jimmy Dare",
      "Publisher": "Banner of Truth Trust",
      "Year": 1929,
      "created_at": "2021-11-14T14:22:07.666Z",
      "updated_at": "2021-11-14T14:22:07.666Z"
    },
    {
      "id": 3,
      "Title": "Pale Kings and Princes",
      "Author": "Sang Lynch",
      "Publisher": "Hawthorne Books",
      "Year": 1970,
      "created_at": "2021-11-14T14:22:07.662Z",
      "updated_at": "2021-11-14T14:22:07.662Z"
    },
    {
      "id": 2,
      "Title": "Great Work of Time",
      "Author": "Jess Barrows",
      "Publisher": "Shuter & Shooter Publishers",
      "Year": 1897,
```

```

      "created_at": "2021-11-14T14:22:07.656Z",
      "updated_at": "2021-11-14T14:22:07.656Z"
    },
    {
      "id": 1,
      "Title": "The Glory and the Dream",
      "Author": "Anya Harris",
      "Publisher": "Edupedia Publications",
      "Year": 1970,
      "created_at": "2021-11-14T14:22:07.652Z",
      "updated_at": "2021-11-14T14:22:07.652Z"
    }
  ]
}

```



## GET A book using its ID

### Request



```
GET http://localhost:3000/api/v1/books/1 HTTP/1.1
```

### Response

```

{
  "status": "SUCCESS",
  "message": "Loaded Books",
  "data": {
    "id": 1,
    "Title": "The Glory and the Dream",
    "Author": "Anya Harris",
    "Publisher": "Edupedia Publications",
    "Year": 1970,
    "created_at": "2021-11-14T14:22:07.652Z",
    "updated_at": "2021-11-14T14:22:07.652Z"
  }
}

```



## POST to Create a New Book

On a succesful POST request, a response will be given back in JSON format of the newly added book.

### Request

POST `http://localhost:3000/api/v1/books` HTTP/1.1  
Content-Type: application/json

```

{
  "Title": "1984",
  "Author": "George Orwell",
  "Publisher": "Some Dudes",
  "Year": "1985"
}

```

```
}
```

## Response

```
{
  "status": "SUCCESS",
  "message": "Loaded Books",
  "data": {
    "id": 6,
    "Title": "1984",
    "Author": "George Orwell",
    "Publisher": "Some Dudes",
    "Year": 1985,
    "created_at": "2021-11-14T14:26:09.496Z",
    "updated_at": "2021-11-14T14:26:09.496Z"
  }
}
```

The screenshot shows a REST client interface with a POST request to `http://localhost:3000/api/v1/books`. The request body is a JSON object:

```
{
  "Title": "A Book Title",
  "Author": "An Author",
  "Publisher": "A Publisher",
  "Year": 1985
}
```

The response is a 200 OK status with a JSON body:

```
{
  "status": "SUCCESS",
  "message": "Loaded Books",
  "data": {
    "id": 6,
    "Title": "A Book Title",
    "Author": "An Author",
    "Publisher": "A Publisher",
    "Year": 1985,
    "created_at": "2021-11-15T13:05:14.662Z",
    "updated_at": "2021-11-15T13:05:14.662Z"
  }
}
```

The bottom panel shows the terminal output of the request:

```
Processing by Api::V1::BooksController#create as */
Parameters: {"Title"=>"A Book Title", "Author"=>"An Author", "Publisher"=>"A Publisher", "Year"=>"1985", "book"=>{"Title"=>"A Book Title", "Author"=>"An Author", "Publisher"=>"A Publisher", "Year"=>"1985"}}
Unpermitted parameter: :book
TRANSACTION (0.2ms) BEGIN
  ↳ app/controllers/api/v1/books_controller.rb:18:in 'create'
Book Create (0.3ms) INSERT INTO 'books' ('Title', 'Author', 'Publisher', 'Year', 'created_at', 'updated_at') VALUES ('A Book Title', 'An Author', 'A Publisher', 1985, '2021-11-15 13:05:14.662374', '2021-11-15 13:05:14.662374')
  ↳ app/controllers/api/v1/books_controller.rb:18:in 'create'
TRANSACTION (5.5ms) COMMIT
Completed 200 OK in 12ms (Views: 0.4ms | ActiveRecord: 6.0ms | Allocations: 2533)
```