Bibliography of theoretical calculations in molecular pharmacology

Nicola J. Stedman, Garrett M. Morris, and Philip J. Atkinson

Physical Chemistry Laboratory, South Parks Road, Oxford OX1 3QZ, UK

INTRODUCTION

The extensive literature on calculations in molecular pharmacology was covered in the bibliographies of the two editions of *Quantum Pharmacology* (Richards, W. G., Butterworths, UK, 1973, 1983), brought up to Summer 1985 by Taylor, J. L., and Durant, J. C. [*J.Mol.Graphics*, December 1985, 158] and up to Summer 1986 by Smith, G. J., Macrae, C. F., and King, P. M. [*J.Mol.Graphics*, December 1986, 238].

This extension covers literature available up to August 1987 and incorporates omissions from the previous publications that have been brought to our attention. The new section "Theoretical Methods" encompasses those areas previously covered by "Molecular Graphics" and "General Drug Design." Although we have tried to be comprehensive, we have undoubtedly missed some publications; if the authors could let us know, we will incorporate their work in the next update.

ACETYLOCHOLINE

Nicotine

Cox, R. H., Kao, J., Secor, H. V., and Seeman, J. I. NMR analysis and *ab initio* studies of nicotine and analogues to assess electronic effects on conformation. *J.Mol.Struct.* 1986, **140**, 93.

Carbamylcholine

Manning, J., Klimkowski, V. J., Siam, K., Ewbank, J. D., and Schäfer, L. *Ab initio* structural investigation of methyl and ethyl carbamate and carbamyl choline. *J.Mol.Struct.(Theochem.)*, 1986, **139**, 305

ADRENERGIC COMPOUNDS

Abu-Eittah, R. H., Hamed, M. M., and Abdou, M. M. M.O. and spectroscopic studies on some phenylethylamine drugs. *Int.J.Quant. Chem.* 1987, **31**, 855

Luger, P., Griss, G., Hurnaus, R., and Trummlitz, G. Comparative X-ray and molecular mechanics study of the α_2-Adrenoceptor Agonists B-HT 920, B-HT 922 and B-HT 958. *Acta Cryst.*, 1986, **B42**, 478

McGonigle, P., Neve, K. A., and Molinoff, P. B. Quantitative analysis of the interaction of slightly selective radioligands with Multiple Receptor Subtypes, applied to β_1/β_2 adrenergic receptors. *Mol.Pharmacol.*, 1986, **30**, 329

Squier, G. J., Van der Schyf, C. J., Venter, D. P., Oliver, D. P., Van Rooyen, P. H., and Dillen, J. L. M. Ring chlorinated noradrenalines. Comparative molecular mechanics and pharmacological studies. *Eur.J.Med.Chem-Chim.Ther.*, 1986, **21**, 213

ANAESTHETICS

Davies, R. H., Bagnall, R. D., Crooks, B., and Jones, W. G. M. Anaesthetic potency and the perturbation of cation acceptor sites in the nerve membrane. *Int.J.Quant.Chem.,Quant.Biol.Symp.*, 1986 **13**, 53

Gerhards, J., Ha, T.-K., and Perlia, X. PCILO study of the pharmacologically active conformation of local anaesthetics of the procaine type, via a quantum chemical simulation of the pharmacon-receptor interaction. *Arzneimittel Forschung*, 1986, **36** (I), 861

ANTIBIOTICS

Chen, K.-X., Gresh, N., and Pullman, B. Theoretical study of comparative binding affinities (using SIBFA) of Daunomycin derivatives to double stranded oligomeric DNA. *Mol.Pharmacol.*, 1986, **30**, 279

Everett, J. R., and Tyler, J. W. Novel conformations of erythromycin antibiotics: analysis of erythromycin. A and (9S)-9-hydroxy-9-deoxyerythromycin A by NMR and molecular modelling. *J.Chem.Soc. Chem.Commun.*, 1987, 815

Jaime, C., Ortuño, R. M., and Font, J. Conformational studies of di- and trisubstituted γ-lactones by molecular mechanics and NMR. *J.Org.Chem.*, 1986, **51**, 3946

Kushick, J. N., and Masut, R. A. Energy minimization calculations on the alkali metal cation complexes of valinomycin. *Ann.N.Y.Acad.Sci.*, 1986, **482**, 248

Lavery, R., Zakrzewska, K., and Pullman, B. Binding of non-intercalating antibiotics to B-DNA allowing for the flexibility of DNA, explicit, mobile counterions, and a dielectric function modelling aqueous solution. *J.Biomol.Struct.& Dynamics*, 1986, **3**, 1155

Lopez de Compadre, R. L., Pearlstein, R. A., Hopfinger, A. J., and Seydel, J. K. Quantitative structure-activity relationship analysis of some 4-aminodiphenyl sulphone antibacterial agents using linear free energy relationships and molecular modelling methods. *J.Med.Chem.*, 1987, **30**, 900

Lybrand, T. P., Brown, S. C., Creighton, S., Shafer, R. H., and Kollman, P. A. Computer modelling of antiomycin D interactions with double helical DNA. *J.Mol.Biol.*, 1986, **191**, 495

Manning, M. C., and Woody, R. W. M.O. calculations on netropsin, distamycin and related compounds. *Biopolymers*, 1986, **25**, 2065

Rao, S. N., Singh, U. C., and Kollman, P. A. Molecular mechanics simulations on covalent complexes between the potent antitumor antibiotic anthramycin and B-DNA. *J.Med.Chem.*, 1986, **29**, 2484

Remers, W. A., Mabilia, M., and Hopfinger, A. J. Conformations of complexes between pyrrolo-[1,4]-benzodiazepines and DNA segments. *J.Med.Chem.*, 1986, **29**, 2492

Remers, W. A., Rao, S. N., Singh, U. C., and Kollman, P. A. Conformations of complexes between mitomycin and decanucleotides. 2. Application of the model to mitomycin-C derivatives. Extension to covalent binding with adenine. *J.Med.Chem.*, 1986, **29**, 1256

Sanyal, N. K., Ojha, R. P., Roychoudhury, M., and Tiwari, S. N. Interaction energy studies of pyrrolopyrimidine nucleoside antibiotics: sangivamycin and its biological activity. *J.Comp.Chem.*, 1986, **7**, 30

Sanyal, N. K., Ojha, R. P., and Roychoudhury, M. Interaction energy

studies of pyrrolopyrimidine nucleoside antibiotics: toyocamycin: a proposal for its mechanism of biological action. *J.Comp.Chem.* 1986, **7**, 13

Sanyal, N. K., Ojha, R. P., and Roychoudhury, M. Interaction energy studies of pyrrolopyrimidine nucleoside antibiotics: tubercidin. CNDO/2 calculation of charge distribution. *J.Comp.Chem.* 1986, **7**, 20

Saran, A., and Patnaik, L. N. M.O. studies on nucleoside antibiotics; 5-substituted uridines. *Int.J.Quant.Chem., Quant.Biol.Symp.* 1986, **13**, 121

Yadav, P. N. S., Yadav, L. S., and Yadav, J. S. Quantum chemical studies on the conformational structure of bacterial peptidoglycan: the role of the N-acetyl group. *J.Mol.Struct.* 1987, **152**, 169

ANTIBODIES

Chothia, C., Lesk, A. M., Levitt, M., Amit, A. G., Mariuzza, R. A., Phillips, S. E. V., and Poljak, R. J. The predicted structure of immunoglobulin D.1.3. and its comparison with the crystal structure. *Science* 1986, **233**, 755

Culberson, J. C., Purvis, G. D. III., Zerner, M. C., and Seiders, B. A. Electrostatic potentials used to investigate the specificity of Soman analogues to the antibody BE2. *Int.J.Quant.Chem., Quant,Biol.Symp.* 1986, **13**, 267

Mekenyan, O., Bonchev, D., Trinajstić, N., and Peitchev, D. Modelling the interaction of small organic molecules with biomacromolecules via optimisation of geometric, electronic and/or lipophilic factors. Applied to substituted pyridines and antibodies generated with beef-serum treated with diazotised 3-aminopyridine *Arzneimittel Forschung* 1986, **36 (I)**, 423

Mekenyan, O., Peitchev, D., Bonchev, D., Trinajstić, N., and Bangov, I. Modelling the bioactivity of small organic molecules with biomacromolecules, as applied to substituted pyridines and antibodies generated by anti-3-azapyrizine *Arzneimittel Forschung* 1986, **36**, (I), 176

Mekenyan, O., Peitchev, D., Bonchev, D., Trinajstić, N., and Dimitrova, J. A novel approach for modelling the biological activity of organic molecules via geometric, topological, steric, hydrophobic and orbitally-controlled electronic considerations: interaction of benzoates with anti-p-(p'-azophenylazo)benzoate antibody *Arzneimittel Forschung* 1986, **36**, (I), 629

ANTICANCER DRUGS AND CARCINOGENS

Akkerman, M. A. J., Haasnoot, C. A. G., and Hilbers, C. H. Structural studies of Zn-bleomycine by 2D NMR and distance geometry. *Recueil des Travaux Chimiques des Pays-Bas* 1987, **106**, 434

Brandt, R. B., Laux, J. E., Yates, S. W., Boots, M. R., Thomson, C., and Edge, C. Inhibition of Glyoxalase I *in vitro* by coumarin and derivatives *Int.J.Quant.Chem.,Quant,Biol.Symp.* 1986, **13**, 155

Broch, H., and Vasilescu, D. Conformation and electrostatic properties of the new radioprotector and anticancer drug I-102 *Int. J. Quant. Chem., Quant. Biol. Symp.* 1986, **13**, 81

Broyde, S., and Hingerty, B. E. Semi-empirical potential energy minimization of conformations of DNA modified by the carcinogen 4-aminobiphenyl *Ann.N.Y.Acad.Sci.* 1986, **463**, 86

Chen, K.-X., Gresh, N., and Pullman, B. A theoretical investigation on the sequence selective binding of adriamycin to double-stranded polynucleotides *Nucleic Acids Res.* 1986, **14**, 2251

Chen, K.-X., Gresh, N., and Pullman, B. A theoretical investigation on the sequence selective binding of mitoxantrone to double-stranded tetranucleotides *Nucleic Acids Res.* 1986, **14**, 3799

Cuthbertson, A. F., and Thomson, C. Electrostatic potentials of tumor promoters *J.Mol.Graphics* 1987, **5**, 92

Dickerson, R. E., and Kopka, M. L. Nuclear Overhauser data and stereochemical considerations suggest that netropsin binds symmetrically within the minor groove of poly(dA).poly(dT), forming hydrogen bonds with both strands of the double helix *J.Biomol.Str. & Dyn.* 1985, **3**, 423

Ford, G. P., and Smith, C. T. *Ab initio* and semi-empirical M.O. calculations on gas-phase hydrolysis of protonated oxirane *J.Am.Chem.Soc.* 1987, **109**, 1325

Ford, G. P., and Smith, C. T. A MNDO M.O. study of the reactions of protonated oxirane with simple nucleophiles *Int.J.Quant.Chem., Quant.Biol.Symp.* 1986, **13**, 107

Herman, F., Guittet, E., Kozelka, J., Girault, J.-P., Huynh-Dinh, T., Igolen, J., Lallemand, J.-Y., and Chottard, J.-C. [1]H nmr and molecular mechanics evidence for a kinked structure of a *cis* Pt(NH₃)₂(dGpG) adduct of a decanucleotide duplex *Recueil des Travaux Chimiques des Pays-Bas* 1987, **106**, 197

Hilal, R., Hamed, M. M., and Moustafa, H. Comparative M.O. investigation of hindered rotation and thermal decomposition of carbamates and thiocarbamates *Biophys.Chem.* 1986, **25**, 17

Hilal, R., Hamed, M. M., and Moustafa, H. INDO-MO investigations of gas-phase acidities of carbamates and thiocarbamates *Biophys.Chem.* 1986, **24**, 71

Hoeltje, H. D., and Hense, M. Structure of a ring substituted verapamil derivative *Pharm.Acta.Helv.* 1985, **60**, 287

Jeffery, A. M., and Liskamp, R. M. J. Computer assisted molecular modelling of tumor promoters *Proc.Natl.Acad.Sci.U.S.A.* 1986, **83**, 241

Klopman, G., and Macina, O. T. Computer automated structure evaluation of antileukemic 9-Anilinoacridines *Mol.Pharmacol.* 1987, **31**, 457

Malatesta, V., Ranghino, G., and Tosi, C. Imino derivatives of anthracyclines: electronic properties, relative stabilities and relationship to activity *J.Mol.Struct.(Theochem.)* 1987, **152**, 351

Malatesta, V., Tosi, C., and Fusco, R. Molecular mechanics study of the intramolecular conformational equilibrium in Doxorubicin and 4' — epidoxorubicin *Chem.Phys.Lett.* 1986, **128**, 565

Murray, J. S., and Politzer, P. A computational study of isomerization equilibria; relation to vinyl chloride carcinogenicity *Int.J.Quant.Chem.* 1987, **31**, 569

Nguyen, M. T., and Hegarty, A. F. *Ab initio* calculations of the acid-catalysed hydrolysis of N-Nitrosamines *J.Chem.Soc., Perkin Trans.II*, 1987, 345

Penco, S., Vigevani, A., Tosi, C., Fusco, R., Borghi, D., and Arcamore, F. Conformational flexibility of ring A in a series of substituted anthracyclines: proton NMR and quantum mechanical studies *Anti-Cancer Drug Design* 1986, **1**, 161

Qianhuan, D. Di-region theory for carcinogenesis and wholesale M.O. calculation *J.Mol.Struct.(Theochem.)* 1987, **149** 167

Ramos, M. N., and Pereira, S. R. Conformation, electronic structure and biological activity of antitumor triazines *J.Chem.Soc., Perkin Trans. II*, 1986, **1**, 131

Ranghino, G., Tosi, C., Malatesta, V., and Sacchi, N. Redox properties of antitumor anthracyclines predicted from *ab initio* calculations and electrochemistry *J.Mol.Struct.(Theorem)* 1987, **151**, 287

Reynolds, C. A., Richards, W. G., and Goodford, P. J. Introducing selectivity into DHFR inhibitors *Anti-Cancer Drug Design* 1987, **1**, 291

Reynolds, C. A., and Thomson, C. *Ab initio* calculations relevant to the mechanism of chemical carcinogenesis by N-Nitrosamines: I. The nitrosation of amines *Int.J.Quant.Chem., Quant.Biol.Symp.* 1984, **11**, 167

Reynolds, C. A., and Thomson, C. *Ab initio* calculations relevant to the mechanism of chemical carcinogenesis by N-Nitrosamines: III. Transition structures in nitrosamine formation and metabolism *J.Chem.Soc.Faraday Trans. II* 1987, **83**, 485

Reynolds, C. A., and Thomson, C. *Ab initio* calculations relevant to the mechanism of chemical carcinogenesis by N-Nitrosamines: V. The role of diazomethane *J.Chem.Soc. Perkin Trans.II.* 1986, 1927

Reynolds, C. A., and Thomson, C. *Ab initio* calculations relevant to the mechanism of chemical carcinogenesis by N-Nitrosamines: VI. The dissociation of methyldiazohydroxide *J.Mol.Struct.(Theochem.)* 1987, **149**, 345

Reynolds, C. A., and Thomson, C. *Ab initio* calculations relevant to the mechanism of chemical carcinogenesis by N-Nitrosamines: VII. The nitrosation of amines by nitrosyl chloride *J.Chem.Soc., Perkin Trans.* 1987, **II**, 337

Reynolds, C. A., and Thomson, C. *Ab initio* molecular orbital studies on a new mechanism for the interconversion of monomethylnitrosamine and methyldiazohydroxide *Theoretica Chimica Acta* 1986, **70**, 421

Reynolds, C. A., and Thomson, C. A theoretical study of N-Nitrosamine metabolites: possible alkylating species in carcinogenesis by N,N'-Dimethylnitrosamine *Int.J.Quant.Chem.* 1986, **30**, 751

Reynolds, C. A., and Thomson, C. Hydrated carbonium ions as possible nitrosamine metabolites: an *ab initio* study *Int.J.Quant.Chem.* 1987, **32**, 123

Reynolds, C. A., and Thomson, C. Theoretical investigations of possible intermediates in chemical carcinogenesis by N-Nitrosamines *Molecular Basis of Cancer: Interdisciplinary Discussion on Basic and Applied Aspects of Cancer.* Alan Liss, New York, 239–248

Rosenkranz, H. S., and Klopman, G. Mutagens, carcinogens and computers *Prog.Clin.Biol.Res.* 1986, **209A** (*Genet. Toxicol.Environ.Chem., Pt. A*), 71

Russo, N., and Toscano, M. A non empirical and an MINDO study of N-methyl-N'-nitro-N-nitrosoguanidine *J.Mol.Struct.(Theochem.)* 1986, **148**, 175

Sanyal, N. K., Roychoudhury, M., and Tiwari, S. N. Quantum mechanical studies on the activity of the anticancerous drug ellipticine *J.Biosci* 1985, **8**, 713

Seybold, P. G., and Lipkowitz, K. B. An empirical force field examination of the *peri* effect in aromatic hydrocarbon carcinogenesis *Int.J.Quant.Chem.* 1987, **31**, 847

Strekowski, L., Chandrasekaran, S., Wang, Y. H., Edwards, W. D., and Wilson, W. D. Molecular basis for anticancer drug amplification, interaction of phliomycin amplifiers with DNA *J.Med.Chem.* 1986, **29**, 1311

Tinker, J. F., and Gelernter, H. Computer simulation of metabolic transformation *J.Comput.Chem.* 1986, **7**, 657

von Szentpály, L., and Párkányi, C. The MCS model of chemical initiation of cancer: PPP calculations on methylated and N-heteroaromatic polycycles *J.Mol.Struct.(Theochem.)* 1987, **151**, 245

Zakrzewska, K., and Pullman, B. Explicit energy minimizations using a semi-empirical energy formula and the 'SIR' (successive infinitesimal rotations) methodology applied to the sequence specificity on the binding of the antitumor drug Anthramycin to DNA *J.Biomol.Str.& Dyn.* 1986, **4**, 127

ANTIINFLAMMATORIES

Mehler, E. L., and Gerhards, J. *Ab initio* quantum chemical analysis of the possible binding modes of benzoic and salicylic acids to cyclooxygenases (which lead to their anti-inflammatory action) *Mol.Pharmacol.* 1987, **31**, 284

Stouch, T. R., and Jurs, P. C. Computer aided studies of the structure-activity relationships between the structure of some steroids and their antiinflammatory activity *J.Med.Chem.* 1986, **29**, 2125

CALCIUM ANTAGONISTS

Höltje, H.-D., and Marrer, S. A molecular graphics study on structure-action relationships of calcium antagonistic and agonistic 1,4-dihydro-pyridines *J.Computer Aided Molecular Design* 1987 **1**

Mahmoudian, M., and Richards, W. G. A conformational distinction between dihydropyridine calcium agonists and antagonists *J.Chem.Soc.Chem.Commun.* 1986, **10**, 731

Mahmoudian, M., and Richards, W. G. QSAR of binding of dihydro-pyridine-type calcium antagonists to their receptor on ileal smooth muscle preparations *J.Pharm.Pharmacol.* 1986, **38**, 272

CARBOHYDRATES

Back, D. K. M. Vibrational Circular Dichroism and absorption studies (CNDO/Force method) of carbohydrates *Diss.Abst.Int.B.* 1986, **47**, 1570

Biswas, M., Sekharudu, Y. C., and Rao, V. S. R. The conformation of glycans of the oligo-D-mannosidic type and their interaction with concavalin A *Carbohyd.Res.* 1987, **160**, 151

Brady, J. W. Molecular dynamics simultations of α-D-glucose *J.Am.Chem.Soc.* 1986, **108**, 8153

Bush, C. A., Yan, Z.-Y., and Rao, B. N. N. Conformation of Blood Group A oligosaccharides by calculations and N.O.E. *J.Am.Chem.Soc.* 1986, **108**, 6168

Casu, B. *et al.* Controversial glycosaminoglycan conformations *Nature* 1986, **322**, 215

Ferro, D. R., Provasoli, A., Ragazzi, M., Torri, G., Casu, B., Gatti, G., Jacquinet, J.-C., Sinaÿ, P., Petitou, M., and Choay, J. NMR and Force Field studies of the sulphated L-Iduronate residue in heparin and synthetic analogues *J.Am.Chem.Soc.* 1986, **108**, 6773

Goldsmith, E., Fletterick, R. J., and Withers, S. G. The 3D structure of acarbose bound to glycogen phosphorylase *J.Biol.Chem.* 1987, **262**, 1449

Homans, S. W., Dwek, R. A., Boyd, J., Mahmoudian, M., Richards, W. G., and Rademacher, T. W. Conformational transitions in N-linked oligosaccharides *Biochem.* 1986, **25**, 6342

Kim, K. H., and Martin, Y. C. Comparison of calculated versus measured partition coefficients of some phenyl-β-D-Glucopyranosides *J.Pharm.Sci.* 1986, **75**, 637

Marsden, A., Robson, B., and Thompson, J. S. Conformational energy calculations on muramyl dipeptide *Biochem.Soc.Trans.* 1986, **14**, 630

Pearlman, D. A., and Kim, S.-H. A rapid and direct method of generating furanose coordinates from the pseudorotation angle; global conformation studies on nucleic acids *J.Biomol.Str. and Dyn.* 1985, **3**, 85

Pearlman, D. A., and Kim, S.-H. Conformational energetics of

commonly occurring nucleosides using a novel method of modelling furanose and monitored using a semi-empirical energy force field *J.Biomol.Str. and Dyn.* 1985, **3**, 99

Ragazzi, M., Ferro, D. R., and Provasoli, A. A force-field study of the conformational characteristics of the iduronate ring in uronic acid *J.Comp.Chem.* 1986, **7**, 105

Rasmussen, K. Conformations of disaccharides by empirical force field calculations. Part IV. β-Galactobiase *Acta.Chem.Scand.Ser. A.* 1986, **A40**, 149

Tvaroška, I., and Kožár. T. Theoretical studies on the conformation of saccharides: VII. Structure and stereochemistry of α- and β-D-glucopyranose in solution. PCILO geometry optimisation *Theoret.Chim.Acta* 1986, **70**, 99

Tvaroška, I., and Pérez. S. Conformational energy calculation for oligosaccharides: a comparison of methods and a strategy of calculation *Carbohyd.Res.* 1986, **149**, 389

Uiterwijk, J. W. H. M., Harkema, S., and Feil, D. A molecular mechanics study of 18-crown-6 and its complexes with neutral organic molecules *J.Chem.Soc., Perkin Trans* II. 1987, **6**, 721

Viswanadhan, V. K. N., and Mattice, W. L. Assessment by molecular mechanics of the preferred conformations of the sixteen C(4)-C(6) and C(4)-C(8) linked dimers of (+)-catechin and (—)epicatechin with axial or equatorial dihydroxyphenyl substituents at C(2) *J.Chem.Soc., Perkin Trans. II* 1987, **6**, 739

Wiórkiewicz-Kuczera, J., and Rabczenko, A. Conformational analysis of the deoxyribofuranose ring: A theoretical study *J.Chem.Soc. Perkin.Trans.II* 1986, 437

Wynn, C. H., Marsden, A., and Robson, B. Calculations of the conformation of glycosphingolipids: G_{M1}- and G_{M2}-gangliosides *Biochem.Soc.Trans.* 1986, **14**, 707

Wynn, C. H., and Robson, B. Calculation of the conformation of glycosphingolipids; G_{M1}- and G_{M2}-gangliosides *J.Theor.Biol.* 1986, **123**, 221

CENTRAL NERVOUS SYSTEM

Analgesics

Bennett, L. K., and Beamer, R. L. M.O. calculations of proton transfer involving amines as models for the clastic binding of opiates with their receptor *J.Pharm.Sci.* 1986, **75**, 769

Cotrait, M. Structure and stable conformations of a new analgesic: 4-[5-ethyl-4-(4-methoxyphenyl)-4H-1,2,4-triazol-3-yl]-N,N-dimethyl-benzamine *Acta Cryst.* 1986, 1437

Froimowitz, M. Conformational properties of 8-phenylpiperidine and 3-phenylpyrrolidine opioid analgesics *J.Comput.Chem.* 1986, **7**, 513

Lahana, R., Crasnier, F., Labarre, J.-F., Cousse, H., Pitet, G., and Patoiseau, J.-F. Theoretical conformational analysis and antalgic activity of dizatrifone and related compounds *J.Mol.Struct. (Theorem.)* 1987, **151**, 379

Martin, J., and Andrews, P. Conformation-activity relationships of opiate analgesics *J.Computer-Aided Molecular Design* 1987, **1**, No. 1

Antianxiety and antipsychotic drugs

Joergensen, F. S., Gajhede, M., and Frei, B. Cyclic acetals. Structural analysis of 1,3-dioxepin and related compounds *Helv.Chim.Acta.* 1985, **68**, 2148

Lahana, R., Crasnier, F., Labarre, J. F., Cousse, H., Bonnaud, B., and Couzinier, J. P. Theoretical conformational analysis and anti-depressant effectiveness of new bifunctional cyclopropane derivatives midalcipian and isomers *Theochem.* 1986, **30**, 81

Reggio, P. H., and Mazurek, A. P. A molecular reactivity template for cannabinoid activity *J.Mol.Struct.(Theochem.)* 1987, **149**, 331

Anticonvulsants

Jayasuriya, K., and Williams, D. J. Molecular electrostatic potential studies on troxidone, an antiepileptic drug *Int.J.Quant.Chem.* 1986, **30**, 265

Jones, G. P., and Andrews, P. R. Structure-activity relationships and receptor modelling of convulsant and anticonvulsant barbiturates from crystallographic data *J.Chem.Soc. Perkin. Trans. II* 1987, 415

Weaver, D. F. Applications of biomimetic modelling and molecular mechanics to the design and synthesis of anticonvulsant drugs *Diss.Abst.Int.B.* 1987, **47**, 4531

Dopamine

Froimowitz, M., Neumeyer, J. L., and Baldessarini, R. J. MM2 and MMP2 studies of the conformational flexibility and activity of dopamine antagonists/agonists *J.Med.Chem.* 1986, **29**, 1570

Johansson, A. M., Karlén, A., Grol, C. J., Sundell, S., Kenne, L., and Hacksell, U. Molecular structures and conformational preferences for 2-aminotetralins; their affinities for dopamine D_2-receptors *Mol.Pharmacol.* 1986, **30**, 258

Liljefors, T., and Wikström, H. Molecular mechanics (MMP2) calculations on geometries and conformational energies for centrally acting dopamine receptor agonists of the phenyl-piperidine series *J.Med.Chem.* 1986, **29**, 1896

ENZYMES

Abraham, R. J., Hudson, B. D., Thomas, W. A., and Krohn, A. Electrostatic potentials of the alpha helix dipole and of elastase *J.Mol.Graphics* 1986, **4**, 28

Akahane, K., and Umeyama, H. A new method for calculating hydrophobic interaction energy in the biological system; applied to methotrexate and dihydrofolate reductase *Chem.Pharm.Bull.* 1986, **34**, 3492

Andrews, P. R., Cody, V., Culbis, J. M., Iskander, M. N., Jeffrey. A.I., Mackay, M. F., Di Paola, C., and Sadek, M. Structure and conformations of GABA-transaminase inhibitors: II: Transition state analogues; MINDO/3 and MNDO determination of conformational energy maps *Aust.J.Chem.* 1986, **39**, 1575

Andrews, P. R., Cody, V., Iskander, M. N., Jeffrey, A. I., Mackay, M. F., Oliver, P. J., and Sadek, M. Structure and conformations of GABA-transaminase inhibitors: I: Multisubstrate analogues; calculations using MINDO/3 and MNDO *Aust.J.Chem.* 1986, **39**, 1559

Bacquet, R. J., and McCammon, J. A. Salt effects on enzyme-substrate interactions by Monte Carlo simulations *Ann.N.Y.Acad.Sci.* 1986, **482**, 245

Bing, D. H., Feldmann, R. J., and Fenton, J. W. II. Structure-function relationships of thrombin based on the computer generated 3D model of the β-chain of bovine thrombin *Ann.N.Y.Acad.Sci.* 1986, **485**, 104

Berliner, L. J., Birktoft, J. J., Miller, T. L., Musci, G., Scheffer, J. E., Shen, Y. Y., and Sugawara, Y. Active site topography of thrombin *Ann.N.Y.Acad.Sci.* 1986, **485**, 80

Boyd, A. C., Charles, I. G., Keyte, J. W., and Brammar, W. J. Isolation and computer-aided characterisation of a type II restriction endonuclease *Nucleic.Acids.Res.* 1986, **14**, 5255

Brooks, C., Brünger, A., Francl., M., Haydock, K., Allen, L. C., and Karplus, M. *Ab initio* calculations on the role of active site residues and solvation in RNase A *Ann.N.Y.Acad.Sci.* 1986, **471**, 295

Bruccoleri, R. E., and Karplus, M. Spatially constrained minimisation of macromolecules: applied to bovine pancreatic trypsin inhibitor, hen egg white lysosyme and a phosphoryl choline-binding immunoglobin *J.Comput.Chem.* 1986, **7**, 165

Brunie, S., Mellot, P., Zelwer, C., Risler, J.-L., Blanquet, S., and Fayat, G. Graphics modelling and genetic engineering studies of structure-activity relationships of methionyl-tRNA synthetase *J.Mol.Graph.* 1987, **5**, 18

Brünger, A. T., Brooks, C. L. III, and Karplus, M. Active site dynamics of ribonuclease *Proc.Natl.Acad.Sci.U.S.A.* 1985, **82**, 8458

Carlson, G. M., MacDonald, R. J., and Meyer, E. F., Jr. Computer aided prediction and evaluation of the tertiary structure of Rat Elastase II *J.Theor.Biol.* 1986, **119**, 107

Clore, G. M., Gronenborn, A. M., Carlson, G., and Meyer, E. F. Stereochemistry of binding of the tetrapeptide Acetyl-Pro-Ala-Pro-Tyr-NH_2 to Porcine Pancreatic Elastase *J.Mol.Biol.* 1986, **190**, 259

Collins, J. R., Luke, B. T., and Loew, G. H. Putative intermediates in the adduct formation between ethylene and cytochrome P_{450} : a quantum mechanical study *Int.J.Quant.Chem., Quant.Biol.Symp.* 1986, **13**, 143

Czugler, M., Ángyán, J. G., Náray-Szabó, G., and Weber, E. Models for Asp-His in the active site of serine proteases and for solid state switching of protonation sites: crystal structure of 1,1'-Binapthyl-2,2'-dicarboxylic acid with imidazole, anhydrous and dihydrated *J.Am.Chem.Soc.* 1986, **108**, 1275

DesJarlais, R. L., Sheridan, R. P., Dixon, J. S., Kuntz, I. D., and Venkataraghavan, R. Docking flexible ligands to macromolecular receptors by molecular shape (dihydrofolate reductase/methotrexate and prealbumin/thyroxine) *J.Med.Chem.* 1986, **29**, 2149

Dickinson, E., and Honary, F. A Brownian dynamics computer simulation of enzyme-substrate encounters at the surface of a colloidal particle *J.Chem.Soc., Faraday Trans. II.* 1986, **82**, 719

Due, L., Rasmussen, H., and Larsen, I. K. Molecular structures of two ribonucleotide reductase inhibitors *Acta.Cryst.C43* 1987, 582

Folkers, G., Krug, M., and Trummp, S. Computer graphics study on models of the molybdenum cofactor of xanthine oxidase *J.Computer-Aided Molecular Design* 1987, **1**, No. 1

Fujita, T. A specific inhibitor design approach by means of molecular dynamics. Calculation for porcine pancreatic elastase *J.Comput. Chem.* 1987, **8**, 645

Fujita, T., Swanson, S. M., and Meyer, E. F., Jr. Animation of conformational changes during the interaction of porcine pancreatic elastase and acetyl-Ala-Pro-Ala *J.Mol.Graph.* 1986, **4**, 208

Ganti, G., and McCammon, J. A. Substrate steering by electrostatic fields of enzymes: visualisation by computer graphics *J.Mol.Graph.* 1986, **4**, 201

Getzoff, E. D., Olson, A. J., and Tainer, J. A. Anatomy of an enzyme: computer graphics views of copper, zinc superoxide dismutase *Superoxide Dismutase Chem., Biol.Med., Proc.Int.Conf., 4th* 1985, 135

Hadži, D., Hodošček, M., Harb, V., and Turk, D. *Ab initio* calculations on the active site of aspartyl proteinases *J.Mol.Struct.(Theochem.)* 1987, **150**, 241

Horjales, E. Computer graphics studies of protein ligand interactions in enzymes of the alcohol dehydrogenase family *Diss.Abs.Int.C.* 1986, **47**, 362

Hwang, J.-K., and Warshel, A. Semi-quantitative calculations of catalytic free energies in genetically modified enzymes *Biochem.* 1987, **26**, 2669

Lin, L.-N., and Brandts, J. F. Experiments and simulations of the refolding of ribonuclease in the presence and absence of ammonium sulphate pulses *Biochem.* 1987, **26**, 1826

MacKerell, A. D., Jr., Rigler, R., Nilsson, L., Hahn, U., and Saenger, W. A time-resolved fluorescence, energetic and molecular dynamics study of ribonuclease T_1 *Biophys.Chem.* 1987, **26**, 247

Mayer, D., Naylor, C. B., Motoc, I., and Marshall, G. R. A unique geometry of the active site of angiotensin-converting enzyme *J.Computer-Aided Molecular Design.* 1987, **1**, No. 1

McCammon, J. A., Karim, O. A., Lybrand, T. P., and Wong, C. F. Trypsin-Benzamidine interactions in water *Ann.N.Y.Acad.Sci.* 1986, **482**, 210

Menegatti, E., Bolognesi, M., Scalia, S., Bortolotti, F., Guarneri, M., and Ascenzi, P. Gabexate mesylate inhibition of serine proteases: thermodynamic and computer graphics analysis *J.Pharm.Sci.* 1986, **75**, 1171

Mian, I. S., and Richards, W. G. Theoretical binding energies of inhibitors to enzymes *Biochim.Biophys.Acta* 1986, **870**, 177

Nagy, P., Ángyán, J. G., and Náray-Szabó, G. Electrostatic complementarity; the carboxylate-imidazole diad in *Streptomyces griseus* protease A and in the 1,1'-Binaphtyl-2,2'-dicarboxylic acid dihydrate-imidazole adduct *J.Mol.Struct.(Theochem.)* 1987, **149**, 169

Náray-Szabó, G. Similarity analysis of bioactive molecules: electrostatic lock-and-key model and topological molecular transforms for trypsin inhibitors *J.Mol.Struct.(Theochem.)* 1986, **134**, 401

Náray-Szabó, G., Kramer, G., Nagy, P., and Kugler, S. Towards a quantum chemical software package utilising transferable fragments as molecular building blocks: study of large systems including β-trypsin and basic pancreatic trypsin inhibitor *J.Comp.Chem.* 1987, **8**, 555

Post, C. B., Brooks, B. R., Karplus, M., Dobson, C. M., Artymiuk, P. J., Cheetham, J. C., and Phillips, D. C. Molecular dynamics simulations of native and substrate-bound lysozyme *J.Mol.Biol.* 1986, **190**, 455

Post, C. B., Karplus, M., and Dobson, C. A lysozyme molecular dynamics simulation *Ann.N.Y.Acad.Sci.* 1986, **482**, 267

Reynolds, C. A., Richards, W. G., and Goodford, P. J. Introducing selectivity into dihydrofolate reductase inhibitors *Anti-Cancer Drug Design* 1987, **1**, 291

Robson, B., Platt, E., Fishleigh, R. V., Marsden, A., and Millard, P. Molecular graphics modelling of chloramphenicol acetyltransferase *J.Mol.Graph.* 1987, **5**, 8

Sharp, K., Fine, R., and Honig, B. Computer simulations of the diffusion of a substrate to an active site of an enzyme *Science* 1987, **236**, 1460

Vedani, A., Dobler, M., and Dunitz, J. D. An empirical potential function for metal centres: application to molecular mechanics calculations on metalloproteins: substrate binding of complexes of human carbonic anhydrase II with small molecules *J.Comp.Chem.* 1986, **7**, 701

Warshel, A., and Russell, S. Correlation of structure and energetics in trypsin catalysis *J.Am.Chem.Soc.* 1986, **108**, 6569

Warshel, A., and Sussman, F. Toward computer-aided site-directed mutagenesis of enzymes *Proc.Natl.Acad.Sci.U.S.A.* 1986, **83**, 3806

Wender, P. A., Koehler, K. F., Sharkey, N. A., Dell'Aquila, M. L., and Blumberg, P. M. Analysis of the phorbol ester pharmacophore

on protein kinase C; guide to design of analogues *Proc.Natl.Acad. Sci.U.S.A.* 1986, **83**, 4214

Wong, C. F. and McCammon, J. A. Dynamics and design of enzymes and inhibitors *J.Am.Chem.Soc.* 1986, **108**, 3830

GABA

Andrews, P. R., Cody, V., Culbis, J. M., Iskander, M. N., Jeffrey, A. I., Mackay, M. F., Di Paola, C., and Sadek, M. Structure and conformations of GABA-transaminase inhibitors: II. Transition state analogues; MINDO/3 and MNDO determination of conformational energy maps *Aust.J.Chem.* 1986, **39**, 1575

Andrews, P. R., Cody, V., Iskander, M. N., Jeffrey, A. I., Mackay, M. F., Oliver, P. J., and Sadek, M. Structure and conformations of GABA-transaminase inhibitors: I. Multisubstrate analogues; calculations using MINDO/3 and MNDO *Aust.J.Chem.* 1986, **39**, 1559

Guha, S., and Majumdar, D. A study of the electrostatic potential maps of several GABA inhibitors *Int.J.Quant.Chem., Quant.Biol. Symp.* 1986, **13**, 19

Majumdar, D., and Guha, S. Study of conformational aspects of several γ-aminobutyric acid uptake inhibitors by molecular orbital method *Indian J.Chem.Sect.B.* 1985, **24B**, 1146

Pooler, G. W., and Steward, E. G. NMR and theoretical calculations of solution conformations of bicuculline, an antagonist of GABA *J.Mol.Struct.* 1986, **140**, 131

Pooler, G. W., and Steward, E. G. Structural comparisons between GABA, bicuculline and semi-rigid GABA analogues *J.Mol.Struct. (Theochem.)* 1987, **156**, 247

HISTAMINE

Mazurek, A. P., Osman, R., and Weinstein, H. Calculation of molecular structures, relative stabilities of various tautomers and MEP's of triazole and tetrazole analogues of histamine at H_2 receptors *Mol.Pharmacol.* 1987, **31**, 345

Reggio, P., Topiol, S., and Weinstein, H. Molecular determinants for the agonist activity of 2-methylhistamine and 4-methylhistamine at H_2-receptors *J.Med.Chem.* 1986, **29**, 2412

Topiol, S. Tautomerism in histamine, 2- and 4-methylhistamine: MNDO and MINDO/3 compared *J.Comput.Chem.* 1987, **8**, 142

Weinstein, H., Mazurek, A. P., Osman, R., and Topiol, S. Theoretical studies on the activation mechanisms of H_2-receptor: the proton transfer between histamine and a receptor model. *Mol.Pharmacol.* 1986, **29**, 28

HORMONES

Darden, T., McKinney, J., Maynard, A., Oatley, S., and Pedersen, L. A molecular mechanics study of the displacement of thyroxine from the binding pocket of prealbumin by PCBs and PCB-analogues *Ann.N.Y.Acad.Sci.* 1986, **482**, 249

DesJarlais, R. L., Sheridan, R. P., Dixon, J. S., Kuntz, I. D., and Venkataraghavan, R. Docking flexible ligands to macromolecular receptors by molecular shape, using energy minimisation at receptor site to influence conformation assumed by the ligand, as applied to DHFR/methotrexate and prealbumin/thyroxine *J.Med.Chem.* 1986, **29**, 2149

Font, J. L. Computer assisted drug-design and the receptor-bound conformation of thyrotropin releasing hormone; design and synthetic approaches towards rigid TRH analogues *Diss.Abst.Int.B.* No. 10 1987, **47**, 4162

Morrison, C. A., Fishleigh, R. V., Ward, D. J., and Robson, B. Computer-aided design and physiological testing of a LHRH analogue for 'adjuvant-free' immunocastration *FEBS Letters* 1987, **214**, 65

Pattabiraman, N., Sorensen, K. R., Langridge, R., Bhatnagar, R. S., Renugopalakrishnan, V., and Rapaka, R. S. Molecular mechanics studies of dermorphin *Biochem.Biophys.Res.Commun.* 1986, **140**, 342

HYDROGEN BONDING

Rao, S. N., and Kollman, P. A. Hydrogen bonding preferences in 2, 6-diaminopurine:uracil(thymine) and 8-methyladenine:uracil-(thymine) complexes *Biopolymers* 1986, **25**, 267

Sapse, A. M., Fugler, L. M., and Cowburn, D. An *ab initio* study of intermolecular hydrogen bonding between small peptide fragments *Int.J.Quant.Chem.* 1986, **29**, 1241

ION CHANNELS

Brasseur, R., Cabiaux, V., Killian, J. A., de Kruijff, B., and Ruysschaert, J. M. Semi-empirical conformational analysis of the orientation of gramicidin-A at the lysophosphatidylcholine/water interface *Biochim. Biophys. Acta* 1986, **855**, 317

Etchebest, C., and Pullman, A. The gramicidin-A channel: energy profile calculated for Na^+ in the presence of water with inclusion of flexibility of the ethanolamine tail *FEBS Letters* 1986, **204**, 261

Etchebest, C., and Pullman, A. Theoretical computations of the distribution of water molecules in the gramicidin-A channel and their rôle in the progression of Na^+ through the channel *J. Biomol. Struct. & Dynamics* 1986, **3**, 805

Freeman, C. M., Catlow, C. R. A., Hemmings, A. M., and Hidler, R. C. The conformation of apamin *FEBS Letters* 1986, **197**, 289

Furors-Corbin, S., and Pullman, A. Theoretical study of the packing of α-helices of poly(L-alanine) into trans-membrane bundles *Biochim. Biophys. Acta* 1986, **860**, 165

Mackay, D. H. J. Simulations of ion transport through gramicidin-A *Diss. Abst. Int. B.* No. 1 1986, **47**, 227

Skerra, A., and Brickmann, J. Simulation of voltage-driven hydrated cation transport through narrow trans-membrane channels *Biophys. J.* 1987, **51**, 969

Sung, S.-S., and Jordan, P. C. A theoretical study of the valence selectivity of gramicidin *Biophys. J.* 1987, **51**, 661

Trudelle, Y., Daumas, P., Heitz, F., Etchebest, C., and Pullman, A. Experimental and theoretical study of gramicidin-P, an analogue of gramicidin-A *FEBS Letters* 1987, **216**, 11

MEMBRANES

Engelmann, A. R., Medina Llanos, C., Nyholm, P. G., Tapia, O., and Pascher, I. Studies on membrane hydration. Part 1-Monte Carlo simulation of the cholesterol-water interface *J.Mol.Struct.(Theochem.)* 1987, **151**, 81

Hussin, A., and Scott, H. L. Density and bonding profiles of interbilayer water as functions of bilayer separation: a Monte Carlo study *Biochim.Biophys.Acta* 1987, **897**, 423

Kim, K. S., and Clementi, E. Hydration structures and energetics of phospholipid (PL); Monte Carlo simulations for $PL-Na^+$-water systems and *ab initio* potentials for these systems *J.Comp.Chem.* 1987, **8**, 57

O'Shea, P. S., and Matela, R. Computer simulations of the dynamic state of phospholipid membranes *Biochem.Soc.Trans.* 1986, **14**, 1119

Pink, D. A., Laidlaw, D. J., and Chisholm, D. M. Protein lateral movement in lipid bilayers; Monte Carlo simulation studies of its dependence upon attractive protein-protein interactions *Biochim. Biophys.Acta* 1986, **863**, 9

Scott, H. L. Monte Carlo calculations of order parameter profiles in models of lipid-protein interactions in bilayers *Biochem.* 1986, **25**, 6122

NUCLEIC ACIDS AND NUCLEOTIDES

Aaron, J.-J., Gaye, M. D., Párkányi, C., Nam Sook Cho, and von Szentpály, L. Experimental and theoretical dipole moments of purines in their ground and lowest excited states *J.Mol.Struct.* 1987, **156**, 119

Abdul-Ahad, P. G., and Webb, G. A. A M.O. study of the electronic structure of some 6-substituted uracils *Bull.Chem.Soc.Jpn.* 1987, **60**, 1125

Anderson, R. W. DNA conformation and the binding of polycyclic aromatic hydrocarbons *Diss. Abst. Int. B.* 1986, **47**, No. 6 2409

Bakhshi, A. K., Ladik, J., Seel, M., and Otto, P. On the electronic structure and conduction properties of aperiodic DNA and proteins: IV. electronic structure of aperiodic proteins *Chem.Phys.* 1986, **108**, 233

Bakhashi, A. K., Otto, P., Ladik, J., and Seel, M. On the electronic structure and conduction properties of aperiodic DNA and proteins: II. electronic structure of aperiodic DNA *Chem.Phys.* 1986, **108**, 215

Berman, H. M. Criteria for selection of a nucleic acid system for computer simulation of structural effects of hydration *Ann. N.Y. Acad. Sci.* 1986, **482**, 166

Breslauer, K. J., Frank, R., Blöcker, H., and Marky, L. A. Predicting DNA duplex stability from the base sequence *Proc.Natl.Acad.Sci. U.S.A.* 1986, **83**, 3746

Broyde, S., and Hingerty, B. E. Semi-empirical potential energy minimisation of conformations of DNA modified by the carcinogen 4-aminobiphenyl *Ann. N. Y. Acad. Sci.* 1986, **463** 86

Buda, A. MNDO study of the tautomers of nucleic bases: thiouracils *J. Mol. Struct. (Theochem.)* 1987, **149**, 185

Caldwell, J., and Kollman, P. A molecular mechanical study of netropsin-DNA interactions *Biopolymers* 1986, **25**, 249

Carmona, P., and Molina, M. Low frequency Raman spectrum of polycytidylic acid assigned by theoretical calculations *J.Mol.Struct.* 1986, **143**, 431

Chen, K.-X, Gresh, N., and Pullman, B. A theoretical study of anthracine and phenanthrene derivatives acting as A-T specific intercalators *Nucleic Acids Res.* 1986, **14**, 9103

Chen, K.-X., Gresh, N., and Pullman, B. Theoretical study of comparative binding affinities of Daunomycin derivatives to a double-stranded oligomeric DNA; proposal for new high affinity derivatives *Mol.Pharmacol.* 1986, **30**, 279

Culberson, J. C., and Zerner, M. C. Calculation of molecular electrostatic potentials within the INDO framework of benzene and cytosine *Chem.Phys.Lett.* 1985, **122**, 436

Czerminski, R., Kuczern, K., Rostkowska, H., Nowak, M. J., and Szczepaniak, K. Theoretical and experimental investigations of 2-oxo-5-halogeno pyrimidines *J.Mol.Struct.* 1986, **140**, 235

de Oliveira Neto, M. Rapid location of the preferred interaction sites between small polar molecules and macromolecules. I. Binding of water to the component units of nucleic acids *J.Comp.Chem.* 1986, **7**, 617

de Oliveira Neto, M. Rapid location of the preferred interaction sites between small polar molecules and marcromolecules: II. Binding of water to a model segment of B-DNA *J.Comp.Chem.* 1986, **7**, 629

Feuerstein, B. G., Pattabiraman, N., and Marton, L. J. Spermine-DNA interactions: a theoretical study *Proc.Natl.Acad.Sci.U.S.A.* 1986, **83**, 5948

Feuerstein, B. G., Pattabiraman, N., and Marton, L. J. Theoretical models of spermine-DNA interactions *Ann. N.Y.Acad.Sci.* 1986, **482** 251

Goodsell, D., and Dickerson, R. E. Isohelical analysis of DNA groove-binding drugs *J.Med.Chem.* 1986, **29**, 727

Hambley, T. W. Molecular mechanics modelling of the interaction of *cis*-diamine and *cis*-diamineplatinum(II) complexes with the A-DNA fragment d(GCC): d(CGG) *Inorg.Chim.Acta* 1987, **137**, 15

Harvey, S. C. and Prabhakaran, M. Ribose puckering simulation *J.Am.Chem.Soc.* 1986, **108**, 6128

Herman, F., Guittet, E., Kozelka, J., Girault, J. P., Huynh-Dinh, T., Igolen, J., Lallemand, J. Y., and Chottard, J. C. ¹H NMR and molecular mechanics evidence for a kinked structure of a *cis-Pt*(NH₃)₂(dGdG) adduct of a decanucleotide duplex *Recueil des Travaux Chimiques des Pays-Bas* 1987, **106**, 195

Hobza, P., and Sandorfy, C. Non-empirical calculations on all 29 DNA base pairs *J.Am.Chem.Soc.* 1987, **109**, 1302

Howell, P. L., and Goodfellow, J. M. Computer simulation of nucleotide crystal hydrates and solutions *Ann.N.Y.Acad.Sci.* 1986, **482**, 195

Kalia, A., Royyuru, A. K., Mrigank, and Kothekar, V. Sequence specific recognition of DNA by Lac-repressor headpiece *Int. J. Quant. Chem., Quant. Biol. Symp.* 1986, **13**, 185

Kollman, P. A., Weiner, S., Siebel, G., Lybrand, T. P., Singh, U. C., Caldwell, J., and Rao, S. N. Modelling complex molecular interactions involving proteins and DNA *Ann. N. Y. Acad. Sci.* 1986, **482**, 234

Kothekar, V., Mrigank, Royyuru, A. K., and Kalia, A. Influence of local excitations in DNA conformation on non-intercalating antitumor antibiotic in the minor groove *Int. J. Quant. Chem., Quant. Biol. Symp.* 1986, **13**, 175

Ladik, J. Seel, M., Otto, P., and Bakhshi, A. K. On the electronic structure and conduction properties of aperiodic DNA and proteins: I. strategy and methods of investigation *Chem.Phys.* 1986, **108**, 203

Lavery, R. Theoretical studies of groove bindings drugs with DNA-allowing for the flexibility of nucleic acids *Proc.3rd Comp. Aided Design Conf.* 1986

Lavery, R., Sklenar, H., and Pullman, B. The flexibility of nucleic acids III: a more realistic simulation of DNA applied to the interaction of an aliphatic diamine, putrescine, and fully flexible B-DNA *J.Biomol.Struct. & Dynamics* 1986, **3**, 1015

Lavery, R., Sklenar, H., Zakrzewka, K., and Pullman, B. The flexibility of nucleic acids II: successive infinitesimal rotations (SIR) methodology applied to the determination of the optimal conformations of poly(dG).poly(dG) and poly(dA).poly(dT), accounting for the solvent medium & explicit counter ions *J.Biomol.Struct. & Dynamics* 1986, **3**, 989

Leś, A., and Kukawska-Tarnawska, B. Theoretical predictions of biologically important pyrimidines and purines *J.Mol.Struct.(Theochem.)* 1986, **148**, 45

Leś, A., and Ortega-Blake, I. Tautomers of uracil, cytosine, isocytosine

and thio derivatives: an *ab initio* study *Int.J.Quant.Chem.* 1986, **30**, 225

Lockard, R. E., Currey, K., Browner, M., Lawrence, C., and Maizet, J. Secondary structure model for mouse βᵐᵃʲ globin mRNA *Nucleic Acids Research* 1986, **14**, 5827

Lybrand, T. P., Brown, S. C., Creighton, S., Shafer, R. H., and Kollman, P. A. Computer modelling of antiomycin D interactions with double-helical DNA *J.Mol.Biol.* 1986, **191** 495

Lybrand, T. P., and Kollman, P. A. Molecular mechanical calculations on the interaction of ethidium cation with double-helical DNA *Biopolymers* 1985, **24**, 1863

Malathi, R., and Yathindra, N. Backbone conformations in nucleic acids — an analysis of local helicity via a heminucleotide scheme & a proposal for a unified conformational plot *J.Biomol.Struct.& Dynamics* 1985, **3**, 127

Maye, P. V. Monte Carlo computer simulation studies of the hydration of the nucleotide bases and sugars *Diss.Abst.Int.B.* No. 9 1987, **47**, 3751

Majonbe, M. Vibrational spectra of adenine and D-substituted analogues; bands assigned with experimental and theoretical data *J.Mol.Struct.* 1986, **143** 427

Mills, P., Paulsen, M. D., Anderson, C. F., and Recoid, M. T., Jr. Monte Carlo simulations of counterion accumulations near helical DNA *Chem.Phys.Lett.* 1986, **129**, 155

Neidle, S. Structural aspects of drug-DNA complexes: molecular modelling on intercalative interactions *Drugs Exp.Clin.Res.* 1986, **12**, 455

Nilges, M., Clore, G. M. Gronenborn, A. M., Brünger, A. T., Karplus, M., and Nilsson, L. Refinement of the solution structure of 5'd(GCATGC)₂ : NMR and restrained molecular dynamcs *Biochem.* 1987, **26**, 3718

Nilges, M., Clore, G. M. Gronenborn, A., Piel, N., and McLaughlin, L. W. Refinement of the solution structure of 5'd(CTGGATCCAG)₂: NMR and restrained molecular dynamics *Biochem.* 1987, **26**, 3734

Nilsson, L., Clore, G. M., Gronenborn, A. M., Brünger, A. T., and Karplus, M. Structure refinement of oligonucleotides by molecular dynamics with NOE interproton distance restraints: application to 5'd(CGTACG)₂ *J.Mol.Biol.* 1986, **188** 455

Nilsson, L., and Karplus, M. Empirical energy functions for energy minimisation and dynamics of nucleic acids *J.Comp.Chem.* 1986, **7**, 591

Nishimura, Y., Tsuboi, M., Sato, T., and Aoki, K. Assignment of conformation dependent Raman spectra lines for guanine and cytosine nucleotides through *ab initio* calculations *J.Mol.Struct.* 1986, **146**, 123

Norinder, U. A theoretical investigation of the nucleic bases adenine, guanine, cytosine, thymine and uracil using AM1 *J.Mol.Struct. (Theochem.)* 1987, **151**, 259

Olson, W. K., and Cicariello, J. Computer simulation of DNA super-coiling *Ann. N. Y. Acad. Sci.* 1986, **482**, 69

Otto, P. Stability of single and double stranded DNA helices: the application of the PPT-MCF method *Int. J. Quant. Chem.* 1986, **30**, 275

Otto, P., Bakhshi, A. K., Ladik, J., Seel, M., and Chin. S. On the electronic structure and conduction properties of aperiodic DNA and proteins: III. The band structures of periodic polypeptides *Chem.Phys.* 1986 **108** 223

Pack, G. R., Prasad, C. V., Salafsky, J. S., and Wong, L. Calculations on the effect of methylation on B- and Z-DNA *Biopolymers* 1986, **25**, 1697

Pack, G. R., Wong, L., and Prasad, C. V. Counterion distribution around DNA: variation with conformation and sequence *Nucleic Acids Research* 1986, **14**, 1479

Pattabiraman, N., Rao, S. N., Scott, K. Langridge, R., and Kollman, P. A. Molecular mechanical studies on left- and right-handed B-DNA *Biopolymers* 1987, **26**, 403

Pearlman, D. A., and Kim, S.-H. A rapid and direct method of generating furanose coordinates from the pseudorotation angle; global conformational studies on nucleic acids *J.Biomol.Struct. & Dynamics* 1985, **3**, 85

Pearlman, D. A., and Kim, S.-H. Conformational energetics of commonly occurring nucleosides using a novel method of modelling furanose and monitored using a semi-empirical energy force field *J.Biomol.Struct. & Dynamics* 1985, **3**, 99

Pearlman, D. A., and Kim, S.-H. Conformational energetics of nucleic acid oligonucleotides d(ApApApA) and ApApApA, by using a semi-empirical potential function. *J.Biomol.Struct. & Dynamics* 1986, **4**, 69

Pearlman, D. A., and Kim, S.-H. Global conformational energetic studies of nucleic acids, using empirical multiple correlation functions for nucleic acid torsion angles *J.Biomol.Struct.& Dynamics* 1986, **4**, 49

Pohorille, A., and Loew, G. H. Base-pairing of o-methylated bases of nucleic acids by energetic and steric considerations *Biophys.Chem.* 1985, **22**, 37

Polbev, V. I., and Shulyupina, N. V. Calculation of energy minima and energy of interaction between nitrogen bases of nucleic acids, via refined atom-atom potential functions *J.Biomol.Struct. & Dynamics* 1986, **3**, 739

Puigjaner, L. C., Fita, I., Arnott, S., Chandrasekaran, R., and Subirana, J. A. Molecular modelling and structure refinement of nucleo-protamine from *Gibbula divaricata* B-DNA helices and hexapeptide chains *J.Biomol.Struct.& Dynamics* 1986, **3**, 1067

Rao, S. N., Singh, U. C., and Kollman, P. A. Molecular mechanics simulations on covalent complexes between the potent antitumor antibiotic anthramycin and B-DNA *J.Med.Chem.* 1986, **29**, 2484

Rao, S. N., and Sasisekharan, V. Conformations of dinucleoside mono-phosphates in relation to duplex DNA structures *Biopolymers* 1986, **25**, 17

Remers, W. A., Mabilia, M., and Hopfinger, A. J. Molecular mechanics program AMBER (& CHEMLAB II) models the binding (covalent and non-covalent) of anthramycin, toyamycin and neomycin A to the hexanucleotide duplex d(GCATGC)₂ in the B form conformation *J.Med.Chem.* 1986, **29**, 2492

Remers, W. A., Rao, S. N., Singh, U. C., and Kollman, P. A. Molecular mechanics simulation of complexes between mitomycin and decanucleotides *J.Med.Chem.* 1986, **29**, 1256

Rudolph, B. R. Empirical energy calculations on intercalator-DNA complexes *Diss.Abst.Int.B.* No. 10 1987, **47**, 4177

Sanyal, N. K., Ojha, R. P., and Roychoudhury, M. Interaction energy studies of 8-azapurine during transcription *J.Comp.Chem.* 1987, **8**, 272

Sanyal, N. K., Roychoudhury, M., Ruhela, K. R., and Tivari, S. N. Configurational specificity of stacking interactions in DNA base pairs. A computational analysis *J.Comput.Chem.* 1987, **8**, 604

Seeman, N. C. Macromolecular design involving DNA and RNA; macromolecular valence clusters closed by nucleic acid junctions; crystal formation from periodic arrays *J.Biomol.Struct.& Dynamics* 1985, **3**, 11

Sheina, G. G., Stepanian, S. G., Radchenko, E. D., and Blagoi, Yu. P. Calculations used in the assessment of IR spectra of isolated molecules of guanine and hypoxanthine *J.Mol.Struct.* 1987, **158**, 275

Singh, U. C., Brown, F. K., Bash, P. A., and Kollman, P. A. Application of free energy perturbation methods to Gly → Ala and Ala → phenyla-lanine transformations in aqueous solution *J.Am.Chem.Soc.* 1987, **109**, 1607

Singh, U. C., Pattabiraman, N. Langridge, R., and Kollman, P. A. Molecular mechanical studies of d(CGTAGG)₂: complex of triostin A with the middle A·T base pairs in either Hoogsteen or Watson-Crick pairing *Proc.Natl.Acad.Sci. U.S.A.* 1986, **83**, 6402

Sklenar, H., Lavery, R., and Pullman, B. The flexibility of nucleic acids: a novel approach to the variation of polymer geometry in constrained systems, using successive infinitesimal rotations (SIR) *J.Biomol.Struct.& Dynamics* 1986, **3**, 967

Sokalski, W. A. Prediction of the optimal environmental inducing tautomerism of complimentary base pairs *J.Mol.Struct.(Theochem.)* 1987, **150**, 235

Soumpasis, D. M. Theoretical analysis of the free energy balance controlling nucleosome formation; the specific effects of the different DNA sequences and/or conformations and their origin *J.Biomol. Struct.& Dynamics* 1985, **3**, 1

Srinivasan, A. R., and Olson, W. K. Theoretical computations of energy, base morphology, helical structure and duplex formation in (2'-5') polynucleotides *Nucleic Acids Research* 1986, **14**, 5461

Suzuki, E., Pattabiraman, N., Zon, G., and James, T. L. Solution structure of [d(A-T)₅]₂ via 2D-NOE and molecular mechanics *Biochem.* 1986, **25**, 6854

Takahata, Y. A semi-empirical HAM/3 study of core electron bonding energies for uracil and others *J.Mol.Struct.(Theochem.)* 1987, **150**, 309

Tewari, R. Studies on conformational preferences of N⁶-(N-glycylcarbonyl) adenine, a modified nucleic acid. *Int.J.Quant.Chem.* 1987, **31**, 611

Tobias, I. Theoretical treatment of the twist, writhe and linking number distributions in closed circular DNA *J.Biomol.Struct. & Dynamics* 1985, **3**, 315

van Gunsteren, W. F., Berendsen, H. J. C., Geurtsen, R. G., and Zwinderman, H. R. J. A molecular dynamics computer simulation of an eight base pair DNA fragment in solution compared with NMR data *Ann.N.Y.Acad.Sci.* 1986, **482**, 287

Weiner, P. K., Gallion, S. L., Westhof, E., and Levy, R. M.

Visualization of sugar puckering in the simulation of a DNA oligomer *J.Mol.Graph.* 1986, **4**, 203

Weiner, S. J., Kollman, P. A., Nguyen, D. T., and Case, D. A. An all atom force field for simulations of proteins and nucleic acids *J.Comp.Chem.* 1986, **7**, 230

Westhof, E., Chevrier, B., Gallion, S. L., Weiner, P. K., and Levy, R. M. Temperature dependent molecular dynamics and restrained X-ray refinement simulations of a Z-DNA hexamer *J.Mol.Biol.* 1986, **191**, 699

Yoneda, S., Shimizu, M., Fujii, S., and Go, N. Induced fitting between a complex of four nucleotides and the cognate amino acid *Biophys.Chem.* 1985, **23**, 91

Yoon, C. N., and Jhon, M. S. Conformational study of the trinucleotide CpGpCp-pentapeptide Gly₅ complex - the important role of bridging water in the complex formation *J.Comp.Chem.* 1986, **7**, 189

Zakrzewska, K., and Pullman, B. Explicit energy minimisations using a semi-empirical energy formula and the 'SIR' (successive infinitesimal rotations) methodology applied to the sequence specificity on the binding of the antitumor drug anthramycin to DNA. *J.Biomol.Struct. &Dynamics* 1986, **4**, 127

Zakrzewska, K., and Pullman, B. Spermine-nucleic acid interactions *Biopolymers* 1986, **25**, 375

Zakrzewska, K., and Pullman, B. Theoretical studies on the interaction of proteins and nucleic acids. I. The binding of β-pleated sheets to A- and B-DNA *Biophys.Chem.* 1986, **23**, 251

PEPTIDES AND PROTEINS

Ahlström, P., Teleman, O., Jönsson, B., and Forsén, S. Molecular dynamics simulation of parvalbumin in aqueous solution *J.Am.Chem. Soc.* 1987, **109**, 1541

Allen, J., Novotný, J., Martin, J., and Heinrich, G. Computer aided comparison of mammalian neuropeptide Y and avian pancreative peptide *Proc.Natl.Acad.Sci.U.S.A.* 1987, **84**, 2532

Anderson, A., Carson, M., and Hermans, J. Molecular dynamics simulation study of polypeptide conformational equilibria *Ann.N.Y.Acad.Sci.* 1986, **482**, 51

Åqvist, J., Sandblom, P., Jones, T. A., Newcomer, M. E., van Gunsteren, W. F., and Tapia, O. Molecular dynamics simulations of the holo and apo forms of retinol binding protein *J.Mol.Biol.* 1986, **192**, 593

Åqvist, J., and Tapia, O. Surface fractality as a guide for studying protein-protein interactions *J.Mol.Graph.* 1987, **5**, 30

Ashida, T., Tsunogne, Y., Tanaka, I., and Yamane, T. Peptide chain structure parameters, bond angles and conformational angles from the Cambridge Structural Database *Acta Cryst* 1987, **B43**, 212

Ataka, S., and Tasumi, M. A computer programme for normal coordi-nate calculations of a polypeptide chain with any conformation and length *J.Mol.Struct.* 1986, **143**, 445

Bakhshi, A. K., and Ladik, J. *Ab initio* study of the effect of side-chain reactions on the electronic structure of proteins *Chem.Phys.Lett.* 1986, **129** 269

Bash, P. A., Singh, U. C., Brown, F. K., Langridge, R., and Kollman, P. A. Calculation of the relative change in binding free energy of a protein inhibitor complex *Science*, 1987, **235**, 574

Berendsen, H. J. C., van Gunsteren, W. F., Zwinderman, H. R. J., and Geurtsen, R. G. Simulations of proteins in water *Ann.N.Y. Acad.Sci.* 1986, **482**, 269

Bermejo, F. J., Rico, M., Santoro, J., Herranz, J., Gallego, E., and Nieto, J. L. Quantum chemical calculations of a proposed Pheₙ-Hisₙ₊₄ stabilising interaction in peptide α-helices *J.Mol.Struct.* 1986, **142**, 339

Billeter, M., Havel, T. F., and Wüthrich, K. The ellipsoid algorithm as a method for the determination of polypeptide conformations from experimental distance constraints and energy minimisation *J.Comp.Chem.* 1987, **8**, 132

Black, S. D., and Glorioso, J. C. MSEQ: a microcomputer-based approach to the analysis, display and prediction of protein structure *Biotechniques* 1986, **4**, 448

Blundell, T. L., Sibanda, B. L., Sternberg, M. J. E., and Thornton, J. M. Knowledge-based prediction of protein structure and the design of novel molecules *Nature* 1987, **326**, 347

Briggs, W. E. A probabilistic model for fitting MWC polynomials in protein-ligand binding *Biophys.Chem.* 1986, **24**, 311

Brooks, B. R., Pastor, R. W., and Carson, F. W. Theoretically determined 3D structure for the repeating tetrapeptide unit of the circumsporozoite coat protein of the malaria parasite *Plasmodium falciparum. Proc.Natl.Acad.Sci.U.S.A.* 1987, **84**, 4470

Bruccoleri, R. E., Novotný, J., Keck, P., and Cohen, C. Theoretical

analysis of supercoil formation in two-stranded α-helical coiled-coils of fibrous proteins *Biophys.J.* 1986, **49**, 79

Brünger, A. T., Clore, G. M., Gronenborn, A. M., and Karplus, M. 3-D structure of proteins by molecular dynamics with interproton distance restraints; crambin *Proc.Natl.Acad.Sci.U.S.A.* 1986, **83**, 3801

Bryant, S. H., and Sternberg, M. J. E. Molecular graphics to predict and compare protein structures through structural profiles *J.Mol.Graph.* 1987, **5**, 4

Burke, L. A. A model potential technique for the calculation of the band structure of poly(glycine) *Int.J.Quant.Chem., Quant.Biol.Symp.* 1986, **12**, 25

Burridge, J. M., and Todd, S. J. P. Protein secondary structural representations using interactive computer graphics *J.Mol.Graph.* 1986, **4**, 220

Busetta, B. Examination of folding patterns for predicting protein topologies *Biochim.Biophys.Acta.* 1986, **870**, 327

Case, D. A., and McCammon, J. A. Dynamic simulations of oxygen binding to myoglobin *Ann.N.Y.Acad.Sci.* 1986, **482**, 222

Cheam, T. C., and Krimm, S. *Ab initio* study of the vibrational properties of the peptide N-H bond *J.Mol.Struct.* 1986, **146**, 175

Chou, K.-C., Némethy, G., Rumsey, S., Tuttle, R. W., and Scheraga, H. A. Interactions between two β-sheets. Energetics of β/β packing in proteins *J.Mol.Biol.* 1986, **188**, 651

Cid, H., Vargas, V., Bunster, M., and Bustos, S. Secondary structure predictions of human salivary proline-rich proteins *FEBS Letters* 1986, **198**, 140

Clore, G. M., Brünger, A. T., Karplus, M., and Gronenborn, A. M. Application of molecular dynamics with interproton distance restraints to 3-D protein structure determination. A model study of crambin *J.Mol.Biol.* 1986, **191**, 523

Clore, G. M., Gronenborn, A. M., Carlson, G., and Meyer, E. F. Stereochemistry of binding of the tetrapeptide acetyl-Pro-Ala-Pro-Tyr-NH$_2$ to porcine pancreatic elastase. Combined use of 2D transferred N.O.E. measurements, restrained molecular dynamics, X-ray crystallography and molecular modelling *J.Mol.Biol.* 1986, **190**, 259

Clore, G. M., Nilges, M., Brünger, A. T., Karplus, M., and Gronenborn, A. M. A comparison of the restrained molecular dynamics and distance geometry methods for determining 3-D structures of proteins on the basis of interproton distances *FEBS Letters* 1987, **213**, 269

Clore, G. M., Sukumaran, D. K., Nilges, M., and Gronenborn, A. M. 3-D structure of phoratoxin in solution *Biochem* 1987, **26**, 1732

Cohen, F. E., Kosen, P. A., Kuntz, I. D., Epstein, L. B., Smith, K. A., and Ciardelli, T. L. Structure activity studies of interleukin-2 *Science* 1986, **234** 349

Connolly, M. L. Shape complementarity at the $\alpha_1\beta_1$ subunit interface of haemoglobin *Biopolymers* 1986, **25**, 1229

De Loof, H., Rosseneu, M., Brasseur, R., and Ruysschaert, J. M. Hydrophobicity profiles used to predict receptor binding domains on apolipoprotein E and the low density lipoprotein apolipoprotein B-E receptor *Proc.Natl.Acad.Sci.U.S.A.* 1986, **83**, 2295

Di Maio, J., Bayly, C. I., Villeneuve, G., and Michel, A. Computer modelling using MAXMIN and 3-D vector maps to investigate topological similarities between a cyclic enkephalin analogue and a potent opiate alkaloid *J.Med.Chem.* 1986, **29**, 1658

Doi, M., Tanaka, M., Ishida, T., and Inoue, M. The 3-D similarity between a dimeric antiparallel extended structure and a β-turn folded form of enkephalin *FEBS Letters* 1987, **213**, 265

Doungdee, P. B., Kokpol, S. U., and Rode, B. M. A comparative study of the hydration of aliphatic amino acids by CNDO/2 and *ab initio* molecular orbital calculations *J.Sci.Soc.Thailand* 1985, **11**, 113

Eastman, M. A. Computer simulations of the 18–23 cyclic peptide of prothrombin *Diss.Abst.Int.B.* 1987, **47**, No. 8, 3370

Eastman, M. A., Pedersen, L. G., Hiskey, R. G., Pique, M., Koehler, K. A., Goltschalk, K. E., Némethy, G., and Scheraga, H. A. Conformation of the 18-23 loop region of bovine prothrombin in the absence and presence of a model calcium ion. An energy minimization study *Int.J.Pept.Protein Res.* 1986, **27**, 530

Elber, R., and Karplus, M. Multiple conformational states of proteins: a molecular dynamics analysis of myoglobin *Science* 1987, **235**, 318

Engh, R. A., Chen, L.-X., and Fleming, G. R. Conformational dynamics of tryptophan *Chem.Phys.Lett.* 1986, **126**, 365

Engh, R. A., Chen, L.-X., and Fleming, G. R. Tryptophan structure and dynamics using GROMOS *Ann.N.Y.Acad.Sci.* 1986, **482**, 304

Fanning, D. W. Smith, J. A., and Rose, G. D. Molecular cartography of globular proteins with application to antigenic sites *Biopolymers* 1986, **25**, 863

Fasman, G. D. Prediction of protein conformation from poly(α-amino acid) studies *Biopolymers* 1987 (Supplement) S59, **26**

Fesik, S. W., Bolis, G., Sham, H. L., and Olejniczak, E. T. Structure refinement of a proposed renin inhibitor by 2-D NMR and molecular modelling *Biochem* 1987, **26**, 1851

Fischer, P., Grunenberg, A. M., Bougeard, D., and Schrader, B. Calculation of IR and Raman intensities of methionine used to discuss conformation *J.Mol.Struct.* 1986, **146**, 51

Foster, E. A. D. A distance constraint model for the prediction of protein tertiary structure *Can.J.Fish.Aquat.Sci.* 1986, **43**, 1035

Ghosh, I., and McCammon, J. A. Sidechain rotational isomerism in proteins: dynamic simulation with solvent interactions *Biophys. J.* 1987, **51**, 637

Gibson, K. D., and Scheraga, H. A. Predicted conformations for the immunodominant region of the circumsporozoite protein of the human malaria parasite *Plasmodium falaparum. Proc.Natl.Acad.Sci. U.S.A.* 1986, **83**, 5649

Goodman, M., Rone, R., Manesis, N., Hassan, M., and Mammi, N. Peptidomimetics: synthesis, spectroscopy and computer simulations *Biopolymers* 1987 (Supplement) S25, **26**

Gresh, N., and Pullman, B. A theoretical study of the binding of phenothiazine derivatives to residues 82-93 of calmodulin *Mol.Pharmacol.* 1986, **29**, 355

Hassan, M. Computer simulations of the conformational properties of cyclic enkephalin analogs, catecholamine derivatives and β turn models *Diss.Abstr.Int.B.* 1986, **46**, 3859

Hassan, M., and Goodman, M. Computer simulations of cyclic enkephalin analogues *Biochem.* 1986, **25**, 7596

Henry, E. R., Eaton, W. A., and Hochstrasser, R. M. Molecular dynamics simulations of cooling in laser-excited haem proteins *Proc.Natl.Acad.Sci.U.S.A.* 1986, **83**, 8982

Hodgman, T. C. The elucidation of protein function from its amino acid sequence *Comput.Appl.Biosci.* 1986, **2**, 181

Ichiye, T., Olafson, B. D., Swaminathan, S., and Karplus, M. Structure and internal mobility of proteins: Lysozyme *Biopolymers* 1986, **25**, 1909

Karplus, M. Molecular dynamics: application to proteins *Ann.N.Y. Acad.Sci.* 1986, **482**, 255

Kazunori, T. Simple protein model building tool *J.Mol.Graphics* 1987, **5**, 101

Kikuchi, T., Némethy, G., and Scheraga, H. A. Spatial geometric arrangements of disulphide-crosslinked loops in proteins *J.Comp. Chem.* 1986, **7**, 67

Kitson, D. H., Avbelj, F., Eggleston, D. S., and Hagler, A. T. Theoretical studies of the structure, energy, entropy and dynamics of peptide crystals *Ann.N.Y.Acad.Sci.* 1986, **482**, 145

Klein, P., and Delisi, C. Prediction of protein structural class from the amino acid sequence *Biopolymers* 1986, **25**, 1659

Klimkowski, V. J. Structure and conformational properties of derivatives of glycine and alanine by *ab initio* calculations and gas electron diffraction *Diss.Abst.Int.B.* 1986, **47**, 2003

Kolinski, A., Skolnick, J., and Yaris, R. Monte Carlo simulations on an equilibrium globular protein folding model *Proc.Natl.Acad. Sci.U.S.A.* 1986, **83**, 7267

Kolinski, A., Skolnick, J., and Yaris, R. Monte Carlo studies on equilibrium globular protein folding. Homopolymeric lattice models of β-barrel proteins *Biopolymers* 1987, **26**, 937

Kollman, P. A., Werner, S., Siebel, G., Lybrand, T. P., Singh, U. C., Caldwell, J., and Rao, S. N. Modelling complex molecular interactions involving proteins and DNA *Ann.N.Y.Acad.Sci.* 1986, **482**, 234

Lee, S., Karplus, M., Bashford, D., and Weaver, D. Brownian dynamics simulation of protein folding *Biopolymers* 1987, **26**, 481

Levin, J. M., Robson, B., and Garnier, J. An algorithm for secondary structure determination in proteins based on sequence similarity *FEBS Letters* 1986, **205**, 303

Liu, Z. P., Jiang, S. P., Jin, N. H., and Niu, C.-I. Conformational analysis of the C-peptide of human proinsulin by empirical potential energy calculations *Biopolymers* 1986 (Supplement) S169, **25**

Loomis, R. E., Bhandary, K. K., Tseng, C.-C., Bergey, E. J., and Levin, M. J. NMR and computer simulated structural analysis of a hexapeptide sequence near an n-glycosylation site of a salivary glycoprotein *Biophys.J.* 1987, **51**, 183

Loomis, R. E., Lee, P.-C., and Tseng, C.-C. NMR and computer simulation approach to conformational analysis of the cholecystokinin C-terminal octapeptide *Biochim.Biophys.Acta.* 1987, **911**, 168

Manesis, N., Hassan, M., Glaser, R., and Goodman, M. Bridged peptides: synthesis, spectroscopy and computer simulations *Biopolymers* 1986 (Supplement) S92, **25**

Marion, D., Genest, M., Caille, A., Peypoux, F., Michel, G., and Ptak, K. Conformational study of bacterial lipopeptides: Iturin A *Biopolymers* 1986, **25**, 153

Masamura, M. Reliability of MNDO in determining the equilibrium

structures of unionized amino acids *J.Mol.Struct.(Theochem.)* 1987, **152**, 293

Meirovitch, H., Vásquez, M., and Scheraga, H. A. Stability of polypeptide conformational states by computer free energy simulation *Biopolymers* 1987, **26**, 651

Mizuno, H., Lee, S., Nakamura, H., Kodera, Y., Kato, T., Gō, N., and Izumiya, N. Conformation of cyclo(L- or D-Phe-L-Pro-Aca) and cyclo(L-Pro-L- or D-Phe-Aca). Cyclised dipeptide models for specific types of β-bends *Biophys.Chem.* 1986, **25**, 73

Moises, H. Computer simulations of the conformational properties of cyclic enkephalin analogues, catecholamine derivatives and β-turn models *Diss.Abst.Int.B.* 1986, **46**, 3859

Náray-Szabó, G., and Nagy, P. Electrostatic recognition in proteins *Molecular Basis of Cancer, Part B: Macromolecular Recognition, Chemotherapy and Immunology.*, Alan R. Liss, Inc. 1985, 105

Nelson, R. D., Gottlieb, D. I., Balasubramanian, T. M., and Marshall, G. P. Opioid peptides - analysis of specificity and multiple binding modes through computer-aided drug design and structure-activity studies *NIDA Res.Monogr.* 1986, **69**, 204

Némethy, G. Orientation of amino acid side chains: intraprotein and solvent interactions *Methods Enzymol.* 1986, **127** (*Biomembranes, Pt. 0*), 183

Nishikawa, K., and Ooi, T. Amino acid sequence homology applied to the prediction of protein secondary structures, and joint prediction with existing methods *Biochim.Biophys.Acta.* 1986, **871**, 45

Novotný, J., and Haber, E. Static accessibility model of protein antigenicity: scorpion neurotoxin *Biochem.* 1986, **25**, 6748

Novotný, J., Handschumacher, M., Haber, E., Bruccoleri, R. E., Carlson, W. B., Fanning, D. W., Smith, J. A., and Rose, G. D. Correlations between surface areas accessible to large probes and antigenicity in proteins *Proc.Natl.Acad.Sci.U.S.A.* 1986, **83**, 226

Pabo, C. O., and Suchanek, E. G. Computer-aided model-building strategies for protein design *Biochem* 1986, **25**, 5987

Paine, G. H., and Scheraga, H. A. Prediction of the native conformation of a polypeptide by a statistical-mechanical procedure -enkephalin *Biopolymers* 1986, **25**, 1547

Paine, G. H., and Scheraga, H. A. Prediction of the native conformation of a polypeptide by a statistical-mechanical procedure: III. Enkephalin *Biopolymers* 1987, **26**, 1125

Palmer, K. A., Scheraga, H. A., Riordan, J. F., and Vallee, B. L. A preliminary 3-D structure of angiogenin *Proc.Natl.Acad.Sci.U.S.A.* 1986, **83**, 1965

Parilla, A. Domenech, A., and Quero, I. E. A Pascal microcomputer program for prediction of protein secondary structure and hydropathic segments *Comput.Appl.Biosci.* 1986, **2**, 211

Paul, P. K. C., Sukumar, M., Bardi, R., Piazzesi, A. M., Valle, G., Toniolo, C., and Balaram, P. Theoretical and experimental studies of the conformations of peptides containing 1-aminocyclohexanecarboxylic acid *J.Am.Chem.Soc.* 1986, **108**, 6363

Peters, D., and Peters, J. 3-D structure of globular proteins from quantum mechanical computations on small model molecules: myoglobin clusters *Biopolymers* 1986, **25**, 1109

Pettitt, B. M., and Karplus, M. A theoretical approach to the structure of water surrounding a peptide *Chem.Phys.Lett.* 1987, **136**, 383

Piela. L., Némethy, G., and Scheraga, H. A. Conformational properties of 2, 4-methanoproline (2-carboxy-2, 4-methanopyrrolidine) in peptides *J.Am.Chem.Soc.* 1987, **109**, 4477

Pons, M., Bofill, J. M., and Giralt, E. Racemization of peptides. An MNDO study of the c-(Gly-Gly) anion *J.Chem.Res. Synop.* 1986, **7**, 262

Presta, L. G. Interactive computer graphics modelling and molecular mechanics calculations of protein-ligand interactions *Diss.Abst.Int.B.* 1986, **47**, 183

Rao, J. K. M., and Argos, P. A conformational preference parameter to predict helices in integral membrane proteins *Biochim.Biophys.Acta.* 1986, **869**, 197

Rashin, A. A., Iofin, M., and Honig, B. Internal cavities and buried waters in globular proteins *Biochem.* 1986, **25**, 3619

Ravishankar, G., Mezei, M., and Beveridge, D. L. Conformational stability and flexibility of Ala peptide in free space and water: Monte Carlo computer simulation studies *J.Comp.Chem.* 1986, **7**, 345

Rico, M., Herranz, J., Bermejo, F. J., Nieto, J. L., Santoro, J., Gallego, E., and Jimenez, M. A. Quantitative interpretation of the helix coil transition in RNase A s-peptide *J.Mol.Struct.* 1986, **143**, 439

Robson, B., and Platt, E. Modelling of α-lactalbumin from the known structure of hen egg white lysozyme using molecular dynamics *J.Computer-Aided Molecular Design* 1987, **1**, No. 1

Robson, B., Platt, E., Fishleigh, R. V., Marsden, A., and Millard, P. Programs for the conformational study of drugs, proteins and

biomolecules; examples, chloramphenicol acetyltransferase and avian pancreative polypeptide *J.Mol.Graph.* 1987, **5**, 8

Russell, S. T. Calculations of electrostatic interactions in proteins *Diss.Abst.Int.B.* 1986, **46**, 3069

Sandblom, P., Åqvist, J., Jones, T. A., Newcomer, M. E., Van Gunsteren, W. F., and Tapia, O. Structural changes in retinol binding protein induced by retinol removal. A molecular dynamics study *Biochem.Biophys.Res.Commun.* 1986, **139**, 564

Sapse, A.-M., Mallah-Levy, L., Daniels S. B., and Erickson, B. W. *Ab initio* calculations on the γ-turn in proline and N-acetylproline amide *J.Am.Chem.Soc.* 1987, **109**, 3526

Scheraga, H. A., and Paine, G. H. Statistical mechanics to calculate conformational energies of polypeptides and proteins *Ann.N.Y. Acad.Sci.* 1986, **482**, 60

Segawa, S.-I., and Kawai, T. Computer simulation of the folding-unfolding transition of island-model proteins *Biopolymers* 1986, **25**, 1815

Seijo, L., Cochlan, B., and Fragg, S. Association of proteins: optimal spatial conformations and relative positions of two proteins from amino acid sequence *Comp.Physics.Comm.* 1986, **41**, 169

Shao, J. Molecular structure of insulin: 1. Hydrophobic core and the molecular electrostatic potentials *Shanghai Keji Daxue Xuebao* 1985, **2**, 45

Shao, J. Molecular structure of insulin: II. Hydrogen bonding networks, microenvironments and interaction energy between two monomers *Shanghai Keji Daxue Xuebao* 1985, **3**, 23

Shao, J., Wu. J., and Wen, Y. CNDO/2 calculation of insulin molecule *Shanghai Keji Daxue Xuebao* 1985, **4**, 110

Sinanoǧlu, O., and Fernández, A. Denaturation of proteins in methantol/water mixtures *Biophys.Chem.* 1985, **21**, 163

Sinanoǧlu, O., and Fernández, A. The denaturation maxima of proteins and of drug-biomolecule formation in methanol/water mixtures: solvophobic theory predictions c.f. experiments *Biophys.Chem.* 1985, **21**, 157

Skolnick, J. Theory of the helix-coil transition in doubly cross-linked two-chain coiled coils. A globular protein model *Macromolecules* 1986, **19**, 1153

Smith-Gill, S. J., Mainhart, C., Lavoie, T. B., Feldmann, R. J., Drohan, W., and Brooks, B. R. A 3-D model of an anti-lysozyme antibody *J.Mol.Biol.* 1987, **194**, 713

Snow, M. E. An approach to calculating the structural effects of mutations on surface residues of proteins: immunoglobins *Diss.Abst.Int.B.* 1986, **47**, 1382

Sordo, J. A., Probst, M., Corongiu, G., Chin, S., and Clementi, E. *Ab initio* pair potentials between aliphatic amino acids *J.Am.Chem.Soc.* 1987, **109**, 1702

Srinivsan, S., Shibata, M., and Rein, R. Multistep modelling of protein structure: bungarotoxin *Int.J.Quant.Chem., Quant.Biol.Symp.* 1986, **13**, 167

Stamato, F. M. L. G., and Goodfellow, J. M. Computer simulations of amino acid zwitterions in solution *Int.J.Quant.Chem., Quant.Biol. Symp.* 1986, **13**, 277

Sternberg, M. J. E., Barton, G. J., Zvelebil, M. J., Cookson, J., and Coates, A. R. M. Prediction of antigenic determinants and secondary structures of the major AIDS virus proteins *FEBS Lett.* 1987, **218**, 231

Summers, L. J., Blundell, T. L., Gause, G. G., and Tomarev, S. I. A computer graphics model of frog γ-crystallin based on the 3-D structure of calf γ-II crysallin *FEBS Letters* 1986, **208**, 11

Summers, N. L., Carlson, W. D., and Karplus, M. Analysis of side-chain orientations in homologous proteins *J.Mol.Biol.* 1987, **196**, 175

Szabo, A. Simulations of the dynamics of proteins (example: pancreatic trypsin inhibitor) and membranes from NMR relaxation *Ann.N.Y. Acad.Sci.* 1986, **482**, 44

Talluri, S., Montelione, G. T., van Duyne, G., Piela, L., Clardy, J., and Scheraga, H. A. Conformational properties of 2, 4-methanoproline(2-carboxy-2,4-methanopyrrolidine) in peptides *J.Am.Chem.Soc.* 1987, **109**, 4473

Teleman, O. Molecular dynamics simulation of polyatomic molecules in aqueous solution: parvalbumin *Diss.Abst.Int.C.* 1986, **47**, 3347

Tilton, R. F., Jr., Singh, U. C., Weiner, S. J., Connolly, M. L., Kuntz, I. D., Jr., Kollman, P. A., Max, N., and Case, D. A. Computational studies of the interaction of myoglobin and xenon *J.Mol.Biol.* 1986, **192**, 443

Tor, Y., Libman, J., Shanzer, A., Felder, C. E., and Lifson, S. A trispeptide circularly organised through inter-chain hydrogen bonds — structure obtained from NMR and IR spectroscopy and empirical force field calculations *J. Am. Chem. Soc., Chem. Comm.* 1987, **10**, 749

Toshiko, I. The internal dynamics of proteins *Diss.Abst.Int.B.* 1986, **46**, 2536

Vásquez, M., Pincus, M. R., and Scheraga, H. A. Correlation between computed conformational properties of cytochrome C peptides and their antigenicity *Biopolymers* 1987, **26**, 373

Vedani, A., Dobler, M., and Dunitz, J. D. An empirical potential function for metal centres applied to calculations on metalloproteins *J.Comp.Chem.* 1986, **7**, 701

Vigné-Maeder, F., and Claverie, P. Theoretical conformational study of carotenoporphyrins related to photophysical properties *J.Am.Chem.Soc.* 1987, **109**, 24

Wada, A., Nakamura, H., and Sakamoto, T. The nature of the charge distribution in proteins II and III *J.Phys.Soc.Jpn.* 1985, **54**, 4042 and 4047

Warshel, A., Sussman, F., and King, G. Free energy of charges in solvated proteins: microscopic calculations using a reversible charging process *Biochem.* 1986, **25**, 8368

Warwicker, J. Continuum dielectric modelling of the protein-solvent system and calculation of the long range electrostatic field of phosphoglycerate mutase *J.Theor.Biol.* 1986, **121**, 199

Weiner, P. K., Gallion, S. L., Westhof, E., and Levy, R. M. Visualisation of energy minimisation of a nonapeptide and molecular dynamics simulation of myoglobin *J.Mol.Graph.* 1986, **4**, 201

Weiner, S. J., Kollman, P. A., Nguyen, D. T., and Case, D. A. An all atom force field for simulations of proteins and nucleic acids *J.Comp.Chem.* 1986, **7**, 230

Whitlow, M. D. A model study for prediction of the 3-D structure of homologous proteins *Diss.Abst.Int.B.*, 1987, **47**, 3346

Whitlow, M., and Teeter, M. M. Potential energy minimisation examined using crambin as an example *J.Am.Chem.Soc.* 1986, **108**, 7163

Wodak, S. J. Mechanisms of conformational changes in proteins: computer simulation of protein dynamics *Proc.3rd Computer Aided Molecular Design Conf.* 1986

Yada, R. Y. A study of secondary structural predictive methods for proteins and the relationship between physical-chemical properties and enzymatic activity of some aspartyl proteinases *Diss.Abstr.Int.B.* 1986, **46**, 4082

Yoon, C. N., and Jhon, M. S. Conformational study of the trinucleotide CpGpCp-pentapeptide Gly_5 complex — the important role of bridging water in the complex formation *J.Comp.Chem.* 1986, **7**, 189

Yoon, C. N., and Jhon, M. S. Intermediate water structures in solution of alanine dipeptide *Int.J.Quant.Chem., Quant.Biol.Symp.* 1986, **12**, 33

Zakrzewska, K., Lavery, R., and Pullman, B. Theoretical studies on the interaction of proteins and nucleic acids. II. The binding of α-helix to B-DNA *Biophys.Chem.* 1986, **25**, 201

Zakrzewska, K., and Pullman, B. Theoretical studies on the interaction of proteins and nucleic acids. The binding of β-pleated sheets to A- and B-DNA *Biophys.Chem.* 1986, **23**, 251

Zhu, P.-P. Studies on the conformations of LHRH analogues and some cyclic hexapeptides *Diss.Abst.Int.B.* 1986, **47**, 232

PROSTAGLANDINS

Robinet. G., Devillers, J., Lattes, A., and Barthelat, M. Energy minima in the conformations of prostaglandin E1 investigated by molecular mechanics *J. Mol. Struct. (Theochem.)* 1986, **138**, 271

STEROIDS

Adelantado, J. M., and Richards, W. G. The geometry of a steroid from quantum mechanical calculation: progesterone *J.Chem. Soc. Perkin. Trans. II.* 1986, 1253

Bohl, M. Molecular mechanics investigation on side chain conformations of a 17α-ethyl-17β-hydroxy steroid with regard to receptor binding *Z. Naturforsch* 1987, **42c**, 221

Bohl, M., and Wunderwald, M. Molecular mechanics investigation on conformational flexibility of 14 β steroids in drug-receptor interaction *Z. Naturforsch* 1986, **41c**, 295

Carballeira, L., and Rios, M. A. Molecular mechanics study of the conformation of the side chain of 20-oxopregnone type hormones *An.Quim.Ser. A.* 1985, **81**, 191

Engelmann, A. R., Medina Llanos, C., Nyholm, P. G., Tapia, O., and Pascher, I. Monte Carlo simulation of the cholesterol-water interface *J.Mol.Struct. (Theochem.)* 1987, **151**, 81

THEORETICAL METHODS

General Drug Design

Font, J. L. Computer assisted drug design: thyrotropin releasing hormone and analogues *Diss.Abst.Int.B.* No. 10 1987, **47**, 4162

Glynias, M. J., and Goodridge, A. G. A sequence analysis program for the Macintosh computer *Ann.N.Y.Acad.Sci.* 1986, **478**, 281

Jones, R. R. Empirical conformational energy program: general (ECEP:G), design and utilisation *Diss.Abst.Int.B.* 1986, **47**, 43

Karfunkel, H. R. Analog models in molecular mechanics and dynamics — new aspects of genetic engineering and drug design *Speculations.Sci. Technol.* 1986, **9**, 85

Kaufman, J. J. Symposium notes on new computational strategies for *ab initio* calculations on large molecules etc. *Int.J.Quant.Chem.* 1987, **31**, 179

Lejeune, J., Michel, A. G., and Vercauteren, D. P. An application of a flexible molecular fitting program to computer-aided drug design *J.Mol.Graph.* 1986, **4**, 194

Ripka, W. C. Computer-assisted model building *Nature* 1986, **321**, 93

Stezowski, J. J., and Chandrasekhar, K. X-ray crystallography of drug-molecule-macromolecule interactions as an aid to drug design *Annu.Rep.Med.Chem.* 1986, **121**, 293

Vinter, J. G., Davis, A., and Saunders, M. R. Strategic approaches to drug design. An integral software framework for molecular modelling *J.Computer Aided Molecular Design* 1987, **1**, No. 1

Weinstein, H. Interaction mechanisms at biological targets: implications for molecular design *Proc.3rd.Comp.Aided Molecular. Design.Conf.* 1986

Molecular Recognition and Pattern Matching

Bersohn, M., Fujiwara, S., and Fujiwara, Y. Computer detection near equivalence of major substructures in a molecule *J.Comp.Chem.* 1986, **7**, 129

Bowen-Jenkins, P. E., and Richards, W. G. Quantitative measures of similarity between pharmacologically active compounds *Int.J.Quant.Chem.* 1986, **30**, 763

Brint, A. T., and Willett, P. Pharmacophoric pattern matching in files of 3-D chemical structures: comparison of geometric searching algorithms *J.Mol.Graph.* 1987, **5**, 49

Endo, T., Tajima, K., Yamashita, M., Ito, M. M., Nishida, J.-i., and Ogikubo, T. Control of the degree of molecular recognition by shape-specific weak interactions between non-polar groups *J.Chem.Soc., Chem. Commun.*, No. 21, 1986, 1561

Hodgkin, E. E., and Richards, W. G. A semi-empirical method for calculating molecular similarity, based on standard electron densities for molecular fragments: should be applicable to the comparison of large biological molecules *J.Chem.Soc., Chem.Commun.* No. 17, 1986, 1342

Jakes, S. E., Watts, N., Willett, P., Bawden, D., and Fisher, J. D. Pharmacophoric pattern matching in files of 3-D chemical structures: evaluation of search performance *J.Mol.Graph.* 1987, **5**, 41

Jerman-Blažič, B., Fabič, I., and Randič, M. Comparison of sequences to evaluate molecular similarity *J.Comp.Chem.* 198, **7**, 177

Landau, G. M., and Vishkin, U. An efficient string matching algorithm with K substitutions for nucleotide and amino acid sequences *J.Theor.Biol.* 1987, **126**, 483

Rose, G. D., and Lee, R. H. Molecular recognition in macromolecules *Biophys.J.* 1986, **49**, 83

Taylor, W. R. Identificiation of protein sequencing homology by consensus template alignment *J.Mol.Biol.* 1986, **188**, 233

Expert Systems

Cygler, M. and Anderson, W. F. Prediction of the bacteriophage 434 Cro protein using a comparative model building process *J.Biomol. Struct.& Dynamics* 1986, **3**, 1055

Dolata, D. P. Molecular modelling by symbolic logic — WIZARD II: an expert system in conformational analysis *Proc.3rd Computer Aided Molecular Design Conf.* 1986

Dolata, D. P., Leach, A. R., and Prout, K. WIZARD II: AI (artificial intelligence) in conformational analysis *J.Computer Aided Molecular Design* 1987, **1**, No. 1

Sternberg, M. J. E. Protein structure prediction using databases *Proc.3rd Computer Aided Molecular Design Conf.* 1986

Tinker, J. F., and Gelernter, H. Computer simulation of metabolic transformation: SYNCHEM2: a synthetic organic chemistry expert

system; applied to benzo[a]pyrene (a proto-carcinogen), paramethyl substituted phenylalanine, and haloperidol (a neuroleptic) *J.Comp.Chem.* 1987, 7, 657

Conformational Analysis

Billeter, M., Havel, T. F., and Wüthrich, K. The Ellipsoid Algorithm as a method for the determination of polypeptide conformations from experimental distance constraints and energy minimisation *J.Comp.Chem.* 1987, **8**, 132

Bruccoleri, R. E., and Karplus, M. Spatially constrained minimisation of macromolecules; examples BPTI, lysozyme and McPC *J.Comp.Chem.* 1986, **7**, 165

Creese, T. M., Grunewald, G. L., and Creese, M. W. The energy well connection graph: a use of curvilinear coordinates to achieve dimension reduction for graph representation of molecular conformational energy data *Theoret. Chim. Acta* 1987, **71**, 75

Crippen, G. M. Distance geometry conformational calculations *Proc.3rd Computer Aided Molecular Design Conf.* 1986

Custer, R. An investigation of the CIP-system, a mobile molecular model, and computer implementations *Diss.Abst.Int.C.* 1986, **47**, 2289

Gordon, M. S. and Truhlar, D. G. Scaling all correlation energy in perturbation theory calculations of bond energies and barrier heights *J.Am.Chem.Soc.* 1986, **108**, 5412

Higo, J., Seno, Y., and Gō, N. A method for the formulation of static and dynamic conformational energy analysis in biopolymer systems *J.Phys.Soc.Jpn.* 1985, **54**, 4053

Kurnig, I. J., and Scheiner, S. Additivity of the effects of external ions and dipoles upon the energetics of proton transfer *Int.J.Quant. Chem., Quant.Biol.Symp.* 1986, **13**, 71

Lejeune, J., Michel, A., and Vercauteren, D. P. Improving the flexible molecular fitting technique using distance matrices *J.Comp.Chem.* 1986, **7**, 739

Levy, R. M. Computer simulation of macromolecular dynamics; X-ray refinement, proteins and nucleic acids *Ann. N. Y. Acad. Sci.* 1986, **482**, 24

Mezei, M., and Beveridge, D. L. Free energy simulations *Ann. N.Y. Acad. Sci.* 1986, **482**, 1

Nilsson, L., and Karplus, M. Empirical energy functions for energy minimisation and dynamics of nucleic acids *J.Comp.Chem.* 1986, **7**, 591

Piela, L., and Scheraga, H. A. On the multiple-minima problem in the conformational analysis of polypeptides: backbone degrees of freedom for a perturbed α-helix *Biopolymers* 1986 (Supplement) S33

Stouch, T. R. Computer assisted studies of chemical structure-biological activity relationships *Diss.Abst.Int.B.* 1986, **47**, 163

Molecular Electrostatic Potentials and Charge Distributions

Lybrand, T. P., Kollman, P. A., Yu, V. C., and Sadee, W. Conformation and electrostatic potential surfaces of opiates: relationship to μ- and λ-site binding *Pharm.Res.* 1986, **3**, 218

Rabinowitz, J. R., and Little, S. B. Multipole expansion techniques for the calculation and characterisation of molecular electrostatic potentials *Int. J. Quant. Chem., Biol. Symp.* 1986, **13**, 9

Rabinowitz, J. R., Namboodiri, K., and Weinstein, H. A method for the calculation and interpretation of molecular electrostatic potentials *Int. J. Quant. Chem.* 1986, **29**, 1697

Robson, B., and Platt, E. Refined models for computer calculations in protein engineering. Calibration and testing of atomic potential functions compatible with more efficient calculations *J.Mol.Biol.* 1986, **188**, 259

Shankar, S., Mortier, W. J., and Ghosh, S. K. Calculation of atomic charges in large biological molecules for use in computer simulations *Ann. N. Y. Acad. Sci.* 1986, **482**, 82

Stutchbury, N. C. J. Calculating charge distributions in molecules from *ab initio* wavefunctions *Proc.3rd Computer Aided Molecular Design Conf.* 1986

Zauhar, R. J. Methods for computing the macromolecular electric potential *Diss. Abst. Int. B,* 1986, **47**, 1382

Molecular Docking

Billeter, M., Havel, T. F., and Kuntz, I. D. A new approach to the problem of docking two molecules: the ellipsoid algorithm *Biopolymers* 1987, **26**, 777

Fielding, A. H., and Smith, C. A. A rapid computer technique for analysis of molecular interactions *Comput.Appl.Biosci.* 1986, **2**, 195

Karfunkel, H. R. A fast algorithm for the interactive docking manouveur with flexible macromolecules and probles *J.Comp.Chem.* 1986, **7**, 113

Lybrand, T. P., McCammon, J. A., and Wipff, G. Theoretical calculation of relative binding affinity in host-guest systems *Proc.Natl. Acad. Sci. U.S. A.* 1986, **83**, 833

O'Donnell, T. J., and Mitchell, K. D. 3D docking device for molecular modelling *J.Mol.Graphics* 1987, **5**, 75

Solvent Effects

Cornette, J. L., Cease, K. B., Margalit, H., Spouge, J. L., Berzofsky, J. A., and DeLisi, C. Hydrophobicity scales and computational techniques for detecting amphipathic structures in proteins *J.Mol.Biol.,* 1987, **195**, 659

Demontis, P., Suffritti, G. B., Fois, E. S., and Gamba, A. An implemented potential of non-rigid water molecules for molecular dynamics simulations *Chem.Phys.Lett.* 1986, **127**, 457

de Oliveira Neto, M. Rapid location of the preferred interaction sites between small polar molecules and macromolecules: I. Binding of water to the component units of nucleic acids *J.Comp.Chem.* 1986, **7**, 617

de Oliveira Neto, M. Rapid location of the preferred interaction sites between small polar molecules and macromolecules: II. Binding of water to a model segment of B-DNA *J.Comp.Chem.* 1986, **7**, 629

Ghose, A. K., and Crippen, G. M. Calculations of hydrophobicity from partition coefficients for structure-activity relationships *J.Comp.Chem.* 1986, **7**, 565

Goodfellow, J. M., Howell, P. L., and Vovelle, F. Monte Carlo studies of water in biological crystal hydrates *Ann.N.Y.Acad.Sci.* 1986, **482**, 179

Karelson, M., Katritzky, A. R., and Zerner, M. C. *Ab initio* calculations (INDO/SCF and INDO CI) of the effects of solvents (dielectric media) on molecular geometries and charge distribution *Int.J.Quant. Chem., Quant.Chem.Symp.* 1986, **20**, 521

Saunders, M., Webb, G. A., and Tute, M. S. A theoretical study of solvent effects on molecular electronic studies *J.Mol.Struct.* 1987, **158**, 69

Sinanoğlu, O., and Fernández, A. Solvophobic forces and molecular surface area changes in drug-biomolecule associations: actinomycin-deoxyguanosine in methanol/water mixtures *Biophys.Chem.* 1985, **21**, 167

Molecular Graphics

Burridge, J. M. The display of molecular structures and properties; calligraphic and raster display devices, dynamic and static images *Proc.3rd Computer Aided Molecular Design Conf.* 1986

Chevrier, B., and Ripp, R. A program for the visualisation and interactive study of molecules on a calligraphic display system *J.Mol.Graph.* 1986, **4**, 217

Ferrin, T. E. MIDAS-molecular interactive display and simulation *Diss.Abstr.Int.B.* 1987, **47**, 4957

Gross, E., and Duane, J. Protein graphics: historical developments future directions and microcomputer applications *Comput.Appli. Biosci.* 1986, **2**, 173

Jiménez, J., Santisteban, A., Carazo, J. M., and Carrascosa, J. L. Computer graphic display method for visualizing 3D biological structures *Science* 1986, **232**, 1113

Joss, U. R., and Spahni, H. Holographic superposition of pharmacophore images on physical models *J.Mol.Graph.* 1986, **4**, 143

Milner-White, E. J. Computer graphic display of protein secondary structure *Biochem.Soc.Trans.* 1986, **14**, 652

Purvis, G. D. III, and Culberson, C. Density gradients used to map atomic structure on molecular isodensities *Int.J.Quant.Chem., Quant.Biol.Symp.* 1986, **13**, 261

Ricketts, D. M. Perq interactive molecular modelling system — menu-driven, real time, 3-D simulation of one or two molecules. Rotation about defined bonds; calculation of Connolly dot-surfaces *J.Mol.Graphics.* 1987, **5**, 63

White, D. N. J., and Pearson, J. E. A comprehensive molecular modelling system *J. Mol. Graph.* 1986, **4**, 134

VITAMINS AND COENZYMES

Eckert-Maksić, M., Bischof, P., and Maksić, Z. B. A semi empirical

study of the geometric and electronic structure of vitamin C radicals *J.Mol.Struct.(Theochem.)* 1986, **139**, 179

Eckert-Maksić, M., Bischof, P., and Maksić, Z. B. Geometric and electronic structure of vitamin C radicals. A semi-empirical study *Theochem.* 1986, **32**, 179

Greenwood, H. H., and Plant, J. S. *Ab initio* theory of hydrogen bonding in vitamin B_6 *Int.J.Quant.Chem.* 1986, **30**, 127

Guilleme, J., Diez, E., Gomez, M. M., Garrigos, L., and Zuluaga, J. NMR results and molecular mechanics calculations on pseudorotation in the dehydroascorbic acids *J.Mol.Struct.* 1986, **142**, 383

Guilleme, J., Diez, E., Gomez, M. M., Secundino, M., and Garrigos, L. Conformation of the ascorbic acids in aqueous solution by NMR and molecular mechanics *J.Mol.Struct.* 1986, **142**, 387

Hilal, R., and El-Aaser, A. M. Implications of quantum chemical studies of metylacetate and S-methyl thioacetate for the understanding of the biochemical reactivity of esters of coenzyme A *Biophys. Chem.* 1985, **22**, 145

Makhyoun, M. A., Al-Salem, N. A., and El-Ezaby, M. S. Crystal structure and M.O. calculations of the dichloro-bis-pyridoxol palladium(II) complex of vitamin B_6 *Inorg.Chim.Acta.* 1986, **123**, 117

Mealli, C., and Marzilli, L. G. A qualitative molecular orbital investigation of the Co-C bond homologies in coenzyme B_{12} *Recueil des Travaux Chimiques des Pays-Bas* 1987, **106**, 348

Mealli, C., Sabat, M., and Marzilli, L. G. M.O. theory on Co-C bond homolysis in coenzyme B_{12} *J.Am.Chem.Soc.* 1987, **109**, 1593

Merkelbach, I. Model studies in bioorganic processes (1) Na + transport across biological membranes. An experimental study (2) Quantum chemical calculations on the stereochemistry of coenzyme B_{12} dependent carbon skeleton rearrangements *Diss.Abstr.Int.C.* 1987, **48**, 1642

Peterson, P. E., Breedlove-Leffew, R. L., and Jensen, B. L. Molecular mechanics studies on the ketone obtained from ozonolysis of vitamin D, and related hydrindanones *J.Org.Chem.* 1986, **51**, 1948

Pett, V. B., Liebman, M. N., Murray-Rust, P., Prasad, K., and Glusker, J. P. Analysis of conformational variability of corrins *J.Am.Chem.Soc.* 1987, **109**, 3207

Seltzer, S. Energy barriers to retinal *cis-trans* isomerisation *J.Am.Chem.Soc.* 1987, **109**, 1627

Shoda, T., Noro, T., Nomura, T., and Ohno, K. The electronic structure of low lying excited states of two model systems of retinal *Int.J.Quant.Chem.* 1986, **30**, 289

Suzuki, H., Ito, E., and Sugimoto, T. Semi empirical calculation of force constants of stretching vibrations in excited states of retinal and related compounds *J.Phys.Soc.Jpn.* 1985, **54**, 4861

MISCELLANEOUS

Aloisi, G., Guidelli, R., Jackson, R. A., and Barnes, P. A new method to determine the interfacial tension in Monte Carlo simulations *Chem.Phys.Lett.* 1987, **133**, 343

Bernardi, A., Beretta, M. G., Malatesta, V., and Tosci, C. Conformational analysis of oxazolidines by molecular and quantum mechanics and by NMR *Chem.Phys.Lett.* 1987, **133**, 496

Bielinski, H., and Ciarkowski, J. Conformational of dioxopiperazines: cyclo(Glycyl-L-alanyl), cyclo(Glycyl-L-valyl) and cyclo-di-(alanyl) *Biopolymers* 1986, **25**, 795

Ceperley, D., and Alder, B. Quantum Monte Carlo *Science* 1986, **231**, 555

Colucci, W. J., Gandour, R. D., and Mooberry, E. A. Conformations

of carnitine and acetyl carnitine by a new Karplus equation and MM2 computations *J. Am. Chem. Soc.* 1986, **108**, 7141

Gallion, S. L., Levy, R. M., Weiner, P. K., and Hirata, F. Implementation of a macromolecular mechanics program on a CYBER 205 supercomputer *Comput.Chem.* 1986, **10**, 165

Hall, L. H., Orchard, B. J., and Tripathy, S. K. Molecular orbital structure and electron distribution of falvins *Int.J.Quant.Chem.* 1987, **31**, 195

Hol, W. G. J. Protein crystallography and computer graphics as applied to rational drug design; applications discussed include sickle cell anaemia; hypertension; cancer; inflammation and asthma; inhibition of proteins from infectious organisms; glycolytic enzymes *Angew.Chem.Int.Ed.Engl.* 1986, **25**, 767

Hol, W. G. J. Protein crystallography and computer graphics — on the path to systematic drug design *Angew.Chem. (Ger.)* 1986, **98**, 765

Hoeltje, H. D. On the structure of the barbiturate receptor. A molecular modelling study *Arch.Pharm.(Weinheim.Ger.)* 1986, **319**, 570

Jiang, S., and Xuan, J. The electronic structure of ATP *Kexue Tangbao (Foreign Lang.Ed.)* 1986, **31**, 775

Kim, K. S., and Clementi, E. Hydration structures and energetics of phospholipid *J.Comput.Chem.* 1986, **8**, 57

Kołodziejczyk, A., and Ciarkowski, J. Conformation of dioxopiperazines: cyclo(Glycyl-Phenylalanyl) *Biopolymers* 1986, **25**, 771

Liebman, M. N. Molecular modelling of microtubule inhibitors and the colchicine binding site on tubulin *Ann.N.Y.Acad.Sci.* 1986, **466**, 788

Marvizon, J. C. G., Vázquez, J., Calvo, M. G., Mayor, F., Jr., Gómez, A. R., Valdivieso, F., and Benavides, J. Pharmacological studies and mathematical modelling of the allosteric interaction between the glycine and strychnine binding sites *Mol.Pharmacol.* 1986, **30**, 590

Maynard, A. T., Pedersen, L. G, Posner, H. S., and McKinney, J. D. An *ab initio* study of the relationship betwen nitroarene mutagenicity and electron affinity *Mol.Pharmacol.* 1986, **29**, 629

Mekenyan, O., and Bonchev, D. OASIS method for predicting biological activity of chemical compounds *Acta.Pharm.Jugosl.* 1986, **36**, 225

Moss, R. A., Hendrickson, T. F., Ueoka, R., Kim, K. W., and Weiner, P. K. Experimental and computer modelling studies of micellar diastereoselectivity *J.Am.Chem.Soc.* 1987, **109**, 4363

Pedersen, L. G., Darden, T. A., Oatley, S. J., and McKinney, J. D. Binding enegies to human plasma prealbumin (using the energy minimisation program AMBER) for a series of PCBs, dibenzodioxins and dibenzofuran *J.Med.Chem.* 1986, **29**, 2451

Remko, M., and Cizmarrk, J. Quantum chemistry and its pharmaceutical aspects: IV. Application-continued *Cesk.Farm.* 1986, **35**, 325

Rouvray, D. H. The prediction of biological activity using molecular connectivity indexes *Acta.Pharm.Jugosl.* 1986, **36**, 239

Sprague, J. T., Tai, J. C., Yuh, Y., and Allinger, N. L. The MMP2 calculational method *J.Comput.Chem.* 1987, **8**, 581

Tinameran, H. Truly new drugs: what can we still expect? *Pharm.Weekbl.* 1986, **121**, 921

Tronrud, D. E. The refinement of macromolecular structures: theory and practice *Diss.Abstr.Int.B.* 1986, **47**, 1427

Watson, W. H. Conformations of mycotoxins utilizing X-ray diffraction and molecular mechanics techniques *Bioact.Mol. (Mycotoxins/phycotoxins)* 1986, **1**, 399

Woolley, R. G. Molecular shapes and molecular structures *Chem.Phys.Lett.* 1986, **125**, 200