

Bibliography of theoretical calculations in molecular pharmacology

Graham J Smith, Clare F Macrae and Paul M King

Physical Chemistry Laboratory, South Parks Road, Oxford OX1 3QZ, UK

INTRODUCTION

The extensive literature on calculations in molecular pharmacology was covered in the bibliographies of the two editions of *Quantum Pharmacology* (Richards, W G Butterworths, UK (1977, 1983) and brought up to Summer 1985 by Taylor, J L and Durant, J C in the *Journal of Molecular Graphics* Vol 3 No 4 (December

1985) p 158. This extension covers literature available up to August 1986 and incorporate omissions from the previous publications that have been brought to our attention. Although we have tried to be comprehensive, we have undoubtedly missed some publications; if the authors could let us know, we will incorporate their work in the next update.

ACETYLCHOLINE

Anticholinergics

Ewig, C S and Van Wazer, J R 'Ab initio structure of *o*-methylphosphono fluoridate' *J. Mol. Struct. (Theochem)* Vol 122 (1985) p 179
Politzer, P and Jayaswiya, K 'Electrostatic potential calculation of some sarin and soman analogues' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 381

Nicotine

Koskinen, A M P and Rapoport, H 'Computer-aided structure analysis of anatoxin-a' *J. Med. Chem.* Vol 28 (1985) p 1301
Sheridan, R P, Nilakantau, R, Dixon, J S and Ventkataraghavan 'Ensemble approach to distance geometry applied to nicotinic pharmacophore for set of agonists' *J. Med. Chem.* Vol 29 (1986) p 899

ADRENERGIC COMPOUNDS

Avbelj, F and Hadzi, D 'Potential energy functions and role of conformational entropy of clonidine-like imidazolidines in determining their affinity for α -adrenergic receptors' *Mol. Pharmacol.* Vol 27 (1985) p 466
Cheney, B V and Kalantor, J 'Computer-aided structural comparison of clonidine and guanfacine with cyclazocine, a drug with high affinity for several subtypes of the opioid receptor' *J. Mol. Graphics.* Vol 4 (1986) p 21
Klopman, G and Kalos, A N 'Quantitative structure-activity relationship of β -adrenergic agents. Molecular fragment recognition by computer automated structure evaluation' *J. Theor. Biol.* Vol 118 (1986) p 199

ANTIBIOTICS

Boyd, D B 'Comparison of β -lactam antibiotic structures with tetrahedral transition states of a dipeptide' *J. Med. Chem.* Vol 22 (1979) p 533
Boyd, D B 'Leaving group effect in β -lactam ring opening of cephalosporins' *J. Org. Chem.* Vol 50 (1985) p 886
Boyd, D B 'MNDO/3 study of N-substituted monocyclic β -lactam structures' *Int. J. Quantum Biol. Symp.* Vol 4 (1977) p 161
Boyd, D B 'MO calculation, NMR and kinetic assessment of substituent effects in cephalosporins' *J. Med. Chem.* Vol 26 (1983) p 1010

Boyd, D B 'MO calculations used to understand antibacterial activity of β -lactam compounds' *Ann. NY Acad. Sci.* Vol 367 (1981) p 531
Boyd, D B 'Relation of transition state structures of a dipeptide to action of β -lactam antibiotics' *Proc. Natl. Acad. Sci. USA* Vol 74 (1977) p 5239
Boyd, D B, Hermann, R B, Preiti, D E and Marsh, M H 'MO calculation used to study β -lactam ring opening' *J. Med. Chem.* Vol 18 (1975) p 408
Boyd, D B, Herron, D K, Lunn, W H W and Spitzer, W A 'Correlation of β -lactam MO index of reactivity with antibacterial activity' *J. Am. Chem. Soc.* Vol 102 (1980) p 1812
Boyd, D B and Lunn, W H W 'MO calculation used to study leaving group departure in cephalosporins' *J. Med. Chem.* Vol 22 (1979) p 778
Boyd, D B and Lunn, W H W 'Theoretical criteria for cephalosporin reactivity prediction' *J. Antibiot.* Vol 32 (1979) p 855
Boyd, D B, Yeh, C-Y and Richardson, F S 'Theoretical calculation of CD spectra of penicillic nucleus' *J. Am. Chem. Soc.* Vol 98 (1976) p 6100
Cheney, B V and Miller, A B 'Molecular mechanical structural comparison of antibiotic inhibitors of peptidyl transferase' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 389
Fesik, S W, O'Donnell, T J, Gampe, R T (Jr) and Olejniczak 'Interaction between ristocetin pseudoaglycon and Ac2-Lys-D-Ala-D-Ala, a model for the antibiotics binding site by molecular modelling' *J. Am. Chem. Soc.* Vol 108 (1986) p 3165
Graves, B J, Boyd, D B and Lipkowitz, K B 'Correlation between CNDO/2 charge distribution and carbon-13 NMR chemical shift in 7-acyl-amino side chains of cephalosporins' *J. Antibiot.* Vol 37 (1984) p 1642
Houee-Levin, C, Blain, M and Odier, S 'Daunorubicin action mechanism by studies of reduction' *J. Mol. Struct. (Theochem)* Vol 136 (1986) p 229
Masut, M A and Kushick, J N 'The molecular mechanics of valinomycin. II: Comparative studies of alkali ion binding' *J. Comput. Chem.* Vol 6 (1985) p 148
Sanyal, N K, Ojha, R P and Roychoudhury, M 'Interaction energy studies of pyrrolopyrimidine nucleoside antibiotics — toyocamycin' *J. Comput. Chem.* Vol 7 (1986) p 13
Sanyal, N K, Ojha, R P and Roychoudhury, M 'Interaction energy studies of pyrrolopyrimidine nucleoside antibiotics — tubercidin' *J. Comput. Chem.* Vol 7 (1986) p 20
Sanyal, N K, Ojha, R P, Roychoudhury, M and Tiwart, S N 'Interaction energy studies of pyrrolopyrimidine nucleoside antibiotics — sangivamycin' *J. Comput. Chem.* Vol 7 (1986) p 30
Seiders, B A, Brimfield, A A, Hunter, K, Zerner, M C, Purvis, G D III and Edwards, W D 'A quantum mechanical investigation into

the fine specificity of the antibodies to soman, BE2 and CCI' *Int. J. Quant. Chem., Quant. Biol. Symp.* Vol 12 (1985) p 89
Smeyers, Y G, Hernandez-Laguna, A and von Carstann-Lichterfelde, C 'Mechanism of action of fosfomycin by CNDO/2 calculations' *J. Pharm. Sci.* Vol 72 (1983) p 1011
Tosi, C, Fusco, R, Ranghino, G and Malateita, V 'Conformational preferences and relationship to reactivity of daunomycins' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 341

ANTICANCER DRUGS AND CARCINOGENS

Barnett, G 'Quantum studies on alteration of cystine — guanine interaction due to N7 metal cation binding. Structure — activity relationship for cis-platin analogues' *Mol. Pharmacol.* Vol 29 (1986) p 378
Cody, V 'Design of anticancer drugs: computer graphic analysis of dihydrofolate reductase inhibitors' *Prog. Clin. Biol. Res.* Vol 172 (1985) p 275
Cuthbertson, A F and Richards, W G 'Ab initio calculations of effect of fluorination on binding free energy of unethotroxate to DHFR' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 411
Dai, Q and Shi, C 'Structure — carcinogenic activity relationship of alkyl-substituted polycyclic aromatic hydrocarbons by pattern recognition by computer' *Kexue Tangbao* Vol 30 (1985) p 52
Islam, S A, Neidle, S, Gandechea, B M, Partridge, M, Patterson, L H and Brown, J R 'Computer modelling of interaction of anthraquinone with DNA' *J. Med. Chem.* Vol 28 (1985) p 857
Kozelka, J, Petsko, G A, Lippard, S J and Quigley, G J 'Molecular mechanics calculations on the anticancer drug cis-[Pt(NH₃)₂{d(GpG)}] adducts in two oligonucleotide duplexes' *J. Am. Chem. Soc.* Vol 107 (1985) p 4079
Kuroda, R, Cutbush, S, Neidle, S and Leung, O-T 'Energy and computer graphics calculation for structural studies of tamoxifen derivation' *J. Med. Chem.* Vol 28 (1985) p 1497
Ladik, J and Cizek, J 'Probable physical mechanisms of the activation of oncogenes through carcinogens' *Int. J. Quantum Chem.* Vol 26 (1984) p 955
Ladik, J, Otto, P, Bakhshi, A K and Seal, M 'Ab initio band structure calculation on biopolymers with carcinogenetic implication' *Int. J. Quantum Chem.* Vol 29 (1986) p 597
Lawrence, P R, Proctor, T R and Politzer, P 'Reactive properties of trans-dichloro-oxirane, in relation to carcinogenicities of vinyl chloride and trans-dichloroethylene' *Int. J. Quantum Chem.* Vol 26 (1984) p 425
Otto, P, Ladik, J and Liu, S C 'Ab initio and semiempirical calculations on adducts of guanine and the metabolites of different carcinogens' *J. Mol. Struct. (Theochem)* Vol 123 (1985) p 129
Ramos, M N and Pereira, S R 'Conformation, electronic structure and activity of antitumour triazines by MNDO calculation' *J. Chem. Soc. Perkin, Trans. II* (1986) p 131
Reynolds, C A and Thomson, C 'Ab initio calculations on mechanism of chemical carcinogenesis by N-nitrosamines' *J. Mol. Struct. (Theochem)* Vol 138 (1986) p 131
Reynolds, C A and Thomson, C 'Ab initio calculations relevant to the mechanism of chemical carcinogenesis II: The nitrous acidium ion' *Int. J. Quant. Chem., Quant. Biol. Symp.* Vol 12 (1985) p 263
Vasileicu, D, Broch, H and Rin-Montel, M A 'Experimental and quantum studies of mechanism of aminothiols action' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 367

ANTIINFLAMMATORIES

Blythin, D J, Kaminski, J J, Domalski, M S, Spittler, J, Solomon, D M, Conn, D J, Wang, S-C, Verbiar, L L, Bober, L A, Chiu, P J S, Siegel, Watnick, A S, M I, Hilbert, J M and McPhail, A T 'MO calculation revealing relative stabilities of isomers of pyrimido[2,1-f]purine trianes sharing antiinflammatory activity' *J. Med. Chem.* Vol 29 (1986) p 1099
Smeyers, Y G, Cuellare-Rodriguez, S, Galvez-Ruand, E and Arias-Perez, M S 'Conformational analysis of some α -phenylpropionic acids with antiinflammatory activity (CNDO/2 quantum mechanical calculations)' *J. Pharm. Sci.* Vol 74 (1985) p 47

CARBOHYDRATES

Chiu, F C K and Warson, T R 'Binding conformation of cardiac glycosides by computer graphics and potential energy calculations' *J. Med. Chem.* Vol 28 (1985) p 509

Dunfield, L G and Whittington, S G 'Influence of the alternate chair conformation on the unperturbed dimensions of alginic acid, *Macromolecules* Vol 7 (1974) p 946
Hallman, G M and Whittington, S G 'Calculation of unperturbed dimensions of some polysaccharides' *Macromolecules* Vol 6 (1973) p 386
Lesyng, B, Marck, C and Gunchlbauer, W 'Ab initio calculations on barrier to pseudorotation of model 2'-deoxyfuranose and 2'-deoxy-2'-fluorofuranose rings' *Int. J. Quantum Chem.* Vol 28 (1985) p 517
Morris, E R, Rees, D A, Walsh, E J, Dunfield, L G and Whittington, S G 'Theoretical and experimental study of relation between primary structure and chain flexibility of model carboxenane' *J. Chem. Soc. Perkin Trans. II* (1978) p 793
Tvaroska, I and Kozar, T 'PCILO calculations on influence of pyranoid ring shape on conformational properties of glycosidic link and on magnitude of exanomeric effect' *J. Mol. Struct. (Theochem)* Vol 123 (1985) p 141
Whittington, S G 'Conformational energy maps of the copolymers of alginic acid' *Bipolymers* Vol 10 (1971) p 1617
Whittington, S G and Glarer, R M 'Calculation of unperturbed dimensions of 1,3- and 1,4-linked homopolysaccharides' *Macromolecules* Vol 5 (1972) p 55
Whittington, S G, Glarer, R M and Hallman, G M 'Calculation of effect on conformational statistics of 1,2-insertion of L-rhamnose units in pectic acid' *J. Polymer Sci. Symp.* Vol 42 (1973) p 1493
Wynn, C H, Marsden, A and Robson, B 'Calculation of conformation of glyceryl-ceramide and α -D-N-acetylneuraminyl-(2-3)- β -D-galactose' *J. Theor. Biol.* Vol 119 (1986) p 81
Yadav, J S and Luger, P 'PCILO calculations on 2-acetamido-2-deoxy- α -D-galactose(GalNAc) and α -D-(1-3)-linked di-GalNAc disaccharide component of Forssman antigen' *Carbohydr. Res.* Vol 119 (1983) p 57
Yadav, J S and Luger, P 'PCILO conformational energy calculation on β (1-3)linked disaccharide component of Forssman antigen' *Int. J. Quantum Chem.* Vol 23 (1983) p 1433

CENTRAL NERVOUS SYSTEM DRUGS

General

Andrews, P R, Lloyd, E J, Martin, J L and Munro, S L A *J. Mol. Graph.* Vol 4 (1986) p 41
Hall, L H and Kier, L B 'Molecular connectivity and optimization of total response surface' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 309
Lloyd, E J and Andrews, P R 'Structural model for common pharmacophore for central nervous system drugs and receptors' *J. Med. Chem.* Vol 29 (1986) p 453
Weber, H P, Lybrand, T, Singh, U and Kollman, P 'MEP surfaces used to study pharmacological properties of clozapine analogues' *J. Mol. Graph.* Vol 4 (1986) p 56

Analgesics

Cheney, B V, Szmuszkowicz, J, Lahti, R A and Zichi, D A 'Theoretical calculations of geometry and electronic structure of trans-N-[2-methylamino)cyclohexyl] benzamides exhibiting morphine-like properties' *J. Med. Chem.* Vol 28 (1985) p 1853
Klopman, G, Macina, O T, Simon, E J and Hiller, J M 'Computer automated structure evaluation of μ -receptor binding for opiate alkaloids' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 299
Lahara, R, Craimer, F, Latare, J-F, Course, H, Bonnand, B and Couzimer, J-P 'Theoretical conformational analysis and antidepressive effectiveness of Micalcipran and relatives' *J. Mol. Struct. (Theochem)* Vol 137 (1986) p 81
Lever, O W (Jr), Bhatia, A V and Chang, K-J 'Molecular modelling of conformation of 6 α and 6 β epimers of oxymorphanine' *J. Med. Chem.* Vol 28 (1985) p 1652
Loew, G H and Goldblum, A 'MNDO study on metabolic activation and toxicity of acetaminophen and analogs' *Mol. Pharmacol.* Vol 27 (1985) p 375

Antianxiety and antipsychotic drugs

Klapman, G and Macina, O T 'Determination of quantitative structure-activity relationships within hallucinogenic phenylalkylamines' *J. Theor. Biol.* Vol 113 (1985) p 637
Lahana, R, Crasnier, F, Labarre, J-F, Cousse, H, Bonnand, B and

Couziner, J-P 'Theoretical conformational analysis and antidepressive effectiveness of Midalcipran and relatives' *J. Mol. Struct. (Theochem)* Vol 137 (1986) p 81

Loew, G H, Nienow, J, Lawson, J A, Toll, L and Uyeno, E T 'Theoretical structure-activity study of β -carboline analogs. Requirements for benzodiazepine receptor affinity and antagonist activity' *Mol. Pharmacol.* Vol 28 (1985) p 17

McKinney, J D, Chae, K, Oatley, S J and Blake, C C F 'Molecular modelling of toxic chlorinated dibenzo-*p*-dioxins and tribezofurans with thyroxine binding prealbumin' *J. Med. Chem.* Vol 28 (1985) p 375

Weber, H P, Lybrand, T, Singh, U and Kollman, P 'Molecular electrostatic potential surfaces for analysis of pharmacological properties of clozapine and analogues' *J. Mol. Graph.* Vol 4 (1986) p 56

Anticonvulsant drugs

Klopman, G and Contreras, R 'Use of computer-automated structure evaluation in structure-activity correlations of anticonvulsant drugs' *Mol. Pharmacol.* Vol 27 (1985) p 86

Wang, M G, Defina, J A and Andrews, P R 'Electrostatic potential calculations on selected conformations of anticonvulsants (ureides)' *J. Med. Chem.* Vol 29 (1986) p 562

Dopamine

Karlen, A, Johansson, A M, Kenne, L, Arvidsson, L E and Hackrell, U 'Conformational preferences of dopamine-receptor against 5-hydroxy-2-(dipropylamino)tetralin by molecular mechanics' *J. Med. Chem.* Vol 29 (1986) p 917

Testa, B, van der Waterbeemd, H and Carrupt, P-A 'Conformation, electrostatic potential and pharmacophoric pattern of orthopramides and other dopamine receptor antagonists' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 351

van der Waterbeemd, H, Carrupt, P-A and Testa, B 'Ab initio molecular electrostatic potentials of orthopramides leading to possible binding mode with D-2 dopamine receptor' *J. Med. Chem.* Vol 29 (1986) p 600

van der Waterbeemd, H, Carrupt, P-A and Testa, B 'Similarities of pharmacophoric pattern revealed by the MEP of metoclopramide, molindone and piquindone, subgroup of dopamine D2 receptor antagonist' *J. Mol. Graph.* Vol 4 (1986) p 51

ENZYMES

Andrews, P R, Carson, J M, Canelli, A, Spark, M T and Woods, R 'Conformational energy calculations and active site modelling of angiotensin-converting enzyme inhibitors' *J. Med. Chem.* Vol 28 (1985) p 393

Andrews, P R, Sadek, M J and Winkler, D A 'Conformational energy calculation and electrostatic potentials used to study binding modes of dihydrofolate reductase ligands' *J. Med. Chem.* Vol 29 (1986) p 698

Chojnacki, H, Lipinski, J and Sokalski, W A 'Potential energy curves for proton transfer in complementary base pairs and model systems' *Int. J. Quantum Chem.* Vol 19 (1981) p 339

Chojnacki, H and Sokalski, W A 'Perturbation energy calculations for 6-thioguanine in complementary base systems. Mechanism of 6-thioguanine mutagenic action in B-DNA' *J. Theor. Biol.* Vol 54 (1975) p 167

Cody, V 'Computer graphic modelling of DHFR inhibitors' *J. Mol. Graph.* Vol 4 (1986) p 69

Cuthbertson, A F 'Effect of an enzyme binding site on the electronic distribution of bond inhibitors: 2,4-diaminopyrimidine in dihydrofolate reductase' *J. Mol. Graph.* Vol 3 (1985) p 131

Cuthbertson, A F and Richards, W G 'Quantum chemical calculation on inhibitor binding to DHFR' *J. Mol. Struct. (Theochem)* Vol 124 (1985) p 167

Gascoyne, P 'Redox-mediated control of enzyme function and cellular structure' *Int. J. Quant. Chem., Quant. Biol. Symp.* Vol 12 (1985) p 245

Ghose, A K and Crippen, G M 'MO study of the ring nitrogen basicity of various dihydrofolate reductase inhibitors' *Int. J. Quantum Chem.* Vol 28 (1985) p 315

Ghose, A K and Crippen, G M 'Physicochemical parameters in distance geometry and three dimensional receptor mapping in DHFR inhibition' *J. Med. Chem.* Vol 28 (1985) p 333

Gready, J E 'Activation of pterin cofactor in catalytic mechanism

of dihydrofolate reductase by *ab initio* methods' *Biochem.* Vol 24 (1985) p 4761

Gready, J E 'Comparison of STO-3G,3-21G and experimental geometries of pteridines' *J. Mol. Struct. (Theochem)* Vol 124 (1985) p 1

Gready, J E 'Geometries, tautomer and ionization energies, rearrangement and reduction mechanism of quinoid dihydropterin substrate of DHPR' *J. Am. Soc.* Vol 107 (1985) p 6689

Gready, J E 'Geometries, tautomer, ionization and reduction energies of substrates and inhibitors of dihydrofolate reductase by *ab initio* calculation' *J. Comput. Chem.* Vol 6 (1985) p 377

Hansch, C, Klein, T, McClarin, J, Langridge, R and Cornell, N W 'Molecular graphics analysis of hydrophobic effects in interaction of inhibitors with alcohol dehydrogenase' *J. Med. Chem.* Vol 29 (1986) p 615

Hansch, C, McClarin, J, Klein, T and Langridge, R 'QSAR and molecular graphics study of carbonic anhydrase inhibitors' *Mol. Pharmacol.* Vol 27 (1985) p 493

Holmes, R E, Richards, W G and Lambros, S A 'Polarization of an enzyme by an inhibitor. Quantum mechanical treatment of influence of boronic acid on residues in α -chymotrypsin A' *J. Mol. Struct. (Theochem)* Vol 121 (1985) p 273

Höltje, H-D and Zunker, P 'Interaction energies of dihydrofolate reductase and methotrexate' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 429

James, M N G and Sielecki, A R 'Computer modelling of peptide bond hydrolysis by aspartic proteinase penicillopepsin' *Biochem.* Vol 24 (1985)

Komatsu, K and Umeyama, H 'Graphic display of drug receptor interaction between DHFR and methotrexate. Applications to drug design' *Kagaku. Zokau (Kyoto)* Vol 107 (1986) p 51

Liebman, M N, Venanzi, C A and Weinstein, H 'Structural analysis of carboxypeptidase A and its complexes with inhibitors as a basis for modelling enzyme recognition and specificity' *Bipolymers* Vol 24 (1985) p 1721

Liebman, M N and Weinstein, H 'Heuristic studies of structure-function relationship in enzymes: carboxypeptidase and thermolysin' in **Clementi, E, Corongui, G, Sarma, M H and Sarma, R H (eds)** *Structure and motion: membranes, nucleic acids and proteins* Academic Press (1985) p 339

Longo, E, Stamato, F M L G, Ferreira, R and Tapia, O 'INDO-ISCRF study of proton relay system of α -chymotrypsin' *J. Theor. Biol.* Vol 112 (1985) p 783

Merkelbach, I I, Becht, H G M and Buck, H M 'MNDO calculations on the stereochemistry of the carbon-skeleton rearrangements dependent on coenzyme B₁₂' *J. Am. Chem. Soc.* Vol 107 (1985) p 4037

Nagy, P and Naray-Szabo, G 'Electrostatic complementarity between catalytic triad and protein environment in serine proteases' *J. Mol. Struct. (Theochem)* Vol 123 (1985) p 413

Nakamura, H, Komatsu, K, Nakagawa, S and Umeyama, H 'Visualization of electrostatic recognition by enzymes for their ligands and cofactors' *J. Mol. Graphics* Vol 3 (1985) p 2

Nakamura, H, Komatsu, K and Umeyama, H 'Electrostatic similarities between guest ligands and host enzymes' *J. Phys. Soc. Jpn.* Vol 54 (1985) p 3257

Naray-Szabo, G, Surjan, P R and Kiss, A I 'Quantum conformational analysis of catalytic triad in α -chymotrypsin' *J. Mol. Struct. (Theochem)* Vol 123 (1985) p 85

Naruto, S, Motoc, I and Marshall, G R 'Computer graphics and molecular mechanics of interaction of lactone suicide substrates with α -chymotrypsin' *Eur. J. Med. Chem. Chim. Ther.* Vol 20 (1985) p 533

Naruto, S, Motoc, I, Marshall, G R, Daniels, S B, Sofia, M J and Katzenellenbogen, J A 'Computer graphical and molecular mechanical analysis of the interaction of haloenol lactone suicide substrate with α -chymotrypsin' *J. Am. Chem. Soc.* Vol 107 (1985) p 5262

Raddatz, P, Schittenholm, C and Barnickel, G 'Molecular modelling using computer graphics to study interactions of renin with substrate and inhibitors' *Kontakt (Darmstadt)* Vol 3 (1985) p 3

Recanatini, M, Klein, T, Young, C-Z, McClarin, J, Langridge, R and Hansch, C 'Quantitative structure-activity relationship and molecular graphics in study of amidine inhibition of trypsin' *Mol. Pharmacol.* Vol 29 (1986) p 436

Sanchez-Marin, J, Orti, E, Aullo, J M and Tomas, F 'Molecular association between lumiflavin and some β -carboline' *J. Mol. Struct. (Theochem)* Vol 120 (1985) p 21

Selassie, C D, Fang, Z-X, Li, R, Hansch, C, Klein, T, Langridge, R and Kaufman, B T 'Quantitative structure-activity relationship and graphics analysis of inhibition of chicken liver dihydrofolate reductase by benzylpyrimidines' *J. Med. Chem.* Vol 29 (1986) p 621

Sokalski, W A 'Ab initio calculation of intermolecular forces in determining catalytic activity. Simple CO₂ model' *J. Mol. Catalysis* Vol 30 (1985) p 395

Sokalski, W A 'CO₂ hydration as a model for study of enzyme catalytic activity and design of new catalysts' *Int. J. Quantum. Chem.* Vol 20 (1981) p 231

Stamato, F M L G, Lango, E, Ferreira, R and Tapia, O 'INDO-SCRF study of methylacetate docking in α -chymotrypsin' *J. Theor. Biol.* Vol 118 (1986) p 45

Tapia, O, Stamato, F M L G and Smeyers, Y G 'CNDO/2-SCRF of subtilisin and thiosubtilisin. Model of active site response towards changes in protein-core of serine proteases' *J. Mol. Struct. (Theochem)* Vol 123 (1985) p 67

Thatcher, G R J, Poirer, R and Kluger, R 'MO evaluation of conformational effects in promoting reactivity of enzyme carboxyl transfer from *N*-carboxybiotin' *J. Am. Chem. Soc.* Vol 108 (1986) p 2699

Thorrett, E D, Harris, E E, Aster, S D, Peterson, E R, Snyder, J P, Hirshfield, J, Tristram, E W, Patchett, A A, Ulm, E H and Vassil, T C 'Molecular mechanical analysis of conformationally restricted inhibitors of angiotensin converting enzyme' *J. Med. Chem.* Vol 29 (1986) p 251

Vedani, A and Dunitz, J D 'Use of lone-pair directionality in hydrogen bond potential functions for molecular mechanical calculations on the inhibition of human carbonic anhydrase II by sulphonamides' *J. Am. Chem. Soc.* Vol 107 (1985) p 7653

Venanzi, C A and Bunce, J D 'Molecular recognition by artificial enzymes: cyclic urea mimetics of alpha chymotrypsin' *Int. J. Quant. Chem., Quant. Biol. Symp.* Vol 12 (1985) p 69

Wong, C F and McCammon, J A 'Dynamics and design of enzymes and inhibitors — computer simulation' *J. Am. Chem. Soc.* Vol 108 (1976) p 3830

GABA (γ amino butyric acid)

Craven, B M and Weber, H-P 'Calculation of charge density in GABA at 122K from X-ray data. Intramolecular methylene H-bridge' *Acta. Cryst.* Vol 39 (1983) p 743

Mann, A, Humblet, C, Chambon, J P, Schlichter, R, Desarmenien, M, Feltz, P and Wermuth, C-G 'Graphic modelling of 5-(aminoalkyl)-1,3-cyclohexanedione of GABA' *J. Med. Chem.* Vol 28 (1985) p 1440

GENERAL DRUG DESIGN

Andrews, P R, Craik, D J and Martin, J L 'Functional group contributions to drug-receptor binding energies' *J. Med. Chem.* Vol 27 (1984) p 1648

Andrews, P R, Lloyd, E J, Martin, J L and Munro, S L A 'Central nervous system drug design' *J. Mol. Graphics* Vol 4 (1986) p 41

Bermejo, F J, Rico, M, Ryhanen, T, Martinez, E, Garcia, J and Santoro, J 'MOLTW: a program for conformational studies using empirical functions — I. Description and general evaluation' *Comput. Chem.* Vol 9 (1985) p 195

Boyd, D B 'Methods and applications of quantum mechanics in drug design' *Drug Inf. J.* Vol 17 (1983) p 121

Cody, V 'Computer graphic modelling in drug design: conformational analysis of dihydrofolate reductase inhibitors' *J. Mol. Graph.* Vol 4 (1986) p 69

Cohen, N C 'Drug design in three dimensions' *Adv. Drug Res.* Vol 14 (1985) p 41

Gabranyi, Z, Surjan, P and Naray-Szabo, G 'Topological molecular transforms in rational drug design' *Eur. J. Med. Chem. Chim. Ther.* Vol 17 (1982) p 307

Glen, R C 'Computer-aided molecular modelling at the Wellcome Foundation' *Proc. Comput. Aided Mol. Des. Conf.* (1984) (Pub. 1985) p 23

Goodford, P J 'Energy contours and structures of macromolecules by computer graphics for determining binding sites' *J. Med. Chem.* Vol 28 (1985) p 849

Hopfinger, A J 'Computer-aided drug design' *J. Med. Chem.* Vol 28 (1985) p 1133

Jakes, S E and Willett, P 'Algorithm for selection of interatomic distance screens for pharmacophoric pattern matching in files of 3D chemical structure' *J. Mol. Graph.* Vol 4 (1986) p 12

Klein, T E, Huang, C, Ferrin, T E, Langridge, R and Hansch, C 'Computer-assisted drug receptor mapping analysis' *ACS Symp. Ser.* Vol 306 (Artificial Intelligence Applications in Chemistry) (1986) p 147

Lee, R H and Rose, G D 'Molecular recognition. I. Automatic identification

of topographic surface feature' *Biopolymers* Vol 24 (1985) p 1613

Linschoten, M R, Bultsma, T, Ijzerman, A P and Timmerman, H 'Distance geometry approach to receptor mapping applied to turkey erythrocyte β -receptor' *J. Med. Chem.* Vol 29 (1986) p 278

Mezey, P G 'Group theory of electrostatic potentials: a tool for quantum chemical drug design' *Int. J. Quant. Chem., Quant. Biol. Symp.* Vol 12 (1985) p 113

Namasivayam, S and Dean, P M 'Statistical method for surface pattern-matching between dissimilar molecular: electrostatic potentials and accessible surfaces' *J. Mol. Graph.* Vol 4 (1986) p 46

Naray-Szabo, G 'Paper and pencil construction of electrostatic recognition sites in drug-receptor complexes' *J. Mol. Struct. (Theochem)* Vol 138 (1986) p 197

Ovchinnikov, A A and Boldyrev, A I 'Use of computers in chemistry including design of pharmaceuticals' *Usp. Khim.* Vol 55 (1986) p 539

Pepe, G, Serrei, B, Laporte, D, Del Re, G and Minichino, C 'Surface electrostatic potentials on macromolecules in a monopole approximation' *J. Theor. Biol.* Vol 115 (1985) p 571

Raffa, R B and Tallarida, R J 'The concept of a changing receptor concentration: implications for the theory of drug action' *J. Theor. Biol.* Vol 115 (1985) p. 000

Soltzberg, L G and Wilkins, C L 'Study of structure-activity relationships using molecular transform function' *J. Am. Chem. Soc.* Vol 99 (1977) p 439

Tanabe, K 'Applications of computer-aided-design technology to compound design' *Kagaku Gijyutsuchi MOL* Vol 23 (1985) p 21

Trindle, C 'Functional fragment representation which will resolve a crude sketch of chemical structure into a list of fundamental fragments. Distance geometry algorithm yields atom coordinates' *ACS Symp. Ser.* Vol 306 (Artificial Intelligence Applications in Chemistry) (1986) p 159

Valentine, J L and Hunter, S 'Intrav and Oral: Basic interactive computer programs for estimating pharmacokinetic parameters' *J. Pharm. Sci.* Vol 74 (1985) p 113

Weber, H P, Widmer, A, Herbst, W, Berney, D, Kollman, P, Lybrand, T and Singh, U C 'The use of molecular electrostatic potential surfaces in drug design' *J. Mol. Graph.* Vol 3 (1985) p 106

Weinstein, H, Liebman, M N and Venanzi, C A 'Theoretical principles of drug action: the use of enzymes to model receptor recognition and activity' *New methods drug research* Vol 1 (1985) p 233

Wipke, W T and Hahn, M A 'Building molecular models using expert systems' *ACS Symp. Ser.* Vol 306 (Artificial Intelligence Applications in Chemistry) (1986) p 136

HISTAMINE

Hernandez-Laguna, A, Romero-Sanchez, F J and Smeyers, Y G 'Charge distribution and conformational energy map of histamine' *An. Quim.* Vol 81 (1985) p 247

Mazurek, A P, Topiol, S, Weinstein, H and Osman, R 'Histamine H₂ receptor. Role of guanidine substitution in partial agonism of N(α) guanylhistamine' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 10 (1983) p 293

Senapeschi, A N, Longo, E, Stomato, F M L G and Korolkoras, A 'CNDO/2 calculations to determine internal rotation barrier and electronic charge distribution of 5 H₂-antihistamines' *Rev. Farm. Bioquim. Univ. Sao Paulo* Vol 21 (1985) p 151

Smeyers, Y G, Romero-Sanchez, F J and Hernandez-Laguna, A 'CNDO/2 conformational study of some histamine H₂-receptor agonists. H₂-essential conformation' *J. Mol. Struct. (Theochem)* Vol 123 (1985) p 431

Tintelnnot, M and Hölftje, H-D 'Molecular mechanics calculations of stable conformations of compounds with H₂-antihistaminic activity leading to structure-activity relationships' *J. Mol. Graph.* Vol 4 (1986) p 7

Weinstein, H, Chou, D, Johnson, C L, Kang, S and Green, J P 'Theoretical model for tautomerism in the activation of histamine H₂ receptor' *Mol. Pharmacol.* Vol 12 (1976) p 738

Weinstein, H, Mazurek, A P, Osman, R and Topiol, S 'Theoretical study of proton transfer between histamine and a receptor model' *Mol. Pharmacol.* Vol 29 (1985) p 28

Young, R C, Durant, G J, Emmett, J C, Ganellin, C R, Graham, M J, Mitchell, R C, Prain, H D and Roantree, M L 'Dipole moment effect on H₂ receptor histamine agonist activity for cimetidine analogues' *J. Med. Chem.* Vol 29 (1986) p 44

HORMONES

Rao, G S, Tyagi, R S and Mishra, R K 'Calculation of the minimum

energy conformation of biomolecules using global optimization techniques. V. Preferred conformations of the thyotropin-releasing hormone' *Int. J. Quantum Chem.* Vol 29 (1986) p 1177

HYDROGEN BONDING

- Danziger, D J 'Hsite: A program to calculate hydrogen bonding regions around a protein' *J. Mol. Graph.* Vol 3 (1985) p 102
- Sokalski, W A and Chojnacki, H 'Approximate exchange perturbation study of molecular complexes involving hydrogen bonding' *Int. J. Quantum Chem.* Vol 13 (1978) p 679
- Sokalski, W A, Hariharan, P C, Popkie, H E, Kaufman, J J and Petrongolo, C 'Ab initio Modpot/VRDDO calculations and electrostatic molecular potential contour maps of the $[C_6H_5OH \cdots OC_6H_5]^-$ complex' *Int. J. Quantum Chem.* Vol 18 (1980) p 173
- Sokalski, W A, Romanowski, H and Jaworski, A 'Studies in mechanism of mutations. Double proton transfer in formic acid dimer by CNDO/2' *Adv. Mol. Relax. Interact. Processes* Vol 11 (1977) p 29
- Sheerama, N and Vishveshwara, S 'Ab initio study of $(C-H \cdots X)^+$ hydrogen bonds including biological systems' *J. Mol. Struct. (Theochem)* Vol 133 (1985) p 139
- Vedani, A and Dunitz, J D 'Use of lone-pair directionality in hydrogen bond potential functions for molecular mechanical calculations on the inhibition of human carbonic anhydrase II by sulphonamides' *J. Am. Chem. Soc.* Vol 107 (1985) p 7653

ION CHANNELS

- Clementi, E 'Ab initio computational chemistry including water and ion structures for DNA, protein structure and gramicidin ion channels' *J. Phys. Chem.* Vol 89 (1985) p 4426
- Gresh, N and Pullman, B 'A theoretical study of the selective entrapment of alkali and ammonium cations between guanine tetramers' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 49
- Kappas, U, Fischer, W, Polymeropoulos, E E and Brickmann, J 'Molecular dynamics simulation of solvent effects in ion transport through gramicidin-A-like channel' *J. Theor. Biol.* Vol 112 (1985) p 459
- Kim, K S 'Microscope effect of an applied voltage on the solvated gramicidin A transmembrane channel in the presence of $Na(+)$ and $K(+)$ cations' *J. Comput. Chem.* Vol 6 (1985) p 256
- Kim, K S and Clementi, E 'Energetics and hydration structures of a solvated gramicidin A transmembrane channel for $K(+)$ and $Na(+)$ ions by Monte-Carlo simulations' *J. Am. Chem. Soc.* Vol 107 (1985) p 5504
- Starmer, C F and Hollett, M D 'Mechanisms of apparent affinity variation of guarded receptors' *J. Theor. Biol.* Vol 115 (1985) p 337
- Urry, D W, Trapani, T L, Venkatachalam, C M and Prasad, K U 'Energy profiles for $Na(+)$ passage through gramicidin transmembrane channel' *Int. J. Quantum Chem., Quantum Biol. Symp.* Vol 12 (1985) p 1

MOLECULAR GRAPHICS

- Brumby, S 'Computer program for space-filling perspective diagrams of molecules' *J. Chem. Educ.* Vol 63 (1986) p 326
- McGavin, S 'Models of hypothetical recombination junctions' *J. Mol. Graph.* Vol 3 (1985) p 93
- Nakamura, H, Kumatsu, K and Umeyama, H 'Electrostatic complementarities between guest ligands and host enzymes' *J. Phys. Soc. Jpn.* Vol 54 (1985) p 3257
- Purvis, G D and Culberson, C 'Graphical display of molecular electrostatic force-fields and gradients of the electron density' *J. Mol. Graph.* Vol 4 (1986) p 88
- Taylor, R 'Techniques for rapid and automatic identification of low-energy conformations of molecular residues using data from the Cambridge Structural Database' *J. Mol. Graph.* Vol 4 (1986) p 123

NUCLEIC ACIDS

- Aida, M and Nagata, C 'Ab initio MO study on the stacking interaction between nucleic acid bases' *Int. J. Quantum Chem.* Vol 29 (1986) p 1253
- Bonaccorsi, R, Scrocco, E and Tomasi, J 'Structural deformations of the DNA double helix in the first stages of DNA transcription' *Int. J. Quantum Chem.* Vol 29 (1986) p 717
- Chojnacki, H and Laskowski, Z 'Semi-empirical analysis of long-range

- interactions in model DNA systems' *J. Mol. Struct. (Theochem)* Vol 123 (1985) p 121
- Chojnacki, H and Sokalski, W A 'Perturbation theory of σ - σ and π - π interactions in complementary bases' *J. Mol. Struct.* Vol 15 (1973) p 263
- Clementi, E 'Ab initio computational chemistry including water and ion structures for DNA, protein structure and gramicidin ion channels' *J. Phys. Chem.* Vol 89 (1985) p 4426
- Culberson, J C and Zerner, M C 'INDO method for electrostatic potentials of cytosine' *Chem. Phys. Lett.* Vol 122 (1985) p 436
- Danilov, V I 'Monte-Carlo hydration simulation of uracil, thymine and associates' *J. Mol. Struct. (Theochem)* Vol 138 (1986) p 239
- Danilov, V I and Tolokh, I S 'Monte-Carlo simulation of uracil and thymine hydration and stacking' *J. Mol. Struct. (Theochem)* Vol 123 (1985) p 109
- Dayringer, H H, Tramotano, A, Sprang, S R and Fletterick, R J 'Program for modelling and manipulating proteins, nucleic acids and small molecules' *J. Mol. Graph.* Vol 4 (1986) p 82
- Del Bene, J E 'Molecular orbital study of the effect of $H(+)$ and $Li(+)$ association on base pairs' *J. Mol. Struct. (Theochem)* Vol 124 (1985) p 201
- Espinosa-Mueller, A W and Bravo, A N 'Statistical thermodynamic study of deoxynucleotides' *J. Mol. Struct. (Theochem)* Vol 133 (1985) p 179
- Ghosh, S and Mookerjee, A 'Statistical mechanical model for cooperative ligand binding at complementary sites of DNA' *Bull. Math. Biol.* Vol 48 (1986) p 21
- Goodsell, D and Dickerson, R E 'Computer analysis of groove-binding drugs isohelical with DNA' *J. Med. Chem.* Vol 29 (1986) p 727
- Gupta, G, Sarma, M H and Sarma, R H 'Determination of solution structure of nucleic acid double helices' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 184
- Harsanyi, L, Csaszar, A and Csaszar, P 'Equilibrium geometries of uracil and its C- and N-methylated derivatives by MINDO/3' *J. Mol. Struct. (Theochem)* Vol 137 (1986) p 207
- Huang, D 'Molecular field theory of helix-coil transitions in nucleic acids used to analyse bifurcation structures' *Tongji Yike Daxue Xuebao* Vol 15 (1986) p 33
- Kim, K S and Clementi, E 'Computer simulations for hydration analysis of the intercalated complex of deoxynucleoside phosphate and proflavin' *J. Phys. Chem.* Vol 89 (1986) p 3655
- Lybrand, T and Kollman, P 'Molecular mechanical calculations on interaction of ethidium cation with double-helix DNA' *Biopolymers* Vol 24 (1985) p 1863
- Majumdar, R and Thakur, A R 'Effect of structural perturbations on helix-coil transitions in covalently closed supercoiled DNA' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 229
- Nishimura, Y and Tsuboi, M 'In-plane vibrational modes of cytosine from an ab initio MO calculation' *Chem. Phys.* Vol 98 (1985) p 71
- Pearlman, D A 'Conformational energetics of nucleic acids and constituents' *Diss Abstr. Int. B.* Vol 46 (1986) p 1577
- Polner, G 'Computer programs for mapping restriction sites of linear DNA molecules' *Folia Biotechnol.* Vol 10 (1986) p 32
- Prabhakaran, M and Harvey, S C 'Molecular dynamics modelling structuring of DNA double helix to form an intercalation site of actinomycin' *J. Phys. Chem.* Vol 89 (1985) p 5767
- Sapse, A M and Jain, D C 'Guanine and adenine — amino acids interactions: an ab initio study' *Int. J. Quantum Chem.* Vol 29 (1986) p 23
- Sapse, A M and Russell, C S 'Ab initio calculations of guanidinium-carboxylate interaction' *Int. J. of Quantum Chem.* Vol 26 (1984) p 91
- Sarai, A and Saito, M 'Interaction of proteins with base pairs. II. Effect of external hydrogen-bond interactions on the stability of guanine-cytosine and non-Watson-Crick pairs' *Int. J. Quantum Chem.* Vol 28 (1985) p 399
- Schultze, P and Wüthrich, K 'Display algorithm for generating coloured, space-filling molecular models. Results displayed for DNA and proteins' *J. Mol. Graph.* Vol 4 (1986) p 108
- Seibel, G L, Singh, U C and Kollman, P A 'A molecular dynamics simulation of double-helical B-DNA including counterions and water' *Proc. Natl. Acad. Sci. USA* Vol 82 (1985) p 6537
- Shapiro, B A, Nussinov, R, Lipkin, L E and Maizel, J V (Jr) 'A sequence analysis system encompassing rules for DNA helical distortion' *Nucleic Acids Res.* Vol 14 (1986) p 75
- Srinivasan, S, Raghunathan, G, Shibata, M and Rein, R 'Multistep modelling of biomolecular structure application to the A-G mispair in the B-DNA environment' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 217
- Suber, K 'Nucleic acid secondary structure prediction and display' *Nucleic Acids Res.* Vol 14 (1986) p 317

Sygula, A and Buda, A 'MNDO calculations for amino-type tautomers of nucleic acids' *J. Mol. Struct. (Theochem)* Vol 121 (1985) p 133

Williams, A L and Tinoco, I (Jr) 'Dynamic programming algorithm for finding alternative RNA secondary structures' *Nucleic Acids Res.* Vol 14 (1986) p 299

PEPTIDES AND PROTEINS

Abraham, R J and Hudson, B 'Charge calculations in molecular mechanics. III. Amino acids and peptides (Correlation of charges with NMR shifts)' *J. Comput. Chem.* Vol 6 (1985) p 173

Abu-Eittah, R, Hilal, R and Moustafa, H 'Electronic structure of the peptide linkage. II. Benzohydroxamic acids' *Int. J. Quantum Chem.* Vol 27 (1985) p 115

Barlow, D J and Thornton, J M 'Interactive map projection algorithm and cluster analysis program for studying protein surfaces' *J. Mol. Graph.* Vol 4 (1986) p 97

Bermejo, F J, Rico, M, Santoro, J, Harranz, J, Gallego, E and Nieto, J L 'Quantum calculations of proposed Phen-Jis_{n+4} stabilizing interaction in peptide α -helices' *J. Mol. Struct. (Theochem)* Vol 142 (1986) p 339

Betins, J, Nikiforovich, G V and Chipens, G 'Calculated statistical weights of Leu-enkephalin conformation in aqueous solution' *J. Mol. Struct. (Theochem)* Vol 137 (1986) p 129

Brady, J and Karplus, M 'Molecular dynamics study of configuration entropy of alanine dipeptide in vacuum and in solution' *J. Am. Chem. Soc.* Vol 107 (1985) p 6103

Burke, L A 'A model potential technique for the calculation of the bond structure of poly(glycine)' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 15

Cabrol, D, Broch, H and Vasilescu, D 'Quantum conformational studies of model molecules in relation to collagenic structures: Effect of aliphatic residues' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 141

Carson, M and Bugg, C E 'Algorithm for drawing smooth, 3D ribbon models of proteins' *J. Mol. Graph.* Vol 4 (1986) p 121

Chang, N Y and Mu, S J 'Intermediate water structures in solution of alanine dipeptide' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 34

Clementi, E 'Ab initio computational chemistry including water and ion structures for DNA, proteins structure and gramicidin ion channels' *J. Phys. Chem.* Vol 89 (1985) p 4428

Cohen, F E, Abarbanal, R M, Kuntz, I D and Fletterick, R J 'Turn predictions in proteins using pattern-matching approach' *Biochem.* Vol 25 (1986) p 266

Connolly, M L 'Measurement of gross shape of local regions of protein surface by solid angles' *J. Mol. Graph.* Vol 4 (1986) p 3

Connolly, M L 'Two methods for drawing solvent-accessible surfaces of proteins on a plotter' *J. Mol. Graph.* Vol 4 (1986) p 93

Crisponi, G, Nurchi, V, Pintori, T, Ganachu, M L and Pinna, G G 'Computer programs for determination of ligand-protein binding parameters' *Biochem. Educ.* Vol 14 (1986) p 79

Dayringer, H E, Tramontano, A, Sprang, S R and Fletterick, R J 'Program for modelling and manipulating proteins, nucleic acids and small molecules' *J. Mol. Graph.* Vol 4 (1986) p 82

Delsever, C, Gestree, G, Hagler, A T and Englert, A 'Stability in solution of a reverse turn in a linear tripeptide: A Monte-Carlo study' *Peptide, Proc. Eur. Petp. Symp. 18th* (1984) p 581

Diu, K A 'Statistical mechanical theory of folding and stability of globular proteins' *Biochem.* Vol 24 (1985) p 1501

Doungdee, P B, Kokpol, S U and Rode, B M 'CNDO/2 and ab initio MO calculations on hydration of glycine' *J. Sci. Soc. Thailand* Vol 11 (1985) p 113

Fesik, S W, O'Donnell, T J, Gampe, R T (jr) and Olejniczak 'Modelling of glycopeptide -Ac-Lys-d-Ala-D-Ala complexes' *J. Am. Chem. Soc.* Vol 108 (1986) p 3165

Fraga, S, Singh, B and Coghlan, B 'Calculation of protein conformations and prediction of antigenic determinants' *J. Mol. Struct. (Theochem)* Vol 120 (1985) p 213

Froimowitz, M and Matthyse, S 'Molecular mechanics calculations of phenazocine. Relation with enkephalins' *J. Med. Chem.* Vol 29 (1986) p 573

Goldblum, A, Kieber-Emmons, T and Rein, R 'Distance geometry approach to analysis of drug-protein binding' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 415

Gresh, N, Pullman, A and Clavene, P 'Application of SIBFA procedure to molecules containing carbonyl and carboxylate oxygens and amide nitrogens' *Theoret. Chim. Acta* Vol 67 (1985) p 11

Gresh, N and Pullman, B 'SIBFA 2 study of binding of phenothiazine derivatives to residues 82-93 of calmodulin' *Mol. Pharmacol.* Vol 29 (1986) p 355

Hempel, J C 'Metric analysis of minimum energy conformations of lysine vasopressin generated using molecular dynamics simulation' *Pept. Struct. Funct. Proc. Am. Pept. Symp. 9th* (1985) p 141. (**Deber, C M, Hruby, V J and Kopple, K D** (Eds))

Jones, T A and Thiruf, S 'Using known substructures in protein molecular modelling and structure prediction' *EMBO J.* Vol 5 (1986) p 819

Kikuchi, T, Nemethy, G and Scheraga, H A 'Spatial geometric arrangements of disulphide-crosslinked loops in proteins' *J. Comput. Chem.* Vol 7 (1986) p 67

Klimkowski, V J, Ewbank, J D, Scarsdale, J N, Schafer, L and van Alsenoy, C 'Conformational analysis and molecular structure of valine methyl ester' *J. Mol. Struct. (Theochem)* Vol 124 (1985) p 175

Klimkowski, V J, Schafer, L, Momany, F A and van Alsenoy, C 'Local geometry maps and conformational transitions between conformers of N-acetyl-N'-methylglycine amide' *J. Mol. Struct. (Theochem)* Vol 124 (1985) p 143

Mammi, N J, Hassan, M and Goodman, M 'Molecular dynamics and energy minimizations used in conformational analysis of a cyclic enkephalin analogue' *J. Am. Chem. Soc.* Vol 107 (1985) p 4008

Manallack, D T, Andrews, P R and Woods, E F 'Computer graphics in design of insulin hexamer stabilizing agents' *J. Med. Chem.* Vol 28 (1985) p 1522

Maynard, A T, Hiskey, R G, Pedersen, L G and Koehler, K A 'Ab initio study of Ca(++) and Mg(++) binding with malonate and formate: model for γ -carboxyglutamic acid.' *J. Mol. Struct. (Theochem)* Vol 124 (1985) p 213

Nikiforovich, G V 'Conformational analysis in the study of conformation-function relationships for active peptides' *J. Mol. Struct. (Theochem)* Vol 134 (1986) p 325

Pettitt, B M and Karplus, M 'The potential of mean force surface for the alanine dipeptide in aqueous solution: a theoretical approach' *Chem. Phys. Lett.* Vol 121 (1985) p 194

Pongor, S, Guttieri, M J, Cohen, L M and Szalay, A A 'Apple II Pascal programs for prediction of protein secondary structure from nucleotide sequence data' *DNA* Vol 4 (1985) p 319

Rapaport, D C 'Many-body simulations using Monte-Carlo techniques on an array processor for water and polypeptides' *Comput. phys. Commun.* Vol 37 (1985) p 343

Sapse, A M, Fugler, L M and Cowburn, D 'Ab initio study of intermolecular hydrogen bonding between small peptide fragments' *Int. J. Quantum Chem.* Vol 29 (1986) p 1241

Sapse, A M and Russell, C S 'Ab initio calculations on binding of methylamine and guanidine to carboxylate' *J. Mol. Struct. (Theochem)* Vol 137 (1986) p 43

Sarai, A and Saito, M 'Interaction of proteins with base pairs. II. Effect of external hydrogen-bond interactions on the stability of guanine-cytosine and non-Watson-Crick pairs' *Int. J. Quantum Chem.* Vol 28 (1985) p 399

Sawaryn, A and Yadav, J S 'Ab initio studies on nonplanarity of peptide unit using N-alkyl-acetamide models' *Int. J. Quantum Chem.* Vol 22 (1982) p 547

Schultze, P and Wüthrich, K 'Display algorithm for generating coloured, space-filling molecular models. Results displayed for DNA and proteins' *J. Mol. Graph.* Vol 4 (1986) p 108

Suhai, S 'Perturbation theoretical calculation of optical effects in polypeptides' *J. Mol. Struct. (Theochem)* Vol 24 (1985) p 97

Van Brunt, J 'Computer applications in protein structure determination' *Bio/Technology* Vol 4 (1986) p 277

Venkatachalam, C M and Urry, D W 'Calculation of dipole moment changes due to peptide vibrations in the dynamic β -spiral of the polypentapeptide of elastin' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 15

White, D N J and Kitson, D H 'Conformational hyperspace searching procedures in conjunction with molecular mechanical calculations for conformational analysis of cyclohexylglycyl' *J. Mol. Graph.* Vol 4 (1986) p 122

Yi, X and Run-Sheng, C 'Effects of some factors on the energy band structure of proteins' *Int. J. Quantum Chem.* Vol 28 (1985) p 573

Yoneda, S 'A calculation using semiempirical potentials of a complex of nucleotides and the cognate amino acids: A numerical approach to amino acid recognition' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 201

Zakrzewska, K and Pullman, A 'Optimized monopole expansions for representation of the electrostatic properties of polypeptides and proteins' *J. Comput. Chem.* Vol 6 (1985) p 265

SEROTONIN

Humber, L G, Lee, D, Rakhit, S and Treasurywala, A M 'Computer-

assisted investigation of structure-activity relationships in serotonin-uptake blockers' *J. Mol. Graph.* Vol 3 (1985) pp 84, 98

Liebman, M N 'Approach to modelling specificity determinants in receptor-ligand complexes: congeners of serotonin' *J. Mol. Graph.* Vol 4 (1986) p 61

Lyon, R A, Titeler, M, McKenny, J D, Magee, P S and Glennon, R A 'Molecular modelling in evaluation of phenyl- and benzoylpiperazines as serotonergic agents' *J. Med. Chem.* Vol 29 (1986) p 630

Weinstein, H, Chou, D, Kang, S, Johnson, C L and Green, J P 'Molecular reactivity of indolealkylamines on LSD/serotonin receptor by MO calculations' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 3 (1976) p 135

Weinstein, H, Osman, R, Edwards, W D and Green, J P 'Ab initio calculations of tryptamine congeners acting on an LSD-serotonin receptor' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 5 (1978) p 449

Weinstein, H, Osman, R, Topiol, S and Green, J P 'Quantum chemical studies on molecular basis of drug action illustrated by interaction of drugs with serotonin-LSD receptor' *Ann. NY Acad. Sci.* (1981) p 434

STEROIDS

Dore, J-C, Gilbert, J, Ojasoo, T and Raynaud, J-P 'Relative binding affinities of steroids by correspondence analysis' *J. Med. Chem.* Vol 29 (1986) p 54

SULPHONAMIDES

Vedani, A and Dunitz, J D 'Use of lone-pair directionality in hydrogen-bond potential functions for molecular mechanical calculations on the inhibition of human carbonic anhydrase II by sulphonamides' *J. Am. Chem. Soc.* Vol 107 (1985) p 7653

TOXICOLOGY

Luke, B T and Loew, G H 'A theoretical investigation of the first step in the metabolic reduction of halogenated methanes by cytochrome P-450' *Int. J. Quantum Chem. Quantum Biol. Symp.* Vol 12 (1985) p 99

Luke, B T, Loew, G H and McLean, A D 'Theoretical examination of substituent effects on the detoxification reaction between glutathione and halogenated methanes' *Int. J. Quantum Chem.* Vol 29 (1986) p 883

Weinstein, H, Rabinowitz, J, Liebman, M N and Osman, R 'Theoretical calculation of reactivity criteria — structural superposition, molecular electrostatic properties — for toxicity predictions' *Environ. Health Perspecs* Vol 61 (1985) p 147

MISCELLANEOUS

Avery, J 'A model for biological specificity' *Int. J. Quantum Chem.* Vol 26 (1984) p 843

Hofmann, H J, Bartsch, C, Weiss, C and Kuthan, J 'MO treatment of solvent influence on the amide group rotation in 1-methylnicotinamide' *Collect. Czech. Chem. Commun.* Vol 50 (1985) p 2438

Lledos, A and Bertran, J 'Ab initio calculations to study tautomerisation of 2-hydroxypyridine/2-pyridone' *J. Mol. Struct. (Theochem)*. Vol 120 (1985) p 73

Osman, R, Topiol, S and Weinstein, H 'Electron density redistribution in the stabilisation of a molecular stacking complex. The nature and correction of basis set superposition errors' *J. Comput. Chem.* Vol 2 (1981) p 73

Ruelle, P, Kesselring, U W and Nam-Tran, H 'Ab initio study on drug decomposition in solid state preparations: decomposition of carbamic acid' *J. Mol. Struct. (Theochem)* Vol 124 (1985) p 41

Sanchez-Marin, J, Orti, E and Tomas, F 'Study of medium-size biological molecular association by means of a pair potential semi-empirical approach: β -carboline-lumiflavin' *J. Comput. Chem.* Vol 6 (1985) p 441