

SABIO-RK—database for biochemical reaction kinetics

Ulrike Wittig*, Renate Kania, Martin Golebiewski, Maja Rey, Lei Shi, Lenneke Jong, Enkhjargal Algaa, Andreas Weidemann, Heidrun Sauer-Danzwith, Saqib Mir, Olga Krebs, Meik Bittkowski, Elina Wetsch, Isabel Rojas and Wolfgang Müller

Scientific Databases and Visualization Group, Heidelberg Institute for Theoretical Studies (HITS gGmbH), Schloss-Wolfsbrunnenweg 35, 69118 Heidelberg, Germany

Received August 15, 2011; Revised and Accepted October 25, 2011

ABSTRACT

SABIO-RK (<http://sabio.h-its.org/>) is a web-accessible database storing comprehensive information about biochemical reactions and their kinetic properties. SABIO-RK offers standardized data manually extracted from the literature and data directly submitted from lab experiments. The database content includes kinetic parameters in relation to biochemical reactions and their biological sources with no restriction on any particular set of organisms. Additionally, kinetic rate laws and corresponding equations as well as experimental conditions are represented. All the data are manually curated and annotated by biological experts, supported by automated consistency checks. SABIO-RK can be accessed via web-based user interfaces or automatically via web services that allow direct data access by other tools. Both interfaces support the export of the data together with its annotations in SBML (Systems Biology Markup Language), e.g. for import in modelling tools.

INTRODUCTION

The systematic study of complex interactions in biological systems requires detailed qualitative and quantitative information about single biochemical reactions in order to understand better the entirety of processes that happen in a biological system. For the quantitative analysis of biochemical reactions by modelling their enzyme kinetics, reliable kinetic data for the individual reaction steps are essential. Kinetic laws describing the dynamics of the reactions with their respective parameters determined under certain experimental conditions are mainly found in the

literature. SABIO-RK (1,2) was developed as a database to store and structure kinetic data of biochemical reactions and their related information to support modellers and wet-lab scientists in understanding complex biochemical networks. The curation of all data in the database is used to achieve correctness and consistency within the database. Compared to other existing databases containing information about biochemical reaction kinetics [BRENDA (3), UniProt (4), BioModels (5), JWS Online (6)] that either are enzyme, protein or model databases SABIO-RK comprises a reaction-oriented representation of quantitative information on reaction dynamics based on a given selected publication. This comprises all available kinetic parameters together with their corresponding rate equations, as well as kinetic law and parameter types and experimental and environmental conditions under which the kinetic data were determined. Additionally, SABIO-RK contains information about the underlying biochemical reactions and pathways including their reaction participants, cellular location and detailed information about the enzyme proteins catalysing the reactions including the biological source.

At the beginning of the database development data were solely manually extracted from published literature. Now SABIO-RK constitutes an integration platform that supports the bundling of data inserted from literature, as well as directly submitted from lab experiments. In this process data which are in the pre-published phase are hidden for public access.

By the implementation of a new user interface and new web services the database now exhibits higher performance and more flexibility. Search criteria now include the search for organism taxonomy based on NCBI (7), compound classification based on ChEBI ontology (8) and tissue ontology based on BRENDA tissue ontology (BTO) (9) offering higher and more flexible usability of the database.

*To whom correspondence should be addressed. Tel: +49 6221 533217; Fax: +49 6221 533298; Email: Ulrike.Wittig@h-its.org
Present address:

Saqib Mir, EMBL-EBI, Wellcome Trust Genome Campus, Cambridge CB10 1SD, UK.

DATA CONTENT

For establishing a broad information basis SABIO-RK integrates data from different data sources. Mainly available information is extracted manually from literature which includes reactions, their participants (substrates, products), modifiers (inhibitors, activators, cofactors), catalyst details (e.g. EC enzyme classification, protein complex composition, wild-type/mutant information), kinetic parameters together with corresponding rate equation, biological sources (organism, tissue, cell location), environmental conditions (pH, temperature, buffer) and reference details. Data are adapted, normalized and annotated to controlled vocabularies, ontologies and external data sources. Additionally information about reactions and compounds are regularly updated with information from the KEGG database (10).

Detailed information about the protein catalysing a reaction is stored including information about specific isozymes or mutations used in the experiments, UniProt accession numbers and details about the composition of subunits forming the active enzyme. For some publications containing details about the reaction mechanism SABIO-RK also covers data about the elementary steps. This not only includes the kinetic data for the single elementary steps but also a graphical representation of the reaction mechanism.

Extracted information from literature is entered into a temporary database by using a web-based input interface. SABIO-RK always refers to the original source of kinetic data whereas values referring to a referenced paper are not linked to this publication. Before transferring the data to the final database, they are checked, complemented and verified by a curation team of biological experts to eliminate possible errors and inconsistencies.

Most of the publications are selected by reaction kinetics related keyword search in the PubMed database (7) or offered by collaboration partners. The selection of papers is not restricted to any organism or organism class. Yet there is a certain focus on data useful for collaborative Systems Biology projects in which we participate such as the Virtual Liver Network (<http://www.virtual-liver.de/>) or SysMO-LAB (Comparative Systems Biology of Lactic Acid Bacteria) (<http://www.sysmo.net/>).

As of October 2011, data from over 3400 publications have been curated and are stored in the database. Usually,

one publication results in several entries if different reactions, enzymes, environmental conditions etc. are described. On average there are 10 entries per publication. An entry is a dataset which describes the outcome of a single experiment pertaining to one biochemical reaction. More specifically, it contains kinetic parameters measured under defined assay conditions and if available the corresponding kinetic law type and rate equation of the reaction catalysed by an enzyme derived from a specific organism. Currently SABIO-RK contains more than 42 000 curated single entries, for example ~38% of them are related to the kinetic law type 'Michaelis-Menten', >14% of the entries contain diverse types of inhibitions, and ~25% of the entries have no kinetic law type based on missing information in the publications. Kinetic parameters in SABIO-RK include more than 27 300 velocity constants (V_{max} , k_{cat} , rate constants), more than 30 900 K_m values (including S_{half} for Hill equations) and about 7300 inhibition constants (K_i , IC50).

Kinetic data are available for about 660 organisms, 7300 different reactions and almost 1000 enzymes catalysing these reactions. About 2300 reactions containing kinetic data are linked to the reaction page of the KEGG LIGAND database. Two-thirds of the reactions are additional alternative reactions extracted from the publications for which kinetic data are available. Table 1 represents more detailed statistics for the ten most frequent organisms based on the number of entries in the database.

DATA INPUT AND CURATION

There are two different ways to insert kinetic data into SABIO-RK. Literature-based information is inserted by students and biological experts using a web-based input interface (11). More recently, data from lab experiments can be directly submitted and incorporated into SABIO-RK using a submission interface that accepts data described in the XML-based SabioML format. Data received in this format is directly inserted into the SABIO-RK database. This helps to automatize the submission process and provides a direct feed of kinetic data from the lab bench to the database, speeding up database population. Together with collaboration partners we have developed a tool for capturing, analysis and submission of

Table 1. SABIO-RK statistics for the top 10 organisms

Organism	Entries (total)	Mutant entries	Reactions (distinct)	EC numbers (distinct)	Velocity constants	K_m values	Rate equations
<i>Homo sapiens</i>	7028	2156	1233	348	5353	5757	3738
<i>Rattus norvegicus</i>	4286	759	821	285	2723	3188	2178
<i>Escherichia coli</i>	3828	1912	577	188	2976	3155	1988
<i>Saccharomyces cerevisiae</i>	1518	451	220	76	1044	1300	805
<i>Bos taurus</i>	982	59	276	86	579	722	471
<i>Oryctolagus cuniculus</i>	849	125	180	50	450	626	322
<i>Sus scrofa</i>	842	295	158	68	669	434	750
<i>Mus musculus</i>	809	92	236	92	456	290	603
<i>Enterococcus faecalis</i>	538	42	155	51	320	157	478
<i>Gallus gallus</i>	487	167	78	35	405	521	217

data based on this interface (12), which is used for data submission of high-throughput kinetic assay results performed by collaboration partners in Manchester.

The web-based input interface was developed to enable the input of literature data into SABIO-RK. This interface is password protected and is used by our students and collaboration partners to insert their literature data first into a temporary database. The interface consists of several web-pages with form fields and selection lists for structured data input. The same interface is also used for the curation process. It implements a variety of constraints starting from simple data format checks like validation of numbers, to sophisticated tasks to avoid errors and inconsistencies. This includes e.g. checking if all parameters in a kinetic law formula are in the list of kinetic parameters, if all compound-dependent parameter types are related to a chemical compound, and if all reaction participants are provided and have a defined role in the reaction equation as well. In order to represent consistent biochemical reactions their equations are automatically generated from the list of substrates and products and cannot be changed manually.

For consistency and maintenance of the controlled vocabulary, and to avoid duplicate entries, lists of compounds, reactions, organisms, tissues, cellular locations, kinetic law types, parameter types and units already existing in the SABIO-RK database are provided as selection lists or can be searched in the input interface. The controlled vocabularies used for these lists are generated by extracting terms from the following external sources: organism names from NCBI taxonomy (7), tissues and cellular locations from BRENDA (3), types of kinetic laws and parameters from Systems Biology Ontology (SBO) (13) and units from the International System of Units (SI, <http://www.bipm.fr/en/si/>). The term lists also contain synonyms referring to the same content to enable the search for alternative names of compounds etc. These controlled vocabularies together with annotations to external data resources and ontologies are used to identify and relate the data to their biological context. Biological ontologies used for annotations in SABIO-RK are ChEBI, SBO, BTO and NCBI taxonomy. A shared vocabulary and defined standards for storage, representation and export of data are important to avoid misinterpretations and to relate information to and exchange data with external sources. To unambiguously identify entities or terms and to facilitate search, interpretation and comparison of the data, SABIO-RK standardizes the data in a uniform structure.

Especially for unpublished data from lab experiments within collaboration projects SABIO-RK is able to define restricted access to the data. Within the database different rights are managed based on various group definitions. So users can enter their data into the database without making them visible to the public.

DATA ACCESS

To access the data in SABIO-RK web-based user interfaces and web-services are available offering the possibility

of submitting complex searches by defining various search criteria. All interfaces support the export of the data together with its annotations in SBML format [Systems Biology Markup Language (14)]. SBML is a widely-used data exchange format in Systems Biology and thus well suited for exchanging the data with other tools, e.g. for its subsequent import in modelling tools for the setup of quantitative biochemical models for simulation.

The web-based user interfaces enable the user to search for reactions and their kinetics by specifying characteristics of the reactions. It offers the creation of complex queries by specifying reactions by their participants (substrates, products, inhibitors, activators etc.) or identifiers (KEGG or SABIO-RK reaction identifiers and KEGG, SABIO-RK, ChEBI or PubChem (7) compound identifiers), pathways, enzymes, UniProt identifiers, organisms, tissues or cellular locations, kinetic parameters, environmental conditions or literature sources (Figure 1). Several search criteria (organism, tissue and reactant) are based on biological ontologies which define controlled vocabularies and relations between objects. These ontologies offer various levels of classification, which can be used in the search, relaxing or restricting it. Hierarchies built based on the ontological relations are implemented in the SABIO-RK search options for advanced functionality of the database. The search for organisms can be extended by the search for organism classifications based on the NCBI taxonomy, e.g. search for 'Mammalia (NCBI)'. The tissue search in SABIO-RK includes the possibility to use BRENDA Tissue Ontology terms, e.g. search for 'liver (BTO)' offering more liver related entries compared to simple 'liver' search (Figure 2). And for a more comprehensive search for chemical compounds the is_a relationships extracted from the ChEBI Ontology are included in the database search options for reaction participants.

Based on comprehensive annotations of data in SABIO-RK links to other databases and ontologies are included enabling the user to obtain further details, for example about reactions, compounds, enzymes, proteins, tissues, or organisms. On the other hand external databases offer their users the access to reaction-based kinetic data in SABIO-RK via cross-references. ChEBI compounds participating in reactions as substrates or products are linked to SABIO-RK reactions in the cross-references field 'Reactions & Pathways'. KEGG implemented the links to SABIO-RK reactions from KEGG LIGAND reaction pages. Kinetic data entry details and corresponding annotations to external databases and ontologies can be exported with the data from SABIO-RK in SBML, compliant with the MIRIAM standard (15). For later tracking of the original data source SABIO-RK reaction and kinetic law identifier are themselves listed as MIRIAM data types.

Currently SABIO-RK has two different versions of web-based user interface, due to a transition process. The 'old' user interface had as a main shortcoming that only *after* sending a query the user gets an answer if data meeting the search criteria are present in the database. We wanted to be able to show the user beforehand how many results can be expected for a given set of search criteria. To this end, we had to improve the search

The screenshot shows the SABIO-RK web interface. On the left, there's a sidebar with 'Your Current Criteria:' and a 'RESET' button. Below it are sections for 'Reactants' (Reactant Names: Pyruvate) and 'Organisms' (Rattus norvegicus). The main area has a search bar with 'Using' and a magnifying glass icon. A dropdown menu is open under 'Inhibitor' with options like 'Any Role', 'Participant Role', 'External Identifier', and 'Inhibitor' (which is highlighted in orange). To the right is a table of search results with columns for Tissue, Organism, Parameters (besides concentration), and Environment. The table includes rows for various reactions involving Adenosine-1-oxide and Pyruvate.

Figure 1. SABIO-RK web interface screenshot using the drop-down menu to select search criteria (e.g. inhibitor).

efficiency. We changed from an SQL-based search mechanism to inverted indexing for all data entries (16). This inverted indexing technique is used in a new web interface developed for SABIO-RK. Now users can see the number of kinetic data entries for a given query while formulating the query and before searching the database. This improves the usability of the web interface and supports the users' search behaviour. For the representation of the search results the user can select two different overview result lists: (i) the *Entry View* (Figure 2) shows the list of entries with general information including reaction equation, enzyme details, tissue, organism, parameters and environmental conditions; (ii) the *Reaction View* (Figure 3) groups the entries based on SABIO-RK reactions and shows corresponding KEGG reaction identifiers. Additionally reaction related information visualization is offered representing the relation between a reaction and corresponding enzymes, organisms and tissues. More detailed information within single database entries can be displayed by expanding the overview information available in both views (Figure 4). Enabling the checkbox in the overview offers the selection of entries for data export.

For programmatic access to the database additionally to the already existing SOAP-based web services new web services were implemented allowing data access via HTTP requests following a Representational State Transfer (REST) approach (17). This new approach is much more

similar to the web user interface, thus making it easy to first test queries in the web user interface and then turning them into a web service consumer. For the definition of queries simple URLs could be defined including request parameters. Entries can be requested directly by using the database entry ID or can be searched using the same search options available in the web-based user interfaces. The output of this web services search is in XML or SBML format. With the different types of programmatic access SABIO-RK facilitates the exchange of kinetic data between experimentalists and modellers and supports the integration of automatic data access in applications e.g. the systems biology modelling platforms CellDesigner (18) and SYCAMORE (19).

SUMMARY

SABIO-RK is a curated database containing biochemical reactions and theirs kinetics. It supports experimentalists and modellers of biochemical networks to obtain and compare data about reactions, their kinetics and related information like for example cellular locations, tissues, and organisms. The kinetic information is either manually extracted from literature or directly submitted from lab experiments. The annotation to controlled vocabularies, ontologies and external databases allows complex searches in the database, linking to external sources and the comparison of data. A new developed

SABIO-RK

Hi anonymousUser ! [Log Out](#)

Heidelberg Institute for Theoretical Studies HITS

Reaction Search

HOME | CONTACT | HELP | IMPRINT | ADMINISTRATION | LOGIN

specific tissue or Brenda tissue taxonomy term

Tissue Within Current Result?

Select: 0 entries

Using liver

liver	[96]
liver (BTO)	[125]
liver cell line (BTO)	[0]
liver cancer cell (BTO)	[0]

Send Selected Entries to SBML File

Old Version SABIO-RK

Rows/page: 15

Your Current Criteria:

RESET

Reactants

Reactant Names Pyruvate

Organisms Rattus norvegicus

Pages:[1][2][3][4][5][6][7][8][9][10][11][12][13]

There are 188 Kinetic Law Entries

	Reaction	Enzyme			Tissue	Organism	Parameters (besides concentration)	Environment	
		ECNumber	Protein	Enzyme Variant (wildtype (m)utant)				°C	pH
	O ₂ + L-Lactate = H ₂ O ₂ + Pyruvate	1.1.3.15	Q07523	wildtype isoenzyme 2	kidney	Rattus norvegicus	Vmax Km	30	7
	O ₂ + L-Lactate = H ₂ O ₂ + Pyruvate	1.1.3.15	Q07523	wildtype isoenzyme 2	kidney	Rattus norvegicus	Vmax Km	30	7.5
	H ⁺ + Dimethylglyoxal + NADPH = NADP ⁺ + Acetoin	1.1.1.5	Q920P0	wildtype DCXR	kidney	Rattus norvegicus	IC50	25	7
	Adenosine-1-oxide 5'-diphosphate + Phosphoenolpyruvate = Adenosine-1-oxide 5'-triphosphate + Pyruvate	2.7.1.40	P11980	wildtype isoenzyme M1	heart	Rattus norvegicus	Vmax Km	25	7.4
	Adenosine-1-oxide 5'-diphosphate + Phosphoenolpyruvate = Adenosine-1-oxide 5'-triphosphate + Pyruvate	2.7.1.40	P12928	wildtype isoenzyme L	liver	Rattus norvegicus	Vmax Km	25	7.4
	Adenosine-1-oxide 5'-diphosphate + Phosphoenolpyruvate = Adenosine-1-oxide 5'-triphosphate + Pyruvate	2.7.1.40	P11980	wildtype isoenzyme M1	brain	Rattus norvegicus	Vmax Km	25	7.4

Figure 2. SABIO-RK web interface screenshot of query results in entry view (e.g. search for reactions containing Pyruvate in *Rattus norvegicus*).

SABIO-RK

Hi anonymousUser ! [Log Out](#)

Heidelberg Institute for Theoretical Studies HITS

Reaction Search

HOME | CONTACT | HELP | IMPRINT | ADMINISTRATION | LOGIN

Using Rattus norvegicus

Send Selected Entries to SBML File

Old Version SABIO-RK

Rows/page: 15

Your Current Criteria:

RESET

Reactants

Reactant Names Pyruvate

Organisms Rattus norvegicus

Pages:[1][2]

There are 18 Reactions

	[Sabio ID]: Reaction	Kegg ID	Visualization	Entry Numbers
	[977]: L-Glutamine + Pyruvate = L-Alanine + 2-Oxoglutarate	R00576	Double Click to Get the View	1
	[763]: L-Alanine + 2-Oxoglutarate = L-Glutamate + Pyruvate	R00258	Double Click to Get the View	10
	[7997]: H ⁺ + Dimethylglyoxal + NADPH = NADP ⁺ + Acetoin		Double Click to Get the View	1
	[149]: Oxaloacetate = CO ₂ + Pyruvate	R00217	Double Click to Get the View	23
	[12184]: Acetate = Acetate		Double Click to Get the View	1
	[985]: L-Serine + Pyruvate = L-Alanine + 3-Hydroxypropruvate	R00585	Double Click to Get the View	4
	[8049]: O ₂ + L-Lactate = H ₂ O ₂ + Pyruvate		Double Click to Get the View	3
	[836]: L-Alanine + Glyoxylate = Glycine + Pyruvate	R00369	Double Click to Get the View	4
	[521]: H ₂ O + NADP ⁺ + Methylglyoxal = Pyruvate + NADPH + H ⁺	R00205	Double Click to Get the View	3
	[11329]: Pyruvate + L-Ornithine = L-Alanine + 3,4-Dihydro-2H-Pyrole-2-carboxylate		Double Click to Get the View	2
	[745]: L-Serine = NH ₃ + Pyruvate	R00220	Double Click to Get the View	8

Figure 3. SABIO-RK web interface screenshot of query results in reaction view (e.g. search for reactions containing Pyruvate in *Rattus norvegicus*).

The screenshot shows the SABIO-RK web interface. At the top, there's a logo for 'SABIO-RK' with a blue stylized 'S' icon. Below it, a banner says 'Hi anonymousUser ! Log Out'. To the right is the 'Heidelberg Institute for Theoretical Studies' logo with 'HITS' underneath. A navigation bar at the top right includes links for 'HOME', 'CONTACT', 'HELP', 'IMPRINT', 'ADMINISTRATION', and 'LOGIN'. The main content area is titled 'Reaction Search' and displays a search bar with the query: 'O₂ + L-Lactate = H₂O₂ + Pyruvate'. The search results show entry ID 17072. The detailed information for this entry is presented in several tables:

- General information:** Organism: Rattus norvegicus; Tissue: kidney; EC Class: 1.1.3.15; SABIO reaction id: 9049; Variant: wildtype.
- Substrates:** L-lactate and O₂.
- Products:** Pyruvate and H₂O₂.
- Modifiers:** (S)-2-hydroxy-acid oxidase(Enzyme) acts as a Modifier-Catalyst.
- Enzyme (protein data):** UniProt-ID Q07523, subunit, complex.
- Kinetic Law:** Michaelis-Menten type, formula Vmax=S/(Km+S).
- Parameter:** Km, Vmax, S concentration values for L-lactate.
- Experimental conditions:** pH, temperature, buffer, comment, reference.

Figure 4. SABIO-RK web interface screenshot of a single database entry (e.g. entry ID 17072).

web-based user interface and new RESTful web services offer a much faster and more convenient access to the database compared to the old applications. Some improvements in the search functionality like easy combination of attributes are in progress. Complex datasets can be exported from SABIO-RK in SBML format for further processing and integration. Currently we are working on expanding the data export functionality including table and BioPAX formats.

FUNDING

Klaus Tschira Foundation (<http://www.klaus-tschirastiftung.de/>); the German Federal Ministry of Education and Research (<http://www.bmbf.de/>) through Virtual Liver and SysMO-LAB (Systems Biology of Microorganisms), and the DFG LIS (<http://www.dfg.de/>), under the short title 'Integrated Immunoblot Environment'. Funding for open access charge: HITS gGmbH (<http://www.h-its.org>).

REFERENCES

- Wittig,U., Golebiewski,M., Kania,R., Krebs,O., Mir,S., Weidemann,A., Anstein,S., Saric,J. and Rojas,I. (2006) SABIO-RK: integration and curation of reaction kinetics data. In *Proceedings of the 3rd International workshop on data integration in the life sciences (DILS'06)*, Hinxton, UK. *Lecture Notes in Computer Science*, 4075. Springer, Berlin und Heidelberg, pp. 94–103.
- Rojas,I., Golebiewski,M., Kania,R., Krebs,O., Mir,S., Weidemann,A. and Wittig,U. (2007) Storing and annotating of kinetic data. *In Silico Biol.*, 7(Suppl 2), 37–44.
- Scheer,M., Grote,A., Chang,A., Schomburg,I., Munaretto,C., Rother,M., Söhngen,C., Stelzer,M., Thiele,J. and Schomburg,D. (2011) BRENDa, the enzyme information system in 2011. *Nucleic Acids Res.*, 39, D670–D676.
- The UniProt Consortium. (2011) Ongoing and future developments at the Universal Protein Resource. *Nucleic Acids Res.*, 39, D214–D219.
- Le Novère,N., Bornstein,B., Broicher,A., Courtot,M., Donizelli,M., Dharuri,H., Li,L., Sauro,H., Schilstra,M., Shapiro,B. et al. (2006) BioModels database: a free, centralized database of curated, published, quantitative kinetic models of biochemical and cellular systems. *Nucleic Acids Res.*, 34, D689–D691.
- Olivier,B.G. and Snoep,J.L. (2004) Web-based kinetic modelling using JWS Online. *Bioinformatics*, 20, 2143–2144.
- Sayers,E.W., Barrett,T., Benson,D.A., Bolton,E., Bryant,S.H., Canese,K., Chetvernin,V., Church,D.M., DiCuccio,M., Federhen,S. et al. (2011) Database resources of the National Center for Biotechnology Information. *Nucleic Acids Res.*, 39, D38–D51.
- de Matos,P., Alcántara,R., Dekker,A., Ennis,M., Hastings,J., Haug,K., Spiteri,I., Turner,S. and Steinbeck,C. (2010) Chemical entities of biological interest: an update. *Nucleic Acids Res.*, 38, D249–D254.
- Gremse,M., Chang,A., Schomburg,I., Grote,A., Scheer,M., Ebeling,C. and Schomburg,D. (2011) The BRENDa Tissue Ontology (BTO): the first all-integrating ontology of all organisms for enzyme sources. *Nucleic Acids Res.*, 39, D507–D513.
- Kanehisa,M., Goto,S., Furumichi,M., Tanabe,M. and Hirakawa,M. (2010) KEGG for representation and analysis of

- molecular networks involving diseases and drugs. *Nucleic Acids Res.*, **38**, D355–D360.
11. Rojas-Muijca,I., Golebiewski,M., Kania,R., Krebs,O., Mir,S., Weidemann,A. and Wittig,U. (2007) SABIO-RK (System for the Analysis of Biochemical Pathways Reaction Kinetics). In *Proceedings of the 2nd International Symposium on 'Experimental Standard Conditions of Enzyme Characterizations'*, Ruedesheim am Rhein, Germany. Logos, Berlin, pp. 189–202.
 12. Swainston,N., Golebiewski,M., Messiha,M.L., Malys,N., Kania,R., Kengne,S., Krebs,O., Mir,S., Sauer-Danzwith,H., Smallbone,K. *et al.* (2010) Enzyme kinetics informatics: from instrument to browser. *FEBS J.*, **277**, 3769–3779.
 13. Le Novère,N. (2006) Model storage, exchange and integration. *BMC Neurosci.*, **7**(Suppl 1), S11.
 14. Hucka,M., Finney,A., Sauro,H.M., Bolouri,H., Doyle,J.C., Kitano,H., Arkin,A.P., Bornstein,B.J., Bray,D., Cornish-Bowden,A. *et al.* (2003) The systems biology markup language (SBML): a medium for representation and exchange of biochemical network models. *Bioinformatics*, **19**, 524–531.
 15. Le Novère,N., Finney,A., Hucka,M., Bhalla,U.S., Campagne,F., Collado-Vides,J., Crampin,E.J., Halstead,M., Klipp,E., Mendes,P. *et al.* (2005) Minimum information required in the annotation of models (MIRIAM). *Nat. Biotechnol.*, **23**, 1509–1515.
 16. Shi,L., Jong,L., Mueller,W. and Algaar,E. (2011) 50x Faster: Speeding up an SQL-based legacy system with few changes. *Lecture Notes in Informatics (LNI) - Proceedings, Series of the Gesellschaft für Informatik (GI)*, Vol. P-192.
 17. Richardson,L. and Ruby,S. (2007) *Restful web services*, 1st edn. O'Reilly Media, Sebastopol, CA.
 18. Funahashi,A., Jouraku,A., Matsuoka,Y. and Kitano,H. (2007) Integration of CellDesigner and SABIO-RK. *In Silico Biol.*, **7**, S81–S90.
 19. Weidemann,A., Richter,S., Stein,M., Sahle,S., Gauges,R., Gabdoulline,R., Surovtsova,I., Semmelrock,N., Besson,B., Rojas,I. *et al.* (2008) SYCAMORE - A SYstems biology Computational and Analysis MOdeling Research Environment. *Bioinformatics*, **24**, 63–64.