SAFETY DATA SHEET

Issuing Date 14-Oct-2021

Revision Date 11-Sep-2023

Revision Number 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Skin Food Light

Other means of identification

Product Code(s) 1475259

Recommended use of the chemical and restrictions on use

Recommended Use Body Lotion/ Hand Cream

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Weleda North America

Address 1 Bridge Street Ste 42

Irvington NY 10533 US

Telephone Phone:845-510-5571

E-mail jeri.hillestad@weleda.com

Emergency telephone number

Company Emergency Phone

Number

845-510-5571

2. HAZARDS IDENTIFICATION

Classification

Skin sensitization	Category 1
Flammable liquids	Category 3



Appearance Cream

Physical state Cream/ Lotion Liquid

Odor Typical

GHS Label elements, including precautionary statements

Warning

Hazard statements

May cause an allergic skin reaction Flammable liquid and vapor





Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Skin

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Causes mild skin irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Unknown acute toxicity 11.51 % of

11.51 % of the mixture consists of ingredient(s) of unknown toxicity

9.51 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

9.51 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

11.51 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

11.51 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

11.51 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS



Page 2/12

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Glycerin	56-81-5	6.93	-	=
Alcohol	64-17-5	6.9	-	-
Cetearyl alcohol	67762-27-0	2	-	-
Supplier Trade Secret	-	0 - 10%	-	-
D-Limonene	5989-27-5	1.08	-	-
Supplier Trade Secret	-	0 - 10%	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or

allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire



extinguishing water must be disposed of in accordance with local regulations. Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other Information Ventilate the area.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national



regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV	0:	SHA PEL	NIOS	SH IDLH
Glycerin		TWA: 10 mg/m³ mist		TWA: 15 r	ng/m³ mist, total		
56-81-5				particulate			
				TWA: 5 mg/r	TWA: 5 mg/m³ mist, respirable		
					fraction		
					TWA: 10 mg/m ³		
					otal particulate		
					VA: 5 mg/m³ mist,		
				respir	able fraction		
Alcohol		STEL: 1000 ppm		TWA: 1000 ppm		IDLH: 3	3300 ppm
64-17-5					1900 mg/m ³		1000 ppm
			(vacated) TWA: 100		TWA: 1000 ppm	TWA: 1	900 mg/m³
				(vacated)	TWA: 1900 mg/m ³		
Chemical name		Alberta	British C	Columbia	Ontario TWAE	/	Quebec
Glycerin	Т	WA: 10 mg/m ³		D mg/m ³		TW	/A: 10 mg/m ³
56-81-5			TWA: 3	3 mg/m³			
Alcohol	T	WA: 1000 ppm	STEL: 1	000 ppm	STEL: 1000 pp	m STE	EL: 1000 ppm
64-17-5	TV	VA: 1880 mg/m ³					

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES



Page 5/12

Information on basic physical and chemical properties

Physical state Cream/ Lotion; Liquid

AppearanceCreamOdorTypical

ColorNo information availableOdor ThresholdNo data available

Property Values Remarks Method

pH 7

Melting / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash Point 41 C / 105.8 F

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
No data available
No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density

Water Solubility Soluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waterNA

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

Explosive properties No information available **Oxidizing properties** No information available **Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available No information available **Particle Size Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks.

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION



Page 6/12

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. (based on components). Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 67,521.00 mg/kg ATEmix (inhalation-dust/mist) 1,499.20 mg/L

Unknown acute toxicity

11.51 % of the mixture consists of ingredient(s) of unknown toxicity

9.51 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

9.51 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

11.51 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

11.51 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

11.51 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Glycerin	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h	
Alcohol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h	
			= 133.8 mg/L (Rat) 4 h	
Cetearyl alcohol	> 10000 mg/kg (Rat)	> 8000 mg/kg (Rabbit)	> 0.012 ppm (Rat) 6 h	
Supplier Trade Secret	= 4400 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-	
D-Limonene	= 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-	
	= 5200 mg/kg (Rat)			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.



Page 7/12

Chemical name	ACGIH	IARC	NTP	OSHA
Alcohol	A3	Group 1	Known	X
64-17-5				
D-Limonene	-	Group 3	-	X
5989-27-5		-		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Alcohol	No data available	96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: > 100 mg/L (Pimephales promelas)	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	48h LC50: 9268 - 14221 mg/L (Daphnia magna) 48h EC50: = 2 mg/L (Daphnia magna)
Cetearyl alcohol	No data available	No data available	No data available	48h EC50: = 1666 mg/L (Daphnia magna)
D-Limonene	No data available	96h LC50: 0.619 - 0.796 mg/L (Pimephales promelas) 96h LC50: = 35 mg/L (Oncorhynchus mykiss)	No data available	No data available

Persistence and Degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Glycerin	-1.75
Alcohol	-0.35



Page 8/12

Revision Date 11-Sep-2023

Cetearyl alcohol	6.65
D-Limonene	4.38

MobilityNo information available.Other adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

1

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

products

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

US EPA Waste Number

D001

California Waste Codes

331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Alcohol	Toxic
64-17-5	Ignitable
D-Limonene	Toxic
5989-27-5	

14. TRANSPORT INFORMATION

<u>DOT</u>

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUIDS, N.O.S.

Hazard Class 3
Packing Group III

Description UN1993, FLAMMABLE LIQUIDS, N.O.S. (ETHANOL), 3, III, LTD QTY

Emergency Response Guide 1

Number

128

TDG

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL), 3, III, LTD QTY

MEX

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL), 3, III

ICAO



Page 9/12

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL), 3, III, LTD QTY

<u>IATA</u>

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III
ERG Code 3L

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL), 3, III, LTD QTY

IMDG/IMO

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III
EmS-No. F-E, S-E

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL), 3, III, (41°C C.C.), LTD QTY

RID

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III
Classification code F1

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL), 3, III

ADR/RID-Labels 3

<u>ADR</u>

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III
Classification code F1
Tunnel restriction code (D/E)

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL), 3, III

ADN

UN-No. UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class3Packing GroupIIIClassification codeF1Special Provisions274, 601

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ETHANOL), 3, III

Hazard Labels 3
Limited Quantity 5 L
Ventilation VE01

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable



The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

DSL/NDSL

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Alcohol - 64-17-5	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois



Revision Date 11-Sep-2023

Glycerin 56-81-5	Х	Х	Х	X	
Alcohol 64-17-5	X	X	X		Х
D-Limonene 5989-27-5					Х

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 14-Oct-2021

Revision Date 11-Sep-2023

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

