

Patient Name:	DOB:	Evaluation Date:	MRN / Chart #:
		September 15, 2026	

Major Depressive Disorder (MDD)

F32.x (Single) / F33.x (Recurrent)

At least 5 of the 9 symptoms present during the same 2-week period representing a change from previous functioning. At least one symptom MUST be (1) depressed mood or (2) markedly diminished interest or pleasure (anhedonia).

Criterion A: Symptom Checklist (Requires >= 5 of 9 MUST endorse either Depressed Mood OR Anhedonia to meet over 2 weeks)

diagnostic criteria

- ☐ 1: [CORE] Depressed mood most of the day, nearly every day, as indicated by subjective report (feels sad, empty, hopeless) or observation by others (in youth, can be irritable mood). CORE CRITERION
- ☐ 2: [CORE] Markedly diminished interest or pleasure in all, or almost all, activities most of the day, nearly every day (anhedonia). CORE CRITERION
- ☐ 3: Significant weight loss when not dieting or weight gain (>5% change in a month), or decrease/increase in appetite nearly every day.
- ☐ 4: Insomnia or hypersomnia nearly every day.
- ☐ 5: Psychomotor agitation or retardation nearly every day (observable by others, not merely subjective feelings of restlessness or being slowed down).
- ☐ 6: Fatigue or loss of energy nearly every day.
- ☐ 7: Feelings of worthlessness or excessive or inappropriate guilt nearly every day (not merely self-reproach about being sick).
- ☐ 8: Diminished ability to think or concentrate, or indecisiveness, nearly every day.
- ☐ 9: Recurrent thoughts of death (not just fear of dying), recurrent suicidal ideation without a specific plan, or a suicide attempt or specific plan.

Criteria B, C & D: Impairment & Exclusions

Confirm all criteria

- ☐ B: Criterion B: Symptoms cause clinically significant distress or impairment in social, occupational, or other important areas of functioning.
- ☐ C: Criterion C: Episode is not attributable to the direct physiological effects of a substance (drug of abuse/medication) or medical condition.
- ☐ D: Criterion D: There has never been a manic or hypomanic episode (which would rule in Bipolar Disorder unless substance-induced).

CLINICAL SPECIFIERS & SUBTYPES

Episode Type:

- ☐ Single episode (F32.x)
- ☐ Recurrent episode (F33.x)

Clinical Specifiers:

- ☐ With anxious distress
- ☐ With mixed features
- ☐ With melancholic features
- ☐ With atypical features
- ☐ With peripartum onset
- ☐ With seasonal pattern

Severity / Features:

- ☐ Mild (F33.0)
- ☐ Moderate (F33.1)
- ☐ Severe without psychotic features (F33.2)
- ☐ Severe with psychotic features (F33.3)
- ☐ In partial remission (F33.41)
- ☐ In full remission (F33.42)

Diagnostic Conclusion & Medical Decision Making (MDM):

☐ Full Diagnostic Criteria Met ☐ Sub-threshold Symptoms ☐ Ruled Out (Alternative Differential Documented Below)

.....

Clinician Signature:

Monica Preder, MSN, APRN, PMHNP-BC
Board Certified Psychiatric Nurse Practitioner • DEA / WA State APRN on file

Date & Clinical Time:

Time Spent in Diagnostic Assessment & Counseling: ____
min