

Bank Wallet User Stories:

- Epic 1: “As the **PARENT**, I want to be able to **access the wallet**, so that I can **control the transactions**.”
 - User Story 1a: “As the **PARENT**, I want to be able to **access the wallet**, so that I can **deposit money into it**.”
 - User Story 1b: “As the **PARENT**, I want to be able to **access the wallet**, so that I can **withdraw money from it**.”
 - User Story 1c: “As the **PARENT**, I want to be able to **access the wallet**, so that I can **view the transactions**.”
- Epic 2: “As the **PARENT**, I want to be able to **view the transactions**, so that I can **understand how the family is using the wallet**.”
 - User Story 2a: “As the **PARENT**, I want to be able to **view the transactions**, so that I can **read who deposited money into the wallet**.”
 - User Story 2b: “As the **PARENT**, I want to be able to **view the transactions**, so that I can **read who withdrew money from the wallet**.”
 - User Story 2c: “As the **PARENT**, I want to be able to **view the transactions**, so that I can **read the details of purchased items**.”
 - User Story 2d: “As the **PARENT**, I want to be able to **view the transactions**, so that I can **read how much money is present in the wallet within a time stamp**.”
- Epic 3: “As the **PARENT**, I want to be **notified if wallet balance falls below \$100**, so that I can **take some action**.”
 - User Story 3a: “As the **PARENT**, I want to be **notified if wallet balance falls below \$100**, so that I can **deposit more money into the wallet**.”
 - User Story 3b: “As the **DAD**, I want to be **notified if wallet balance falls below \$100**, so that I can **block further access by ANYONE else**.”

- User Story 3c: “As the **PARENT**, I want to be **notified if wallet balance falls below \$100**, so that I can **check who spent the most**.”
- User Story 4: “As a **CHILD**, I want to be able to **spend \$50 a day**, so that I can **purchase an item or service**.”
- User Story 5: “As a **CHILD**, I want to **ask permission from MOM to spend money**, so that I can **spend more than \$50 if I want**.”
- User Story 6: “As a **CHILD**, I want to **ask a PARENT for permission 2 times a day**, so that I can **try to spend money 2 times a day**.”
- Epic 7: “As the **DAD**, I want to be able to **access the wallet**, so that I can **block a MEMBER from using it**.”
 - User Story 7a: “As the **DAD**, I want to be able to **access the wallet**, so that I can **block MOM from using it**.”
 - User Story 7b: “As the **DAD**, I want to be able to **access the wallet**, so that I can **block a CHILD from using it**.”
- Epic 8: “As the **MOM**, I want to be able to **be asked permission from a CHILD for spending money more than \$50**, so that I can **control their expense**.”
 - User Story 8a: “As the **MOM**, I want to be able to **reject request from CHILD to spend more than \$50**, so that **CHILD does not exceed \$50 per day**.”
 - User Story 8b: “As the **MOM**, I want to be able to **accept request from CHILD to spend more than \$50**, so that **CHILD does not exceed \$50 per day**.”

- User Story 8b: “As the **MOM**, I want to be able to **transfer request of CHILD to spend more than \$50 to the DAD**, so that I can deal with other requests.”
- Epic 9: “As a **CHILD**, I want to be able to **request a PARENT** to deposit money into the wallet, so that I can **use the wallet if there is not enough money to withdraw**.”