import { useEffect, useState } from "react"; import { Mail, ArrowRight, Sparkles, Shield, Globe, Menu, CheckCircle, Lock, Languages, Clock, Users, HelpCircle, Dumbbell, X } from "lucide-react";

export default function BossMinuteHome() { // --- Currency Toggle (auto-detect + manual override) const [currency, setCurrency] = useState("USD"); const [isCheckoutOpen, setCheckoutOpen] = useState(false); const [seats, setSeats] = useState(5);

useEffect(() => { try { const locale = Intl.DateTimeFormat().resolvedOptions().locale || "en-US"; if (locale.startsWith("en-GB") || locale.includes("GB")) setCurrency("GBP"); else if (locale.startsWith("de") || locale.startsWith("fr") || locale.startsWith("es") || locale.startsWith("it") || locale.includes("EU")) setCurrency("EUR"); else setCurrency("USD"); } catch (_) { setCurrency("USD"); } }, []);

const fmt = (amountUSD: number) => { const rates = { USD: 1, EUR: 0.92, GBP: 0.79 }; // simple static spot; replace with live later const symbols: Record<string, string> = { USD: "$", EUR: "€", GBP: "£" }; const v = Math.round(amountUSD * (rates[currency] || 1)); return `${symbols[currency] || "$"}${v}`; };

const yearFromDay = (usdPerYear: number) => fmt(usdPerYear); const monthFromUSD = (usdPerMonth: number) => fmt(usdPerMonth);

return (<main className="min-h-screen w-full bg-black text-white"> {/ *TOP NAV* /} <header className="sticky top-0 z-40 border-b border-white/10 bg-black/80 backdrop-blur"> <div className="mx-auto flex max-w-6xl items-center justify-between px-6 py-4"> BM The Boss Minute <nav className="hidden items-center gap-6 md:flex"> Features Pricing FAQ {/ *Currency Toggle* /} <div className="ml-4 inline-flex items-center gap-2 rounded-xl border border-white/10 bg-white/5 px-3 py-1 text-sm"> Currency: <select aria-label="Currency" value={currency} onChange={(e) => setCurrency(e.target.value)} className="bg-transparent text-white outline-none" > <option value="USD">USD</option> <option value="EUR">EUR</option> <option value="GBP">GBP</option> </select> </div> </nav> <button className="inline-flex md:hidden" aria-label="menu"> <Menu className="h-6 w-6" /> </button> </div> </header>

```
    {/* HERO */}
    <section className="relative overflow-hidden">
      <div className="mx-auto max-w-6xl px-6 py-20 md:py-24">
        <div className="grid items-center gap-10 md:grid-cols-2">
          <div>
            <p className="inline-flex items-center gap-2 rounded-full border
 border-white/10 bg-white/5 px-3 py-1 text-xs uppercase tracking-widest text-
 white/70">
              <Sparkles className="h-3 w-3" aria-hidden />
              Gym for the Mind
              <Dumbbell className="h-3 w-3" aria-hidden />
```

```
          </p>
          <h1 className="mt-4 text-4xl font-extrabold leading-tight
md:text-5xl">
            A daily executive edge — in your inbox.
          </h1>
          <p className="mt-4 text-lg text-white/80">
            150–250 words + a concentration drill. Faceless. Precise.
Global-ready. Roll out to leaders in minutes.
          </p>
          <ul className="mt-6 space-y-2 text-white/80">
            <li className="flex items-center gap-2"><Shield className="h-4 w-4"/
>Reduce decision fatigue</li>
            <li className="flex items-center gap-2"><Mail className="h-4 w-4"/
>Delivered by email, no logins</li>
            <li className="flex items-center gap-2"><Globe className="h-4 w-4"/
>Written-first for instant translation</li>
          </ul>

          <div className="mt-8 flex flex-col items-start gap-3 md:flex-row
md:items-center">
            <button onClick={() => setCheckoutOpen(true)} className="inline-
flex items-center rounded-2xl bg-white px-6 py-3 font-semibold text-black
shadow-md hover:shadow-lg">
              Start Pilot — {monthFromUSD(50)}/month <ArrowRight
className="ml-2 h-4 w-4" />
            </button>
            <p className="text-sm text-white/60">Add leaders in minutes. Cancel
anytime.</p>
          </div>

          {/* Email Capture Mock */}
          <form className="mt-6 flex w-full max-w-md items-center gap-2
rounded-2xl border border-white/10 bg-white/5 p-2">
            <input
              type="email"
              placeholder="Work email"
              className="h-11 w-full rounded-xl bg-transparent px-4 text-white
placeholder-white/40 outline-none"
            />
            <button type="button" className="inline-flex h-11 items-center
rounded-xl bg-white px-4 font-semibold text-black">
              Get a Sample
            </button>
          </form>
        </div>

        {/* INBOX PREVIEW */}
```

```
        <div className="rounded-3xl border border-white/10 bg-white/5 p-4
shadow-2xl">
          <div className="rounded-2xl bg-black/40 p-3 text-sm">
            <div className="mb-2 flex items-center justify-between text-white/
60">
              <span>Inbox • Priority</span>
              <span>Today</span>
            </div>

            {/* Preview Card 1 */}
            <div className="mb-3 rounded-xl border border-white/10 bg-white/5
p-4">
              <div className="flex items-center justify-between">
                <span className="text-white/80">The Boss Minute</span>
                <span className="text-xs text-white/50">6:00 AM</span>
              </div>
              <p className="mt-1 text-sm font-semibold">The 2x2 Rule +
90-Second Focus Drill</p>
              <p className="mt-1 text-sm text-white/70 line-clamp-2">
                Will this matter in 2 weeks? Will this matter in 2 years? If no/
no → delegate. If yes/yes → full focus. Drill: stare at a single object for 90
seconds; return when mind wanders.
              </p>
            </div>

            {/* Preview Card 2 */}
            <div className="rounded-xl border border-white/10 bg-white/5 p-4">
              <div className="flex items-center justify-between">
                <span className="text-white/80">The Boss Minute</span>
                <span className="text-xs text-white/50">Yesterday</span>
              </div>
              <p className="mt-1 text-sm font-semibold">Protect Your Power +
Breath Control</p>
              <p className="mt-1 text-sm text-white/70 line-clamp-2">
                Track energy like money. Spend it only where it multiplies.
Drill: box-breathing 4-4-4-4 for 3 minutes to reset executive attention.
              </p>
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>

  {/* FEATURES */}
  <section id="features" className="border-t border-white/10 bg-black/95 py-16">
    <div className="mx-auto max-w-6xl px-6">
```

```
      <h2 className="text-center text-3xl font-bold">Features & Benefits</h2>
      <p className="mt-2 text-center text-white/70">Daily email. Built-in
drill. Global-ready. Future networking & events.</p>

      <div className="mt--10 grid gap-6 md:grid-cols-2">
        {/* Left */}
        <div className="space-y-4">
          {[
            {title: 'Daily Executive Briefing', desc: '150–250 words delivered
every morning for immediate action.'},
            {title: 'Built-In Concentration Exercise', desc: 'A practical drill
each day to train focus and endurance.'},
            {title: 'Faceless, Consistent Delivery', desc: 'Clean, 1-on-1 tone.
No fluff. Ritual-worthy.'},
          ].map((f, i) => (
            <div key={i} className="rounded-2xl border border-white/10 bg-white/
5 p-6">
              <h3 className="text-lg font-semibold">{f.title}</h3>
              <p className="mt-1 text-white/70">{f.desc}</p>
            </div>
          ))}
        </div>
        {/* Right */}
        <div className="space-y-4">
          {[
            {title: 'Sharper Decisions, Faster Execution', desc: 'Reduce
decision fatigue and accelerate key initiatives.'},
            {title: 'Low Cost, High ROI', desc: 'Less than a client lunch per
month with compounding clarity gains.'},
            {title: 'Future Networking & Events', desc: 'Directories, regional
meetups, and mega-event discounts when scale is right.'},
          ].map((f, i) => (
            <div key={i} className="rounded-2xl border border-white/10 bg-white/
5 p-6">
              <h3 className="text-lg font-semibold">{f.title}</h3>
              <p className="mt-1 text-white/70">{f.desc}</p>
            </div>
          ))}
        </div>
      </div>
    </div>
  </section>

  {/* PRICING */}
  <section id="pricing" className="border-t border-white/10 bg-black py-16">
    <div className="mx-auto max-w-6xl px-6">
      <h2 className="text-center text-3xl font-bold">Pricing</h2>
```

```
      <p className="mt-2 text-center text-white/70">Choose currency • Start
simple • Scale when ready.</p>

      <div className="mx-auto mt-10 grid max-w-5xl gap-6 md:grid-cols-3">
        {/* Starter $1/day */}
        <div className="rounded-3xl border border-white/10 bg-white/5 p-8">
          <h3 className="text-2xl font-bold">Starter</h3>
          <p className="mt-1 text-white/70">$1/day plan</p>
          <div className="mt-6 flex items-end gap-2">
            <span className="text-4xl font-extrabold">{yearFromDay(365)}</span>
            <span className="mb-1 text-white/60">/ year per leader</span>
          </div>
          <ul className="mt-6 space-y-2 text-white/80">
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>Daily email (150–250 words)</li>
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>Concentration drill included</li>
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>Faceless, consistent delivery</li>
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>Instant translation-ready</li>
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>Cancel anytime</li>
          </ul>
          <button onClick={() => setCheckoutOpen(true)} className="mt-8 inline-
flex w-full items-center justify-center rounded-2xl bg-white px-6 py-3 font-
semibold text-black shadow-md hover:shadow-lg">
            Choose Starter <ArrowRight className="ml-2 h-4 w-4" />
          </button>
        </div>

        {/* Core $50/mo */}
        <div className="rounded-3xl border border-white/10 bg-white/10 p-8
ring-1 ring-white/10">
          <div className="mb-3 inline-flex rounded-full bg-white/10 px-3 py-1
text-xs uppercase tracking-wider text-white/80">Most Popular</div>
          <h3 className="text-2xl font-bold">Core</h3>
          <p className="mt-1 text-white/70">Professional daily leadership gym</
p>
          <div className="mt-6 flex items-end gap-2">
            <span className="text-4xl font-extrabold">{monthFromUSD(50)}</span>
            <span className="mb-1 text-white/60">/ month per leader</span>
          </div>
          <ul className="mt-6 space-y-2 text-white/80">
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>Everything in Starter</li>
            <li className="flex items-center gap-2"><CheckCircle className="h-4
```

```
w-4"/>Priority support</li>
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>Early access to new drills & frameworks</li>
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>Quarterly Leader Packs (summaries + challenges)</li>
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>Eligible for event discounts</li>
          </ul>
          <button onClick={() => setCheckoutOpen(true)} className="mt-8 inline-
flex w-full items-center justify-center rounded-2xl bg-white px-6 py-3 font-
semibold text-black shadow-md hover:shadow-lg">
            Start Pilot <ArrowRight className="ml-2 h-4 w-4" />
          </button>
        </div>

        {/* Enterprise Custom */}
        <div className="rounded-3xl border border-white/10 bg-white/5 p-8">
          <h3 className="text-2xl font-bold">Enterprise</h3>
          <p className="mt-1 text-white/70">Volume pricing & SSO</p>
          <div className="mt-6 text-4xl font-extrabold">Custom</div>
          <ul className="mt-6 space-y-2 text-white/80">
            <li className="flex items-center gap-2"><Users className="h-4 w-4"/
>Bulk seat management</li>
            <li className="flex items-center gap-2"><Languages className="h-4
w-4"/>Multi-language rollout</li>
            <li className="flex items-center gap-2"><Lock className="h-4 w-4"/
>Security & compliance review</li>
            <li className="flex items-center gap-2"><Clock className="h-4 w-4"/
>Delivery-time scheduling per region</li>
            <li className="flex items-center gap-2"><CheckCircle className="h-4
w-4"/>HR/LMS integration options</li>
          </ul>
          <button onClick={() => setCheckoutOpen(true)} className="mt-8 inline-
flex w-full items-center justify-center rounded-2xl border border-white/20 px-6
py-3 font-semibold text-white hover:bg-white/10">
            Contact Sales <ArrowRight className="ml-2 h-4 w-4" />
          </button>
        </div>
      </div>
    </div>
  </section>

  {/* FAQ */}
  <section id="faq" className="border-t border-white/10 bg-black/95 py-16">
    <div className="mx-auto max-w-6xl px-6">
      <h2 className="text-center text-3xl font-bold">FAQ</h2>
      <div className="mt-10 grid gap-6 md:grid-cols-2">
```

```
        {[
          {q: 'When is the email delivered?', a: 'By default 6:00 AM in the
recipient's local timezone. Enterprise can customize per region.'},
          {q: 'How do translations work?', a: 'We write for clarity and
consistency. Your ESP or internal tools can auto-translate; Enterprise tiers
include rollout support.'},
          {q: 'Is this anonymous/faceless?', a: 'Yes. A clean 1-on-1 voice, no
distractions. The value is the precision, not the personality.'},
          {q: 'What if leaders miss a day?', a: 'Each message is standalone.
Skipping a day doesn't break the flow. Archives can be reviewed anytime.'},
          {q: 'How do we cancel or add seats?', a: 'Self-serve from your admin
link. Add or remove seats any time; billing pro-rates next cycle.'},
          {q: 'Can we measure ROI?', a: 'Teams typically report fewer meeting
overruns, faster decisions, and cleaner deliverables within 4-6 weeks.'},
        ].map((item, i) => (
          <div key={i} className="rounded-2xl border border-white/10 bg-white/5
p-6">
            <h3 className="text-lg font-semibold">{item.q}</h3>
            <p className="mt-1 text-white/70">{item.a}</p>
          </div>
        ))}
      </div>
    </div>
  </section>

  {/* STICKY Start Pilot Button */}
  <button
    onClick={() => setCheckoutOpen(true)}
    className="fixed bottom-5 right-5 z-50 inline-flex items-center rounded-2xl
bg-white px-5 py-3 font-semibold text-black shadow-lg hover:shadow-xl"
    aria-label="Open checkout"
  >
    Start Pilot <ArrowRight className="ml-2 h-4 w-4" />
  </button>

  {/* CHECKOUT MODAL (mock) */}
  {isCheckoutOpen && (
    <div className="fixed inset-0 z-50 flex items-center justify-center bg-
black/70 p-4">
      <div className="w-full max-w-lg rounded-2xl border border-white/10 bg-
black p-6 shadow-2xl">
        <div className="mb-4 flex items-center justify-between">
          <h3 className="text-xl font-bold">Start Pilot</h3>
          <button onClick={() => setCheckoutOpen(false)} aria-label="Close"
className="text-white/70 hover:text-white">
            <X className="h-5 w-5" />
          </button>
```

```
        </div>

        <div className="grid gap-4">
          <label className="text-sm text-white/80">
            Work Email
            <input type="email" placeholder="ceo@company.com" className="mt-1 w-
full rounded-xl border border-white/10 bg-white/5 px-4 py-3 text-white
placeholder-white/40 outline-none" />
          </label>

          <label className="text-sm text-white/80">
            Seats
            <input type="number" min={1} value={seats} onChange={(e) =>
setSeats(parseInt(e.target.value || "1", 10))} className="mt-1 w-full rounded-
xl border border-white/10 bg-white/5 px-4 py-3 text-white outline-none" />
          </label>

          <label className="text-sm text-white/80">
            Currency
            <select value={currency} onChange={(e)=>
setCurrency(e.target.value)} className="mt-1 w-full rounded-xl border border-
white/10 bg-white/5 px-4 py-3 text-white outline-none">
              <option value="USD">USD</option>
              <option value="EUR">EUR</option>
              <option value="GBP">GBP</option>
            </select>
          </label>

          <div className="rounded-xl border border-white/10 bg-white/5 p-4">
            <p className="text-sm text-white/70">Estimated monthly total
(Core): <span className="font-semibold text-white">{monthFromUSD(50)} × {seats}
= {/* rough total */}
          {(() => {
            const base = 50 * seats;
            const rates: Record<string, number> = { USD: 1, EUR: 0.92, GBP:
0.79 };
            const symbols: Record<string, string> = { USD: "$", EUR: "€",
GBP: "£" };
            const v = Math.round(base * (rates[currency] || 1));
            return `${symbols[currency]}${v}`;
          })()}</span></p>
          </div>

          <button
className="inline-flex items-center justify-center rounded-2xl bg-white px-6
py-3 font-semibold text-black shadow-md hover:shadow-lg">
            Confirm & Continue <ArrowRight className="ml-2 h-4 w-4" />
          </button>
```

```
          </div>
        </div>
      </div>
    )}

    {/* FOOTER */}
    <footer className="border-t border-white/10 bg-black py--10">
      <div
className="mx-auto flex max-w-6xl flex-col items-center justify-between gap-4
px-6 md:flex-row">
        <p className="text-white/60">© {new Date().getFullYear()} The Boss Minute
— Gym for the Mind</p>
        <div className="flex items-center gap-6 text-white/60">
          <a href="#" className="hover:text-white">Privacy</a>
          <a href="#" className="hover:text-white">Terms</a>
          <a href="#" className="hover:text-white">Contact</a>
        </div>
      </div>
    </footer>
  </main>
```

);}