

COMPANION SHEET

# Claude in Chrome

Prompts for the two setup tasks that involve no case data: the Google Cloud project, and the Drive folders.

**The one rule that matters**

**Never let Claude in Chrome see ExtendedReach.** Not the login page, not a report, not a downloaded file. Those pages are children's records, and an assistant that reads a page to decide what to click would be reading them. Close those tabs, or switch the extension off, before you open the portal.

Google Cloud Console and an empty Drive folder contain no case data. That is the whole difference, and it is why these two tasks are safe and the rest are not.

## How to use this sheet

Each task below has text in a green box. Paste it to Claude in Chrome and let it work. It will ask permission before each action it takes — read what it is about to do before approving. You are the one accountable for the result, and approving without reading is how people end up with the wrong project or a folder shared too widely.

After each task there is a **Check it yourself** box. Do those. They take seconds and they are the difference between believing the task is done and knowing it.

## Before you start

|                     |                                                                                                                                                                                                                                                                                                               |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extension installed | Claude in Chrome is a browser extension. If you do not have it, check what is available on your plan at <a href="https://claude.ai">claude.ai</a> — availability and the exact name have changed over time. Everything in this sheet can be done by hand instead; the setup guide has the manual click paths. |
| Signed in to Google | In the SAME Chrome profile, signed in as the account that will own the Drive folder. If you have several Google accounts, this is the single most common thing to get wrong.                                                                                                                                  |
| Portal tabs closed  | No ExtendedReach tab open anywhere in this window.                                                                                                                                                                                                                                                            |

**TASK 1****Create the Google Cloud project**

Open `console.cloud.google.com` in a tab first, then paste this.

*I'm setting up a small internal tool that needs to upload files to my own Google Drive. Please help me in the Google Cloud Console:*

- 1. Create a new project named "ExtendedReach Sync".*
- 2. Switch to that project once it exists.*
- 3. Enable the Google Drive API for it.*

*Tell me each thing you're about to do before you do it, and stop and ask me if a screen looks different from what you expected. Don't enable any other APIs, and don't change billing or IAM settings.*

**Check it yourself**

Look at the project selector at the top of the page. It should say **ExtendedReach Sync**. Then go to **APIs and Services -> Enabled APIs and services** and confirm **Google Drive API** is listed. If a different project is selected, everything after this lands in the wrong place.

**TASK 2****Set up the consent screen**

Google requires this before it will issue credentials. It is a form, and the wording changes; let Claude find the current version.

*In this same Google Cloud project, please configure the OAuth consent screen so I can create credentials:*

- Choose "Internal" if that option is available. If only "External" is offered, tell me before selecting it — I want to know.*
- App name: "ExtendedReach Sync"*
- Use my own email address for the support and developer contact fields.*
- Skip anything optional. Don't add scopes or test users unless a required field forces it, and tell me if it does.*

*Show me each screen before submitting it.*

**Why 'Internal' versus 'External' matters**

**Internal** means only people in your Google Workspace organisation can authorise the app. That is what you want. **External** is offered on personal Google accounts and means the app is, in principle, open to any Google account — you then have to add yourself as a test user. It still works, but it is worth knowing which one you ended up on, which is why the prompt asks Claude to tell you.

**TASK 3****Create the credentials file**

This is the step with a wrong answer that looks right, so the prompt is specific about it.

*Now please create an OAuth client ID in this project:*

- Go to APIs and Services, then Credentials, then Create credentials, then OAuth client ID.
- For Application type, choose "Desktop app". This is important — "Web application" will not work for what I'm doing. If "Desktop app" isn't in the list, stop and tell me rather than picking something close.
- Name it "ExtendedReach Sync desktop client".
- Create it, then download the JSON credentials file.

*Tell me where the file was saved. Do not open it, paste its contents into the chat, or share it anywhere.*

**What you will see when it finishes**

Google shows a box containing **Your Client ID** and **Your Client Secret**, plus a download button.

**You do not need to copy anything off that screen**

The Client ID and Client Secret shown there are already inside the file you are about to download. There is nothing to write down, nothing to paste into this project, and nothing to send to me. Just press **Download JSON** and close the box.

If you closed it already: go to **Credentials**, find your client in the list, and press the download icon at the right of its row. You can download it as many times as you like.

**Never used the Terminal before?**

**Terminal-Walkthrough.pdf** shows these three commands as pictures of the window, with what comes back and what to do when it complains. Use it instead of the summary below if the Terminal is unfamiliar.

**Now move the file — three commands, in Terminal**

Do this part yourself rather than asking Claude to. A file that lets software act on your Google account is worth moving deliberately.

The file landed in your Downloads folder with a long name like

client\_secret\_1234567890-abcdefg.apps.googleusercontent.com.json. These commands make the folder the tool expects, then move the file into it and rename it to credentials.json in one step. You do not need to type that long name — the \* stands in for it.

```
mkdir -p ~/er-sync
mv ~/Downloads/client_secret*.json ~/er-sync/credentials.json
ls ~/er-sync
```

The last command should print exactly this:

```
credentials.json
```

### If the move command gives an error

| The message says          | What it means and what to do                                                                                                                                                                                                                                                 |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No such file or directory | No matching file is in Downloads. Either the download did not happen, or Chrome saved it elsewhere. Check your Downloads folder in Finder. If the file is there under a different name, drag it into a Finder window at ~/er-sync and rename it to credentials.json by hand. |
| Not a directory           | You downloaded the file more than once, so the * matched several files and they cannot all become one file. Delete the extras from Downloads, keeping the newest, then run the command again.                                                                                |
| Anything else             | Send me the exact message.                                                                                                                                                                                                                                                   |

#### Check it yourself — two things

1. `ls ~/er-sync` prints `credentials.json` and nothing else.
2. Back in the Console, under **Credentials**, your new client is listed with type **Desktop**. If it says **Web application**, delete it and redo this task — it will work right up to the final step and then fail with an error that does not explain itself.

**TASK 4****Create the Drive folders**

One parent folder, and a subfolder per report if you want them kept apart. Open `drive.google.com` first.

Edit the report names in the list below to match yours before pasting. Nine are shown as an example.

*In Google Drive, please create this folder structure for me:*

*A top-level folder called "ExtendedReach Reports", containing these subfolders:*

*Past Due Tasks, Past Due Home Tasks, Tasks In Process, Open Cases, Caseload by Worker, On Time by Program, Open Beds, Next Court Date, Staff Expirations*

*Create them empty. Don't change sharing on anything yet — I'll do that separately. Tell me when they exist.*

**If you would rather keep everything in one folder**

Simpler, and the filenames already say which report and which date they came from. In that case just create the parent folder and skip the subfolders — the tool puts everything in one place by default.

**Collect the folder IDs**

The tool identifies a folder by the jumble of characters in its web address, not by its name. You need one per folder you will use.

*Please open each of those folders in turn and give me a plain list of the folder name and its folder ID — the part of the address after /folders/. Just the list, nothing else.*

You will get something like:

```
Past Due Tasks 1AbCdEfGhIjKlMnOpQrStUvWxYz
Open Beds 1ZyXwVuTsRqPoNmLkJiHgFeDcBa
...
```

Keep that list. The parent folder's id goes in `GOOGLE_DRIVE_FOLDER_ID` in your `.env`. Per-report folders are optional — the setup guide's multiple-reports section covers wiring those up.

**TASK 5****Share the folders — carefully**

This is the one task where a mistake has real consequences, so the prompt is deliberately narrow and the check afterwards matters most.

**Never make these folders link-shareable**

"Anyone with the link" on a folder holding children's names, dates of birth and Medicaid numbers means anyone who ever receives that link — forwarded, pasted into a ticket, left in an email thread — can open it. Share with **named people only**. The prompt below says so explicitly; check it anyway.

Replace the names and addresses with the real people before pasting.

*Please share the "ExtendedReach Reports" folder with these specific people:*

*- firstname.lastname@example.org — Viewer*

*- firstname.lastname@example.org — Viewer*

*Important: share with these named individuals only. Do NOT set it to "Anyone with the link", do not make it public, and do not change the general access setting at all. Turn OFF notification emails if that option is offered. Show me the sharing dialog before you confirm, so I can check it.*

**Check it yourself — do not skip this one**

Right-click the folder, choose **Share**, and read the **General access** line at the bottom. It must say **Restricted**. If it says "Anyone with the link", change it to Restricted now. Then read the list of people above it and confirm every name belongs there.

**Viewer, not Editor**

People who read the reports need **Viewer**. Editor lets them delete files, including ones the tool has already uploaded. Only the account the tool itself signs in as needs to write.

## What not to ask it

The boundary is simple: anything that can see a child's record, or can change something in ExtendedReach.

| Do not ask Claude in Chrome to...    | Why                                                                                                                                                                                     |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Open, read or navigate ExtendedReach | The pages are children's records. An assistant that reads a page to decide what to click is reading them, and they would leave your agency's control.                                   |
| Capture the report selectors         | That means being on a report page. The tool's own <code>--setup-assist</code> does this without any AI reading the page — it matches text patterns and you choose from a numbered list. |
| Open a downloaded report             | Same data, different window.                                                                                                                                                            |
| Run the export "just this once"      | ExtendedReach has approve, reject and delete buttons on the same screens as export. The Python tool cannot press them by construction. An assistant reading a page has no such floor.   |
| Fix the tool's settings files        | <code>.env</code> holds the Drive folder and file paths; edit it yourself.<br><code>--validate-config</code> tells you exactly what is wrong.                                           |
| Handle credentials.json              | Move it in Terminal. It is a credential.                                                                                                                                                |

## Things it is genuinely useful for

| Ask it to...                          |                                                                                                                          |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Explain an error message              | Paste the text of a Terminal or Google error. Nothing sensitive in those.                                                |
| Find the current Google documentation | The Console's layout changes; public docs are fair game.                                                                 |
| Re-do any task on this sheet          | If something got misconfigured, the same prompts work again.                                                             |
| Check a folder's sharing settings     | Reading the sharing dialog of a folder is fine — that is settings, not contents. Do not ask it to open the files inside. |

## One last thing

Everything on this sheet can be done by hand in about fifteen minutes, and the setup guide has the manual click path for each. If an assistant gets confused by a screen that has changed, doing it yourself is not a fallback — it is just the other way of doing it.