

# Package ‘pipefittr’

September 14, 2016

**Type** Package

**Title** Convert Nested Functions to Pipes

**Version** 0.1.2

**Author** Houston R Users,  
Neeraj Tandon,  
Ed Goodwin,  
Ju Yeong Kim,  
Sahil Seth

**Maintainer** Sahil Seth <me@sahilseth.com>

**Description** To take nested function calls and convert them to a more readable form using pipes from package 'magrittr'.

**Depends** R (>= 3.0.0)

**Imports** magrittr,  
miniUI (>= 0.1.1),  
rstudioapi (>= 0.4),  
shiny (>= 0.13),  
stringr

**Suggests** testthat

**URL** <https://github.com/houstonusers/pipefittr>

**BugReports** <https://github.com/houstonusers/pipefittr/issues>

**License** MIT + file LICENSE

**LazyData** TRUE

**RoxygenNote** 5.0.1

## R topics documented:

|                     |          |
|---------------------|----------|
| pipefittr . . . . . | 2        |
| <b>Index</b>        | <b>3</b> |

---

|           |  |
|-----------|--|
| pipefittr | <i>Convert nested calls to magrittr's pipes.</i> |
|-----------|--|

---

**Description**

To take nested function calls and convert them to a more readable form using magrittr's pipes.

**Usage**

```
pipefittr(string, pretty = F)
```

**Arguments**

|        |   |
|--------|---|
| string | a string, to be converted into magrittr's pipe syntax   |
| pretty | create a multiline output, which is prettier. Try this. |

**Examples**

```
teststring = "jump_on(bop_on( scoop_up( hop_through(foo_foo, forest), field_mouse ), head))"
pipefittr(teststring, pretty = TRUE)
```

# Index

pipefittr, [2](#)