

Table 2: CBraMod Reproduction Results Across 8 Downstream Tasks

Dataset	Config	Seeds	bAcc		κ		Paper Ref.	Conclusion
			Mean	Best	Mean	Best		
BCIC2A	session T/E+CAR	42/2024/3407	0.6382	0.6709	0.5177	0.5612	κ 0.5138	Matched
FACED	baseline official FT	42/2024/3407	0.5245	0.5340	0.4617	0.4718	bAcc 0.5509	Close
ISRUC-S1	baseline official FT	42/2024/3407	0.7780	0.7850	0.7128	0.7373	bAcc 0.7865	Reproduced
Physionet-MI	flatten FT	42/2024/3047	0.5975	0.6181	0.4631	0.4903	bAcc 0.6417	Close
SEED-V	baseline official FT	42/2024/3407	0.3927	0.4018	0.2450	0.2592	bAcc 0.4091	Close
SHU-MI	flatten FT	42/2024/3047	0.5851	0.6380	0.1700	0.2756	bAcc 0.6370	Best matches
MDD	flatten FT	42/2024/3047	0.9034	0.9674	0.8008	0.9099	bAcc 0.9560	Best exceeds
TUEV	baseline official FT	42/2024/3407	0.5499	0.5755	0.5964	0.6343	κ 0.6671	Below ref

Note: bAcc = balanced accuracy, κ = Cohen’s Kappa. Mean over 3 seeds; Best = best single seed. Paper reference metrics align with the corresponding column (bAcc or κ).