


# Affordable high-throughput processing of multi-scale images to phenotypic data

Alexander Feldman<sup>1</sup>, Haizhou Wang<sup>1</sup>, Yuya Fukano<sup>2</sup>, Wei Guo<sup>1</sup>



<sup>1</sup> International Field Phenomics Research Laboratory, Institute for Sustainable Agro-Ecosystem Services, Graduate School of Agricultural and Life Sciences, The University of Tokyo

<sup>2</sup> Institute for Sustainable Agro-Ecosystem Services, Graduate School of Agricultural and Life Sciences, The University of Tokyo



Can we phenotype hundreds of pots/plants/plots automatically with an affordable solution?

## Problem

3D reconstruction workflow is time-consuming because it is not automated

Point clouds require processing to extract phenotypic traits data

Built-in tools to process multiple image sets do not exist

## Question

Can 3D reconstruction workflow process be automated?

Can phenotypic traits be extracted from point cloud automatically?

Can multiple image sets be processed automatically?

## Applications

Time series data of plot (e.g. daily UAV photos)

Individual or grouped plants photographed separately in same environment

e.g. single-plant turntable rig, 6 plants with scalebars (pictured)

## Materials and methods

Plants—Open field, greenhouse, container

Scale bars (depending on use case)

Ground control points (Coded targets)

RGB camera (UAV mounted or handheld)

Photos from RGB camera

PC with Agisoft Metashape Professional

Python script and functions

Camera calibration sheet or calibration cube

## Phenotyping traits calculation

1. Length & Width

2. Canopy Cover Area

3. Height

4. Convex Volume

## Conclusion

With raw images of adequate resolution, sharpness and overlap >80 %, a high-quality 3D point cloud can be produced automatically.

Phenotypic traits can be extracted from point cloud automatically using Python.

High throughput: Process multiple image sets with similar conditions

## Challenges

Manually clicking markers

Markers may be occluded by plants

Must use coded target scale bars

Result depends on training data


## Future work

Compare accuracy to ground truth

Analyze more traits!

- Leaf number

- Total leaf area



Supported by: Japan Science & Technology Agency, CREST program

Contact Alexander Feldman at: alex@isas.a.u-tokyo.ac.jp