SDC HACKATHON 2026 · TECHNICAL TOOL USAGE EVIDENCE

Replit Usage Proof

Paid subscription on one account, and the live backend deployment of KiraOrder

Team	Falcons	**Institution**	Xiamen University Malaysia
Submission	KiraOrder — multilingual order intake for wholesale clerks	**Team lead**	ZHOU JINGXI
Tool declared	Replit (backend hosting and deployment)	**Account holder**	He Minghao (self-funded account)
Evidence captured	24 October 2026	**Document issued**	25 October 2026
Revision	Rev. 2 — frontend and configuration corrected	**Coverage**	One of two Replit accounts used

CURRENT PLAN	DEPLOYMENT STATUS	REGION	INSTANCE
Replit Core	**Live**	**Asia**	**2 vCPU**
USD 20.00 / month	Public sharing mode	Autoscale	4 GiB RAM

0 Purpose and coverage

This document records that a paid Replit Core subscription was active on one team account, and that the KiraOrder backend was running as a live deployment in the Asia region at the time of capture. Two console screenshots are reproduced; every value quoted in the tables below is read directly from them.

Two points of coverage are stated at the outset, because a reader should not have to discover them later. First, the team used **two** Replit accounts: the one documented here is the self-funded Core account that owns the backend deployment. The second account, where sponsor-provided Replit Agent assistance was used, is **not** covered by this document and no billing screenshot for it is included (Section 5.2). Second, the primary user interface does **not** run on Replit: it is hosted on GitHub Pages, and the Replit frontend is retained as a legacy build (Section 3).

> **What these screens establish**
>
> A paid plan was in force on the owning account, and a live public deployment existed at **kiraorder-api.replit.app** in the **Asia** region on an **Autoscale 2 vCPU / 4 GiB RAM** instance. The screens do not show which model path the deployed service is configured to use, and they do not show run-time behaviour; both are addressed as declared configuration in Sections 2, 3 and 5.

CONTENTS

0	Purpose and coverage	Scope statement	1	Paid subscription — Core	Figure 1 · billing
2	Deployment and access control	Figure 2 · deployment	3	Role in the architecture	Layer table
4	How a reviewer can verify	Checklist	5	Limits, gaps and redaction	Boundaries
6	Evidence inventory	File list	7	Cross-references	Where else declared

1 Paid subscription — Replit Core

Figure 1 is the Billing page of the Replit account that owns the KiraOrder backend workspace. It shows a single active subscription on the **Core** tier at **USD 20.00 per month**, with automatic credit top-up switched off.




FIGURE 1 **Replit Billing page — current plan card.** The "Current plan" panel reads *Replit Core* at *$20.00 / month*, with *Auto-reload: Off*. The adjacent "Payment method" panel, which displayed the last four digits of the payment card and a scheduled renewal date, has been removed from this reproduction; the removal is described in Section 5.3.

Field on screen	Value as displayed	Reading
Current plan	Replit Core	Paid individual tier, not the free workspace tier
Price	$20.00 / month	Recurring monthly charge
Auto-reload	Off	No automatic credit top-up beyond the subscription fee
Payment method	Redacted	Card detail withheld deliberately — see Section 5.3

Who paid

The Core subscription reproduced above is **self-funded by the team member who owns the deployment account**. It is not a sponsored seat, and it has not been confirmed as covered by the hackathon sponsor programme. The Technical Tools Declaration lists this account separately from the sponsor-provided Replit Agent access used by another member during frontend development.

> **Declaration wording used in the submission**
> "Replit Core, USD 20.00 / month, self-funded, auto-reload off. Separately, sponsor-provided Replit Agent assistance was used during frontend development by Ye Lianghui."

What this account does not cover

The sponsored Agent usage sits on a **different account**. This document reproduces no invoice, receipt or usage screen from that account, and therefore evidences none of the sponsored spend. The figure declared in the submission for that account — **US$6.31 of sponsored Agent usage** — remains a declaration at this stage rather than a documented value. This is recorded again as an open gap in Section 5.2 instead of being left implicit.

2 Live deployment and access control

Figure 2 is the Deployment page of the KiraOrder API workspace. At capture time the deployment was **Live**, publicly shared, served from the **Asia** region and configured for **Autoscale** at **2 vCPU / 4 GiB RAM**.




FIGURE 2 **Replit Deployment page — status, domain, sharing and infrastructure.** The status badge reads *Live*; the deployment was published two hours before the capture. The connected domain is *https://kiraorder-api.replit.app*. Sharing is *Public*. Infrastructure shows region *Asia* and scaling *Autoscale (2 vCPU / 4 GiB RAM)*.

Field on screen	Value as displayed	Reading
Current status	Live	Running and serving traffic; not a draft or a stopped app
Last publish	"published 2 hours ago"	Relative timestamp as rendered at capture time
Connected domain	https://kiraorder-api.replit.app	Public hostname of the FastAPI backend
Sharing	Public	Reachable at a known URL; a sharing mode, not an auth setting
Region	Asia	Compute region of the deployment
Scaling	Autoscale (2 vCPU / 4 GiB RAM)	Managed autoscaling at the stated ceiling

> **"Public" describes reachability, not open access**
>
> An earlier draft described the deployment as having "no access gate". That was imprecise: the deployment is **publicly reachable** — the hostname resolves and the service answers without a Replit-side login — but the **business API is authenticated**. Calls to `/api/v1` must carry a **Bearer token**, and a request without one is rejected rather than served. Read the *Public* badge as "stable URL, credentials required for data".

The token requirement is not visible on this screen; it is declared configuration and can be checked by calling the versioned API without a token. The base URL above is the deployment root; the submission uses *https://kiraorder-api.replit.app/api/v1*.

3 Role of Replit in the KiraOrder architecture

Replit hosts the application tier: the FastAPI backend, plus a legacy build of the frontend. It does not host the primary user interface, the database or the language model.

Layer	Hosted on	What it does
Frontend — primary	GitHub Pages hozier123.github.io/ sdc-2026-team-project/	React / TypeScript clerk interface for pasting order messages and reviewing drafts. This is the address a reviewer should open.
Frontend — legacy	Replit kiraorder-web.replit.app	Earlier build, kept for reference. No longer the primary entry point.
Backend API	Replit kiraorder-api.replit.app	FastAPI service: parsing orchestration, tenant rules, catalogue matching, pricing and approvals; versioned under `/api/v1`
Database	Neon PostgreSQL (external)	Workflow records, approvals, delivery orders and audit trail
Model serving	RunPod serverless (external)	Qwen2.5-7B-Instruct-AWQ behind a vLLM OpenAI-compatible API; documented in the separate RunPod usage proof

Because the backend runs on Replit and the model on RunPod, the two proofs are kept separate, and neither is offered as proof of end-to-end AI behaviour.

Configuration of the model path, as declared

The deployment page reproduced here does not display environment configuration, so it cannot show which model provider the running service points at. The team's latest deployment note supersedes the earlier repository note on this point:

- `AI_PROVIDER=runpod_adapter` is configured on the deployed backend;
- the RunPod endpoint had **no active worker** at capture time, so requests that would need the model **fall back** instead of reaching it;
- consequently the public deployment is **not** an integrated live-AI demonstration, and this document makes no such claim.

The earlier stub configuration recorded in the repository (docs/ops/stub-public-parse-gap.md) is a historical record of a previous state, not a description of the current deployment. No new authenticated parse test was run for this revision.

4 How a reviewer can verify

- Open **https://hozier123.github.io/sdc-2026-team-project/** for the primary interface, and connect it with the demo token from the README.
- Call **https://kiraorder-api.replit.app/api/v1** without a token: the request is rejected rather than served — the access-control behaviour in Section 2.
- Compare Sections 1 and 2 against the Billing and Deployment pages of the API workspace; the panel layout is unchanged.
- Cross-read the Technical Tools Declaration, where the same hostnames, region, instance size and provider configuration are declared.

5 Limits, evidence gaps and redaction

Submitted evidence is only useful if its boundaries are stated plainly. The following limits apply to this document.

5.1 What these screens support

Statement	Status	Detail
Replit Core subscription active	EVIDENCED	Figure 1, Billing page
Live public deployment in Asia	EVIDENCED	Figure 2, Deployment page
Autoscale 2 vCPU / 4 GiB RAM	EVIDENCED	Figure 2, Infrastructure block
Business API requires a Bearer token	DECLARED	Not visible on the console screen; unauthenticated calls are rejected. See Section 2
Primary frontend on GitHub Pages	DECLARED	hozier123.github.io/.../sdc-2026-team-project/; Replit frontend is legacy. Not reproduced here
Public parse reaches a live model	NOT CLAIMED	`AI_PROVIDER=runpod_adapter` is configured, but the RunPod endpoint had no active worker, so public parse falls back. No new authenticated parse test was run
Throughput, latency or uptime of the Replit tier	NOT MEASURED	No load, latency or availability figures are claimed from these screens
Sponsor funding of the Core plan	NOT CLAIMED	The plan is self-funded and has not been confirmed as sponsor-covered

5.2 Open evidence gaps

Gap	Status	Consequence
Second Replit account — sponsored Agent usage (US$6.31)	MISSING	No screen from that account is included; the amount stays a declaration until one is supplied
Legacy Replit frontend deployment page	MISSING	Figure 2 covers the API workspace only; the legacy frontend is not claimed as current
Authenticated parse test against the live adapter	MISSING	Declared, not demonstrated; a token-bearing call returning model-extracted rows would close it

These gaps do not weaken what Figures 1 and 2 show — a paid plan and a live deployment — but they do bound it: this document evidences one account and one deployment, and nothing further.

5.3 Redaction applied to the reproduced screenshots

One deliberate edit was made, and only one. In the Billing screenshot, the "Payment method" panel showed the last four digits of the payment card and a renewal date; it was cropped out, because a submission document circulated to judges should not carry payment instrument fragments. The "Current plan" panel was not altered: plan name, price and auto-reload state appear exactly as rendered.

No content was added, no value was retyped, retouched or replaced, and no other region of either screenshot was edited.

6 Evidence inventory

File	Source	Content
Replit Billing page	Replit console	Plan name, monthly price, auto-reload state (payment panel cropped)
Replit Deployment page	Replit console	Status, connected domain, sharing, region, scaling
This document	Team Falcons	Consolidated proof, field-by-field reading, gap register and limitation statement

7 Cross-references in the submission

The same facts appear in the team's other submission documents. These pointers let a reviewer check one against the other rather than relying on this document alone.

Fact in this document	Also recorded in
Core plan, USD 20.00, self-funded	Technical Tools Declaration — Replit entry in the tool inventory, noted separately from the sponsored Agent account
Deployment hostname, region and instance size	Technical Tools Declaration — Appendix B, Replit deployment evidence
Primary UI on GitHub Pages; Replit frontend legacy	Technical Tools Declaration — GitHub / GitHub Pages entry, and the Replit frontend note
Model path configured with fallback	Technical Tools Declaration — deployment status note (supersedes the earlier repository stub note)
RunPod endpoint used by the adapter	RunPod Usage Proof (companion document), Sections 1 and 5

Attestation

The undersigned confirms that the screenshots reproduced in this document were captured from the vendor console on the date stated, that the readings in the tables correspond to those screens, and that the limitations and gaps listed above are complete to the best of the team's knowledge. Where a value is declared rather than evidenced, it is marked as such.

Issued by team **Falcons**, Xiamen University Malaysia, for SDC Hackathon 2026. Revision 2, 25 October 2026.

ZHOU JINGXI — Team lead | DSC2509065@xmu.edu.my | 25 October 2026