SDC HACKATHON 2026 — Technical & Tools Declaration

Hosted by Xiamen University Malaysia (XMUM) AI Club · Submission deadline: 1st November 2026

Team: Falcons · **Project:** KiraOrder for Orbyte · Domain 2 — Orbyte Smart SME Challenge

This document follows the official `SDC Hackathon_ Tech. Tools Declaration Template (Finalist)` section by section. Every section is completed; where a category does not apply it is stated as None rather than left blank. Word limits are verified by machine count. This supersedes the Phase 1 declaration dated 2026-10-25.

1 Team & Project Overview

Field	Response
Team Name	Falcons
Project / Solution Name	KiraOrder for Orbyte
Name (Leader)	Zhou Jingxi
Email & Phone (Leader)	DSC2509065@xmu.edu.my · +60 174842902
University Affiliation(s)	Xiamen University Malaysia
Live Prototype URL	Primary: https://hozier123.github.io/sdc-2026-team-project/ · API: https://kiraorder-api.replit.app/api/v1 · Readiness: https://kiraorder-api.replit.app/readyz · Legacy Replit UI (not the review entry point): https://kiraorder-web.replit.app
Code Repository URL (public / access granted to judges)	https://github.com/Hozier123/sdc-2026-team-project — public, Apache-2.0 LICENSE present.

2 Architecture & Technology Stack

2.1 System Architecture Overview

[Maximum 200 words]

KiraOrder turns a pasted multilingual order message into a reviewable draft, a role-appropriate decision and a delivery order. React 19 and TypeScript 5.8 on GitHub Pages call a FastAPI service on Replit over HTTPS JSON; Neon PostgreSQL 17 stores drafts, approvals, delivery orders, inventory and audit records. A configured model branch sends masked text to Qwen2.5-7B-Instruct-AWQ served by vLLM on RunPod, invoked in-process from `parse-draft` only. Exact catalogue aliases can resolve without a model. Backend rules validate matches, compute tier prices and check stock; humans approve.

The final round added a tenant-scoped read-only catalogue endpoint, auditable manual recovery through the existing save and approve routes, and an isolated two-cluster environment for write-path acceptance. Local Demo is a separate browser-only synthetic-data mode that calls neither the backend nor the model. Figure A1 in Section 3.1 of the accompanying Final Report distinguishes these paths.

This declaration covers runtime dependencies, development tools, synthetic datasets, cloud services and sponsor resources, based on repository records at main @ `f347ed6` and member declarations, reviewed on 31 October 2026. Frontend source is 1.5.2; the published Pages build is `4f3656e` from `d4915e7` (1 November 2026). Unrecorded tool versions and unquantified usage remain explicitly marked.

Word count: 196 of 200

2.2 Languages, Frameworks & Libraries

Versions below were read from `backend/pyproject.toml`, `backend/requirements.lock` and `frontend/package.json` at commit `f347ed6`, not from README text. The frontend package version field reads 1.5.2.

Name & Version	Purpose in Project	License
Python 3.13; Node.js 22	Backend and frontend runtimes	PSF License; MIT
PostgreSQL 17	Relational database	PostgreSQL License
FastAPI 0.158.1; Pydantic 2.14.1; pydantic-settings 2.16.1	API, schema validation, settings	MIT
Uvicorn 0.54.0; Starlette 1.9.0	ASGI server and API infrastructure	BSD-3-Clause
HTTPX 0.28.1	HTTP client for model requests	BSD-3-Clause
psycopg 3.3.6	PostgreSQL driver	LGPL-3.0
pglast 7.21	SQL parsing, imported at runtime by `app.migrations` and `app.seed`	GPL-3.0-or-later
RapidFuzz 3.14.6	Alias and catalogue matching	MIT
pytest 9.1.1; Ruff 0.17.1; jsonschema 4.26.0; PyYAML 6.0.3; Hatchling 1.32.4	Testing, linting, validation, build tooling	MIT
vLLM 0.32.0	Model serving on RunPod; version reported by the operator, not read from a runtime fingerprint	Apache-2.0
react 19.1.0; react-dom 19.1.0	User interface and browser rendering	MIT
three 0.186.x; @react-three/fiber 9.8.x; @react-three/drei 10.7.x	3D visual rendering	MIT

Name & Version	Purpose in Project	License
gsap 3.15.x; @gsap/react 2.1.2	Interface animation	GSAP Standard License (no-charge tier)
lucide-react 0.468.0	Interface icons	ISC
tailwindcss 4.3.x; @tailwindcss/vite 4.3.x	Interface styling and build integration	MIT
vite 6.4.5; @vitejs/plugin-react 4.5.0	Frontend build and development	MIT
typescript 5.8.3; tsx 4.19.4	Typed frontend code and script execution	Apache-2.0; MIT
ajv 8.20.0; ajv-formats 3.0.1; openapi-typescript 7.6.1	JSON schema validation and API type generation	MIT
@types/react 19.1.0; @types/react-dom 19.1.0; @types/three 0.186.0	Type declarations	MIT
Marcellus; Cormorant Garamond; Cinzel	Self-hosted font assets; Cinzel retained but not claimed as an active UI font	SIL Open Font License 1.1
React Bits DepthText (TS-CSS, retrieved 23 October 2026)	Opening wordmark depth effect	MIT + Commons Clause License Condition v1.0
Official SDC repository starter	Code scaffold	Apache-2.0

3 APIs & Cloud Services

3.1 External APIs

API & Provider	Purpose in Project	Access Tier (free / paid / sponsor-provided)
RunPod OpenAI-compatible inference API — `https://lx22t9308hc10c.api.runpod.ai`	Backend model path and standalone evaluation. Called only from `parse-draft`. At the last recorded check the endpoint reported zero active workers and public parsing fell back	SDC sponsor credit, US$25
Neon PostgreSQL connection	Database access through psycopg. A database protocol connection, not a GenAI API	Free plan
External website assets and references	Frontend visual and font assets; distinct from order-processing APIs	Asset-specific terms; no runtime GenAI subscription

No WhatsApp, payment, mapping, GPT or Gemini API is called in the runtime order flow. The new final-round endpoints — `GET /api/v1/catalog/products` — are internal to our own backend and call nothing external. **No external API was added during the final round.**

3.2 Cloud Platforms & Deployment

Service & Provider	Purpose in Project	Plan / Region
Replit — backend	FastAPI deployment at `kiraorder-api.replit.app`. **Current Live `5cae3434`** (application `520556c`, published 2026-10-31 14:44 UTC+8, a scoped re-release carrying the reviewed unit-guard fix; 58/58 pre-publish reads and 16/16 post-publish guard checks passed). Earlier deployments: `6d6bafd8` (rollback baseline, app `99ee169`), `3e568d26`. Deployment evidence in Appendix B	Core US$20/month, self-funded by He Minghao; Asia; Autoscale 2 vCPU / 4 GiB
Replit — frontend development	Legacy frontend at `kiraorder-web.replit.app`; the primary UI is GitHub Pages. Ye Lianghui used sponsored Agent assistance for frontend generation	"Power" as reported by Ye; region not recorded; US$6.31 sponsored usage
Neon	PostgreSQL 17; project `kiraorder-demo-2026-pg17`; demo and acceptance data	Free; ap-southeast-1; organization Minghao
RunPod Serverless Load Balancer	vLLM inference. PRO 6000 MIG, 24 GB, one GPU. Container `vllm/vllm-openai:latest`; operator reports vLLM 0.32.0	US-NE-1; US$0.00019/second; US$25 sponsored credit; Appendix C
GitHub / GitHub Pages	Source control, review, evidence records and the primary frontend at `hozier123.github.io/sdc-2026-team-project/`, serving `gh-pages` `4f3656e` from source `d4915e7` (frontend 1.5.2 plus review-display items), published 2026-11-01 07:12 UTC+8; 31/31 public files matched, with no authenticated role session. The backend remains `5cae3434`, so R08 diagnostics are dormant. Documentation commits followed on main.	Plan not recorded; managed hosting region not specified

4 AI Tools, Models & Datasets

4.1 AI Models Used in the Solution

Model & Version	Source / Provider	Usage (pre-trained / fine-tuned / self-trained)	License / Terms
Qwen2.5-7B-Instruct-AWQ (4-bit AWQ)	Qwen / Hugging Face; served on RunPod through vLLM 0.32.0	**Pre-trained. No training and no fine-tuning.** Temperature 0; max model length 8192; max output tokens 2048; business timeout `LLM_TIMEOUT_S=4.1`. No FP16 comparison run is claimed	Apache-2.0 — https://huggingface.co/Qwen/Qwen2.5-7B-Instruct-AWQ/blob/main/LICENSE

No other model is embedded in or called by the application. No self-trained or fine-tuned model is claimed.

Runtime evidence is bounded. On 1 November 2026 a 20-minute isolated window exercised the configured model on candidate R06 data: three consecutive parses returned the expected three lines, and save, approval, one delivery order totalling RM63.00, stock deductions of 2, 3 and 2, audit and activity log passed, including a 409 on repeated approval and blocked approval for an ambiguous message. Copying the live aliases and prices into the isolated database left sugar and salt as UNKNOWN (FAMILY_NOT_EVIDENCED), so candidate success did not transfer to live data. The attempt was not released: no repository push, deployment or live database write occurred; the temporary API was stopped, the verified demonstration baseline is unchanged, and records remain local.

4.2 Datasets

Dataset Name	Source / URL	Type (public / private / self-collected / synthetic)	License	Personal Data? (Y/N)
T1 seed `KB-T1-20261022-r1`	Team-created; canonical seed in `data/seed/T1_seed.sql`	Private synthetic; 40 products, 795 inventory units, 3 users, 8 customers, 50 family aliases, 26 unit aliases	Team-owned synthetic data; no third-party license	N
T2 seed `KB-T2-20261022-r1`	Team-created; `data/seed/T2_seed.sql`	Private synthetic; 16 products, 450 inventory units, 3 users, 5 customers, 30 family aliases, 30 unit aliases	Team-owned synthetic data; no third-party license	N
DEV41 development cases	Team development fixtures	Synthetic development and evaluation set of 23 evaluated cases; **not** an independent frozen benchmark	Team-owned synthetic data	N
Canonical six-case samples	Team; `docs/ai_contract/samples/`	Synthetic contract cases: normal, multi_line, multi_candidate, ambiguous, condition, empty	Team-owned synthetic data	N
TEST32	Team-controlled inputs and privately held answer key; structure, field and tenant mapping by He; business review by Zhan; evaluation package and scoring by Zhou	Private synthetic evaluation; 32 items / 34 executions; 19 AI-only, 1 resolver-only, 12 workflow — **12 workflow cases remain `NOT_RUN`**	Team-owned synthetic data; answers privately controlled	N

Dataset Name	Source / URL	Type (public / private / self-collected / synthetic)	License	Personal Data? (Y/N)
Independent answer key (final round, new)	Zhou Jingxi; held offline and not published	Private scoring key for the 23 development cases, used for the strict six-field assessment	Team-owned; retained offline to prevent leaking test answers	N
Local Demo dataset	Team-created browser fixtures	Synthetic demonstration data for the browser-only mode; tenant shown as Bintang Wholesale	Team-owned synthetic data	N
Manual baseline package v2.1	Team baseline protocol and recording sheet	Prepared but **not executed**; the 210-second and 30 % figures remain unvalidated planning estimates	Team-owned	N

No public or third-party dataset was used for training, fine-tuning or evaluation. No dataset contains personal or sensitive data.

4.3 AI-Assisted Development Tools

Did your team use any generative-AI tool to help create code, design, text, or other project material?

☑ **Yes** ☐ No

Development assistants are not runtime application models. Versions and usage levels follow each member's latest declaration; where no per-tool level was supplied, the combined level is stated and the gap is marked.

Tool & Version	Used For	Extent of Use (minor / moderate / major)
Codex Desktop 26.1013.40934 — He Minghao	Code implementation, review and documentation	Major
DeepSeek Harness 44.7.0 — He Minghao	Coding and review assistance	Major
Qoder Desktop 0.4.11 — Xiong Peicheng	Read-only repository review, hash checks, evidence and script review	Moderate

Tool & Version	Used For	Extent of Use (minor / moderate / major)
Antigravity 2.4.3 with "Gemini 3.8 Flash High" — Xiong Peicheng	Execution agent for code, scripts, tests and evidence generation	Major
DeepCoder — Xiong Peicheng; version not recorded	Previously disclosed subagent support for batch code and evaluation	Not restated by the member; level not supplied
Replit Agent / "Power" — Ye Lianghui	Homepage generation, layout, styles and animation; sponsored use	US$6.31 usage; qualitative level not supplied
Codex with GPT-6.1 — Ye Lianghui	Minor coding assistance; also project records, documents, website tutorials and repository comparisons	Coding use minor; overall tool use major as jointly reported
Gemini 4 — Ye Lianghui; latest reported label	Researching project-related information	Major combined use with Codex; separate level not specified
Codex — Zhan Zhengrong; version not recorded	Previously disclosed project assistance	Not restated by the member; level not supplied
ChatGPT with GPT-6 — Zhan Zhengrong	Demonstration-video planning, scripts, English narration, animation storyboards and project analysis	Major overall toolset use as reported
WorkBuddy with DeepSeek v4.1 Flash — Zhan Zhengrong	Same video and project-materials toolset; individual task allocation not specified	Major overall toolset use as reported
Jimeng AI with Seedance 2.0 mini — Zhan Zhengrong	A small amount of AI-generated content in the demonstration video; no asset is embedded in these documents	Minor video contribution; overall toolset major
Codex — Zhou Jingxi; version not recorded	Previously disclosed file organisation and upload assistance	Not restated by the member; level not supplied
Claude Code 2.1.178 — Zhou Jingxi	T1/T2 synthetic seeds, data scripts, SHA-256 checks, DEV/TEST materials, answer-key drafts, verification and submission records	Major
DeepSeek Harness, desktop agent — Zhan Zhengrong; version not recorded	**Final round, 31 October 2026:** read-only repository review, evidence cross-checking, and drafting of the updated PRD, final report, technical declaration, pitch script and demo runbook	Major for materials production; **no product source code, seed data or evidence artifact was generated by this tool**

Briefly describe how your team reviewed, tested, and took responsibility for AI-generated output:

[Maximum 100 words]

Every generated artifact was checked against the repository and business rules before use. Code changes required passing CI, a review, and a recorded acceptance scenario before being described as verified. Documents were constrained to values traceable to a committed evidence file; where no record existed, the value was marked pending rather than filled. Independent scoring used a privately held answer key so the model could not be scored against its own output. No prediction was retro-fitted to make a failing result look correct. The team retains responsibility for content, licences and every approval decision.

Word count: 94 of 100

5 Sponsor-Provided Resources

Did your project use any official SDC sponsor-provided resource?

☑ **Yes** ☐ No

Sponsor	Resource (API / credits / platform / data)	How It Was Used in the Project
RunPod / SDC	US$25 cloud credit	GPU inference hosting and evaluation. Operator reports about US$11.6 used; the captured console shows a US$13.38 balance and zero running workers at capture. These are reporting snapshots, not reconciled billing
Replit / SDC	Sponsored Agent usage	Ye Lianghui reports US$6.31 for frontend generation and styling, activity on 21 October in the 20 October–19 November 2026 UTC reporting period. The supplied record shows a Usage screenshot with that amount. Usage is not an invoice or proof of sponsor origin

Was the sponsor resource essential to the core functionality, or could it be replaced?

[Maximum 100 words]

Neither is structurally essential. RunPod supplied the GPU host for model evaluation and the configured extraction path; an equivalent model host with a compatible OpenAI-style API could replace it, and the rules path works with no GPU at all. Replit hosts the backend and supported frontend creation; the service could move to another web host with the same environment variables. Neon runs on its Free plan and receives no sponsor funding. No sponsor-provided dataset or additional sponsor GenAI API is claimed.

Word count: 81 of 100

6 Security, Privacy & Responsible Use

6.1 Data Handling & Privacy

What user or personal data does your application collect, store, or send to third-party services (including AI APIs)? How is it protected, and how long is it kept? State "No user data is collected" if applicable.

[Maximum 150 words]

Evaluation and demonstration use team-created synthetic orders and catalogues, not real customer records. In connected operation, pasted order text reaches the backend; identifying text is masked before any model call, and only masked spans and timings enter diagnostic evidence. Structured orders, approvals, delivery orders and audit records reside in Neon. Local Demo stores its data in the browser; session tokens remain in tab memory and are not written to disk, the repository or screenshots. Role restrictions, API-enforced tenant isolation and a reduced warehouse field projection limit who sees what. No fixed retention period or automatic deletion job is implemented, and no certified PDPA compliance is claimed. Provider-side log retention is unconfirmed. RunPod processes in US-NE-1 and Neon in Singapore.

Word count: 119 of 150

6.2 Known Limitations & Risks

Identify the main technical limitations of your AI components (e.g., hallucination, bias, rate limits, dependency on a single provider) and any mitigation you have implemented.

[Maximum 150 words]

Extraction is limited: 8 of 23 development cases passed all six fields at once, and the official unit evaluation is 24/31, with seven gaps each blocked in the business layer rather than guessed. Unidentified product rows return explicit UNKNOWN; a missing unit in a multi-unit family blocks with MISSING_UOM. Reproducibility (C13) was tested and did not pass, so no repeatability is claimed. Handling when the model is unavailable (C10) is only partially verified. A save path that could fill a missing unit was fixed and regression-tested on 2026-10-31. Four of eight condition spans were truncated and raise no issue. A cold start produced a 180-second read timeout with five fallbacks, so a live-model demonstration depends on a warmed worker. An isolated candidate-data run on 1 November passed, but live aliases left sugar and salt UNKNOWN. TEST32 has 12 cases not run, and no user study was performed.

Word count: 147 of 150

7 Compliance & Readiness Checklist

Tick	Item
☑	All APIs, cloud services, AI tools, models, and datasets used in the project are declared in this document.
☐	All third-party code, datasets, and models are used in accordance with their licenses, and attribution is provided where required. **This cannot be ticked as complete.** Code, model and font licences are checked and attributed in Appendix D; the origin and permission record for several visual assets is still unresolved (Appendix E). An exception note does not turn an unmet condition into a met one, so the box stays unticked until either those records exist or the assets are removed.
☑	No API keys, passwords, or other credentials are exposed in the code repository, prototype, or this document. Screenshots in Appendices B and C were inspected and contain no credentials.
☑	Any use of generative-AI tools for development has been disclosed and reviewed by the team.
☑	Any use of official SDC sponsor resources has been declared in Section 5.
☑	The prototype described here is accessible to judges through the links provided in Section 1. **Scope:** the front end is public and needs no account. The API is reachable but needs a role-bound session token issued by the team on request; it is not self-service, and no review window is guaranteed by this document.
☐	All fields in this template have been completed within the word limits stated. Word limits are verified; three fields remain open — leader contact confirmation, the committee-account status in Section 1, and unrecorded tool versions.

8 Declaration

By submitting this document, the team leader confirms that the information provided is complete and accurate to the best of the team's knowledge, and that every API, cloud service, AI tool, dataset, model, and sponsor resource used in the project has been declared.

Team leader: **ZHOU JINGXI**



Signature:

Date signed: 1.11.2026


Appendix A — Source records *(supplementary)

- Repository at `main` @ `5ed535e` before this refresh (2026-11-01); dependency facts read at `f347ed6` (2026-10-31); deployment facts at Pages `4f3656e/d4915e7` (2026-11-01) and backend `5cae3434`: https://github.com/Hozier123/sdc-2026-team-project
- Dependency versions: `backend/pyproject.toml`, `backend/requirements.lock`, `frontend/package.json`
- Deployment record: `evidence/b03/2026-10-31/release.json`
- AI evaluation and its boundaries: `evidence/phase2/2026-10-30/ai-dev-results.md`, `ai-review-summary.md`, `ai-degradation-recovery.md`
- Seed counts and manifest: `data/seed/README.md`, `data/seed/SEED_MANIFEST.json`
- Catalogue contract: `docs/ops/b02-catalog.md`
- Manual recovery: `docs/ops/b03-manual-recovery.md`
- Model licence: https://huggingface.co/Qwen/Qwen2.5-7B-Instruct-AWQ/blob/main/LICENSE
- Other licence references: https://github.com/encode/httpx/blob/master/LICENSE.md · https://github.com/lelit/pglast · https://gsap.com/standard-license

Cloud plans, sponsor amounts and personal development tools come from member declarations by He Minghao, Xiong Peicheng, Ye Lianghui, Zhou Jingxi and Zhan Zhengrong. Unrecorded details remain explicitly marked.

Appendix B — Replit deployment evidence

Backend deployment as reported by the Replit console: status **Live**, connected domain `https://kiraorder-api.replit.app`, sharing **Public**, region **Asia**, scaling **Autoscale (2 vCPU / 4 GiB RAM)**. This is hosting evidence, not proof of successful live model extraction. The self-funded Core plan is declared separately from Ye Lianghui's sponsored Agent account.




Appendix B — Replit deployment console (Asia, Autoscale 2 vCPU / 4 GiB), captured by He Minghao

Appendix B. Captured 2026-10-24. Contains no credentials.


Appendix C — RunPod deployment evidence

The serverless Load Balancer endpoint is `lx22t9308hc10c`, image `vllm/vllm-openai:latest`, model `Qwen/Qwen2.5-7B-Instruct-AWQ`, GPU count 1, GPU 24 GB, with a captured balance of US$13.38 and **0 running workers**. Zero workers is a snapshot after shutdown, not a claim of continuous availability.



Appendix C — RunPod serverless endpoint overview: endpoint ID, image, model, GPU count and type

Appendix C. Captured 2026-10-24. Endpoint URL, image, model, GPU count and GPU type are visible as required by Handbook 10.7.



Appendix C — RunPod worker state: zero active workers after shutdown

Appendix C (continued). Worker state at capture.

Shutdown logs recorded around 20:25:09–20:25:10 (+08:00) on 24 October 2026 are retained in `evidence/runpod/2026-10-24/`. Shutdown logs do not establish inference accuracy or the absence of all runtime warnings.

Appendix D — Third-party notices

pglast 7.21. Used under the GNU General Public License version 3 or later. It is a runtime dependency declared in `backend/pyproject.toml` and imported by `app.migrations` and `app.seed`; it is not merely a build tool. Upstream: https://github.com/lelit/pglast (v7.21). Licence text: https://www.gnu.org/licenses/gpl-3.0.html. This notice identifies the component and licence; it does not assert that publishing an application repository alone satisfies every distribution obligation.

psycopg 3.3.6. Used under the GNU Lesser General Public License version 3. Upstream: https://github.com/psycopg/psycopg (3.3.6). Licence: https://github.com/psycopg/psycopg/blob/master/LICENSE.txt. Component notices and applicable redistribution requirements must be retained in distributed packages.

React Bits DepthText. Copyright (c) 2026 David Haz. The TS-CSS component was retrieved on 23 October 2026 and adapted for the opening wordmark. Licence: MIT + Commons Clause License Condition v1.0. The supplied notice is retained at `frontend/src/components/reactbits/LICENSE-ReactBits.txt`; source and file hashes are in `SOURCE.json` in the same directory. Registry: https://reactbits.dev/r/DepthText-TS-CSS.json. This component must not be described as plain MIT: the supplied licence restricts distribution of the components themselves.

Fonts and scaffold. Marcellus, Cormorant Garamond and retained Cinzel are declared under SIL Open Font License 1.1. Cinzel is retained in the repository; current primary-interface use is not claimed. Cinzel attribution: Copyright 2020 The Cinzel Project Authors, notice at `frontend/public/assets/fonts/Cinzel-OFL.txt`. The official SDC repository starter is declared under Apache-2.0.

Appendix E — Visual assets and evidence boundaries

This inventory distinguishes verified code references from unresolved creator and permission records. A hosting URL does not establish ownership or authorisation. The design reference was used as visual inspiration only; it is not training or evaluation data.

Asset and use	Recorded source	Creator or authorisation status
Desktop background video and poster	`PlanetGreeting.tsx` — `VIDEO_URL` and `POSTER_URL` on `d8j0ntlcm91z4.cloudfront.net`; exact paths retained in source	Creator, generating tool and permission evidence **not supplied**
`night-background-mobile.mp4` and `.jpg`	`frontend/public/assets`; mobile background and poster	Creator, generating tool and derivation rights **not recorded**
`nebula.png`	`frontend/public/assets`; the frontend README describes extraction from the original intro HTML	Original creator and permission evidence **not supplied**
Marcellus and Cormorant Garamond	Self-hosted font assets and associated CSS	SIL Open Font License 1.1; retain original notices

Asset and use	Recorded source	Creator or authorisation status
Cinzel	`frontend/public/assets/cinzel.css` and `fonts/Cinzel-OFL.txt`	Cinzel Project Authors; SIL OFL 1.1; active UI use not asserted
Jimeng AI outputs	Zhan confirms a small amount of Jimeng AI / Seedance 2.0 mini content in the demonstration video; none embedded in these documents	Video use confirmed; individual asset filenames and a detailed list **not supplied**

Deployment and availability boundaries. The backend currently runs Replit deployment `5cae3434`, published 2026-10-31 14:44 UTC+8 from application `520556c` with a scoped re-release of the reviewed unit-guard fix; 58 of 58 pre-publish read-only checks and 16 of 16 post-publish guard checks passed, and `6d6bafd8` remains the rollback baseline. The front end on GitHub Pages serves `4f3656e`, published 2026-11-01 07:12 UTC+8 from source `d4915e7` (frontend 1.5.2 plus the review-display items); 31 of 31 public build files matched the manifest, 8 of 8 preserved files remained reachable, and public page, deep-link and API-boundary checks passed. No authenticated role session or E09-B run was performed. Documentation commits followed on main; no new backend was deployed, so the R08 diagnostics remain dormant. Live model availability requires a newly verified session; this document certifies none.

Cold-start source. `docs/handoff_2026-10-23.md` reports 198.5 seconds from scale-from-zero to the first `/health` response and identifies the benchmark's 1.87 seconds as a hot-worker first call. These are historical measurements, not current availability guarantees. A later cold-start run on 2026-10-29 produced a 180-second read timeout with the first five parses falling back.