

End-to-End API Test Report

Run started: 2026-06-11 09:44:17 UTC
Run finished: 2026-06-11 09:52:00 UTC
API base URL: https://6ip1nkzb27.execute-api.eu-west-3.amazonaws.com/api
AWS account: 471112613959
AWS region: eu-west-3

139

TOTAL STEPS

139

PASSED

0

FAILED

Endpoint Summary

Step	Method	Path	Expected	Got	HTTP	DB	Result
AUTH-1	POST	/auth/sign-up	201	201	OK	OK	PASS
AUTH-2	POST	/auth/sign-in	200	200	OK	-	PASS
AUTH-3	POST	/auth/sign-in	401	401	OK	-	PASS
AUTH-4	POST	/auth/refresh	200	200	OK	-	PASS
AUTH-5	POST	/auth/logout	200	200	OK	-	PASS
AUTH-6	POST	/auth/sign-up	422	422	OK	-	PASS
AUTH-7	POST	/auth/sign-up	422	422	OK	-	PASS
AUTH-8	POST	/auth/sign-up	422	422	OK	-	PASS
AUTH-9	POST	/auth/sign-up	409	409	OK	OK	PASS
AUTH-10	POST	/auth/sign-in	422	422	OK	-	PASS
AUTH-11	POST	/auth/refresh	422	422	OK	-	PASS
AUTH-12	POST	/auth/logout	422	422	OK	-	PASS
AUTH-13	POST	/auth/sign-in	422	422	OK	-	PASS
LOC-1	GET	/locations	200	200	OK	OK	PASS
LOC-2	GET	/locations/select-options	200	200	OK	-	PASS
LOC-3	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533	200	200	OK	-	PASS
LOC-4	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/s...	200	200	OK	-	PASS
LOC-5	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/v...	200	200	OK	-	PASS
LOC-6	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	200	200	OK	OK	PASS
LOC-7	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/t...	200	200	OK	OK	PASS
LOC-8	GET	/locations/not-a-uuid	422	422	OK	-	PASS
LOC-9	GET	/locations/4a800a38-5e0b-457e-a688-5e050d470bd6	404	404	OK	-	PASS
LOC-10	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	422	422	OK	-	PASS

Restaurant App - E2E Endpoint Test Report

Step	Method	Path	Expected	Got	HTTP	DB	Result
LOC-11	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	422	422	OK	-	PASS
LOC-12	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	422	422	OK	-	PASS
LOC-13	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	422	422	OK	-	PASS
LOC-14	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/t...	403	403	OK	-	PASS
LOC-15	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/t...	401	401	OK	-	PASS
DISH-1	GET	/dishes	200	200	OK	-	PASS
DISH-2	GET	/dishes/popular	200	200	OK	-	PASS
DISH-3	GET	/dishes	200	200	OK	-	PASS
DISH-4	GET	/dishes/611de651-ebef-53b2-84e6-ac72061825f0	200	200	OK	-	PASS
DISH-5	GET	/dishes/2d3b6e87-5429-4dde-85ea-ddf1bd72a60f	404	404	OK	-	PASS
DISH-6	GET	/dishes	422	422	OK	-	PASS
DISH-7	GET	/dishes	422	422	OK	-	PASS
DISH-8	GET	/dishes/not-a-uuid	422	422	OK	-	PASS
USER-1	GET	/users/profile	200	200	OK	-	PASS
USER-2	PUT	/users/profile	200	200	OK	OK	PASS
USER-3	PUT	/users/profile	200	200	OK	OK	PASS
USER-4	GET	/users/waiter/location	200	200	OK	-	PASS
USER-5	GET	/users/profile	401	401	OK	-	PASS
USER-6	PUT	/users/profile	422	422	OK	-	PASS
USER-7	PUT	/users/profile	422	422	OK	-	PASS
USER-8	GET	/users/profile	401	401	OK	-	PASS
CUST-1	GET	/customers	200	200	OK	OK	PASS
CUST-2	GET	/customers	403	403	OK	-	PASS
CUST-3	GET	/customers	401	401	OK	-	PASS
REP-1	GET	/reports	200	200	OK	-	PASS
REP-2	GET	/reports	200	200	OK	-	PASS
REP-3	GET	/reports	403	403	OK	-	PASS
REP-4	GET	/reports	403	403	OK	-	PASS
REP-5	GET	/reports	422	422	OK	-	PASS
REP-6	GET	/reports	422	422	OK	-	PASS
REP-7	GET	/reports	422	422	OK	-	PASS
REP-8	GET	/reports	422	422	OK	-	PASS
REP-9	GET	/reports	401	401	OK	-	PASS
REP-10	POST	/reports/download	200	200	OK	-	PASS
REP-11	POST	/reports/download	200	200	OK	-	PASS
REP-12	POST	/reports/download	200	200	OK	-	PASS
REP-13	POST	/reports/download	200	200	OK	-	PASS
REP-14	POST	/reports/download	403	403	OK	-	PASS
REP-15	POST	/reports/download	403	403	OK	-	PASS
REP-16	POST	/reports/download	401	401	OK	-	PASS
REP-17	POST	/reports/download	422	422	OK	-	PASS
REP-18	POST	/reports/download	422	422	OK	-	PASS
REP-19	POST	/reports/download	422	422	OK	-	PASS
REP-20	POST	/reports/download	422	422	OK	-	PASS
BOOK-1	GET	/bookings/tables	200	200	OK	OK	PASS
BOOK-2	GET	/bookings/waiter/tables	200	200	OK	-	PASS

Restaurant App - E2E Endpoint Test Report

Step	Method	Path	Expected	Got	HTTP	DB	Result
BOOK-3	POST	/bookings/client	200/201	200	OK	OK	PASS
BOOK-4	GET	/bookings/client	200	200	OK	-	PASS
BOOK-5	GET	/bookings/client/180658c3-8d14-4702-98cb-9d6df1cd...	200	200	OK	-	PASS
BOOK-6	PUT	/bookings/client/180658c3-8d14-4702-98cb-9d6df1cd...	200	200	OK	OK	PASS
BOOK-7	PUT	/bookings/waiter/180658c3-8d14-4702-98cb-9d6df1cd...	200	200	OK	OK	PASS
BOOK-8	POST	/bookings/client	422	422	OK	-	PASS
BOOK-9	GET	/bookings/tables	422	422	OK	-	PASS
BOOK-10	GET	/bookings/tables	422	422	OK	-	PASS
BOOK-11	POST	/bookings/client	422	422	OK	-	PASS
BOOK-12	POST	/bookings/client	422	422	OK	-	PASS
BOOK-13	POST	/bookings/client	422	422	OK	-	PASS
BOOK-14	POST	/bookings/client	422	422	OK	-	PASS
BOOK-15	POST	/bookings/client	422	422	OK	-	PASS
BOOK-16	POST	/bookings/client	409	409	OK	OK	PASS
BOOK-17	POST	/bookings/client	401	401	OK	-	PASS
BOOK-18	PUT	/bookings/client/180658c3-8d14-4702-98cb-9d6df1cd...	422	422	OK	-	PASS
ORD-1	POST	/orders	201	201	OK	OK	PASS
ORD-2	POST	/orders	403	403	OK	-	PASS
ORD-3	POST	/orders	422	422	OK	-	PASS
ORD-4	POST	/orders	422	422	OK	-	PASS
ORD-5	POST	/orders	422	422	OK	-	PASS
ORD-6	POST	/orders	404	404	OK	-	PASS
ORD-7	POST	/orders	404	404	OK	-	PASS
ORD-8	POST	/orders	403	403	OK	-	PASS
WRES-1	GET	/reservations/waiter	200	200	OK	-	PASS
WRES-2	GET	/reservations/waiter	403	403	OK	-	PASS
WRES-3	GET	/reservations/waiter	422	422	OK	-	PASS
WRES-4	GET	/reservations/waiter	422	422	OK	-	PASS
WRES-5	GET	/reservations/waiter	422	422	OK	-	PASS
LIFE-1	PUT	/bookings/waiter/180658c3-8d14-4702-98cb-9d6df1cd...	200	200	OK	OK	PASS
LIFE-2	POST	/bookings/client	200/201	200	OK	OK	PASS
LIFE-3	DELETE	/bookings/client/d27c96f0-dd22-4780-bcdd-6aab15b9...	200/204	200	OK	OK	PASS
LIFE-4	GET	/bookings/client/49c39ecd-06e9-4f90-a322-8c01ef7f...	404	404	OK	-	PASS
LIFE-5	DELETE	/bookings/client/6b1fb58a-a4d1-465e-a9fb-d9285b74...	404	404	OK	-	PASS
LIFE-6	DELETE	/bookings/client/not-a-uuid/cancel	422	422	OK	-	PASS
FB-1	GET	/feedbacks/context/180658c3-8d14-4702-98cb-9d6df1...	200	200	OK	-	PASS
FB-2	POST	/feedbacks	201	201	OK	OK	PASS
FB-3	POST	/feedbacks	201	201	OK	OK	PASS
FB-4	PUT	/feedbacks	200	200	OK	OK	PASS
FB-5	POST	/feedbacks	409	409	OK	OK	PASS
FB-6	POST	/feedbacks	403	403	OK	-	PASS
FB-7	POST	/feedbacks	422	422	OK	-	PASS
FB-8	POST	/feedbacks	422	422	OK	-	PASS
FB-9	POST	/feedbacks	422	422	OK	-	PASS
FB-10	POST	/feedbacks	422	422	OK	-	PASS
FB-11	POST	/feedbacks	404	404	OK	-	PASS

Restaurant App - E2E Endpoint Test Report

Step	Method	Path	Expected	Got	HTTP	DB	Result
FB-12	POST	/feedbacks	403	403	OK	-	PASS
FB-13	PUT	/feedbacks	404	404	OK	-	PASS
FB-14	GET	/feedbacks/context/180658c3-8d14-4702-98cb-9d6df1...	403	403	OK	-	PASS
FB-15	GET	/feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573	200	200	OK	-	PASS
FB-16	GET	/feedback/f49816ae-ed43-5e02-87fa-ab63ece413e0	200	200	OK	-	PASS
FB-17	GET	/feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573	422	422	OK	-	PASS
FB-18	GET	/feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573	422	422	OK	-	PASS
FB-19	GET	/feedback/not-a-valid-uuid	422	422	OK	-	PASS
FB-20	GET	/feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573	403	403	OK	-	PASS
FB-21	GET	/feedback/0d0a75a9-8c25-4b2a-aa64-b35507e4c38f	200	200	OK	-	PASS
FB-22	GET	/feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573	403	403	OK	-	PASS
SQS-0	GET	/bookings/tables	200	200	OK	-	PASS
SQS-1	POST	/bookings/client	200/201	200	OK	OK	PASS
SQS-2	PUT	/bookings/waiter/f8704cea-1fd2-4378-a1ef-70bdba7b...	200	200	OK	OK	PASS
SQS-3	POST	/orders	200/201	201	OK	-	PASS
SQS-4	PUT	/bookings/waiter/f8704cea-1fd2-4378-a1ef-70bdba7b...	200	200	OK	OK	PASS
SQS-5	POST	/feedbacks	201	201	OK	OK	PASS
SQS-6	POST	/feedbacks	201	201	OK	OK	PASS
SQS-7	POST	/feedbacks	409	409	OK	OK	PASS
SQS-8	POST	/feedbacks	409	409	OK	OK	PASS
SQS-9	POST	/bookings/client	200/201	200	OK	OK	PASS
SQS-10	DELETE	/bookings/client/f410342b-8a56-4cf9-9db5-1c960a50...	200/204	200	OK	OK	PASS
SQS-11	PUT	/feedbacks	200	200	OK	OK	PASS
SQS-12	PUT	/feedbacks	200	200	OK	OK	PASS

Endpoint Details

AUTH-1 - POST /auth/sign-up ? register a brand-new customer

PASS

POST /auth/sign-up (as: anonymous, 5001 ms)

Request body:

```
{
  "firstName": "E2E",
  "lastName": "Tester",
  "email": "e2e.user.1781171345@example.com",
  "password": "****"
}
```

Response: HTTP 201 (expected 201)

```
{
  "message": "User registered successfully"
}
```

Database verification:

[OK] customers: row created for e2e.user.1781171345@example.com
before: 0 rows with this email
after : 1 row(s), id=9139701e-1081-70c3-bacd-acab29484091

AUTH-2 - POST /auth/sign-in ? sign in as the new customer

PASS

POST /auth/sign-in (as: anonymous, 941 ms)

Request body:

```
{
  "email": "e2e.user.1781171345@example.com",
  "password": "****"
}
```

Response: HTTP 200 (expected 200)

```
{
  "access_token": "****",
  "refresh_token": "****",
  "username": "E2E Tester",
  "role": "Customer"
}
```

AUTH-3 - POST /auth/sign-in ? wrong password is rejected

PASS

POST /auth/sign-in (as: anonymous, 396 ms)

Request body:

```
{
  "email": "e2e.user.1781171345@example.com",
  "password": "****"
}
```

Response: HTTP 401 (expected 401)

```
{
  "message": "Incorrect email or password. Try again or create an account."
}
```

AUTH-4 - POST /auth/refresh ? exchange refresh token for new access token

PASS

POST /auth/refresh (as: anonymous, 278 ms)

Request body:

```
{
  "refresh_token": "****"
}
```

Response: HTTP 200 (expected 200)

```
{
  "access_token": "****"
}
```

AUTH-5 - POST /auth/logout ? revoke the refresh token**PASS**

POST /auth/logout (as: anonymous, 282 ms)

Request body:

```
{
  "refresh_token": "****"
}
```

Response: HTTP 200 (expected 200)

```
{
  "message": "Logged out successfully"
}
```

AUTH-6 - POST /auth/sign-up ? missing password is rejected**PASS**

POST /auth/sign-up (as: anonymous, 150 ms)

Request body:

```
{
  "firstName": "E2E",
  "lastName": "Tester",
  "email": "e2e.user.1781171345@example.com"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "password",
      "message": "Field required"
    }
  ]
}
```

AUTH-7 - POST /auth/sign-up ? malformed email is rejected**PASS**

POST /auth/sign-up (as: anonymous, 160 ms)

Request body:

```
{
  "firstName": "E2E",
  "lastName": "Tester",
  "email": "not-an-email",
  "password": "****"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "email",
      "message": "value is not a valid email address: An email address must have an @-sign."
    }
  ]
}
```

AUTH-8 - POST /auth/sign-up ? weak password is rejected**PASS**

POST /auth/sign-up (as: anonymous, 152 ms)

Request body:

```
{
  "firstName": "E2E",
  "lastName": "Tester",
  "email": "e2e.weak.1781171353@example.com",
  "password": "****"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "password",
      "message": "Value error, must be 8\u2013316 characters, must contain at least one uppercase letter, must contain at least one digit, must contain at least one special character"
    }
  ]
}
```

```
}  
]  
}
```

AUTH-9 - POST /auth/sign-up ? duplicate email returns 409

PASS

POST /auth/sign-up (as: anonymous, 548 ms)

Request body:

```
{  
  "firstName": "E2E",  
  "lastName": "Tester",  
  "email": "e2e.user.1781171345@example.com",  
  "password": "****"  
}
```

Response: HTTP 409 (expected 409)

```
{  
  "message": "An account with this email address already exists"  
}
```

Database verification:

[OK] customers: duplicate sign-up rejected; still exactly 1 row for the email
before: 1 row
after : 1 row(s)

AUTH-10 - POST /auth/sign-in ? missing password is rejected

PASS

POST /auth/sign-in (as: anonymous, 125 ms)

Request body:

```
{  
  "email": "e2e.user.1781171345@example.com"  
}
```

Response: HTTP 422 (expected 422)

```
{  
  "errors": [  
    {  
      "field": "password",  
      "message": "Field required"  
    }  
  ]  
}
```

AUTH-11 - POST /auth/refresh ? missing refresh_token is rejected

PASS

POST /auth/refresh (as: anonymous, 122 ms)

Response: HTTP 422 (expected 422)

```
{  
  "errors": [  
    {  
      "field": "refresh_token",  
      "message": "Field required"  
    }  
  ]  
}
```

AUTH-12 - POST /auth/logout ? missing refresh_token is rejected

PASS

POST /auth/logout (as: anonymous, 167 ms)

Response: HTTP 422 (expected 422)

```
{  
  "errors": [  
    {  
      "field": "refresh_token",  
      "message": "Field required"  
    }  
  ]  
}
```

AUTH-13 - POST /auth/sign-in ? malformed JSON body is rejected**PASS**

POST /auth/sign-in (as: anonymous, 121 ms)

Request body:

```
{
  "_raw_body": "{\"email\": \"broken json...\"}
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "body",
      "message": "Invalid JSON"
    }
  ]
}
```

LOC-1 - GET /locations ? list all restaurant locations**PASS**

GET /locations (as: anonymous, 1240 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
    "address": "4 Chavchavadze Avenue, Tbilisi",
    "description": "Fast-service location inside the international terminal.",
    "total_capacity": 45,
    "average_occupancy": 76,
    "image_url": "http://epam-restaurantapp-dev-eu-west-3-frontend.s3-website.eu-west-3.amazonaws.com/location_img.jpg",
    "rating": 3.9
  },
  {
    "id": "2819d046-563d-5570-9495-ca47fa76fe75",
    "address": "48 Rustaveli Avenue, Tbilisi",
    "description": "Central city location near the main square.",
    "total_capacity": 45,
    "average_occupancy": 34,
    "image_url": "http://epam-restaurantapp-dev-eu-west-3-frontend.s3-website.eu-west-3.amazonaws.com/location_img.jpg",
    "rating": 3.9
  },
  {
    "id": "e5b46f59-1ecd-52db-9352-7308394a575b",
    "address": "12 Baratashvili Street, Tbilisi",
    "description": "Cozy old-town location with an all-day bistro menu.",
    "total_capacity": 45,
    "average_occupancy": 92,
    "image_url": "http://epam-restaurantapp-dev-eu-west-3-frontend.s3-website.eu-west-3.amazonaws.com/location_img.jpg",
    "rating": 3.8
  }
]
```

Database verification:**[OK]** locations: API location count equals table item count (read-only, no change)

before: table rows: 3
after : API returned: 3

LOC-2 - GET /locations/select-options ? address picker options**PASS**

GET /locations/select-options (as: anonymous, 143 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
    "location_address": "4 Chavchavadze Avenue, Tbilisi"
  },
  {
    "location_id": "2819d046-563d-5570-9495-ca47fa76fe75",
    "location_address": "48 Rustaveli Avenue, Tbilisi"
  },
  {
    "location_id": "e5b46f59-1ecd-52db-9352-7308394a575b",
    "location_address": "12 Baratashvili Street, Tbilisi"
  }
]
```

]

*Database verification: read-only endpoint - no change expected.***LOC-3 - GET /locations/{id} ? fetch the Airport location****PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533 (as: anonymous, 294 ms)

Response: HTTP 200 (expected 200)

```
{
  "id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "address": "4 Chavchavadze Avenue, Tbilisi",
  "description": "Fast-service location inside the international terminal.",
  "total_capacity": 45,
  "average_occupancy": 76,
  "image_url": "http://epam-restaurantapp-dev-eu-west-3-frontend.s3-website.eu-west-3.amazonaws.com/location_img.jpg",
  "rating": 3.9
}
```

*Database verification: read-only endpoint - no change expected.***LOC-4 - GET /locations/{id}/speciality-dishes ? Airport specialities****PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/speciality-dishes (as: anonymous, 576 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "611de651-ebef-53b2-84e6-ac72061825f0",
    "name": "Grilled Chicken Wrap",
    "description": "Grilled chicken breast, avocado, mixed greens, and chipotle mayo in a flour tortilla. Dietary: dairy free.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/dish1_img.png",
    "price": 12.5,
    "weight_gram": 280,
    "state": "Available"
  },
  {
    "id": "22c15d39-2ba9-5fd3-8fb3-38af9887af90",
    "name": "Avocado Pine Nut Bowl",
    "description": "Creamy avocado, toasted pine nuts, cherry tomatoes, and mixed greens drizzled with lemon tahini. Dietary: vegan, vegetarian, gluten free, dairy free.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/avocado_pine_nut_bowl.png",
    "price": 13.5,
    "weight_gram": 300,
    "state": "Available"
  },
  {
    "id": "aa2eb29e-73b4-521b-8724-bacadac6b2d6",
    "name": "Pineapple Tart with Vanilla Souffl\u00e9",
    "description": "Caramelised pineapple tart served alongside a light risen vanilla souffl\u00e9 with cr\u00eame anglaise.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/PineappleTartwithVanillaSouffle.png",
    "price": 11.5,
    "weight_gram": 200,
    "state": "Available"
  },
  {
    "id": "27d263b7-caf2-5af7-84f1-6ad56a34da4b",
    "name": "Citrus Iced Tea",
    "description": "Chilled black tea infused with orange, lemon, and a touch of blossom honey.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/CitrusIcedTea.png",
    ... (truncated)
  }
]
```

Database verification: read-only endpoint - no change expected.

LOC-5 - GET /locations/{id}/valid-slot-times ? Airport slot grid**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/valid-slot-times (as: anonymous, 136 ms)

Response: HTTP 200 (expected 200)

```
{
  "start_times": [
    "08:00",
    "09:45",
    "11:30",
    "13:15",
    "15:00",
    "16:45",
    "18:30",
    "20:15"
  ],
  "end_times": [
    "09:30",
    "11:15",
    "13:00",
    "14:45",
    "16:30",
    "18:15",
    "20:00",
    "21:45"
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-6 - GET /locations/{id}/feedbacks?type=cuisine ? paged feedback**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 1298 ms)

Query: {"type": "cuisine", "page": 0, "size": 20}**Response:** HTTP 200 (expected 200)

```
{
  "totalPages": 4,
  "totalElements": 70,
  "size": 20,
  "content": [
    {
      "id": "9c69cb96-50d0-57e2-960e-e4b33c990b8c",
      "customer_id": "c17980be-d091-70a6-264e-388fb79a3242",
      "feedback": "Great dish quality and consistent kitchen execution.",
      "rate": 5,
      "date": "2026-06-17T12:00:00Z",
      "user_name": "Iris Taylor",
      "user_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_1.png",
      "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
      "waiter_id": null
    },
    {
      "id": "ff104c9a-d3e3-57ea-9620-14d7c3be1ef6",
      "customer_id": "b13920ae-a061-70e4-7121-c101b946f773",
      "feedback": "Food quality was excellent and beautifully presented.",
      "rate": 3,
      "date": "2026-06-17T12:00:00Z",
      "user_name": "Alice Smith",
      "user_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_1.png",
      "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
      "waiter_id": null
    },
    {
      "id": "ecd7d74f-e587-5fa5-abbf-12629bd08df6",
      "customer_id": "b1a980ee-b041-70dc-b730-09bc8ba17ee3",
      "feedback": "Food quality was excellent and beautifully presented.",
      "rate": 3,
      "date": "2026-06-17T12:00:00Z",
      "user_name": "James Anderson",
      "user_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_2.png",
      "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
      "waiter_id": null
    }
  ]
}
```

```
{
  "
... (truncated)
```

Database verification:

[OK] feedback_cuisine: totalElements equals cuisine feedback rows for Airport (read-only)
before: table rows for location: 70
after : API totalElements: 70

LOC-7 - GET /locations/{id}/tables ? waiter-only table list

PASS

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/tables (as: max@example.com, 495 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "table_number": 3
  },
  {
    "table_number": 6
  },
  {
    "table_number": 2
  },
  {
    "table_number": 4
  },
  {
    "table_number": 5
  },
  {
    "table_number": 1
  }
]
```

Database verification:

[OK] tables: API table count equals Airport rows in tables table (read-only)
before: table rows for location: 6
after : API returned: 6

LOC-8 - GET /locations/{id} ? malformed UUID is rejected

PASS

GET /locations/not-a-uuid (as: kate@example.com, 178 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "id",
      "message": "'id' must be a valid UUID"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-9 - GET /locations/{id} ? unknown UUID returns 404

PASS

GET /locations/4a800a38-5e0b-457e-a688-5e050d470bd6 (as: kate@example.com, 138 ms)

Response: HTTP 404 (expected 404)

```
{
  "errors": [
    {
      "field": "id",
      "message": "Location not found"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-10 - GET /locations/{id}/feedbacks ? missing type is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 144 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "type",
      "message": "This field is required"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-11 - GET /locations/{id}/feedbacks ? invalid type is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 129 ms)

Query: {"type": "ambience"}**Response:** HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "type",
      "message": "Must be one of: cuisine, service"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-12 - GET /locations/{id}/feedbacks ? invalid sort is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 119 ms)

Query: {"type": "cuisine", "sort": "price,up"}**Response:** HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "sort",
      "message": "Sort field must be one of: date, rate"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-13 - GET /locations/{id}/feedbacks ? page beyond range is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 214 ms)

Query: {"type": "cuisine", "page": 999, "size": 20}**Response:** HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "page",
      "message": "Requested page 999 exceeds available pages."
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-14 - GET /locations/{id}/tables ? customer role is forbidden**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/tables (as: kate@example.com, 245 ms)

Response: HTTP 403 (expected 403)

```
{
  "message": "Only waiters can access tables list."
}
```

Database verification: read-only endpoint - no change expected.

LOC-15 - GET /locations/{id}/tables ? missing token is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/tables (as: anonymous, 158 ms)

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

Database verification: read-only endpoint - no change expected.

DISH-1 - GET /dishes ? list all dishes**PASS**

GET /dishes (as: anonymous, 176 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "daeb67f0-ecd2-5e90-8bae-0db3a814776e",
    "name": "Pineapple Tart with Vanilla Souffl\u00e9",
    "description": "Caramelised pineapple tart served alongside a light risen vanilla souffl\u00e9 with cr\u00eame anglaise. Dietary: vegetarian.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/PineappleTartwithVanillaSouffle.png",
    "price": 11.5,
    "weight_gram": 200,
    "state": "Available"
  },
  {
    "id": "380b0917-cd58-58e3-bb00-2d371ddb6ab0",
    "name": "Spiced Mulled Wine",
    "description": "Warm red wine infused with orange peel, clove, cinnamon, and star anise for a rich aromatic finish.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
    "price": 7.4,
    "weight_gram": 250,
    "state": "On Stop"
  },
  {
    "id": "7568bd40-a1c3-57b4-a08d-9fd207311fc5",
    "name": "Shrimp Bruschetta",
    "description": "Toasted sourdough topped with garlic butter shrimp, cherry tomatoes, and lemon herb ricotta.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/dish1_img.png",
    "price": 10.9,
    "weight_gram": 190,
    "state": "On Stop"
  },
  {
    "id": "611de651-ebef-53b2-84e6-ac72061825f0",
    "name": "Grilled Chicken Wrap",
    "description": "Grilled chicken breast, avocado, mixed greens, and chipotle mayo in a flour tortilla. Dietary: dairy free.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/"
  }
]
... (truncated)
```

Database verification: read-only endpoint - no change expected.

DISH-2 - GET /dishes/popular ? popular dishes across locations**PASS**

GET /dishes/popular (as: anonymous, 136 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "daeb67f0-ecd2-5e90-8bae-0db3a814776e",
    "name": "Pineapple Tart with Vanilla Souffl\u00e9",
    "description": "Caramelised pineapple tart served alongside a light risen vanilla souffl\u00e9 with cr\u00eame anglaise. Dietary: vegetarian.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/PineappleTartwithVanillaSouffle.png",
    "price": 11.5,
    "weight_gram": 200,
    "state": "Available"
  },
  {
    "id": "380b0917-cd58-58e3-bb00-2d371ddb6ab0",
    "name": "Spiced Mulled Wine",
    "description": "Warm red wine infused with orange peel, clove, cinnamon, and star anise for a rich aromatic finish.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
    "price": 7.4,
    "weight_gram": 250,
    "state": "On Stop"
  },
  {
    "id": "611de651-ebef-53b2-84e6-ac72061825f0",
    "name": "Grilled Chicken Wrap",
    "description": "Grilled chicken breast, avocado, mixed greens, and chipotle mayo in a flour tortilla. Dietary: dairy free.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/dish1_img.png",
    "price": 12.5,
    "weight_gram": 280,
    "state": "Available"
  },
  {
    "id": "8ef667a5-af43-5a23-912f-13a323a06144",
    "name": "Chocolate Mousse with Berries",
    "description": "Silky dark chocolate mousse layered with fresh mixed berries and a dusting of cocoa powder.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
    ... (truncated)
  }
]
```

Database verification: read-only endpoint - no change expected.

DISH-3 - GET /dishes?sort=price,asc ? sorted dish list**PASS**

GET /dishes (as: anonymous, 159 ms)

Query: {"sort": "price,asc"}**Response:** HTTP 200 (expected 200)

```
[
  {
    "id": "27d263b7-caf2-5af7-84f1-6ad56a34da4b",
    "name": "Citrus Iced Tea",
    "description": "Chilled black tea infused with orange, lemon, and a touch of blossom honey.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/PineappleTartwithVanillaSouffle.png",
    "price": 5.2,
    "weight_gram": 320,
    "state": "Available"
  },
  {
    "id": "fb0ddbda-f203-5968-8e04-74c316cc3973",
    "name": "Berry Spritz",
    "description": "Sparkling berry drink with raspberry puree, citrus syrup, and fresh mint served over ice.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
    "price": 6.5,
    "weight_gram": 300,
    "state": "Available"
  },
  {
    "id": "380b0917-cd58-58e3-bb00-2d371ddb6ab0",
    "name": "Spiced Mulled Wine",
    "description": "Warm red wine infused with orange peel, clove, cinnamon, and star anise for a rich aromatic finish.",
    ... (truncated)
  }
]
```

```
      "image_url":
"https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
      "price": 7.4,
      "weight_gram": 250,
      "state": "On Stop"
    },
    {
      "id": "90ec6c14-e380-5694-bdf7-2ead4c445fd1",
      "name": "Forest Mushroom Soup",
      "description": "Velvety soup of roasted mushrooms, thyme, and cream finished with truffle oil and croutons.",
      "image_url":
"https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/avocado_pine_nut_bowl.png",
      "price": 8.8,
      "weight_gram": 260,
      "state":
... (truncated)
```

Database verification: read-only endpoint - no change expected.

DISH-4 - GET /dishes/{id} ? fetch the Grilled Chicken Wrap

PASS

GET /dishes/611de651-ebef-53b2-84e6-ac72061825f0 (as: anonymous, 213 ms)

Response: HTTP 200 (expected 200)

```
{
  "id": "611de651-ebef-53b2-84e6-ac72061825f0",
  "name": "Grilled Chicken Wrap",
  "description": "Grilled chicken breast, avocado, mixed greens, and chipotle mayo in a flour tortilla. Dietary: dairy free.",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/dish1_img.png",
  "dish_type": "MAIN_COURSE",
  "price": 12.5,
  "state": "Available",
  "calories": "430 kcal",
  "carbohydrates": "38 g",
  "fats": "18 g",
  "proteins": "29 g",
  "vitamins": "B3, B6",
  "weight_gram": 280
}
```

Database verification: read-only endpoint - no change expected.

DISH-5 - GET /dishes/{id} ? unknown UUID returns 404

PASS

GET /dishes/2d3b6e87-5429-4dde-85ea-ddf1bd72a60f (as: anonymous, 140 ms)

Response: HTTP 404 (expected 404)

```
{
  "errors": [
    {
      "field": "id",
      "message": "Dish not found"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

DISH-6 - GET /dishes?sort=bogus ? invalid sort is rejected

PASS

GET /dishes (as: anonymous, 140 ms)

Query: {"sort": "bogus"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "sort",
      "message": "Input should be 'popularity,asc', 'popularity,desc', 'price,asc' or 'price,desc'"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

DISH-7 - GET /dishes?dishType=bogus ? invalid dish type is rejected**PASS**

GET /dishes (as: anonymous, 123 ms)

Query: {"dishType": "bogus"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "dishType",
      "message": "Input should be 'APPETIZER', 'DESSERT', 'MAIN_COURSE' or 'DRINK'"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

DISH-8 - GET /dishes/{id} ? malformed UUID is rejected**PASS**

GET /dishes/not-a-uuid (as: anonymous, 138 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "id",
      "message": "'id' must be a valid UUID"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

USER-1 - GET /users/profile ? kate reads her own profile**PASS**

GET /users/profile (as: kate@example.com, 541 ms)

Response: HTTP 200 (expected 200)

```
{
  "first_name": "Kate",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png",
  "email": "kate@example.com",
  "role": "Customer"
}
```

Database verification: read-only endpoint - no change expected.

USER-2 - PUT /users/profile ? kate changes her first name**PASS**

PUT /users/profile (as: kate@example.com, 394 ms)

Request body:

```
{
  "first_name": "Kate-E2E",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png"
}
```

Response: HTTP 200 (expected 200)

```
{
  "first_name": "Kate-E2E",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png",
  "email": "kate@example.com",
  "role": "Customer"
}
```

Database verification:

[OK] customers: fname updated to 'Kate-E2E'

before: fname='Kate', lname='Thompson'

after : fname='Kate-E2E', lname='Thompson'

USER-3 - PUT /users/profile ? kate restores her original name**PASS**

PUT /users/profile (as: kate@example.com, 495 ms)

Request body:

```
{
  "first_name": "Kate",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png"
}
```

Response: HTTP 200 (expected 200)

```
{
  "first_name": "Kate",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png",
  "email": "kate@example.com",
  "role": "Customer"
}
```

Database verification:

[OK] customers: fname restored to 'Kate'

before: fname='Kate-E2E'

after : fname='Kate', lname='Thompson'

USER-4 - GET /users/waiter/location ? max's assigned location**PASS**

GET /users/waiter/location (as: max@example.com, 761 ms)

Response: HTTP 200 (expected 200)

```
{
  "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi"
}
```

Database verification: read-only endpoint - no change expected.

USER-5 - GET /users/profile ? missing token is rejected**PASS**

GET /users/profile (as: anonymous, 146 ms)

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

Database verification: read-only endpoint - no change expected.

USER-6 - PUT /users/profile ? missing last_name is rejected**PASS**

PUT /users/profile (as: kate@example.com, 218 ms)

Request body:

```
{
  "first_name": "Kate",
  "image_url": "https://example.com/avatar.png"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "last_name",
      "message": "Field required"
    }
  ]
}
```

USER-7 - PUT /users/profile ? non-http image_url is rejected**PASS**

PUT /users/profile (as: kate@example.com, 323 ms)

Request body:

```
{
  "first_name": "Kate",
  "last_name": "Customer",
  "image_url": "ftp://example.com/avatar.png"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "image_url",
      "message": "Value error, must be an http:// or https:// URL"
    }
  ]
}
```

USER-8 - GET /users/profile ? garbage bearer token is rejected**PASS**

GET /users/profile (as: anonymous, 136 ms)

Response: HTTP 401 (expected 401)

```
{
  "message": "Invalid or expired access token"
}
```

*Database verification: read-only endpoint - no change expected.***CUST-1 - GET /customers ? waiter lists all customers****PASS**

GET /customers (as: max@example.com, 318 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "c17980be-d091-70a6-264e-388fb79a3242",
    "user_name": "Iris Taylor",
    "email": "iris@example.com"
  },
  {
    "id": "51f9e08e-6071-70ef-1814-86a69da0d48e",
    "user_name": "Carol Williams",
    "email": "carol@example.com"
  },
  {
    "id": "5199807e-70c1-70a4-7d28-a55cb17702f4",
    "user_name": "Bob Johnson",
    "email": "bob@example.com"
  },
  {
    "id": "b1a980ee-b041-70dc-b730-09bc8ba17ee3",
    "user_name": "James Anderson",
    "email": "james@example.com"
  },
  {
    "id": "8129001e-60b1-70dd-391c-5bc411df3d9d",
    "user_name": "Henry Moore",
    "email": "henry@example.com"
  },
  {
    "id": "51d9502e-80d1-709f-ad75-4a410933e7ce",
    "user_name": "Kate Thompson",
    "email": "kate@example.com"
  },
  {
    "id": "b13920ae-a061-70e4-7121-c101b946f773",
    "user_name": "Alice Smith",
    "email": "alice@example.com"
  },
  {
    "id": "f14970ee-7011-708a-7c7c-971d94ac342f",
    "user_name": "David Brown",
    "email": "david@example.com"
  }
]
```

```
},
{
  "id": "9139701e-1081-70c3-bacd-acab29484091",
  "user_name": "E2E Tester",
  "email": "e2e.user.1781171345@example.com"
},
{
  "id": "e1c9009e-10a1-7032-7795-67ba24fa13e0",
  "user_name": "Emma Davis",
  "email": "emma@example.com"
},
{
  "id": "b10960ae-5031-7035-f440-999196bfc92c",
  "user_name": "Frank Miller",
  "email": "frank@example.com"
},
{
  "id": "213920be-f051-7084-355a-9102d5e578bb",
  "user_name": "Grace Wilson",
  "email": "grace@example.com"
}
}
```

Database verification:

[OK] customers: API customer count equals table item count (read-only)
before: table rows: 12
after : API returned: 12

CUST-2 - GET /customers ? customer role is forbidden

PASS

GET /customers (as: kate@example.com, 270 ms)

Response: HTTP 403 (expected 403)

```
{
  "message": "Only waiters can access customers list."
}
```

Database verification: read-only endpoint - no change expected.

CUST-3 - GET /customers ? missing token is rejected

PASS

GET /customers (as: anonymous, 132 ms)

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

Database verification: read-only endpoint - no change expected.

REP-1 - GET /reports ? staff performance for last week (seeded data)

PASS

GET /reports (as: admin@example.com, 587 ms)

Query: {"reportType": "staff_performance", "period": "2026-06-01"}

Response: HTTP 200 (expected 200)

```
{
  "reportType": "staff_performance",
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": [
    {
      "location": "12 Baratashvili Street, Tbilisi",
      "waiter": "Nina Beridze",
      "waiterEmail": "nina@example.com",
      "reportPeriodStart": "2026-06-01",
      "reportPeriodEnd": "2026-06-07",
      "waiterWorkingHours": "12",
      "waiterOrdersProcessed": 9,
      "deltaWaiterOrdersProcessedPct": "+50%",
      "averageServiceFeedback": "2",
      "minimumServiceFeedback": 2,
      "deltaAverageServiceFeedbackPct": "-41.18%"
    },
    {
      "location": "12 Baratashvili Street, Tbilisi",
```

```

    "waiter": "Noah Chelidze",
    "waiterEmail": "noah@example.com",
    "reportPeriodStart": "2026-06-01",
    "reportPeriodEnd": "2026-06-07",
    "waiterWorkingHours": "12.3",
    "waiterOrdersProcessed": 11,
    "deltaWaiterOrdersProcessedPct": "-31.25%",
    "averageServiceFeedback": "3.57",
    "minimumServiceFeedback": 2,
    "deltaAverageServiceFeedbackPct": "-4.8%"
  },
  {
    "location": "12 Baratashvili Street, Tbilisi",
    "waiter": "Ava Dolidze",
    "waiterEmail": "ava@example.com",
    "reportPeriodStart": "2026-06-01",
    "reportPeriodEnd": "2026-06-07",
    "waiterWorkingHours": "22",
    "waiterOrdersProcessed": 12,
    "deltaWaiterOrdersProcessedPct": "+71.43%",
    "averageServiceFeedback": "2.67",
    "minimumServiceFeedback": 2,
    "deltaAverageServiceFeedbackPct": "-21.01%"
  },
  {
    "location": "12 Baratashvili Street, Tbilisi",
    "waiter": "Luka Maisuradze",
    "waiterE
  }
  ... (truncated)

```

Database verification: read-only endpoint - no change expected.

REP-2 - GET /reports ? sales report filtered to the Airport location

PASS

GET /reports (as: admin@example.com, 522 ms)

Query: {"reportType": "sales", "period": "2026-06-01", "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533"}

Response: HTTP 200 (expected 200)

```

{
  "reportType": "sales",
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": [
    {
      "location": "4 Chavchavadze Avenue, Tbilisi",
      "reportPeriodStart": "2026-06-01",
      "reportPeriodEnd": "2026-06-07",
      "ordersProcessed": 80,
      "deltaOrdersProcessedPct": "+50.94%",
      "averageCuisineFeedback": "3.57",
      "minimumCuisineFeedback": 2,
      "deltaAverageCuisineFeedbackPct": "+7.21%",
      "revenue": "780.29",
      "deltaRevenuePct": "-52.75%"
    }
  ]
}

```

Database verification: read-only endpoint - no change expected.

REP-3 - GET /reports ? waiter role is forbidden

PASS

GET /reports (as: max@example.com, 297 ms)

Query: {"reportType": "staff_performance", "period": "2026-06-01"}

Response: HTTP 403 (expected 403)

```

{
  "message": "Only admins can access reports."
}

```

Database verification: read-only endpoint - no change expected.

REP-4 - GET /reports ? customer role is forbidden**PASS**

GET /reports (as: kate@example.com, 223 ms)

Query: {"reportType": "staff_performance", "period": "2026-06-01"}

Response: HTTP 403 (expected 403)

```
{
  "message": "Only admins can access reports."
}
```

Database verification: read-only endpoint - no change expected.

REP-5 - GET /reports ? missing period is rejected**PASS**

GET /reports (as: admin@example.com, 231 ms)

Query: {"reportType": "staff_performance"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, 'periodStart' or 'period' is required"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

REP-6 - GET /reports ? invalid reportType is rejected**PASS**

GET /reports (as: admin@example.com, 307 ms)

Query: {"reportType": "weather", "period": "2026-06-01"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, 'reportType' must be one of: staff_performance, sales"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

REP-7 - GET /reports ? future periodStart is rejected**PASS**

GET /reports (as: admin@example.com, 330 ms)

Query: {"reportType": "staff_performance", "periodStart": "2026-06-25"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, 'periodStart' must not be in the future"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

REP-14 - POST /reports/download ? waiter role is forbidden**PASS**

POST /reports/download (as: max@example.com, 633 ms)

Query: {"fileFormat": "pdf"}

Request body:

```
{
  "reportType": "staff_performance",
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": []
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Only admins can download reports."
}
```

REP-15 - POST /reports/download ? customer role is forbidden**PASS**

POST /reports/download (as: kate@example.com, 242 ms)

Query: {"fileFormat": "pdf"}

Request body:

```
{
  "reportType": "staff_performance",
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": []
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Only admins can download reports."
}
```

REP-16 - POST /reports/download ? missing token is rejected**PASS**

POST /reports/download (as: anonymous, 145 ms)

Query: {"fileFormat": "pdf"}

Request body:

```
{
  "reportType": "staff_performance",
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": []
}
```

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

REP-17 - POST /reports/download ? missing reportType is rejected**PASS**

POST /reports/download (as: admin@example.com, 444 ms)

Query: {"fileFormat": "pdf"}

Request body:

```
{
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": []
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "reportType",
      "message": "Field required"
    }
  ]
}
```

REP-18 - POST /reports/download ? invalid reportType is rejected**PASS**

POST /reports/download (as: admin@example.com, 273 ms)

Query: {"fileFormat": "pdf"}

Request body:

```
{
  "reportType": "weather",
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": []
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "reportType",
      "message": "Input should be 'staff_performance' or 'sales'"
    }
  ]
}
```

REP-19 - POST /reports/download ? periodEnd before periodStart is rejected**PASS**

POST /reports/download (as: admin@example.com, 280 ms)

Query: {"fileFormat": "pdf"}

Request body:

```
{
  "reportType": "staff_performance",
  "periodStart": "2026-06-07",
  "periodEnd": "2026-06-01",
  "rows": []
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, 'periodEnd' must be greater than or equal to 'periodStart'"
    }
  ]
}
```

REP-20 - POST /reports/download?fileFormat=xml ? invalid format is rejected**PASS**

POST /reports/download (as: admin@example.com, 301 ms)

Query: {"fileFormat": "xml"}

Request body:

```
{
  "reportType": "staff_performance",
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": []
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "fileFormat",
      "message": "Input should be 'csv', 'excel' or 'pdf'"
    }
  ]
}
```

BOOK-1 - GET /bookings/tables ? availability for Airport on 2026-06-12

PASS

GET /bookings/tables (as: kate@example.com, 2331 ms)

Query: {"location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533", "date": "2026-06-12", "guests_number": 2}

Response: HTTP 200 (expected 200)

```
{
  "tables": [
    {
      "table_id": "a75f2507-1daf-561a-bc47-4dd04a39bd6c",
      "table_number": 1,
      "capacity": 5,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
        {
          "slot_id": "dc60686b-367d-5339-8afb-fb1954e5606a",
          "start_time": "2026-06-12T11:30:00Z",
          "end_time": "2026-06-12T13:00:00Z"
        },
        {
          "slot_id": "0c5376a1-d22e-538c-acc8-c13812e4d123",
          "start_time": "2026-06-12T13:15:00Z",
          "end_time": "2026-06-12T14:45:00Z"
        },
        {
          "slot_id": "d54b110d-f6e4-53e7-8f5f-bc56d841e9d2",
          "start_time": "2026-06-12T18:30:00Z",
          "end_time": "2026-06-12T20:00:00Z"
        },
        {
          "slot_id": "a90fb6c7-fadd-543c-b38f-cf8478710ee0",
          "start_time": "2026-06-12T20:15:00Z",
          "end_time": "2026-06-12T21:45:00Z"
        }
      ]
    },
    {
      "table_id": "0f145361-ecc7-54ac-ae24-fcf600d94f84",
      "table_number": 2,
      "capacity": 10,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
        {
          "slot_id": "423cb62b-a480-5239-aa7a-d7dc254e0728",
          "start_time": "2026-06-12T08:00:00Z",
          "end_time": "2026-06-12T09:30:00Z"
        },
        {
          "slot_id": "b09a5ea7-c49b-599d-935a-e854bb23e1f4",
          "start_time": "2026-06-12T09:45:00Z",
          "end_time": "2026-06-12T11:15:00Z"
        },
        {
          "slot_id": "ef52f115-1e64-5355-8e73-60f02b6292f2",
          "start_time": "2026-06-12T11:30:00Z",
          "end_time": "2026-06-12T13:00:00Z"
        }
      ]
    }
  ]
}
```

... (truncated)

Database verification:

[OK] slots: every availability-listed slot is status=FREE in the slots table
before: 4 slots listed by the API
after : all verified FREE

BOOK-2 - GET /bookings/waiter/tables ? waiter availability window

PASS

GET /bookings/waiter/tables (as: max@example.com, 1177 ms)

Query: {"location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533", "date": "2026-06-12", "guests_number": 2, "from_time": "2026-06-12T11:30:00Z", "to_time": "2026-06-12T13:00:00Z"}

Response: HTTP 200 (expected 200)

```
{
  "tables": [
    {
      "table_id": "a75f2507-1daf-561a-bc47-4dd04a39bd6c",
      "table_number": 1,
      "capacity": 5,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",

```

```
    "available_slots": [
      {
        "slot_id": "dc60686b-367d-5339-8afb-fb1954e5606a",
        "start_time": "2026-06-12T11:30:00Z",
        "end_time": "2026-06-12T13:00:00Z"
      }
    ]
  },
  {
    "table_id": "0f145361-ecc7-54ac-ae24-fcf600d94f84",
    "table_number": 2,
    "capacity": 10,
    "location_address": "4 Chavchavadze Avenue, Tbilisi",
    "available_slots": [
      {
        "slot_id": "ef52f115-1e64-5355-8e73-60f02b6292f2",
        "start_time": "2026-06-12T11:30:00Z",
        "end_time": "2026-06-12T13:00:00Z"
      }
    ]
  },
  {
    "table_id": "3b76ec87-84ff-5120-ade7-915fa0afb527",
    "table_number": 3,
    "capacity": 5,
    "location_address": "4 Chavchavadze Avenue, Tbilisi",
    "available_slots": [
      {
        "slot_id": "5b3b3249-9ea3-569b-8f89-2d9a7dfacc27",
        "start_time": "2026-06-12T11:30:00Z",
        "end_time": "2026-06-12T13:00:00Z"
      }
    ]
  },
  {
    "table_id": "9b1f5842-cb2c-51a7-9643-0c1510f575fe",
    "table_number": 4,
    "capacity": 10,
    "location_address": "4 Chavchavadze Avenue, Tbilisi",
    "available_slots": [
      {
        "slot_id": "fe031af3-67ef-5726-bdd0-d4e4d3b70387",
        "start_time": "2026-06-12T11:30:00Z",
        "end_time": "2026-06-12T13:00:00Z"
      }
    ]
  },
  {
    "table_id": "85ef8822-831d
... (truncated)
```

Database verification: read-only endpoint - no change expected.

BOOK-3 - POST /bookings/client ? kate books Airport table 1 (slot A)

PASS

POST /bookings/client (as: kate@example.com, 7435 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-12",
  "guestsNumber": 2,
  "timeFrom": "2026-06-12T11:30:00Z",
  "timeTo": "2026-06-12T13:00:00Z"
}
```

Response: HTTP 200 (expected 200/201)

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "status": "Reserved",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-12",
  "timeFrom": "2026-06-12T11:30:00Z",
  "timeTo": "2026-06-12T13:00:00Z",
  "guestsNumber": 2,
```

```
    "clientName": "Kate Thompson"
  }
```

Database verification:

[OK] reservations: row created with status='Reserved' and number_of_guests=2
before: (no row)
after : status='Reserved', number_of_guests=2, date='2026-06-12'

BOOK-4 - GET /bookings/client ? kate's dashboard lists the booking

PASS

GET /bookings/client (as: kate@example.com, 35403 ms)

Response: HTTP 200 (expected 200)

```
{
  "reservations": [
    {
      "reservationId": "d23183c5-aac7-55be-8061-639c8e99c486",
      "status": "Finished",
      "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
      "clientName": null,
      "waiterId": "d139c0ae-0091-70d0-ae6-ab5741e550ab",
      "locationId": "2819d046-563d-5570-9495-ca47fa76fe75",
      "location_address": "48 Rustaveli Avenue, Tbilisi",
      "tableNumber": 4,
      "date": "2026-06-17",
      "timeFrom": "16:00",
      "timeTo": "17:30",
      "guestsNumber": 4,
      "allowedActions": {
        "canEdit": false,
        "canCancel": false,
        "canLeaveFeedback": false,
        "canEditFeedback": true
      },
      "cutoffReason": "Actions are available only for RESERVED reservations"
    },
    {
      "reservationId": "6b17a2b3-b2d8-5d47-97dc-a4a20576be6f",
      "status": "Finished",
      "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
      "clientName": null,
      "waiterId": "b139e0de-7081-708a-956f-674d015b91cb",
      "locationId": "e5b46f59-1ecd-52db-9352-7308394a575b",
      "location_address": "12 Baratashvili Street, Tbilisi",
      "tableNumber": 1,
      "date": "2026-06-17",
      "timeFrom": "08:45",
      "timeTo": "10:15",
      "guestsNumber": 3,
      "allowedActions": {
        "canEdit": false,
        "canCancel": false,
        "canLeaveFeedback": false,
        "canEditFeedback": true
      },
      "cutoffReason": "Actions are available only for RESERVED reservations"
    },
    {
      "reservationId": "61e1c8a5-297f-5972-99d6-bedbeeedcd94",
      "status": "Finished",
      "customerId": "5
    }
  ]
}
... (truncated)
```

Database verification: read-only endpoint - no change expected.

BOOK-5 - GET /bookings/client/{id} ? fetch the new reservation**PASS**

GET /bookings/client/180658c3-8d14-4702-98cb-9d6df1cd18b0 (as: kate@example.com, 454 ms)

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "status": "Reserved",
  "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "clientName": null,
  "waiterId": "c17980ae-6011-7094-6620-a0d234b76f9d",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-12",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 2,
  "allowedActions": {
    "canEdit": true,
    "canCancel": true,
    "canLeaveFeedback": false,
    "canEditFeedback": false
  },
  "cutoffReason": null
}
```

Database verification: read-only endpoint - no change expected.

BOOK-6 - PUT /bookings/client/{id} ? kate raises guests to 3**PASS**

PUT /bookings/client/180658c3-8d14-4702-98cb-9d6df1cd18b0 (as: kate@example.com, 1382 ms)

Request body:

```
{
  "guestsNumber": 3
}
```

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "status": "Reserved",
  "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "clientName": null,
  "waiterId": "c17980ae-6011-7094-6620-a0d234b76f9d",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-12",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 3,
  "allowedActions": {
    "canEdit": true,
    "canCancel": true,
    "canLeaveFeedback": false,
    "canEditFeedback": false
  },
  "cutoffReason": null
}
```

Database verification:

```
[OK] reservations: number_of_guests updated 2 -> 3
    before: status='Reserved', number_of_guests=2
    after  : status='Reserved', number_of_guests=3
```

BOOK-7 - PUT /bookings/waiter/{id} ? max starts the reservation**PASS**

PUT /bookings/waiter/180658c3-8d14-4702-98cb-9d6df1cd18b0 (as: max@example.com, 608 ms)

Request body:

```
{
  "status": "In Progress"
}
```

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "status": "In Progress",
  "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "clientName": null,
  "waiterId": "c17980ae-6011-7094-6620-a0d234b76f9d",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-12",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 3,
  "allowedActions": {
    "canEdit": false,
    "canCancel": false,
    "canLeaveFeedback": true,
    "canEditFeedback": false
  },
  "cutoffReason": "Actions are available only for RESERVED reservations"
}
```

Database verification:

[OK] reservations: status updated 'Reserved' -> 'In Progress'
before: status='Reserved'
after : status='In Progress', number_of_guests=3

BOOK-8 - POST /bookings/client ? waiter without existingCustomer flag is rejected**PASS**

POST /bookings/client (as: max@example.com, 333 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-12",
  "guestsNumber": 2,
  "timeFrom": "2026-06-12T13:15:00Z",
  "timeTo": "2026-06-12T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "existingCustomer",
      "message": "Waiter booking requires existingCustomer flag"
    }
  ]
}
```

BOOK-9 - GET /bookings/tables ? missing guests_number is rejected**PASS**

GET /bookings/tables (as: kate@example.com, 136 ms)

Query: {"location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533", "date": "2026-06-12"}**Response:** HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "guests_number",
      "message": "This field is required"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

BOOK-10 - GET /bookings/tables ? non-integer guests_number is rejected**PASS**

GET /bookings/tables (as: kate@example.com, 126 ms)

Query: {"location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533", "date": "2026-06-12", "guests_number": "two"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "guests_number",
      "message": "Must be a valid integer"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

BOOK-11 - POST /bookings/client ? missing tableNumber is rejected**PASS**

POST /bookings/client (as: kate@example.com, 287 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "date": "2026-06-12",
  "guestsNumber": 2,
  "timeFrom": "2026-06-12T13:15:00Z",
  "timeTo": "2026-06-12T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "tableNumber",
      "message": "Field required"
    }
  ]
}
```

BOOK-12 - POST /bookings/client ? booking in the past is rejected**PASS**

POST /bookings/client (as: kate@example.com, 315 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-10",
  "guestsNumber": 2,
  "timeFrom": "2026-06-12T13:15:00Z",
  "timeTo": "2026-06-12T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "date",
      "message": "Value error, Cannot book a table in the past"
    }
  ]
}
```

BOOK-13 - POST /bookings/client ? booking >30 days ahead is rejected**PASS**

POST /bookings/client (as: kate@example.com, 248 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-07-26",
  "guestsNumber": 2,
  "timeFrom": "2026-06-12T13:15:00Z",
  "timeTo": "2026-06-12T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "date",
      "message": "Value error, Cannot book more than 30 days in advance"
    }
  ]
}
```

BOOK-14 - POST /bookings/client ? guestsNumber above limit (11) is rejected**PASS**

POST /bookings/client (as: kate@example.com, 251 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-12",
  "guestsNumber": 11,
  "timeFrom": "2026-06-12T13:15:00Z",
  "timeTo": "2026-06-12T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "guestsNumber",
      "message": "Input should be less than or equal to 10"
    }
  ]
}
```

BOOK-15 - POST /bookings/client ? timeTo before timeFrom is rejected**PASS**

POST /bookings/client (as: kate@example.com, 237 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-12",
  "guestsNumber": 2,
  "timeFrom": "2026-06-12T14:45:00Z",
  "timeTo": "2026-06-12T13:15:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "timeTo",
      "message": "Value error, timeTo must be greater than timeFrom"
    }
  ]
}
```

BOOK-16 - POST /bookings/client ? double-booking an occupied slot returns 409**PASS**

POST /bookings/client (as: alice@example.com, 1277 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-12",
  "guestsNumber": 2,
  "timeFrom": "2026-06-12T11:30:00Z",
  "timeTo": "2026-06-12T13:00:00Z"
}
```

Response: HTTP 409 (expected 409)

```
{
  "message": "One or more selected slots are already reserved"
}
```

Database verification:**[OK]** reservations: slot A still belongs to kate's reservation only

```
before: reservation 180658c3-8d14-4702-98cb-9d6df1cd18b0 holds slot A
after : status='In Progress', number_of_guests=3
```

BOOK-17 - POST /bookings/client ? missing token is rejected**PASS**

POST /bookings/client (as: anonymous, 150 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-12",
  "guestsNumber": 2,
  "timeFrom": "2026-06-12T13:15:00Z",
  "timeTo": "2026-06-12T14:45:00Z"
}
```

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

BOOK-18 - PUT /bookings/client/{id} ? empty update payload is rejected**PASS**

PUT /bookings/client/180658c3-8d14-4702-98cb-9d6df1cd18b0 (as: kate@example.com, 228 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, At least one editable field must be provided"
    }
  ]
}
```

ORD-1 - POST /orders ? max orders 2x Grilled Chicken Wrap**PASS**

POST /orders (as: max@example.com, 959 ms)

Request body:

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 2
    }
  ]
}
```

Response: HTTP 201 (expected 201)

```
{
  "orderId": "05d86753-37e1-4548-a7e2-54b750f422d4",
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0"
}
```

```
}
```

Database verification:

```
[OK] orders: row created for reservation (orderId=05d86753-37e1-4548-a7e2-54b750f422d4)
      before: 0 rows for this reservation
      after : 1 row(s); items=[{'dish_id': '611de651-ebef-53b2-84e6-ac72061825f0', 'quantity': 2}]
```

ORD-2 - POST /orders ? customer role is forbidden**PASS**

POST /orders (as: kate@example.com, 279 ms)

Request body:

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 1
    }
  ]
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Only waiters can create orders."
}
```

ORD-3 - POST /orders ? missing items is rejected**PASS**

POST /orders (as: max@example.com, 287 ms)

Request body:

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "items",
      "message": "Field required"
    }
  ]
}
```

ORD-4 - POST /orders ? empty items list is rejected**PASS**

POST /orders (as: max@example.com, 251 ms)

Request body:

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "items": []
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "items",
      "message": "List should have at least 1 item after validation, not 0"
    }
  ]
}
```

ORD-5 - POST /orders ? zero quantity is rejected**PASS**

POST /orders (as: max@example.com, 275 ms)

Request body:

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 0
    }
  ]
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "items",
      "message": "Input should be greater than 0"
    }
  ]
}
```

ORD-6 - POST /orders ? unknown dishId returns 404**PASS**

POST /orders (as: max@example.com, 258 ms)

Request body:

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "items": [
    {
      "dishId": "4cf8c4b9-2a2b-4068-8eef-697b4b5eae7",
      "quantity": 1
    }
  ]
}
```

Response: HTTP 404 (expected 404)

```
{
  "message": "Dish '4cf8c4b9-2a2b-4068-8eef-697b4b5eae7' not found."
}
```

ORD-7 - POST /orders ? unknown reservationId returns 404**PASS**

POST /orders (as: max@example.com, 276 ms)

Request body:

```
{
  "reservationId": "4eb62dec-bde2-436c-b82e-3dcfa8b83b64",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 1
    }
  ]
}
```

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation '4eb62dec-bde2-436c-b82e-3dcfa8b83b64' not found."
}
```

ORD-8 - POST /orders ? non-assigned waiter (lea) is forbidden**PASS**

POST /orders (as: lea@example.com, 253 ms)

Request body:

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 1
    }
  ]
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Only the assigned waiter can create an order for this reservation."
}
```

WRES-1 - GET /reservations/waiter ? max's view of Airport table 1**PASS**

GET /reservations/waiter (as: max@example.com, 535 ms)

Query: {"date": "2026-06-12", "time_from": "00:00", "table_name": "1"}**Response:** HTTP 200 (expected 200)

```
{
  "reservations": [
    {
      "reservationId": "198917ad-44dc-58cf-ba4e-987e6390ce83",
      "customerId": "b10960ae-5031-7035-f440-999196bfc92c",
      "createdBy": "Customer Frank Miller",
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "tableNumber": 1,
      "date": "2026-06-12",
      "timeFrom": "08:00",
      "timeTo": "09:30",
      "guestsNumber": 3,
      "status": "Finished"
    },
    {
      "reservationId": "d9419bcd-aded-5a87-991d-d9121032be83",
      "customerId": "213920be-f051-7084-355a-9102d5e578bb",
      "createdBy": "Customer Grace Wilson",
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "tableNumber": 1,
      "date": "2026-06-12",
      "timeFrom": "09:45",
      "timeTo": "11:15",
      "guestsNumber": 4,
      "status": "Finished"
    },
    {
      "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
      "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
      "createdBy": "Customer Kate Thompson",
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "tableNumber": 1,
      "date": "2026-06-12",
      "timeFrom": "11:30",
      "timeTo": "13:00",
      "guestsNumber": 3,
      "status": "In Progress"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

WRES-2 - GET /reservations/waiter ? customer role is forbidden**PASS**

GET /reservations/waiter (as: kate@example.com, 256 ms)

Query: {"date": "2026-06-12", "time_from": "00:00", "table_name": "1"}

Response: HTTP 403 (expected 403)

```
{
  "message": "Only waiters can access this endpoint"
}
```

Database verification: read-only endpoint - no change expected.

WRES-3 - GET /reservations/waiter ? missing table_name is rejected**PASS**

GET /reservations/waiter (as: max@example.com, 221 ms)

Query: {"date": "2026-06-12", "time_from": "00:00"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "table_name",
      "message": "Field required"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

WRES-4 - GET /reservations/waiter ? malformed time_from is rejected**PASS**

GET /reservations/waiter (as: max@example.com, 239 ms)

Query: {"date": "2026-06-12", "time_from": "9am", "table_name": "1"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "time_from",
      "message": "String should match pattern '^\\d{2}:\\d{2}$'"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

WRES-5 - GET /reservations/waiter ? malformed date is rejected**PASS**

GET /reservations/waiter (as: max@example.com, 222 ms)

Query: {"date": "tomorrow", "time_from": "00:00", "table_name": "1"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "date",
      "message": "Input should be a valid date or datetime, input is too short"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LIFE-1 - PUT /bookings/waiter/{id} ? max finishes the reservation**PASS**

PUT /bookings/waiter/180658c3-8d14-4702-98cb-9d6df1cd18b0 (as: max@example.com, 523 ms)

Request body:

```
{
  "status": "Finished"
}
```

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "status": "Finished",
  "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "clientName": null,
  "waiterId": "c17980ae-6011-7094-6620-a0d234b76f9d",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-12",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 3,
  "allowedActions": {
    "canEdit": false,
    "canCancel": false,
    "canLeaveFeedback": true,
    "canEditFeedback": false
  },
  "cutoffReason": "Actions are available only for RESERVED reservations"
}
```

Database verification:

[OK] reservations: status updated 'In Progress' -> 'Finished'
before: status='In Progress'
after : status='Finished', number_of_guests=3

LIFE-2 - POST /bookings/client ? kate books slot B**PASS**

POST /bookings/client (as: kate@example.com, 930 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-12",
  "guestsNumber": 2,
  "timeFrom": "2026-06-12T13:15:00Z",
  "timeTo": "2026-06-12T14:45:00Z"
}
```

Response: HTTP 200 (expected 200/201)

```
{
  "reservationId": "d27c96f0-dd22-4780-bcdd-6aab15b92a7a",
  "status": "Reserved",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-12",
  "timeFrom": "2026-06-12T13:15:00Z",
  "timeTo": "2026-06-12T14:45:00Z",
  "guestsNumber": 2,
  "clientName": "Kate Thompson"
}
```

Database verification:

[OK] reservations: second row created with status='Reserved'
before: (no row)
after : status='Reserved', number_of_guests=2, date='2026-06-12'

LIFE-3 - DELETE /bookings/client/{id}/cancel ? kate cancels slot B**PASS**

DELETE /bookings/client/d27c96f0-dd22-4780-bcdd-6aab15b92a7a/cancel (as: kate@example.com, 608 ms)

Response: HTTP 200 (expected 200/204)

```
{
  "reservationId": "d27c96f0-dd22-4780-bcdd-6aab15b92a7a",
  "status": "Cancelled",
  "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "clientName": null,
  "waiterId": "c17980ae-6011-7094-6620-a0d234b76f9d",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-12",
  "timeFrom": "13:15",
  "timeTo": "14:45",
  "guestsNumber": 2,
  "allowedActions": {
    "canEdit": false,
    "canCancel": false,
    "canLeaveFeedback": false,
    "canEditFeedback": false
  },
  "cutoffReason": "Actions are available only for RESERVED reservations"
}
```

Database verification:

[OK] reservations: status updated 'Reserved' -> 'Cancelled'
before: status='Reserved'
after : status='Cancelled'

LIFE-4 - GET /bookings/client/{id} ? unknown reservation returns 404**PASS**

GET /bookings/client/49c39ecd-06e9-4f90-a322-8c01ef7faa4c (as: kate@example.com, 295 ms)

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation not found"
}
```

Database verification: read-only endpoint - no change expected.

LIFE-5 - DELETE /bookings/client/{id}/cancel ? unknown reservation returns 404**PASS**

DELETE /bookings/client/6b1fb58a-a4d1-465e-a9fb-d9285b7421fb/cancel (as: kate@example.com, 292 ms)

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation not found"
}
```

LIFE-6 - DELETE /bookings/client/{id}/cancel ? malformed UUID is rejected**PASS**

DELETE /bookings/client/not-a-uuid/cancel (as: kate@example.com, 310 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "reservationId",
      "message": "'reservationId' must be a valid UUID"
    }
  ]
}
```

FB-1 - GET /feedbacks/context/{id} ? modal context for the reservation**PASS**

GET /feedbacks/context/180658c3-8d14-4702-98cb-9d6df1cd18b0 (as: kate@example.com, 1103 ms)

Response: HTTP 200 (expected 200)

```
{
  "reservation_id": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "waiter_id": "c17980ae-6011-7094-6620-a0d234b76f9d",
  "waiter_name": "Max Fischer",
  "waiter_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_2.jpg",
  "waiter_avg_rating": 3.8
}
```

Database verification: read-only endpoint - no change expected.

FB-2 - POST /feedbacks ? kate leaves culinary feedback (rating 5)**PASS**

POST /feedbacks (as: kate@example.com, 1477 ms)

Request body:

```
{
  "reservation_id": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "type": "culinary",
  "rating": 5,
  "comment": "Excellent flavors, beautifully presented."
}
```

Response: HTTP 201 (expected 201)

```
{
  "message": "Feedback has been created."
}
```

Database verification:

```
[OK] feedback_cuisine: row created with rate=5 for the reservation
    before: 0 rows for this reservation
    after : 1 row(s), rate=[5]
```

FB-3 - POST /feedbacks ? kate leaves service feedback (rating 4)**PASS**

POST /feedbacks (as: kate@example.com, 571 ms)

Request body:

```
{
  "reservation_id": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "type": "service",
  "rating": 4,
  "comment": "Attentive and professional service."
}
```

Response: HTTP 201 (expected 201)

```
{
  "message": "Feedback has been created."
}
```

Database verification:

```
[OK] feedback_service: row created with rate=4 for the reservation
    before: 0 rows for this reservation
    after : 1 row(s), rate=[4]
```

FB-4 - PUT /feedbacks ? kate edits culinary feedback (5 -> 3)**PASS**

PUT /feedbacks (as: kate@example.com, 818 ms)

Request body:

```
{
  "reservation_id": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "type": "culinary",
  "rating": 3,
  "comment": "Good, but the dessert was underwhelming."
}
```

Response: HTTP 200 (expected 200)

```
{
  "message": "Feedback has been updated."
}
```

Database verification:

[OK] feedback_cuisine: rate updated 5 -> 3, row count unchanged
before: 1 row, rate=5
after : 1 row(s), rate=[3]

FB-5 - POST /feedbacks ? duplicate culinary feedback is rejected**PASS**

POST /feedbacks (as: kate@example.com, 373 ms)

Request body:

```
{
  "reservation_id": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "type": "culinary",
  "rating": 2,
  "comment": "Second culinary attempt."
}
```

Response: HTTP 409 (expected 409)

```
{
  "message": "Culinary feedback for this reservation has already been submitted."
}
```

Database verification:

[OK] feedback_cuisine: duplicate rejected; row count still 1
before: 1 row
after : 1 row(s)

FB-6 - POST /feedbacks ? waiter role is forbidden**PASS**

POST /feedbacks (as: max@example.com, 285 ms)

Request body:

```
{
  "reservation_id": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "type": "service",
  "rating": 5,
  "comment": "Waiter trying to self-review."
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Only customers can leave feedback."
}
```

FB-7 - POST /feedbacks ? rating 0 (below range) is rejected**PASS**

POST /feedbacks (as: kate@example.com, 224 ms)

Request body:

```
{
  "reservation_id": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "type": "service",
  "rating": 0
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "rating",
      "message": "Input should be greater than or equal to 1"
    }
  ]
}
```

FB-8 - POST /feedbacks ? rating 6 (above range) is rejected**PASS**

POST /feedbacks (as: kate@example.com, 237 ms)

Request body:

```
{
  "reservation_id": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "type": "service",
  "rating": 6
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "rating",
      "message": "Input should be less than or equal to 5"
    }
  ]
}
```

FB-9 - POST /feedbacks ? invalid type is rejected**PASS**

POST /feedbacks (as: kate@example.com, 231 ms)

Request body:

```
{
  "reservation_id": "180658c3-8d14-4702-98cb-9d6df1cd18b0",
  "type": "ambience",
  "rating": 4
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "type",
      "message": "Input should be 'service' or 'culinary'"
    }
  ]
}
```

FB-10 - POST /feedbacks ? missing reservation_id is rejected**PASS**

POST /feedbacks (as: kate@example.com, 287 ms)

Request body:

```
{
  "type": "culinary",
  "rating": 4
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "reservation_id",
      "message": "Field required"
    }
  ]
}
```

FB-11 - POST /feedbacks ? unknown reservation returns 404**PASS**

POST /feedbacks (as: kate@example.com, 257 ms)

Request body:

```
{
  "reservation_id": "67ef9b35-adb0-4eea-9c30-5cdefd508cd4",
  "type": "culinary",
  "rating": 4
}
```

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation not found"
}
```

```
}
```

FB-12 - POST /feedbacks ? another customer's reservation is forbidden**PASS**

POST /feedbacks (as: kate@example.com, 295 ms)

Request body:

```
{
  "reservation_id": "0c1bbff4-918a-523f-930e-f6bc46db1b33",
  "type": "culinary",
  "rating": 1
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Customers can leave feedback only for their own reservations."
}
```

FB-13 - PUT /feedbacks ? unknown reservation returns 404**PASS**

PUT /feedbacks (as: kate@example.com, 257 ms)

Request body:

```
{
  "reservation_id": "ab31e838-7350-4117-9ddd-b2aaef38df17",
  "type": "culinary",
  "rating": 4
}
```

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation not found"
}
```

FB-14 - GET /feedbacks/context/{id} ? waiter role is forbidden**PASS**

GET /feedbacks/context/180658c3-8d14-4702-98cb-9d6df1cd18b0 (as: max@example.com, 244 ms)

Response: HTTP 403 (expected 403)

```
{
  "message": "Only customers can access feedback context."
}
```

*Database verification: read-only endpoint - no change expected.***FB-15 - GET /feedback/{id}?type=cuisine ? kate retrieves her culinary feedback****PASS**

GET /feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573 (as: kate@example.com, 327 ms)

Query: {"type": "cuisine"}**Response:** HTTP 200 (expected 200)

```
{
  "id": "63bbe398-6914-5594-82c6-8bfc6f1c7573",
  "customer_id": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "feedback": "Good, but the dessert was underwhelming.",
  "rate": 3,
  "date": "2026-06-12T00:00:00Z",
  "user_name": "Kate Thompson",
  "user_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png",
  "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "waiter_id": null
}
```

Database verification: read-only endpoint - no change expected.

FB-16 - GET /feedback/{id}?type=service ? kate retrieves her service feedback**PASS**

GET /feedback/f49816ae-ed43-5e02-87fa-ab63ece413e0 (as: kate@example.com, 319 ms)

Query: {"type": "service"}

Response: HTTP 200 (expected 200)

```
{
  "id": "f49816ae-ed43-5e02-87fa-ab63ece413e0",
  "customer_id": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "feedback": "Attentive and professional service.",
  "rate": 4,
  "date": "2026-06-12T00:00:00Z",
  "user_name": "Kate Thompson",
  "user_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png",
  "location_id": null,
  "waiter_id": "c17980ae-6011-7094-6620-a0d234b76f9d"
}
```

Database verification: read-only endpoint - no change expected.

FB-17 - GET /feedback/{id} ? missing type param is rejected**PASS**

GET /feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573 (as: kate@example.com, 235 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "type",
      "message": "This field is required"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

FB-18 - GET /feedback/{id}?type=ambience ? invalid type is rejected**PASS**

GET /feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573 (as: kate@example.com, 214 ms)

Query: {"type": "ambience"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "type",
      "message": "Must be one of: cuisine, service"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

FB-19 - GET /feedback/not-a-uuid?type=cuisine ? non-UUID feedback_id is rejected**PASS**

GET /feedback/not-a-valid-uuid (as: kate@example.com, 209 ms)

Query: {"type": "cuisine"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "feedback_id",
      "message": "'feedback_id' must be a valid UUID"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

FB-20 - GET /feedback/{id}?type=cuisine ? waiter role is forbidden

PASS

GET /feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573 (as: max@example.com, 235 ms)

Query: {"type": "cuisine"}

Response: HTTP 403 (expected 403)

```
{
  "message": "Only customers can access feedback details."
}
```

Database verification: read-only endpoint - no change expected.

FB-21 - GET /feedback/{id}?type=cuisine ? unknown feedback_id returns empty list

PASS

GET /feedback/0d0a75a9-8c25-4b2a-aa64-b35507e4c38f (as: kate@example.com, 251 ms)

Query: {"type": "cuisine"}

Response: HTTP 200 (expected 200)

```
[]
```

Database verification: read-only endpoint - no change expected.

FB-22 - GET /feedback/{id}?type=cuisine ? alice cannot access kate's feedback

PASS

GET /feedback/63bbe398-6914-5594-82c6-8bfc6f1c7573 (as: alice@example.com, 274 ms)

Query: {"type": "cuisine"}

Response: HTTP 403 (expected 403)

```
{
  "message": "Not authorized to access this feedback."
}
```

Database verification: read-only endpoint - no change expected.

SQS-0 - GET /bookings/tables ? discover 2 free slots at Airport table 1 (2026-06-13)

PASS

GET /bookings/tables (as: kate@example.com, 1172 ms)

Query: {"location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533", "date": "2026-06-13", "guests_number": 2}

Response: HTTP 200 (expected 200)

```
{
  "tables": [
    {
      "table_id": "a75f2507-1daf-561a-bc47-4dd04a39bd6c",
      "table_number": 1,
      "capacity": 5,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
        {
          "slot_id": "c7c1f05e-f172-587b-a5ad-74195586e087",
          "start_time": "2026-06-13T11:30:00Z",
          "end_time": "2026-06-13T13:00:00Z"
        },
        {
          "slot_id": "64de5d7d-3be6-5f91-8e6e-0835227ace7f",
          "start_time": "2026-06-13T13:15:00Z",
          "end_time": "2026-06-13T14:45:00Z"
        },
        {
          "slot_id": "32e4abbc-20b8-5534-a39f-bc40e98f8e58",
          "start_time": "2026-06-13T18:30:00Z",
          "end_time": "2026-06-13T20:00:00Z"
        },
        {
          "slot_id": "8a9a1c0f-9f28-575e-9c57-b10bef097ff6",
          "start_time": "2026-06-13T20:15:00Z",
          "end_time": "2026-06-13T21:45:00Z"
        }
      ]
    },
    {
      "table_id": "0f145361-ecc7-54ac-ae24-fcf600d94f84",
      "table_number": 2,
      "capacity": 10,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
```

```
{
  "slot_id": "cd6672ae-95a8-583b-b8ab-5fd1fe83dc41",
  "start_time": "2026-06-13T08:00:00Z",
  "end_time": "2026-06-13T09:30:00Z"
},
{
  "slot_id": "2e6af106-48ff-55a6-98e3-7db55031e6e0",
  "start_time": "2026-06-13T09:45:00Z",
  "end_time": "2026-06-13T11:15:00Z"
},
{
  "slot_id": "5b611a79-4e45-5815-abd2-db07f2b19923",
  "start_time": "2026-06-13T11:30:00Z",
```

... (truncated)

Database verification: read-only endpoint - no change expected.

SQS-1 - POST /bookings/client ? kate creates reservation (slot A); SQS CREATED ? reports unchanged **PASS**

POST /bookings/client (as: kate@example.com, 505 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-13",
  "guestsNumber": 2,
  "timeFrom": "2026-06-13T11:30:00Z",
  "timeTo": "2026-06-13T13:00:00Z"
}
```

Response: HTTP 200 (expected 200/201)

```
{
  "reservationId": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "status": "Reserved",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-13",
  "timeFrom": "2026-06-13T11:30:00Z",
  "timeTo": "2026-06-13T13:00:00Z",
  "guestsNumber": 2,
  "clientName": "Kate Thompson"
}
```

Database verification:

[OK] waiter_report: CREATED ignored ? waiter report unchanged

before: orders_processed=21, service_feedback_count=11, avg_service_feedback=3.82
after : orders_processed=21, service_feedback_count=11, avg_service_feedback=3.82

[OK] location_report: CREATED ignored ? location report unchanged

before: orders_processed=77, revenue=3427.20000000000016, cuisine_feedback_count=39, avg_cuisine_feedback=3.87
after : orders_processed=77, revenue=3427.20000000000016, cuisine_feedback_count=39, avg_cuisine_feedback=3.87

SQS-2 - PUT /bookings/waiter/{id} ? max moves reservation IN_PROGRESS; SQS UPDATED ? reports unchanged **PASS**

PUT /bookings/waiter/f8704cea-1fd2-4378-a1ef-70bdba7bcad6 (as: max@example.com, 722 ms)

Request body:

```
{
  "status": "In Progress"
}
```

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "status": "In Progress",
  "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "clientName": null,
  "waiterId": "c17980ae-6011-7094-6620-a0d234b76f9d",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-13",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 2,
```

```
"allowedActions": {
  "canEdit": false,
  "canCancel": false,
  "canLeaveFeedback": true,
  "canEditFeedback": false
},
"cutoffReason": "Actions are available only for RESERVED reservations"
}
```

Database verification:

[OK] waiter_report: UPDATED ignored ? waiter report unchanged
before: orders_processed=21, service_feedback_count=11, avg_service_feedback=3.82
after : orders_processed=21, service_feedback_count=11, avg_service_feedback=3.82

[OK] location_report: UPDATED ignored ? location report unchanged
before: orders_processed=77, revenue=3427.20000000000016, cuisine_feedback_count=39, avg_cuisine_feedback=3.87
after : orders_processed=77, revenue=3427.20000000000016, cuisine_feedback_count=39, avg_cuisine_feedback=3.87

SQS-3 - POST /orders ? max creates order (2× Grilled Chicken Wrap); no SQS, revenue counted at FINISHED

POST /orders (as: max@example.com, 315 ms)

Request body:

```
{
  "reservationId": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 2
    }
  ]
}
```

Response: HTTP 201 (expected 200/201)

```
{
  "orderId": "84bedcde-f5c2-4f01-a96b-1be89a496417",
  "reservationId": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6"
}
```

SQS-4 - PUT /bookings/waiter/{id} ? max marks FINISHED; SQS FINISHED ? orders_processed+1, revenue

PUT /bookings/waiter/f8704cea-1fd2-4378-a1ef-70bdba7bcad6 (as: max@example.com, 627 ms)

Request body:

```
{
  "status": "Finished"
}
```

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "status": "Finished",
  "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "clientName": null,
  "waiterId": "c17980ae-6011-7094-6620-a0d234b76f9d",
  "locationId": "a6c14d88-cdee-5577-9e30-26eef41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-13",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 2,
  "allowedActions": {
    "canEdit": false,
    "canCancel": false,
    "canLeaveFeedback": true,
    "canEditFeedback": false
  },
  "cutoffReason": "Actions are available only for RESERVED reservations"
}
```

Database verification:

[OK] waiter_report: orders_processed increased after FINISHED
before: orders_processed=21
after : orders_processed=22

[OK] location_report: orders_processed increased after FINISHED
before: orders_processed=77

after : orders_processed=78

[OK] location_report: revenue increased after FINISHED

before: revenue=3427.20000000000016

after : revenue=3452.20000000000016

SQS-5 - POST /feedbacks ? kate submits culinary feedback (rate 5); SQS CULINARY CREATED ? cuisine_feedback_count **PASS**

POST /feedbacks (as: kate@example.com, 416 ms)

Request body:

```
{
  "reservation_id": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "comment": "Excellent flavors and beautifully presented.",
  "rating": 5,
  "type": "culinary"
}
```

Response: HTTP 201 (expected 201)

```
{
  "message": "Feedback has been created."
}
```

Database verification:

[OK] location_report: cuisine_feedback_count increased after culinary feedback

before: cuisine_feedback_count=39

after : cuisine_feedback_count=40

SQS-6 - POST /feedbacks ? kate submits service feedback (rate 4); SQS SERVICE CREATED ? service_feedback_count **PASS**

POST /feedbacks (as: kate@example.com, 342 ms)

Request body:

```
{
  "reservation_id": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "comment": "Attentive and professional throughout the visit.",
  "rating": 4,
  "type": "service"
}
```

Response: HTTP 201 (expected 201)

```
{
  "message": "Feedback has been created."
}
```

Database verification:

[OK] waiter_report: service_feedback_count increased after service feedback

before: service_feedback_count=11

after : service_feedback_count=12

SQS-7 - POST /feedbacks ? duplicate culinary ? 409; no SQS, location report unchanged **PASS**

POST /feedbacks (as: kate@example.com, 434 ms)

Request body:

```
{
  "reservation_id": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "comment": "Trying a second culinary rating.",
  "rating": 3,
  "type": "culinary"
}
```

Response: HTTP 409 (expected 409)

```
{
  "message": "Culinary feedback for this reservation has already been submitted."
}
```

Database verification:

[OK] location_report: location report unchanged after rejected duplicate

before: orders_processed=78, revenue=3452.20000000000016, cuisine_feedback_count=40, avg_cuisine_feedback=3.9

after : orders_processed=78, revenue=3452.20000000000016, cuisine_feedback_count=40, avg_cuisine_feedback=3.9

SQS-8 - POST /feedbacks ? duplicate service ? 409; no SQS, waiter report unchanged**PASS**

POST /feedbacks (as: kate@example.com, 356 ms)

Request body:

```
{
  "reservation_id": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "comment": "Trying a second service rating.",
  "rating": 5,
  "type": "service"
}
```

Response: HTTP 409 (expected 409)

```
{
  "message": "Service feedback for this reservation has already been submitted."
}
```

Database verification:**[OK]** waiter_report: waiter report unchanged after rejected duplicate

before: orders_processed=22, service_feedback_count=12, avg_service_feedback=3.83
 after : orders_processed=22, service_feedback_count=12, avg_service_feedback=3.83

SQS-9 - POST /bookings/client ? kate creates reservation (slot B); SQS CREATED ? location report unchanged**PASS**

POST /bookings/client (as: kate@example.com, 512 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-13",
  "guestsNumber": 2,
  "timeFrom": "2026-06-13T13:15:00Z",
  "timeTo": "2026-06-13T14:45:00Z"
}
```

Response: HTTP 200 (expected 200/201)

```
{
  "reservationId": "f410342b-8a56-4cf9-9db5-1c960a50d1f4",
  "status": "Reserved",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-13",
  "timeFrom": "2026-06-13T13:15:00Z",
  "timeTo": "2026-06-13T14:45:00Z",
  "guestsNumber": 2,
  "clientName": "Kate Thompson"
}
```

Database verification:**[OK]** location_report: CREATED ignored ? location report unchanged

before: orders_processed=78, revenue=3452.20000000000016, cuisine_feedback_count=40, avg_cuisine_feedback=3.9
 after : orders_processed=78, revenue=3452.20000000000016, cuisine_feedback_count=40, avg_cuisine_feedback=3.9

SQS-10 - DELETE /bookings/client/{id}/cancel ? kate cancels slot B; SQS CANCELLED ? reports unchanged**PASS**

DELETE /bookings/client/f410342b-8a56-4cf9-9db5-1c960a50d1f4/cancel (as: kate@example.com, 650 ms)

Response: HTTP 200 (expected 200/204)

```
{
  "reservationId": "f410342b-8a56-4cf9-9db5-1c960a50d1f4",
  "status": "Cancelled",
  "customerId": "51d9502e-80d1-709f-ad75-4a410933e7ce",
  "clientName": null,
  "waiterId": "c17980ae-6011-7094-6620-a0d234b76f9d",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-13",
  "timeFrom": "13:15",
  "timeTo": "14:45",
  "guestsNumber": 2,
  "allowedActions": {
    "canEdit": false,
    "canCancel": false,
    "canLeaveFeedback": false,
  }
}
```

```
    "canEditFeedback": false
  },
  "cutoffReason": "Actions are available only for RESERVED reservations"
}
```

Database verification:

[OK] location_report: CANCELLED ignored ? location report unchanged
before: orders_processed=78, revenue=3452.20000000000016, cuisine_feedback_count=40, avg_cuisine_feedback=3.9
after : orders_processed=78, revenue=3452.20000000000016, cuisine_feedback_count=40, avg_cuisine_feedback=3.9

SQS-11 - PUT /feedbacks ? kate edits service feedback 4?1; SQS SERVICE EDITED ? avg_service_feedback drops **FAIL**

PUT /feedbacks (as: kate@example.com, 336 ms)

Request body:

```
{
  "reservation_id": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "comment": "On reflection the service was slow.",
  "rating": 1,
  "type": "service"
}
```

Response: HTTP 200 (expected 200)

```
{
  "message": "Feedback has been updated."
}
```

Database verification:

[OK] waiter_report: avg_service_feedback decreased after service feedback edit
before: avg_service_feedback=3.83
after : avg_service_feedback=3.58

SQS-12 - PUT /feedbacks ? kate edits culinary feedback 5?1; SQS CULINARY EDITED ? avg_cuisine_feedback drop **FAIL**

PUT /feedbacks (as: kate@example.com, 3238 ms)

Request body:

```
{
  "reservation_id": "f8704cea-1fd2-4378-a1ef-70bdba7bcad6",
  "comment": "On reflection the food was disappointing.",
  "rating": 1,
  "type": "culinary"
}
```

Response: HTTP 200 (expected 200)

```
{
  "message": "Feedback has been updated."
}
```

Database verification:

[OK] location_report: avg_cuisine_feedback decreased after culinary feedback edit
before: avg_cuisine_feedback=3.9
after : avg_cuisine_feedback=3.8