

End-to-End API Test Report

Run started: 2026-06-10 11:46:43 UTC
Run finished: 2026-06-10 11:48:42 UTC
API base URL: https://rgwiii7a2h.execute-api.eu-west-3.amazonaws.com/api
AWS account: 471112613959
AWS region: eu-west-3

107

TOTAL STEPS

107

PASSED

0

FAILED

Endpoint Summary

Step	Method	Path	Expected	Got	HTTP	DB	Result
AUTH-1	POST	/auth/sign-up	201	201	OK	OK	PASS
AUTH-2	POST	/auth/sign-in	200	200	OK	-	PASS
AUTH-3	POST	/auth/sign-in	401	401	OK	-	PASS
AUTH-4	POST	/auth/refresh	200	200	OK	-	PASS
AUTH-5	POST	/auth/logout	200	200	OK	-	PASS
AUTH-6	POST	/auth/sign-up	422	422	OK	-	PASS
AUTH-7	POST	/auth/sign-up	422	422	OK	-	PASS
AUTH-8	POST	/auth/sign-up	422	422	OK	-	PASS
AUTH-9	POST	/auth/sign-up	409	409	OK	OK	PASS
AUTH-10	POST	/auth/sign-in	422	422	OK	-	PASS
AUTH-11	POST	/auth/refresh	422	422	OK	-	PASS
AUTH-12	POST	/auth/logout	422	422	OK	-	PASS
AUTH-13	POST	/auth/sign-in	422	422	OK	-	PASS
LOC-1	GET	/locations	200	200	OK	OK	PASS
LOC-2	GET	/locations/select-options	200	200	OK	-	PASS
LOC-3	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533	200	200	OK	-	PASS
LOC-4	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/s...	200	200	OK	-	PASS
LOC-5	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/v...	200	200	OK	-	PASS
LOC-6	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	200	200	OK	OK	PASS
LOC-7	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/t...	200	200	OK	OK	PASS
LOC-8	GET	/locations/not-a-uuid	422	422	OK	-	PASS
LOC-9	GET	/locations/d3790792-042a-44a6-beba-6f13bfe02ce6	404	404	OK	-	PASS
LOC-10	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	422	422	OK	-	PASS

Restaurant App - E2E Endpoint Test Report

Step	Method	Path	Expected	Got	HTTP	DB	Result
LOC-11	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	422	422	OK	-	PASS
LOC-12	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	422	422	OK	-	PASS
LOC-13	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/f...	422	422	OK	-	PASS
LOC-14	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/t...	403	403	OK	-	PASS
LOC-15	GET	/locations/a6c14d88-cdee-5577-9e30-26eecf41b533/t...	401	401	OK	-	PASS
DISH-1	GET	/dishes	200	200	OK	-	PASS
DISH-2	GET	/dishes/popular	200	200	OK	-	PASS
DISH-3	GET	/dishes	200	200	OK	-	PASS
DISH-4	GET	/dishes/611de651-ebef-53b2-84e6-ac72061825f0	200	200	OK	-	PASS
DISH-5	GET	/dishes/38faacf9-4099-4527-9bda-e77061239725	404	404	OK	-	PASS
DISH-6	GET	/dishes	422	422	OK	-	PASS
DISH-7	GET	/dishes	422	422	OK	-	PASS
DISH-8	GET	/dishes/not-a-uuid	422	422	OK	-	PASS
USER-1	GET	/users/profile	200	200	OK	-	PASS
USER-2	PUT	/users/profile	200	200	OK	OK	PASS
USER-3	PUT	/users/profile	200	200	OK	OK	PASS
USER-4	GET	/users/waiter/location	200	200	OK	-	PASS
USER-5	GET	/users/profile	401	401	OK	-	PASS
USER-6	PUT	/users/profile	422	422	OK	-	PASS
USER-7	PUT	/users/profile	422	422	OK	-	PASS
USER-8	GET	/users/profile	401	401	OK	-	PASS
CUST-1	GET	/customers	200	200	OK	OK	PASS
CUST-2	GET	/customers	403	403	OK	-	PASS
CUST-3	GET	/customers	401	401	OK	-	PASS
REP-1	GET	/reports	200	200	OK	-	PASS
REP-2	GET	/reports	200	200	OK	-	PASS
REP-3	GET	/reports	403	403	OK	-	PASS
REP-4	GET	/reports	403	403	OK	-	PASS
REP-5	GET	/reports	422	422	OK	-	PASS
REP-6	GET	/reports	422	422	OK	-	PASS
REP-7	GET	/reports	422	422	OK	-	PASS
REP-8	GET	/reports	422	422	OK	-	PASS
REP-9	GET	/reports	401	401	OK	-	PASS
BOOK-1	GET	/bookings/tables	200	200	OK	OK	PASS
BOOK-2	GET	/bookings/waiter/tables	200	200	OK	-	PASS
BOOK-3	POST	/bookings/client	200/201	200	OK	OK	PASS
BOOK-4	GET	/bookings/client	200	200	OK	-	PASS
BOOK-5	GET	/bookings/client/7a218b27-09fb-4843-8d37-a60ce6bb...	200	200	OK	-	PASS
BOOK-6	PUT	/bookings/client/7a218b27-09fb-4843-8d37-a60ce6bb...	200	200	OK	OK	PASS
BOOK-7	PUT	/bookings/waiter/7a218b27-09fb-4843-8d37-a60ce6bb...	200	200	OK	OK	PASS
BOOK-8	POST	/bookings/client	422	422	OK	-	PASS
BOOK-9	GET	/bookings/tables	422	422	OK	-	PASS
BOOK-10	GET	/bookings/tables	422	422	OK	-	PASS
BOOK-11	POST	/bookings/client	422	422	OK	-	PASS
BOOK-12	POST	/bookings/client	422	422	OK	-	PASS
BOOK-13	POST	/bookings/client	422	422	OK	-	PASS

Restaurant App - E2E Endpoint Test Report

Step	Method	Path	Expected	Got	HTTP	DB	Result
BOOK-14	POST	/bookings/client	422	422	OK	-	PASS
BOOK-15	POST	/bookings/client	422	422	OK	-	PASS
BOOK-16	POST	/bookings/client	409	409	OK	OK	PASS
BOOK-17	POST	/bookings/client	401	401	OK	-	PASS
BOOK-18	PUT	/bookings/client/7a218b27-09fb-4843-8d37-a60ce6bb...	422	422	OK	-	PASS
ORD-1	POST	/orders	201	201	OK	OK	PASS
ORD-2	POST	/orders	403	403	OK	-	PASS
ORD-3	POST	/orders	422	422	OK	-	PASS
ORD-4	POST	/orders	422	422	OK	-	PASS
ORD-5	POST	/orders	422	422	OK	-	PASS
ORD-6	POST	/orders	404	404	OK	-	PASS
ORD-7	POST	/orders	404	404	OK	-	PASS
ORD-8	POST	/orders	403	403	OK	-	PASS
WRES-1	GET	/reservations/waiter	200	200	OK	-	PASS
WRES-2	GET	/reservations/waiter	403	403	OK	-	PASS
WRES-3	GET	/reservations/waiter	422	422	OK	-	PASS
WRES-4	GET	/reservations/waiter	422	422	OK	-	PASS
WRES-5	GET	/reservations/waiter	422	422	OK	-	PASS
LIFE-1	PUT	/bookings/waiter/7a218b27-09fb-4843-8d37-a60ce6bb...	200	200	OK	OK	PASS
LIFE-2	POST	/bookings/client	200/201	200	OK	OK	PASS
LIFE-3	DELETE	/bookings/client/4dca92c7-8c75-47e0-ae18-d0498493...	200/204	200	OK	OK	PASS
LIFE-4	GET	/bookings/client/c7162e3a-df4f-4a12-9e7e-b4074a81...	404	404	OK	-	PASS
LIFE-5	DELETE	/bookings/client/50799596-4298-4157-ac22-51a2c0fd...	404	404	OK	-	PASS
LIFE-6	DELETE	/bookings/client/not-a-uuid/cancel	422	422	OK	-	PASS
FB-1	GET	/feedbacks/context/7a218b27-09fb-4843-8d37-a60ce6...	200	200	OK	-	PASS
FB-2	POST	/feedbacks	201	201	OK	OK	PASS
FB-3	POST	/feedbacks	201	201	OK	OK	PASS
FB-4	PUT	/feedbacks	200	200	OK	OK	PASS
FB-5	POST	/feedbacks	409	409	OK	OK	PASS
FB-6	POST	/feedbacks	403	403	OK	-	PASS
FB-7	POST	/feedbacks	422	422	OK	-	PASS
FB-8	POST	/feedbacks	422	422	OK	-	PASS
FB-9	POST	/feedbacks	422	422	OK	-	PASS
FB-10	POST	/feedbacks	422	422	OK	-	PASS
FB-11	POST	/feedbacks	404	404	OK	-	PASS
FB-12	POST	/feedbacks	403	403	OK	-	PASS
FB-13	PUT	/feedbacks	404	404	OK	-	PASS
FB-14	GET	/feedbacks/context/7a218b27-09fb-4843-8d37-a60ce6...	403	403	OK	-	PASS

Endpoint Details

AUTH-1 - POST /auth/sign-up ? register a brand-new customer

PASS

POST /auth/sign-up (as: anonymous, 4685 ms)

Request body:

```
{
  "firstName": "E2E",
  "lastName": "Tester",
  "email": "e2e.user.1781092067@example.com",
  "password": "****"
}
```

Response: HTTP 201 (expected 201)

```
{
  "message": "User registered successfully"
}
```

Database verification:

[OK] customers: row created for e2e.user.1781092067@example.com
before: 0 rows with this email
after : 1 row(s), id=01e960de-6041-708a-8c3d-f90b2e5e5a5b

AUTH-2 - POST /auth/sign-in ? sign in as the new customer

PASS

POST /auth/sign-in (as: anonymous, 984 ms)

Request body:

```
{
  "email": "e2e.user.1781092067@example.com",
  "password": "****"
}
```

Response: HTTP 200 (expected 200)

```
{
  "access_token": "****",
  "refresh_token": "****",
  "username": "E2E Tester",
  "role": "Customer"
}
```

AUTH-3 - POST /auth/sign-in ? wrong password is rejected

PASS

POST /auth/sign-in (as: anonymous, 532 ms)

Request body:

```
{
  "email": "e2e.user.1781092067@example.com",
  "password": "****"
}
```

Response: HTTP 401 (expected 401)

```
{
  "message": "Incorrect email or password. Try again or create an account."
}
```

AUTH-4 - POST /auth/refresh ? exchange refresh token for new access token

PASS

POST /auth/refresh (as: anonymous, 293 ms)

Request body:

```
{
  "refresh_token": "****"
}
```

Response: HTTP 200 (expected 200)

```
{
  "access_token": "****"
}
```

AUTH-5 - POST /auth/logout ? revoke the refresh token**PASS**

POST /auth/logout (as: anonymous, 327 ms)

Request body:

```
{
  "refresh_token": "****"
}
```

Response: HTTP 200 (expected 200)

```
{
  "message": "Logged out successfully"
}
```

AUTH-6 - POST /auth/sign-up ? missing password is rejected**PASS**

POST /auth/sign-up (as: anonymous, 189 ms)

Request body:

```
{
  "firstName": "E2E",
  "lastName": "Tester",
  "email": "e2e.user.1781092067@example.com"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "password",
      "message": "Field required"
    }
  ]
}
```

AUTH-7 - POST /auth/sign-up ? malformed email is rejected**PASS**

POST /auth/sign-up (as: anonymous, 209 ms)

Request body:

```
{
  "firstName": "E2E",
  "lastName": "Tester",
  "email": "not-an-email",
  "password": "****"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "email",
      "message": "value is not a valid email address: An email address must have an @-sign."
    }
  ]
}
```

AUTH-8 - POST /auth/sign-up ? weak password is rejected**PASS**

POST /auth/sign-up (as: anonymous, 256 ms)

Request body:

```
{
  "firstName": "E2E",
  "lastName": "Tester",
  "email": "e2e.weak.1781092075@example.com",
  "password": "****"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "password",
      "message": "Value error, must be 8\u201336 characters, must contain at least one uppercase letter, must contain at least one digit, must contain at least one special character"
    }
  ]
}
```

```
}  
]  
}
```

AUTH-9 - POST /auth/sign-up ? duplicate email returns 409**PASS**

POST /auth/sign-up (as: anonymous, 558 ms)

Request body:

```
{  
  "firstName": "E2E",  
  "lastName": "Tester",  
  "email": "e2e.user.1781092067@example.com",  
  "password": "****"  
}
```

Response: HTTP 409 (expected 409)

```
{  
  "message": "An account with this email address already exists"  
}
```

Database verification:

[OK] customers: duplicate sign-up rejected; still exactly 1 row for the email
before: 1 row
after : 1 row(s)

AUTH-10 - POST /auth/sign-in ? missing password is rejected**PASS**

POST /auth/sign-in (as: anonymous, 148 ms)

Request body:

```
{  
  "email": "e2e.user.1781092067@example.com"  
}
```

Response: HTTP 422 (expected 422)

```
{  
  "errors": [  
    {  
      "field": "password",  
      "message": "Field required"  
    }  
  ]  
}
```

AUTH-11 - POST /auth/refresh ? missing refresh_token is rejected**PASS**

POST /auth/refresh (as: anonymous, 152 ms)

Response: HTTP 422 (expected 422)

```
{  
  "errors": [  
    {  
      "field": "refresh_token",  
      "message": "Field required"  
    }  
  ]  
}
```

AUTH-12 - POST /auth/logout ? missing refresh_token is rejected**PASS**

POST /auth/logout (as: anonymous, 179 ms)

Response: HTTP 422 (expected 422)

```
{  
  "errors": [  
    {  
      "field": "refresh_token",  
      "message": "Field required"  
    }  
  ]  
}
```

AUTH-13 - POST /auth/sign-in ? malformed JSON body is rejected**PASS**

POST /auth/sign-in (as: anonymous, 162 ms)

Request body:

```
{
  "_raw_body": "{\"email\": \"broken json...\"}
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "body",
      "message": "Invalid JSON"
    }
  ]
}
```

LOC-1 - GET /locations ? list all restaurant locations**PASS**

GET /locations (as: anonymous, 1192 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
    "address": "4 Chavchavadze Avenue, Tbilisi",
    "description": "Fast-service location inside the international terminal.",
    "total_capacity": 45,
    "average_occupancy": 76,
    "image_url": "http://epam-restaurantapp-dev-eu-west-3-frontend.s3-website.eu-west-3.amazonaws.com/location_img.jpg",
    "rating": 3.9
  },
  {
    "id": "2819d046-563d-5570-9495-ca47fa76fe75",
    "address": "48 Rustaveli Avenue, Tbilisi",
    "description": "Central city location near the main square.",
    "total_capacity": 45,
    "average_occupancy": 34,
    "image_url": "http://epam-restaurantapp-dev-eu-west-3-frontend.s3-website.eu-west-3.amazonaws.com/location_img.jpg",
    "rating": 4.0
  },
  {
    "id": "e5b46f59-1ecd-52db-9352-7308394a575b",
    "address": "12 Baratashvili Street, Tbilisi",
    "description": "Cozy old-town location with an all-day bistro menu.",
    "total_capacity": 45,
    "average_occupancy": 92,
    "image_url": "http://epam-restaurantapp-dev-eu-west-3-frontend.s3-website.eu-west-3.amazonaws.com/location_img.jpg",
    "rating": 4.0
  }
]
```

Database verification:**[OK]** locations: API location count equals table item count (read-only, no change)

before: table rows: 3
after : API returned: 3

LOC-2 - GET /locations/select-options ? address picker options**PASS**

GET /locations/select-options (as: anonymous, 153 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
    "location_address": "4 Chavchavadze Avenue, Tbilisi"
  },
  {
    "location_id": "2819d046-563d-5570-9495-ca47fa76fe75",
    "location_address": "48 Rustaveli Avenue, Tbilisi"
  },
  {
    "location_id": "e5b46f59-1ecd-52db-9352-7308394a575b",
    "location_address": "12 Baratashvili Street, Tbilisi"
  }
]
```

]

*Database verification: read-only endpoint - no change expected.***LOC-3 - GET /locations/{id} ? fetch the Airport location****PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533 (as: anonymous, 302 ms)

Response: HTTP 200 (expected 200)

```
{
  "id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "address": "4 Chavchavadze Avenue, Tbilisi",
  "description": "Fast-service location inside the international terminal.",
  "total_capacity": 45,
  "average_occupancy": 76,
  "image_url": "http://epam-restaurantapp-dev-eu-west-3-frontend.s3-website.eu-west-3.amazonaws.com/location_img.jpg",
  "rating": 3.9
}
```

*Database verification: read-only endpoint - no change expected.***LOC-4 - GET /locations/{id}/speciality-dishes ? Airport specialities****PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/speciality-dishes (as: anonymous, 658 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "611de651-ebef-53b2-84e6-ac72061825f0",
    "name": "Grilled Chicken Wrap",
    "description": "Grilled chicken breast, avocado, mixed greens, and chipotle mayo in a flour tortilla. Dietary: dairy free.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/dish1_img.png",
    "price": 12.5,
    "weight_gram": 280,
    "state": "Available"
  },
  {
    "id": "22c15d39-2ba9-5fd3-8fb3-38af9887af90",
    "name": "Avocado Pine Nut Bowl",
    "description": "Creamy avocado, toasted pine nuts, cherry tomatoes, and mixed greens drizzled with lemon tahini. Dietary: vegan, vegetarian, gluten free, dairy free.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/avocado_pine_nut_bowl.png",
    "price": 13.5,
    "weight_gram": 300,
    "state": "Available"
  },
  {
    "id": "aa2eb29e-73b4-521b-8724-bacadac6b2d6",
    "name": "Pineapple Tart with Vanilla Souffl\u00e9",
    "description": "Caramelised pineapple tart served alongside a light risen vanilla souffl\u00e9 with cr\u00eame anglaise.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/PineappleTartwithVanillaSouffle.png",
    "price": 11.5,
    "weight_gram": 200,
    "state": "Available"
  },
  {
    "id": "27d263b7-caf2-5af7-84f1-6ad56a34da4b",
    "name": "Citrus Iced Tea",
    "description": "Chilled black tea infused with orange, lemon, and a touch of blossom honey.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/CitrusIcedTea.png",
    ... (truncated)
  }
]
```

Database verification: read-only endpoint - no change expected.

LOC-5 - GET /locations/{id}/valid-slot-times ? Airport slot grid

PASS

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/valid-slot-times (as: anonymous, 179 ms)

Response: HTTP 200 (expected 200)

```
{
  "start_times": [
    "08:00",
    "09:45",
    "11:30",
    "13:15",
    "15:00",
    "16:45",
    "18:30",
    "20:15"
  ],
  "end_times": [
    "09:30",
    "11:15",
    "13:00",
    "14:45",
    "16:30",
    "18:15",
    "20:00",
    "21:45"
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-6 - GET /locations/{id}/feedbacks?type=cuisine ? paged feedback

PASS

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 1311 ms)

Query: {"type": "cuisine", "page": 0, "size": 20}

Response: HTTP 200 (expected 200)

```
{
  "totalPages": 3,
  "totalElements": 50,
  "size": 20,
  "content": [
    {
      "id": "2b3638ba-1ddb-5352-9283-8d4485a4cb63",
      "customer_id": "0199405e-7031-7068-cca1-ee16696ae6f4",
      "feedback": "Very satisfying meal with authentic taste.",
      "rate": 4,
      "date": "2026-06-16T12:00:00Z",
      "user_name": "Kate Thompson",
      "user_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png",
      "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
      "waiter_id": null
    },
    {
      "id": "387cb0f7-ce5f-5b31-be59-2a91ffb38e7c",
      "customer_id": "313910ee-1001-70aa-b411-5ba692aae417",
      "feedback": "Well-balanced flavors and fresh ingredients.",
      "rate": 3,
      "date": "2026-06-16T12:00:00Z",
      "user_name": "James Anderson",
      "user_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_2.png",
      "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
      "waiter_id": null
    },
    {
      "id": "a45f77b0-3f38-57e0-ae39-52fe32759f6e",
      "customer_id": "016980de-50c1-70cf-935d-2d4ebfd9d1e7",
      "feedback": "Great dish quality and consistent kitchen execution.",
      "rate": 5,
      "date": "2026-06-16T12:00:00Z",
      "user_name": "Emma Davis",
      "user_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_1.png",
      "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
      "waiter_id": null
    }
  ]
}
```

```
{
  "id": "1d721f9c-f599
... (truncated)
```

Database verification:

[OK] feedback_cuisine: totalElements equals cuisine feedback rows for Airport (read-only)
before: table rows for location: 50
after : API totalElements: 50

LOC-7 - GET /locations/{id}/tables ? waiter-only table list**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/tables (as: max@example.com, 563 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "table_number": 3
  },
  {
    "table_number": 6
  },
  {
    "table_number": 2
  },
  {
    "table_number": 4
  },
  {
    "table_number": 5
  },
  {
    "table_number": 1
  }
]
```

Database verification:

[OK] tables: API table count equals Airport rows in tables table (read-only)
before: table rows for location: 6
after : API returned: 6

LOC-8 - GET /locations/{id} ? malformed UUID is rejected**PASS**

GET /locations/not-a-uuid (as: kate@example.com, 145 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "id",
      "message": "'id' must be a valid UUID"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-9 - GET /locations/{id} ? unknown UUID returns 404**PASS**

GET /locations/d3790792-042a-44a6-beba-6f13bfe02ce6 (as: kate@example.com, 185 ms)

Response: HTTP 404 (expected 404)

```
{
  "errors": [
    {
      "field": "id",
      "message": "Location not found"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-10 - GET /locations/{id}/feedbacks ? missing type is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 142 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "type",
      "message": "This field is required"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-11 - GET /locations/{id}/feedbacks ? invalid type is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 150 ms)

Query: {"type": "ambience"}**Response:** HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "type",
      "message": "Must be one of: cuisine, service"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-12 - GET /locations/{id}/feedbacks ? invalid sort is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 178 ms)

Query: {"type": "cuisine", "sort": "price,up"}**Response:** HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "sort",
      "message": "Sort field must be one of: date, rate"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-13 - GET /locations/{id}/feedbacks ? page beyond range is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/feedbacks (as: anonymous, 255 ms)

Query: {"type": "cuisine", "page": 999, "size": 20}**Response:** HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "page",
      "message": "Requested page 999 exceeds available pages."
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LOC-14 - GET /locations/{id}/tables ? customer role is forbidden**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/tables (as: kate@example.com, 290 ms)

Response: HTTP 403 (expected 403)

```
{
  "message": "Only waiters can access tables list."
}
```

Database verification: read-only endpoint - no change expected.

LOC-15 - GET /locations/{id}/tables ? missing token is rejected**PASS**

GET /locations/a6c14d88-cdee-5577-9e30-26eecf41b533/tables (as: anonymous, 165 ms)

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

Database verification: read-only endpoint - no change expected.

DISH-1 - GET /dishes ? list all dishes**PASS**

GET /dishes (as: anonymous, 207 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "daeb67f0-ecd2-5e90-8bae-0db3a814776e",
    "name": "Pineapple Tart with Vanilla Souffl\u00e9",
    "description": "Caramelised pineapple tart served alongside a light risen vanilla souffl\u00e9 with cr\u00eame anglaise. Dietary: vegetarian.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/PineappleTartwithVanillaSouffle.png",
    "price": 11.5,
    "weight_gram": 200,
    "state": "Available"
  },
  {
    "id": "380b0917-cd58-58e3-bb00-2d371ddb6ab0",
    "name": "Spiced Mulled Wine",
    "description": "Warm red wine infused with orange peel, clove, cinnamon, and star anise for a rich aromatic finish.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
    "price": 7.4,
    "weight_gram": 250,
    "state": "On Stop"
  },
  {
    "id": "7568bd40-a1c3-57b4-a08d-9fd207311fc5",
    "name": "Shrimp Bruschetta",
    "description": "Toasted sourdough topped with garlic butter shrimp, cherry tomatoes, and lemon herb ricotta.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/dish1_img.png",
    "price": 10.9,
    "weight_gram": 190,
    "state": "On Stop"
  },
  {
    "id": "611de651-ebef-53b2-84e6-ac72061825f0",
    "name": "Grilled Chicken Wrap",
    "description": "Grilled chicken breast, avocado, mixed greens, and chipotle mayo in a flour tortilla. Dietary: dairy free.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/"
  }
]
... (truncated)
```

Database verification: read-only endpoint - no change expected.

DISH-2 - GET /dishes/popular ? popular dishes across locations**PASS**

GET /dishes/popular (as: anonymous, 181 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "daeb67f0-ecd2-5e90-8bae-0db3a814776e",
    "name": "Pineapple Tart with Vanilla Souffl\u00e9",
    "description": "Caramelised pineapple tart served alongside a light risen vanilla souffl\u00e9 with cr\u00eame anglaise. Dietary: vegetarian.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/PineappleTartwithVanillaSouffle.png",
    "price": 11.5,
    "weight_gram": 200,
    "state": "Available"
  },
  {
    "id": "380b0917-cd58-58e3-bb00-2d371ddb6ab0",
    "name": "Spiced Mulled Wine",
    "description": "Warm red wine infused with orange peel, clove, cinnamon, and star anise for a rich aromatic finish.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
    "price": 7.4,
    "weight_gram": 250,
    "state": "On Stop"
  },
  {
    "id": "611de651-ebef-53b2-84e6-ac72061825f0",
    "name": "Grilled Chicken Wrap",
    "description": "Grilled chicken breast, avocado, mixed greens, and chipotle mayo in a flour tortilla. Dietary: dairy free.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/dish1_img.png",
    "price": 12.5,
    "weight_gram": 280,
    "state": "Available"
  },
  {
    "id": "8ef667a5-af43-5a23-912f-13a323a06144",
    "name": "Chocolate Mousse with Berries",
    "description": "Silky dark chocolate mousse layered with fresh mixed berries and a dusting of cocoa powder.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
    ... (truncated)
  }
]
```

Database verification: read-only endpoint - no change expected.

DISH-3 - GET /dishes?sort=price,asc ? sorted dish list**PASS**

GET /dishes (as: anonymous, 283 ms)

Query: {"sort": "price,asc"}**Response:** HTTP 200 (expected 200)

```
[
  {
    "id": "27d263b7-caf2-5af7-84f1-6ad56a34da4b",
    "name": "Citrus Iced Tea",
    "description": "Chilled black tea infused with orange, lemon, and a touch of blossom honey.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/PineappleTartwithVanillaSouffle.png",
    "price": 5.2,
    "weight_gram": 320,
    "state": "Available"
  },
  {
    "id": "fb0ddbda-f203-5968-8e04-74c316cc3973",
    "name": "Berry Spritz",
    "description": "Sparkling berry drink with raspberry puree, citrus syrup, and fresh mint served over ice.",
    "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
    "price": 6.5,
    "weight_gram": 300,
    "state": "Available"
  },
  {
    "id": "380b0917-cd58-58e3-bb00-2d371ddb6ab0",
    "name": "Spiced Mulled Wine",
    "description": "Warm red wine infused with orange peel, clove, cinnamon, and star anise for a rich aromatic finish.",
    ... (truncated)
  }
]
```

```
"image_url":
"https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/ChocolateMoussewithBerries.png",
  "price": 7.4,
  "weight_gram": 250,
  "state": "On Stop"
},
{
  "id": "90ec6c14-e380-5694-bdf7-2ead4c445fd1",
  "name": "Forest Mushroom Soup",
  "description": "Velvety soup of roasted mushrooms, thyme, and cream finished with truffle oil and croutons.",
  "image_url":
"https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/avocado_pine_nut_bowl.png",
  "price": 8.8,
  "weight_gram": 260,
  "state":
... (truncated)
```

Database verification: read-only endpoint - no change expected.

DISH-4 - GET /dishes/{id} ? fetch the Grilled Chicken Wrap

PASS

GET /dishes/611de651-ebef-53b2-84e6-ac72061825f0 (as: anonymous, 311 ms)

Response: HTTP 200 (expected 200)

```
{
  "id": "611de651-ebef-53b2-84e6-ac72061825f0",
  "name": "Grilled Chicken Wrap",
  "description": "Grilled chicken breast, avocado, mixed greens, and chipotle mayo in a flour tortilla. Dietary: dairy free.",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/dish1_img.png",
  "dish_type": "MAIN_COURSE",
  "price": 12.5,
  "state": "Available",
  "calories": "430 kcal",
  "carbohydrates": "38 g",
  "fats": "18 g",
  "proteins": "29 g",
  "vitamins": "B3, B6",
  "weight_gram": 280
}
```

Database verification: read-only endpoint - no change expected.

DISH-5 - GET /dishes/{id} ? unknown UUID returns 404

PASS

GET /dishes/38faacf9-4099-4527-9bda-e77061239725 (as: anonymous, 222 ms)

Response: HTTP 404 (expected 404)

```
{
  "errors": [
    {
      "field": "id",
      "message": "Dish not found"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

DISH-6 - GET /dishes?sort=bogus ? invalid sort is rejected

PASS

GET /dishes (as: anonymous, 145 ms)

Query: {"sort": "bogus"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "sort",
      "message": "Input should be 'popularity,asc', 'popularity,desc', 'price,asc' or 'price,desc'"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

DISH-7 - GET /dishes?dishType=bogus ? invalid dish type is rejected**PASS**

GET /dishes (as: anonymous, 148 ms)

Query: {"dishType": "bogus"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "dishType",
      "message": "Input should be 'APPETIZER', 'DESSERT', 'MAIN_COURSE' or 'DRINK'"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

DISH-8 - GET /dishes/{id} ? malformed UUID is rejected**PASS**

GET /dishes/not-a-uuid (as: anonymous, 169 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "id",
      "message": "'id' must be a valid UUID"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

USER-1 - GET /users/profile ? kate reads her own profile**PASS**

GET /users/profile (as: kate@example.com, 508 ms)

Response: HTTP 200 (expected 200)

```
{
  "first_name": "Kate",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png",
  "email": "kate@example.com",
  "role": "Customer"
}
```

Database verification: read-only endpoint - no change expected.

USER-2 - PUT /users/profile ? kate changes her first name**PASS**

PUT /users/profile (as: kate@example.com, 552 ms)

Request body:

```
{
  "first_name": "Kate-E2E",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png"
}
```

Response: HTTP 200 (expected 200)

```
{
  "first_name": "Kate-E2E",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png",
  "email": "kate@example.com",
  "role": "Customer"
}
```

Database verification:

[OK] customers: fname updated to 'Kate-E2E'

before: fname='Kate', lname='Thompson'

after : fname='Kate-E2E', lname='Thompson'

USER-3 - PUT /users/profile ? kate restores her original name**PASS**

PUT /users/profile (as: kate@example.com, 528 ms)

Request body:

```
{
  "first_name": "Kate",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png"
}
```

Response: HTTP 200 (expected 200)

```
{
  "first_name": "Kate",
  "last_name": "Thompson",
  "image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_3.png",
  "email": "kate@example.com",
  "role": "Customer"
}
```

Database verification:

[OK] customers: fname restored to 'Kate'
before: fname='Kate-E2E'
after : fname='Kate', lname='Thompson'

USER-4 - GET /users/waiter/location ? max's assigned location**PASS**

GET /users/waiter/location (as: max@example.com, 734 ms)

Response: HTTP 200 (expected 200)

```
{
  "location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi"
}
```

Database verification: read-only endpoint - no change expected.

USER-5 - GET /users/profile ? missing token is rejected**PASS**

GET /users/profile (as: anonymous, 170 ms)

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

Database verification: read-only endpoint - no change expected.

USER-6 - PUT /users/profile ? missing last_name is rejected**PASS**

PUT /users/profile (as: kate@example.com, 232 ms)

Request body:

```
{
  "first_name": "Kate",
  "image_url": "https://example.com/avatar.png"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "last_name",
      "message": "Field required"
    }
  ]
}
```


USER-7 - PUT /users/profile ? non-http image_url is rejected**PASS**

PUT /users/profile (as: kate@example.com, 259 ms)

Request body:

```
{
  "first_name": "Kate",
  "last_name": "Customer",
  "image_url": "ftp://example.com/avatar.png"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "image_url",
      "message": "Value error, must be an http:// or https:// URL"
    }
  ]
}
```

USER-8 - GET /users/profile ? garbage bearer token is rejected**PASS**

GET /users/profile (as: anonymous, 160 ms)

Response: HTTP 401 (expected 401)

```
{
  "message": "Invalid or expired access token"
}
```

*Database verification: read-only endpoint - no change expected.***CUST-1 - GET /customers ? waiter lists all customers****PASS**

GET /customers (as: max@example.com, 379 ms)

Response: HTTP 200 (expected 200)

```
[
  {
    "id": "5139303e-30f1-7051-c941-eda22fb91c2b",
    "user_name": "Bob Johnson",
    "email": "bob@example.com"
  },
  {
    "id": "c1a9409e-f071-7023-5197-ef59bf1f4cf4",
    "user_name": "Carol Williams",
    "email": "carol@example.com"
  },
  {
    "id": "01e960de-6041-708a-8c3d-f90b2e5e5a5b",
    "user_name": "E2E Tester",
    "email": "e2e.user.1781092067@example.com"
  },
  {
    "id": "011970ee-a091-70ab-f673-e796dad8f36a",
    "user_name": "Grace Wilson",
    "email": "grace@example.com"
  },
  {
    "id": "712900de-6061-7014-2eff-e19b64d6658b",
    "user_name": "Henry Moore",
    "email": "henry@example.com"
  },
  {
    "id": "016980de-50c1-70cf-935d-2d4ebfd9d1e7",
    "user_name": "Emma Davis",
    "email": "emma@example.com"
  },
  {
    "id": "0129001e-d031-7079-62e6-433524740cd2",
    "user_name": "David Brown",
    "email": "david@example.com"
  },
  {
    "id": "316960ce-80c1-7024-4e60-7f0ec95f0778",
    "user_name": "Frank Miller",
    "email": "frank@example.com"
  }
]
```

```
},
{
  "id": "3149804e-10f1-70e6-cc8a-a7340ee9dbe9",
  "user_name": "Alice Smith",
  "email": "alice@example.com"
},
{
  "id": "0199405e-7031-7068-cca1-ee16696ae6f4",
  "user_name": "Kate Thompson",
  "email": "kate@example.com"
},
{
  "id": "313910ee-1001-70aa-b411-5ba692aae417",
  "user_name": "James Anderson",
  "email": "james@example.com"
},
{
  "id": "6179703e-e0b1-70b6-c862-1a553e67fa32",
  "user_name": "Iris Taylor",
  "email": "iris@example.com"
}
}
```

Database verification:

[OK] customers: API customer count equals table item count (read-only)
before: table rows: 12
after : API returned: 12

CUST-2 - GET /customers ? customer role is forbidden

PASS

GET /customers (as: kate@example.com, 293 ms)

Response: HTTP 403 (expected 403)

```
{
  "message": "Only waiters can access customers list."
}
```

Database verification: read-only endpoint - no change expected.

CUST-3 - GET /customers ? missing token is rejected

PASS

GET /customers (as: anonymous, 139 ms)

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

Database verification: read-only endpoint - no change expected.

REP-1 - GET /reports ? staff performance for last week (seeded data)

PASS

GET /reports (as: admin@example.com, 599 ms)

Query: {"reportType": "staff_performance", "period": "2026-06-01"}

Response: HTTP 200 (expected 200)

```
{
  "reportType": "staff_performance",
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": [
    {
      "location": "12 Baratashvili Street, Tbilisi",
      "waiter": "Nina Beridze",
      "waiterEmail": "nina@example.com",
      "reportPeriodStart": "2026-06-01",
      "reportPeriodEnd": "2026-06-07",
      "waiterWorkingHours": "18.3",
      "waiterOrdersProcessed": 23,
      "deltaWaiterOrdersProcessedPct": "-17.86%",
      "averageServiceFeedback": "3",
      "minimumServiceFeedback": 2,
      "deltaAverageServiceFeedbackPct": "-20%"
    },
    {
      "location": "12 Baratashvili Street, Tbilisi",
```

```

    "waiter": "Noah Chelidze",
    "waiterEmail": "noah@example.com",
    "reportPeriodStart": "2026-06-01",
    "reportPeriodEnd": "2026-06-07",
    "waiterWorkingHours": "21.3",
    "waiterOrdersProcessed": 27,
    "deltaWaiterOrdersProcessedPct": "+3.85%",
    "averageServiceFeedback": "3.5",
    "minimumServiceFeedback": 2,
    "deltaAverageServiceFeedbackPct": "+16.67%"
  },
  {
    "location": "12 Baratashvili Street, Tbilisi",
    "waiter": "Ava Dolidze",
    "waiterEmail": "ava@example.com",
    "reportPeriodStart": "2026-06-01",
    "reportPeriodEnd": "2026-06-07",
    "waiterWorkingHours": "21.4",
    "waiterOrdersProcessed": 30,
    "deltaWaiterOrdersProcessedPct": "+20%",
    "averageServiceFeedback": "4.14",
    "minimumServiceFeedback": 2,
    "deltaAverageServiceFeedbackPct": "+38%"
  },
  {
    "location": "12 Baratashvili Street, Tbilisi",
    "waiter": "Luka Maisuradze",
    "waiterEm
  }
  ... (truncated)

```

Database verification: read-only endpoint - no change expected.

REP-2 - GET /reports ? sales report filtered to the Airport location

PASS

GET /reports (as: admin@example.com, 559 ms)

Query: {"reportType": "sales", "period": "2026-06-01", "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533"}

Response: HTTP 200 (expected 200)

```

{
  "reportType": "sales",
  "periodStart": "2026-06-01",
  "periodEnd": "2026-06-07",
  "rows": [
    {
      "location": "4 Chavchavadze Avenue, Tbilisi",
      "reportPeriodStart": "2026-06-01",
      "reportPeriodEnd": "2026-06-07",
      "ordersProcessed": 80,
      "deltaOrdersProcessedPct": "+50.94%",
      "averageCuisineFeedback": "3.57",
      "minimumCuisineFeedback": 2,
      "deltaAverageCuisineFeedbackPct": "+7.21%",
      "revenue": "780.29",
      "deltaRevenuePct": "-52.75%"
    }
  ]
}

```

Database verification: read-only endpoint - no change expected.

REP-3 - GET /reports ? waiter role is forbidden

PASS

GET /reports (as: max@example.com, 328 ms)

Query: {"reportType": "staff_performance", "period": "2026-06-01"}

Response: HTTP 403 (expected 403)

```

{
  "message": "Only admins can access reports."
}

```

Database verification: read-only endpoint - no change expected.

REP-4 - GET /reports ? customer role is forbidden**PASS**

GET /reports (as: kate@example.com, 387 ms)

Query: {"reportType": "staff_performance", "period": "2026-06-01"}

Response: HTTP 403 (expected 403)

```
{
  "message": "Only admins can access reports."
}
```

Database verification: read-only endpoint - no change expected.

REP-5 - GET /reports ? missing period is rejected**PASS**

GET /reports (as: admin@example.com, 261 ms)

Query: {"reportType": "staff_performance"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, 'periodStart' or 'period' is required"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

REP-6 - GET /reports ? invalid reportType is rejected**PASS**

GET /reports (as: admin@example.com, 298 ms)

Query: {"reportType": "weather", "period": "2026-06-01"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, 'reportType' must be one of: staff_performance, sales"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

REP-7 - GET /reports ? future periodStart is rejected**PASS**

GET /reports (as: admin@example.com, 227 ms)

Query: {"reportType": "staff_performance", "periodStart": "2026-06-24"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, 'periodStart' must not be in the future"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

REP-8 - GET /reports ? periodEnd before periodStart is rejected

PASS

GET /reports (as: admin@example.com, 245 ms)

Query: {"reportType": "staff_performance", "periodStart": "2026-06-01", "periodEnd": "2026-05-11"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, 'periodEnd' must be greater than or equal to 'periodStart'"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

REP-9 - GET /reports ? missing token is rejected

PASS

GET /reports (as: anonymous, 178 ms)

Query: {"reportType": "staff_performance", "period": "2026-06-01"}

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

Database verification: read-only endpoint - no change expected.

BOOK-1 - GET /bookings/tables ? availability for Airport on 2026-06-11

PASS

GET /bookings/tables (as: kate@example.com, 963 ms)

Query: {"location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533", "date": "2026-06-11", "guests_number": 2}

Response: HTTP 200 (expected 200)

```
{
  "tables": [
    {
      "table_id": "a75f2507-1daf-561a-bc47-4dd04a39bd6c",
      "table_number": 1,
      "capacity": 5,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
        {
          "slot_id": "8d156a95-4e59-52c8-853b-b40950d90a6f",
          "start_time": "2026-06-11T11:30:00Z",
          "end_time": "2026-06-11T13:00:00Z"
        },
        {
          "slot_id": "2979eeeb-7cfc-5359-a936-ab235e761b49",
          "start_time": "2026-06-11T13:15:00Z",
          "end_time": "2026-06-11T14:45:00Z"
        },
        {
          "slot_id": "1286eccf-325c-5ceb-9ef0-594da4df2a0d",
          "start_time": "2026-06-11T18:30:00Z",
          "end_time": "2026-06-11T20:00:00Z"
        },
        {
          "slot_id": "9dcebc26-37c4-5d16-bd6b-a18982895643",
          "start_time": "2026-06-11T20:15:00Z",
          "end_time": "2026-06-11T21:45:00Z"
        }
      ]
    },
    {
      "table_id": "0f145361-ecc7-54ac-ae24-fcf600d94f84",
      "table_number": 2,
      "capacity": 10,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
        {
          "slot_id": "faa1821f-4387-5ad1-9f9e-de1b99021754",
          "start_time": "2026-06-11T08:00:00Z",
          "end_time": "2026-06-11T09:30:00Z"
        }
      ]
    }
  ]
}
```

```

    "slot_id": "2e29338e-8018-5194-b9c8-05feea0bb051",
    "start_time": "2026-06-11T09:45:00Z",
    "end_time": "2026-06-11T11:15:00Z"
  },
  {
    "slot_id": "aed908f1-6a07-5b80-aeb8-ea8624c65bd6",
    "start_time": "2026-06-11T11:30:00Z",

```

... (truncated)

Database verification:

[OK] slots: every availability-listed slot is status=FREE in the slots table

before: 4 slots listed by the API

after : all verified FREE

BOOK-2 - GET /bookings/waiter/tables ? waiter availability window

PASS

GET /bookings/waiter/tables (as: max@example.com, 675 ms)

Query: {"location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533", "date": "2026-06-11", "guests_number": 2, "from_time": "2026-06-11T11:30:00Z", "to_time": "2026-06-11T13:00:00Z"}

Response: HTTP 200 (expected 200)

```

{
  "tables": [
    {
      "table_id": "a75f2507-1daf-561a-bc47-4dd04a39bd6c",
      "table_number": 1,
      "capacity": 5,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
        {
          "slot_id": "8d156a95-4e59-52c8-853b-b40950d90a6f",
          "start_time": "2026-06-11T11:30:00Z",
          "end_time": "2026-06-11T13:00:00Z"
        }
      ]
    },
    {
      "table_id": "0f145361-ecc7-54ac-ae24-fcf600d94f84",
      "table_number": 2,
      "capacity": 10,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
        {
          "slot_id": "aed908f1-6a07-5b80-aeb8-ea8624c65bd6",
          "start_time": "2026-06-11T11:30:00Z",
          "end_time": "2026-06-11T13:00:00Z"
        }
      ]
    },
    {
      "table_id": "3b76ec87-84ff-5120-ade7-915fa0afb527",
      "table_number": 3,
      "capacity": 5,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
        {
          "slot_id": "834bba80-e8b6-56a1-a37b-4aceed068c92",
          "start_time": "2026-06-11T11:30:00Z",
          "end_time": "2026-06-11T13:00:00Z"
        }
      ]
    },
    {
      "table_id": "9b1f5842-cb2c-51a7-9643-0c1510f575fe",
      "table_number": 4,
      "capacity": 10,
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "available_slots": [
        {
          "slot_id": "fccb1506-c056-573d-8ecd-418d1ff949e8",
          "start_time": "2026-06-11T11:30:00Z",
          "end_time": "2026-06-11T13:00:00Z"
        }
      ]
    }
  ]
}

```

```
"table_id": "85ef8822-831d"
... (truncated)
```

Database verification: read-only endpoint - no change expected.

BOOK-3 - POST /bookings/client ? kate books Airport table 1 (slot A)

PASS

POST /bookings/client (as: kate@example.com, 2252 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-11",
  "guestsNumber": 2,
  "timeFrom": "2026-06-11T11:30:00Z",
  "timeTo": "2026-06-11T13:00:00Z"
}
```

Response: HTTP 200 (expected 200/201)

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "status": "Reserved",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-11",
  "timeFrom": "2026-06-11T11:30:00Z",
  "timeTo": "2026-06-11T13:00:00Z",
  "guestsNumber": 2,
  "clientName": "Kate Thompson"
}
```

Database verification:

[OK] reservations: row created with status='Reserved' and number_of_guests=2
before: (no row)
after : status='Reserved', number_of_guests=2, date='2026-06-11'

BOOK-4 - GET /bookings/client ? kate's dashboard lists the booking

PASS

GET /bookings/client (as: kate@example.com, 3494 ms)

Response: HTTP 200 (expected 200)

```
{
  "reservations": [
    {
      "reservationId": "3bc73295-4404-5525-ada7-5f0accdca5d0",
      "status": "Finished",
      "customerId": "0199405e-7031-7068-cca1-ee16696ae6f4",
      "clientName": null,
      "waiterId": "f169b0ae-e0f1-707a-73b0-9be57d24d123",
      "locationId": "2819d046-563d-5570-9495-ca47fa76fe75",
      "location_address": "48 Rustaveli Avenue, Tbilisi",
      "tableNumber": 4,
      "date": "2026-06-16",
      "timeFrom": "16:00",
      "timeTo": "17:30",
      "guestsNumber": 4,
      "allowedActions": {
        "canEdit": false,
        "canCancel": false,
        "canLeaveFeedback": false,
        "canEditFeedback": true
      },
      "cutoffReason": "Actions are available only for RESERVED reservations"
    },
    {
      "reservationId": "839579aa-c550-579e-ab3d-959659f79f57",
      "status": "Finished",
      "customerId": "0199405e-7031-7068-cca1-ee16696ae6f4",
      "clientName": null,
      "waiterId": "a13940ee-f0c1-706d-adca-b697937cf9e5",
      "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "tableNumber": 4,
      "date": "2026-06-16",
      "timeFrom": "09:45",

```

```
"timeTo": "11:15",
"guestsNumber": 3,
"allowedActions": {
  "canEdit": false,
  "canCancel": false,
  "canLeaveFeedback": false,
  "canEditFeedback": true
},
"cutoffReason": "Actions are available only for RESERVED reservations"
},
{
  "reservationId": "d113dd4c-6f20-530f-9739-4a45b7d4deb2",
  "status": "Finished",
  "customerId": "01
... (truncated)
```

Database verification: read-only endpoint - no change expected.

BOOK-5 - GET /bookings/client/{id} ? fetch the new reservation

PASS

GET /bookings/client/7a218b27-09fb-4843-8d37-a60ce6bb240e (as: kate@example.com, 525 ms)

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "status": "Reserved",
  "customerId": "0199405e-7031-7068-cca1-ee16696ae6f4",
  "clientName": null,
  "waiterId": "e169e00e-c0f1-7090-fd8f-572070bfb410",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-11",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 2,
  "allowedActions": {
    "canEdit": true,
    "canCancel": true,
    "canLeaveFeedback": false,
    "canEditFeedback": false
  },
  "cutoffReason": null
}
```

Database verification: read-only endpoint - no change expected.

BOOK-6 - PUT /bookings/client/{id} ? kate raises guests to 3

PASS

PUT /bookings/client/7a218b27-09fb-4843-8d37-a60ce6bb240e (as: kate@example.com, 1166 ms)

Request body:

```
{
  "guestsNumber": 3
}
```

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "status": "Reserved",
  "customerId": "0199405e-7031-7068-cca1-ee16696ae6f4",
  "clientName": null,
  "waiterId": "e169e00e-c0f1-7090-fd8f-572070bfb410",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-11",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 3,
  "allowedActions": {
    "canEdit": true,
    "canCancel": true,
    "canLeaveFeedback": false,
    "canEditFeedback": false
  },
  "cutoffReason": null
}
```


Database verification:

[OK] reservations: number_of_guests updated 2 -> 3
before: status='Reserved', number_of_guests=2
after : status='Reserved', number_of_guests=3

BOOK-7 - PUT /bookings/waiter/{id} ? max starts the reservation**PASS**

PUT /bookings/waiter/7a218b27-09fb-4843-8d37-a60ce6bb240e (as: max@example.com, 664 ms)

Request body:

```
{
  "status": "In Progress"
}
```

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "status": "In Progress",
  "customerId": "0199405e-7031-7068-cca1-ee16696ae6f4",
  "clientName": null,
  "waiterId": "e169e00e-c0f1-7090-fd8f-572070bfb410",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-11",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 3,
  "allowedActions": {
    "canEdit": false,
    "canCancel": false,
    "canLeaveFeedback": true,
    "canEditFeedback": false
  },
  "cutoffReason": "Actions are available only for RESERVED reservations"
}
```

Database verification:

[OK] reservations: status updated 'Reserved' -> 'In Progress'
before: status='Reserved'
after : status='In Progress', number_of_guests=3

BOOK-8 - POST /bookings/client ? waiter without existingCustomer flag is rejected**PASS**

POST /bookings/client (as: max@example.com, 306 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-11",
  "guestsNumber": 2,
  "timeFrom": "2026-06-11T13:15:00Z",
  "timeTo": "2026-06-11T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "existingCustomer",
      "message": "Waiter booking requires existingCustomer flag"
    }
  ]
}
```

BOOK-9 - GET /bookings/tables ? missing guests_number is rejected**PASS**

GET /bookings/tables (as: kate@example.com, 152 ms)

Query: {"location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533", "date": "2026-06-11"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "guests_number",
      "message": "This field is required"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

BOOK-10 - GET /bookings/tables ? non-integer guests_number is rejected**PASS**

GET /bookings/tables (as: kate@example.com, 143 ms)

Query: {"location_id": "a6c14d88-cdee-5577-9e30-26eecf41b533", "date": "2026-06-11", "guests_number": "two"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "guests_number",
      "message": "Must be a valid integer"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

BOOK-11 - POST /bookings/client ? missing tableNumber is rejected**PASS**

POST /bookings/client (as: kate@example.com, 302 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "date": "2026-06-11",
  "guestsNumber": 2,
  "timeFrom": "2026-06-11T13:15:00Z",
  "timeTo": "2026-06-11T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "tableNumber",
      "message": "Field required"
    }
  ]
}
```

BOOK-12 - POST /bookings/client ? booking in the past is rejected**PASS**

POST /bookings/client (as: kate@example.com, 307 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-09",
  "guestsNumber": 2,
  "timeFrom": "2026-06-11T13:15:00Z",
  "timeTo": "2026-06-11T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "date",
```

```
    "message": "Value error, Cannot book a table in the past"
  }
}
```

BOOK-13 - POST /bookings/client ? booking >30 days ahead is rejected**PASS**

POST /bookings/client (as: kate@example.com, 410 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-07-25",
  "guestsNumber": 2,
  "timeFrom": "2026-06-11T13:15:00Z",
  "timeTo": "2026-06-11T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "date",
      "message": "Value error, Cannot book more than 30 days in advance"
    }
  ]
}
```

BOOK-14 - POST /bookings/client ? guestsNumber above limit (11) is rejected**PASS**

POST /bookings/client (as: kate@example.com, 235 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-11",
  "guestsNumber": 11,
  "timeFrom": "2026-06-11T13:15:00Z",
  "timeTo": "2026-06-11T14:45:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "guestsNumber",
      "message": "Input should be less than or equal to 10"
    }
  ]
}
```

BOOK-15 - POST /bookings/client ? timeTo before timeFrom is rejected**PASS**

POST /bookings/client (as: kate@example.com, 246 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-11",
  "guestsNumber": 2,
  "timeFrom": "2026-06-11T14:45:00Z",
  "timeTo": "2026-06-11T13:15:00Z"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "timeTo",
      "message": "Value error, timeTo must be greater than timeFrom"
    }
  ]
}
```

BOOK-16 - POST /bookings/client ? double-booking an occupied slot returns 409**PASS**

POST /bookings/client (as: alice@example.com, 424 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-11",
  "guestsNumber": 2,
  "timeFrom": "2026-06-11T11:30:00Z",
  "timeTo": "2026-06-11T13:00:00Z"
}
```

Response: HTTP 409 (expected 409)

```
{
  "message": "One or more selected slots are already reserved"
}
```

Database verification:**[OK]** reservations: slot A still belongs to kate's reservation only

before: reservation 7a218b27-09fb-4843-8d37-a60ce6bb240e holds slot A
after : status='In Progress', number_of_guests=3

BOOK-17 - POST /bookings/client ? missing token is rejected**PASS**

POST /bookings/client (as: anonymous, 183 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-11",
  "guestsNumber": 2,
  "timeFrom": "2026-06-11T13:15:00Z",
  "timeTo": "2026-06-11T14:45:00Z"
}
```

Response: HTTP 401 (expected 401)

```
{
  "message": "Missing or invalid Authorization header"
}
```

BOOK-18 - PUT /bookings/client/{id} ? empty update payload is rejected**PASS**

PUT /bookings/client/7a218b27-09fb-4843-8d37-a60ce6bb240e (as: kate@example.com, 239 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "unknown",
      "message": "Value error, At least one editable field must be provided"
    }
  ]
}
```

ORD-1 - POST /orders ? max orders 2x Grilled Chicken Wrap**PASS**

POST /orders (as: max@example.com, 1070 ms)

Request body:

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 2
    }
  ]
}
```

Response: HTTP 201 (expected 201)

```
{
  "orderId": "c70718ea-8e80-4f1c-a195-88dc3ae0c862",
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e"
}
```

```
}
```

Database verification:

```
[OK] orders: row created for reservation (orderId=c70718ea-8e80-4f1c-a195-88dc3ae0c862)
      before: 0 rows for this reservation
      after : 1 row(s); items=[{'dish_id': '611de651-ebef-53b2-84e6-ac72061825f0', 'quantity': 2}]
```

ORD-2 - POST /orders ? customer role is forbidden**PASS**

POST /orders (as: kate@example.com, 279 ms)

Request body:

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 1
    }
  ]
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Only waiters can create orders."
}
```

ORD-3 - POST /orders ? missing items is rejected**PASS**

POST /orders (as: max@example.com, 356 ms)

Request body:

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e"
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "items",
      "message": "Field required"
    }
  ]
}
```

ORD-4 - POST /orders ? empty items list is rejected**PASS**

POST /orders (as: max@example.com, 1459 ms)

Request body:

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "items": []
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "items",
      "message": "List should have at least 1 item after validation, not 0"
    }
  ]
}
```

ORD-5 - POST /orders ? zero quantity is rejected**PASS**

POST /orders (as: max@example.com, 281 ms)

Request body:

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 0
    }
  ]
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "items",
      "message": "Input should be greater than 0"
    }
  ]
}
```

ORD-6 - POST /orders ? unknown dishId returns 404**PASS**

POST /orders (as: max@example.com, 442 ms)

Request body:

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "items": [
    {
      "dishId": "103b882b-8b7c-4841-8c48-82992f103c22",
      "quantity": 1
    }
  ]
}
```

Response: HTTP 404 (expected 404)

```
{
  "message": "Dish '103b882b-8b7c-4841-8c48-82992f103c22' not found."
}
```

ORD-7 - POST /orders ? unknown reservationId returns 404**PASS**

POST /orders (as: max@example.com, 446 ms)

Request body:

```
{
  "reservationId": "3c1a0b8d-8ce6-4894-ba72-e168d15e0221",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 1
    }
  ]
}
```

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation '3c1a0b8d-8ce6-4894-ba72-e168d15e0221' not found."
}
```

ORD-8 - POST /orders ? non-assigned waiter (lea) is forbidden**PASS**

POST /orders (as: lea@example.com, 369 ms)

Request body:

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "items": [
    {
      "dishId": "611de651-ebef-53b2-84e6-ac72061825f0",
      "quantity": 1
    }
  ]
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Only the assigned waiter can create an order for this reservation."
}
```

WRES-1 - GET /reservations/waiter ? max's view of Airport table 1**PASS**

GET /reservations/waiter (as: max@example.com, 549 ms)

Query: {"date": "2026-06-11", "time_from": "00:00", "table_name": "1"}**Response:** HTTP 200 (expected 200)

```
{
  "reservations": [
    {
      "reservationId": "798df03c-4f4b-50de-86a3-70334a9cdb55",
      "customerId": "712900de-6061-7014-2eff-e19b64d6658b",
      "createdBy": "Customer Henry Moore",
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "tableNumber": 1,
      "date": "2026-06-11",
      "timeFrom": "08:00",
      "timeTo": "09:30",
      "guestsNumber": 5,
      "status": "Finished"
    },
    {
      "reservationId": "ba5ab3b2-e8e5-5476-abe7-b418d67b65d7",
      "customerId": "6179703e-e0b1-70b6-c862-1a553e67fa32",
      "createdBy": "Customer Iris Taylor",
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "tableNumber": 1,
      "date": "2026-06-11",
      "timeFrom": "09:45",
      "timeTo": "11:15",
      "guestsNumber": 6,
      "status": "Finished"
    },
    {
      "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
      "customerId": "0199405e-7031-7068-cca1-ee16696ae6f4",
      "createdBy": "Customer Kate Thompson",
      "location_address": "4 Chavchavadze Avenue, Tbilisi",
      "tableNumber": 1,
      "date": "2026-06-11",
      "timeFrom": "11:30",
      "timeTo": "13:00",
      "guestsNumber": 3,
      "status": "In Progress"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

WRES-2 - GET /reservations/waiter ? customer role is forbidden**PASS**

GET /reservations/waiter (as: kate@example.com, 362 ms)

Query: {"date": "2026-06-11", "time_from": "00:00", "table_name": "1"}

Response: HTTP 403 (expected 403)

```
{
  "message": "Only waiters can access this endpoint"
}
```

Database verification: read-only endpoint - no change expected.

WRES-3 - GET /reservations/waiter ? missing table_name is rejected**PASS**

GET /reservations/waiter (as: max@example.com, 257 ms)

Query: {"date": "2026-06-11", "time_from": "00:00"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "table_name",
      "message": "Field required"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

WRES-4 - GET /reservations/waiter ? malformed time_from is rejected**PASS**

GET /reservations/waiter (as: max@example.com, 310 ms)

Query: {"date": "2026-06-11", "time_from": "9am", "table_name": "1"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "time_from",
      "message": "String should match pattern '^\\d{2}:\\d{2}$'"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

WRES-5 - GET /reservations/waiter ? malformed date is rejected**PASS**

GET /reservations/waiter (as: max@example.com, 305 ms)

Query: {"date": "tomorrow", "time_from": "00:00", "table_name": "1"}

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "date",
      "message": "Input should be a valid date or datetime, input is too short"
    }
  ]
}
```

Database verification: read-only endpoint - no change expected.

LIFE-1 - PUT /bookings/waiter/{id} ? max finishes the reservation**PASS**

PUT /bookings/waiter/7a218b27-09fb-4843-8d37-a60ce6bb240e (as: max@example.com, 665 ms)

Request body:

```
{
  "status": "Finished"
}
```

Response: HTTP 200 (expected 200)

```
{
  "reservationId": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "status": "Finished",
  "customerId": "0199405e-7031-7068-cca1-ee16696ae6f4",
  "clientName": null,
  "waiterId": "e169e00e-c0f1-7090-fd8f-572070bfb410",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-11",
  "timeFrom": "11:30",
  "timeTo": "13:00",
  "guestsNumber": 3,
  "allowedActions": {
    "canEdit": false,
    "canCancel": false,
    "canLeaveFeedback": true,
    "canEditFeedback": false
  },
  "cutoffReason": "Actions are available only for RESERVED reservations"
}
```

Database verification:

[OK] reservations: status updated 'In Progress' -> 'Finished'
before: status='In Progress'
after : status='Finished', number_of_guests=3

LIFE-2 - POST /bookings/client ? kate books slot B**PASS**

POST /bookings/client (as: kate@example.com, 615 ms)

Request body:

```
{
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "tableNumber": 1,
  "date": "2026-06-11",
  "guestsNumber": 2,
  "timeFrom": "2026-06-11T13:15:00Z",
  "timeTo": "2026-06-11T14:45:00Z"
}
```

Response: HTTP 200 (expected 200/201)

```
{
  "reservationId": "4dca92c7-8c75-47e0-ae18-d04984933b10",
  "status": "Reserved",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-11",
  "timeFrom": "2026-06-11T13:15:00Z",
  "timeTo": "2026-06-11T14:45:00Z",
  "guestsNumber": 2,
  "clientName": "Kate Thompson"
}
```

Database verification:

[OK] reservations: second row created with status='Reserved'
before: (no row)
after : status='Reserved', number_of_guests=2, date='2026-06-11'

LIFE-3 - DELETE /bookings/client/{id}/cancel ? kate cancels slot B**PASS**

DELETE /bookings/client/4dca92c7-8c75-47e0-ae18-d04984933b10/cancel (as: kate@example.com, 854 ms)

Response: HTTP 200 (expected 200/204)

```
{
  "reservationId": "4dca92c7-8c75-47e0-ae18-d04984933b10",
  "status": "Cancelled",
  "customerId": "0199405e-7031-7068-cca1-ee16696ae6f4",
  "clientName": null,
  "waiterId": "e169e00e-c0f1-7090-fd8f-572070bfb410",
  "locationId": "a6c14d88-cdee-5577-9e30-26eecf41b533",
  "location_address": "4 Chavchavadze Avenue, Tbilisi",
  "tableNumber": 1,
  "date": "2026-06-11",
  "timeFrom": "13:15",
  "timeTo": "14:45",
  "guestsNumber": 2,
  "allowedActions": {
    "canEdit": false,
    "canCancel": false,
    "canLeaveFeedback": false,
    "canEditFeedback": false
  },
  "cutoffReason": "Actions are available only for RESERVED reservations"
}
```

Database verification:

[OK] reservations: status updated 'Reserved' -> 'Cancelled'
before: status='Reserved'
after : status='Cancelled'

LIFE-4 - GET /bookings/client/{id} ? unknown reservation returns 404**PASS**

GET /bookings/client/c7162e3a-df4f-4a12-9e7e-b4074a81e759 (as: kate@example.com, 271 ms)

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation not found"
}
```

Database verification: read-only endpoint - no change expected.

LIFE-5 - DELETE /bookings/client/{id}/cancel ? unknown reservation returns 404**PASS**

DELETE /bookings/client/50799596-4298-4157-ac22-51a2c0fdef45/cancel (as: kate@example.com, 366 ms)

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation not found"
}
```

LIFE-6 - DELETE /bookings/client/{id}/cancel ? malformed UUID is rejected**PASS**

DELETE /bookings/client/not-a-uuid/cancel (as: kate@example.com, 251 ms)

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "reservationId",
      "message": "'reservationId' must be a valid UUID"
    }
  ]
}
```

FB-1 - GET /feedbacks/context/{id} ? modal context for the reservation**PASS**

GET /feedbacks/context/7a218b27-09fb-4843-8d37-a60ce6bb240e (as: kate@example.com, 1073 ms)

Response: HTTP 200 (expected 200)

```
{
  "reservation_id": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "waiter_id": "e169e00e-c0f1-7090-fd8f-572070bfb410",
  "waiter_name": "Max Fischer",
  "waiter_image_url": "https://epam-restaurantapp-dev-eu-west-3-frontend.s3.eu-west-3.amazonaws.com/images/user_avatar_2.jpg",
  "waiter_avg_rating": 4.11
}
```

Database verification: read-only endpoint - no change expected.

FB-2 - POST /feedbacks ? kate leaves culinary feedback (rating 5)**PASS**

POST /feedbacks (as: kate@example.com, 1225 ms)

Request body:

```
{
  "reservation_id": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "type": "culinary",
  "rating": 5,
  "comment": "Excellent flavors, beautifully presented."
}
```

Response: HTTP 201 (expected 201)

```
{
  "message": "Feedback has been created."
}
```

Database verification:

```
[OK] feedback_cuisine: row created with rate=5 for the reservation
    before: 0 rows for this reservation
    after : 1 row(s), rate=[5]
```

FB-3 - POST /feedbacks ? kate leaves service feedback (rating 4)**PASS**

POST /feedbacks (as: kate@example.com, 715 ms)

Request body:

```
{
  "reservation_id": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "type": "service",
  "rating": 4,
  "comment": "Attentive and professional service."
}
```

Response: HTTP 201 (expected 201)

```
{
  "message": "Feedback has been created."
}
```

Database verification:

```
[OK] feedback_service: row created with rate=4 for the reservation
    before: 0 rows for this reservation
    after : 1 row(s), rate=[4]
```

FB-4 - PUT /feedbacks ? kate edits culinary feedback (5 -> 3)**PASS**

PUT /feedbacks (as: kate@example.com, 385 ms)

Request body:

```
{
  "reservation_id": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "type": "culinary",
  "rating": 3,
  "comment": "Good, but the dessert was underwhelming."
}
```

Response: HTTP 200 (expected 200)

```
{
  "message": "Feedback has been updated."
}
```

Database verification:

[OK] feedback_cuisine: rate updated 5 -> 3, row count unchanged
before: 1 row, rate=5
after : 1 row(s), rate=[3]

FB-5 - POST /feedbacks ? duplicate culinary feedback is rejected**PASS**

POST /feedbacks (as: kate@example.com, 553 ms)

Request body:

```
{
  "reservation_id": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "type": "culinary",
  "rating": 2,
  "comment": "Second culinary attempt."
}
```

Response: HTTP 409 (expected 409)

```
{
  "message": "Culinary feedback for this reservation has already been submitted."
}
```

Database verification:

[OK] feedback_cuisine: duplicate rejected; row count still 1
before: 1 row
after : 1 row(s)

FB-6 - POST /feedbacks ? waiter role is forbidden**PASS**

POST /feedbacks (as: max@example.com, 242 ms)

Request body:

```
{
  "reservation_id": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "type": "service",
  "rating": 5,
  "comment": "Waiter trying to self-review."
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Only customers can leave feedback."
}
```

FB-7 - POST /feedbacks ? rating 0 (below range) is rejected**PASS**

POST /feedbacks (as: kate@example.com, 278 ms)

Request body:

```
{
  "reservation_id": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "type": "service",
  "rating": 0
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "rating",
      "message": "Input should be greater than or equal to 1"
    }
  ]
}
```

FB-8 - POST /feedbacks ? rating 6 (above range) is rejected**PASS**

POST /feedbacks (as: kate@example.com, 225 ms)

Request body:

```
{
  "reservation_id": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "type": "service",
  "rating": 6
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "rating",
      "message": "Input should be less than or equal to 5"
    }
  ]
}
```

FB-9 - POST /feedbacks ? invalid type is rejected**PASS**

POST /feedbacks (as: kate@example.com, 233 ms)

Request body:

```
{
  "reservation_id": "7a218b27-09fb-4843-8d37-a60ce6bb240e",
  "type": "ambience",
  "rating": 4
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "type",
      "message": "Input should be 'service' or 'culinary'"
    }
  ]
}
```

FB-10 - POST /feedbacks ? missing reservation_id is rejected**PASS**

POST /feedbacks (as: kate@example.com, 247 ms)

Request body:

```
{
  "type": "culinary",
  "rating": 4
}
```

Response: HTTP 422 (expected 422)

```
{
  "errors": [
    {
      "field": "reservation_id",
      "message": "Field required"
    }
  ]
}
```

FB-11 - POST /feedbacks ? unknown reservation returns 404**PASS**

POST /feedbacks (as: kate@example.com, 297 ms)

Request body:

```
{
  "reservation_id": "c09a758b-df57-44ab-9007-9cbcb9e3eed4",
  "type": "culinary",
  "rating": 4
}
```

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation not found"
}
```

```
}
```

FB-12 - POST /feedbacks ? another customer's reservation is forbidden**PASS**

POST /feedbacks (as: kate@example.com, 368 ms)

Request body:

```
{
  "reservation_id": "f3f39b48-f752-5922-974a-cb63b3647ada",
  "type": "culinary",
  "rating": 1
}
```

Response: HTTP 403 (expected 403)

```
{
  "message": "Customers can leave feedback only for their own reservations."
}
```

FB-13 - PUT /feedbacks ? unknown reservation returns 404**PASS**

PUT /feedbacks (as: kate@example.com, 279 ms)

Request body:

```
{
  "reservation_id": "fb6290a6-ea72-4ccd-bae3-4d25d18cd4af",
  "type": "culinary",
  "rating": 4
}
```

Response: HTTP 404 (expected 404)

```
{
  "message": "Reservation not found"
}
```

FB-14 - GET /feedbacks/context/{id} ? waiter role is forbidden**PASS**

GET /feedbacks/context/7a218b27-09fb-4843-8d37-a60ce6bb240e (as: max@example.com, 242 ms)

Response: HTTP 403 (expected 403)

```
{
  "message": "Only customers can access feedback context."
}
```

Database verification: read-only endpoint - no change expected.