

American International University- Bangladesh

CSC 3215: Web Technologies

CO2 and CO4 Evaluation Finished Project Report Spring/Summer/Fall 2020-2021

Project Title: Online Tutor Finder

Section: J

Student Name	Student Id
Suhas Iftakhar	18-36059-1
MD. Ashraful Alam Sha	18-36036-1
Hridoy Chandra Deb	18-36333-1
Ommay Salma Rahman Mim	18-36021-1

Online Tutor Finder

Project Description:

This project will help to find qualified tutors from nearby locations. Tutors can also get students just by logging in the websites and create a post. In the system there are 4 entities namely Admin, Student, Teacher, Parent.

Tutor feature:

- Tutor can register and login the system.
- Tutor can create a post for finding student.
- Tutor make their profile.
- Tutor can check the post given by the students
- All the available Student and parent posts will be displayed to the tutor newsfeed.

_

Student feature:

- Student can register and login the system.
- Student can create a post for finding Tutor
- Student make their profile.
- Student can search for all available tutors.
- All the available Tutors posts will be displayed to the student newsfeed.
- Student will select a tutor matching their requirement and can send a request.

Parent feature:


- Parent can register and login the system.
- Parent can create a post for finding Tutor
- Parent make their profile.
- Parent can search for all available tutors.
- All the available Tutors posts will be displayed to the parent newsfeed.
- Parent will select a tutor matching their requirement and can send a request.

Admin feature:

- Admin can manage the tutors, student and parent
- Admin can manage the post.

Project Folder Structure:

Provide your project folder structure clearly here.



Core Modules of the Project:

Here, add THREE of your CORE modules' source code with appropriate filename as heading. (Use either consolas or courier new font for source code)

For example:



```
<link rel="stylesheet" href="SStyle.css">
                   </head>
                   <body>
<nav class="navbar navbar-expand-sm navbar-dark bg-dark ">
  <a href="#" class="navbar-brand"> ONLINE TUTOR FINDER </a>
             <a href="NewsFeed.php" class="nav-link ">
              NEWS FEED </a>
   <a href="Search.php" class="nav-link">
               SEARCH </a>
    <a href="post.php" class="nav-link">
                POST </a>
    <a href="notification.php" class="nav-</pre>
         link "> NOTIFICATION </a>
    <!-- <li class="nav-item"><a href="profile.php" class="nav-
          link "> PROFILE </a>
   <a href="logout.php" class="nav-link ">
               LOGOUT </a>
                        </nav>
                      <?php
      include 'control/database connection.php';
      $q = "SELECT * FROM `posts` ORDER BY `id` DESC";
             $query = mysqli_query($conn,$q);
         while($res = mysqli fetch array($query)){
           if($_SESSION['status'] == $res['status'] &&
           $_SESSION['status']!=3 ){
                           continue;
       elseif($_SESSION['status']==2 && $res['status']==0){
                           continue;
                           else{
                       ?>
```



```
<section class="Search_holder d-flex justify-content-center align-items-</pre>
                     center">
        <form class="Search_form p-3" action="#" method="POST">
                            <?php
                        if($res['status']==0){
                             ?>
                             <h3>Student</h3> 
                            <?php
                             ?>
                            <?php
                        if($res['status']==1){
                             ?>
                             <h3>Teacher</h3> 
                            <?php
                             ?>
                            <?php
                        if($res['status']==3){
                             ?>
                             <h1>Admin Dashboard</h1> 
                            <?php
                             ?>
                            <?php
                        if($res['status']==3){
                             ?>
                              <h3><?php echo $res['userType'] ?></h3>
                      <?php
                             ?>
                             Name 
                     :
```

```
<?php echo $res['name'] ?>
          <br>
           Subject 
      : 
 <?php echo $res['subject'] ?>
          <br>
           Class
    :    
  <?php echo $res['class'] ?> 
         <br>
           Medium
    :    
  <?php echo $res['medium'] ?> 
          <br>
          Salary
    :    
 <?php echo $res['lowSal'] ." To ".
  $res['highSal']; ?> </rap>
          <br>
          Location
    :    
 <?php echo $res['location'] ?> 
          <br>
   Preferred Institution
    :    
 <?php echo $res['institution'] ?> 
         <br>
```

```
 Deadline
                             :    
                      <?php echo $res['deadline'] ?> 
                                         <br>
               <button> <a href="control/apply.php?id=<?php
            echo $res['id']; ?>"> Apply Now </a> </button>
                                     </form>
                                 </section>
                                    <?php
          <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"</pre>
                           integrity="sha384-
      KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpq6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
                    crossorigin="anonymous"></script>
                                   <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
                           integrity="sha384-
      ApNbqh9B+Y1QKtv3Rn7W3mqPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
                    crossorigin="anonymous"></script>
                                   <script
  src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
                           integrity="sha384-
      JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYL"
                    crossorigin="anonymous"></script>
                                </body>
                                </html>
                            notification.php
                                 <?php
                            session_start();
```



```
<head>
                          <meta charset="UTF-8">
            <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-scale=1.0">
                           <title>Search</title>
                          <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
                         integrity="sha384-
    Gn5384xqQ1aoWXA+058RXPxPq6fy4IWvTNh0E263XmFcJLSAwiGqFAW/dAiS6JXm"
                       crossorigin="anonymous">
                  <link rel="stylesheet" href="SStyle.css">
                              </head>
                               <body>
          <nav class="navbar navbar-expand-sm navbar-dark bg-dark ">
             <a href="#" class="navbar-brand"> ONLINE TUTOR FINDER </a>
                         <a href="NewsFeed.php" class="nav-link ">
                         NEWS FEED </a>
              <a href="Search.php" class="nav-link">
                          SEARCH </a>
               <a href="post.php" class="nav-link">
                           POST </a>
               <a href="notification.php" class="nav-</pre>
                    link "> NOTIFICATION </a>
               <!-- <li>class="nav-item"><a href="profile.php" class="nav-
                     link "> PROFILE </a>
              class="nav-item"><a href="logout.php" class="nav-link">
                          LOGOUT </a>
                                    </nav>
    <section class="Notication holder1 d-flex justify-content-center align-</pre>
                           items-center">
            <form class="Notication_form p-5" action="#" method="POST">
                 <!-- <form action="#" class="inner"> -->
```



```
<h1 align="left" style="margin: 10px;font-size:150%"><label
                    for="">Notification</label></h1>
                                        <?php
                       include 'control/database_connection.php';
                                $id = $ SESSION['id'];
               $q = "SELECT * FROM `notification` WHERE `userId` = $id AND
                            `approve` = 0";
                           $query = mysqli_query($conn, $q);
                              if ($query->num rows > 0) {
                      $q = "SELECT notification.nid, registration.id,
        registration.userName FROM notification JOIN registration on
notification.regId=registration.id WHERE `userId`=$id AND notification.approve
                                = 0";
                             $query = mysqli query($conn, $q);
                        while ($res = mysqli_fetch_array($query)) {
                                         ?>
                                            <label for=""> <?php echo $res['userName'] ?> has
                      sent you a request </label>
                                           <button> <a style="color:black;"
href="details.php?id=<?php echo $res['id']; ?>"> Details </a> </button>
                       <button> <a style="color:black;"
   href="control/acceptReq.php?id=<?php echo $res['nid']; ?>"> Accept </a>
                            </button>
                                           >
                       <button> <a style="color:black;"
   href="control/rejectReq.php?id=<?php echo $res['nid']; ?>"> Reject </a>
                            </button>
                                           <?php
                                    ?>
```

```
<br>
                                     <?php
                               $id = $_SESSION['id'];
       $q = "SELECT * FROM `notification` WHERE `reqId` = $id AND `approve` !=
                                    0";
                         $query = mysqli_query($conn, $q);
                            if ($query->num_rows > 0) {
                  $q = "SELECT notification.nid, notification.approve,
registration.id, registration.userName FROM notification JOIN registration on
notification.userId=registration.id WHERE `regId`=$id AND notification.approve
                                  != 0";
                           $query = mysqli_query($conn, $q);
                      while ($res = mysqli_fetch_array($query)) {
                                $approve = $res['approve'];
                                   if ($approve == 1) {
                                        ?>
                                             <label for=""> <?php echo $res['userName'] ?> has
                       accepted your request </label>
                                             <button> <a style="color:black;"
href="details.php?id=<?php echo $res['id']; ?>"> Details </a> </button>
                                             <br>
                                           <?php
                                } else if ($approve == 2) {
                                            ?>
                                             <label for=""> <?php echo $res['userName'] ?> has
                    rejected your request </label> <br>
                                             <?php
                                        2>
                                    </form>
                                  </section>
```

```
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"</pre>
                               integrity="sha384-
       KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
                       crossorigin="anonymous"></script>
                                        <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
                               integrity="sha384-
       ApNbqh9B+Y1QKtv3Rn7W3mqPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
                       crossorigin="anonymous"></script>
                                        <script
   src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
                               integrity="sha384-
       JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYL"
                       crossorigin="anonymous"></script>
                                     </body>
                                     </html>
                                    post.php
                                      <?php
                                session start();
                                        ?>
                    <?php if (isset($ SESSION['result'])) {</pre>
                           if ($ SESSION['result'] == 1) {
                      echo '<script> alert("Successful") </script>';
                                       } else {
                        echo '<script> alert("Failed") </script>';
                             unset($_SESSION['result']);
                                 <!DOCTYPE html>
```

<head> <meta charset="UTF-8"> <meta http-equiv="X-UA-Compatible" content="IE=edge"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Post</title> <link rel="stylesheet"</pre> href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"

integrity="sha384-

<html lang="en">

```
Gn5384xqQ1aoWXA+058RXPxPq6fy4IWvTNh0E263XmFcJLSAwiGqFAW/dAiS6JXm"
                 crossorigin="anonymous">
            <link rel="stylesheet" href="SStyle.css">
                        </head>
                         <body>
     <nav class="navbar navbar-expand-sm navbar-dark bg-dark ">
       <a href="#" class="navbar-brand"> ONLINE TUTOR FINDER </a>
                   <a href="NewsFeed.php" class="nav-link ">
                   NEWS FEED </a>
         <a href="Search.php" class="nav-link">
                    SEARCH </a>
         <a href="post.php" class="nav-link">
                     POST </a>
         <a href="notification.php" class="nav-</pre>
               link "> NOTIFICATION </a>
         <!-- <li>class="nav-item"><a href="profile.php" class="nav-
               link "> PROFILE </a>
         <a href="logout.php" class="nav-link ">
                    LOGOUT </a>
                              </nav>
<section class="Post_holder1 d-flex justify-content-center align-items-</pre>
                        center">
       <form class="Post_form p-4" action="control/postCheck.php"</pre>
                     method="POST">
          <form action="post.php" method="POST" class="post-form">
                                  <h1 style="margin-bottom: 25px"><label
            for="">Post For Tution</label></h1>
```



```
<label for="">Medium :</label>
                                          <div class="d-flex flex-colunm">
                                                 <div class="form-check">
                                                   <input class="form-check-</pre>
input" type="radio" name="medium" id="exampleRadios1" value="Bangla" checked>
                                                   <label class="form-check-</pre>
                         label" for="exampleRadios1">
                                                                Bangla
                                                            </label>
                                                          </div>
                                                 <div class="form-check">
                                                   <input class="form-check-</pre>
input" type="radio" name="medium" id="exampleRadios1" value="English" checked>
                                                   <label class="form-check-</pre>
                         label" for="exampleRadios1">
                                                               English
                                                            </label>
                                                          </div>
                                                 <div class="form-check">
                                                   <input class="form-check-</pre>
input" type="radio" name="medium" id="exampleRadios1" value="Others" checked>
                                                   <label class="form-check-</pre>
                         label" for="exampleRadios1">
                                                                Others
                                                            </label>
                                                          </div>
                                                       </div>
                                                     </br>
                                               >
                                           <label for="">Preferred Subject
                              :</label></br></br>
                                        <label for=""> <input type="checkbox"</pre>
          name="prefSub[]" value="Bangla"> Bangla </input></label>
                                        <label for=""> <input type="checkbox"</pre>
          name="prefSub[]" value="English"> English </input></label>
```

```
<label for=""> <input type="checkbox"</pre>
           name="prefSub[]" value="Math"> Math </input></label>
                                       <label for=""> <input type="checkbox"</pre>
         name="prefSub[]" value="Physic"> Physic </input></label>
                                       <label for=""> <input type="checkbox"</pre>
            name="prefSub[]" value="ICT"> ICT </input></label>
                                       <label for=""> <input type="checkbox"</pre>
      name="prefSub[]" value="Chemistry"> Chemistry </input></label>
                                       <label for=""> <input type="checkbox"</pre>
        name="prefSub[]" value="Biology"> Biology </input></label>
                                       <label for=""> <input type="checkbox"</pre>
       name="prefSub[]" value="Religion"> Religion </input></label>
                                       <label for=""> <input type="checkbox"</pre>
name="prefSub[]" value="General Science"> General Science </input></label>
                                                     </br></br>
                                       <label for=""> <input type="checkbox"</pre>
      name="prefSub[]" value="Economics"> Economics </input></label>
                                       <label for=""> <input type="checkbox"</pre>
     name="prefSub[]" value="Statistics"> Statistics </input></label>
                                       <label for=""> <input type="checkbox"</pre>
name="prefSub[]" value="Social Science"> Social Science </input></label>
                                       <label for=""> <input type="checkbox"</pre>
        name="prefSub[]" value="Finance"> Finance </input></label>
                                       <label for=""> <input type="checkbox"</pre>
        name="prefSub[]" value="History"> History </input></label>
                                        <label for=""><input type="checkbox"</pre>
     name="prefSub[]" value="Accounting"> Accounting </input></label>
                                                     </br>
                                              <label for="">Class:</label>
                                               <select name="class">
                                                      <label for="">
                                                             <option
                          value="One">One</option>
                                                         </label>
                                                      <label for="">
                                                             <option
                          value="Two">Two</option>
                                                         </Label>
                                                      <label for="">
                                                             <option
                        value="Three">Three</option>
```

```
</label>
                               <label for="">
                                     <option
  value="Four">Four</option>
                                  </label>
                               <label for="">
                                     <option
  value="Five">Five</option>
                                  </label>
                               <label for="">
                                     <option
   value="six">six</option>
                                  </label>
                               <label for="">
                                     <option
value="Seven">Seven</option>
                                  </label>
                               <label for="">
                                     <option
value="Eight">Eight</option>
                                  </label>
                               <label for="">
                                     <option
  value="Nine">Nine</option>
                                  </label>
                               <label for="">
                                     <option
   value="Ten">Ten</option>
                                  </label>
                               <label for="">
                                     <option
value="Eleven">Eleven</option>
                                  </label>
                               <label for="">
                                     <option
value="Twelve">Twelve</option>
                                  </label>
                               </select>
                        <?php echo "&nbsp"; ?>
                   <label for="">Location:</label>
                       <select name="location">
                               <label for="">
                                     <option
value="Badda">Badda</option>
                                  </label>
                               <label for="">
```

```
<option
   value="Nikunjo">Nikunjo</option>
                                     </label>
                                  <label for="">
                                        <option
    value="Basabo">Basabo</option>
                                     </label>
                                  <label for="">
                                        <option
   value="Gulshan">Gulshan</option>
                                     </label>
                                  <label for="">
                                        <option
value="Mohammodpur">Mohammodpur</option>
                                     </label>
                                  <label for="">
                                        <option
    value="Banani">Banani</option>
                                     </label>
                                  <label for="">
                                        <option
  value="khilkhet">khilkhet</option>
                                     </label>
                                  </select>
                                 </br>
                           >
                    <label for="">Salary Range : </label>
                         <select name="salRangeLow">
                                  <label for="">
                                        <option
      value="1000">1000</option>
                                     </label>
                                  <label for="">
                                        <option
      value="2000">2000</option>
                                     </label>
                                  <label for="">
                                        <option
      value="3000">3000</option>
                                     </label>
```

```
</select>
               <?php echo "&nbsp" . "<label> To
 </label>" . "&nbsp"; ?>
                 <select name="salRangeHigh">
                           <label for="">
                                 <option
value="2000">2000</option>
                              </label>
                           <label for="">
                                 <option
value="3000">3000</option>
                              </label>
                           <label for="">
                                 <option
value="4000">4000</option>
                              </label>
                           <label for="">
                                 <option
value="5000">5000</option>
                              </label>
                           <label for="">
                                 <option
value="6000">6000</option>
                              </label>
                           <label for="">
                                 <option
value="7000">7000</option>
                              </label>
                           </select>
                          </br>
                    ><label for="">Preferred
  Institution:</label>
                    <select name="prefIns">
                           <label for="">
                                 <option
value="Buet">Buet</option>
                              </label>
                           <label for="">
                                 <option
value="Aiub">Aiub</option>
```

```
<label for="">
                                                 <option
                    value="NSU">NSU</option>
                                              </label>
                                            <label for="">
                                                 <option
                    value="IUB">IUB</option>
                                              </label>
                                            <label for="">
                                       <option value="DU">DU</option>
                                               </label>
                                            <label for="">
                                                 <option
                    value="Any">Any</option>
                                              </label>
                                            </select>
                                           </br>
                                     <label for="">Preferable Time : </label>
                              <input type="time" id="Preferable Time "</pre>
                        name="prefTime">
                                           </br>
                                     <label for="">Deadline : </label>
                                 <input type="date" id="Deadline "</pre>
                        name="deadLine">
                                           </br>
                                     <button type="submit"
style="transform:translate(300%,-40%)" name="submit">Post</button>
```

</label>

```
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"</pre>
                               integrity="sha384-
       KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
                       crossorigin="anonymous"></script>
                                             <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
                               integrity="sha384-
       ApNbqh9B+Y1QKtv3Rn7W3mqPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
                       crossorigin="anonymous"></script>
                                             <script
   src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
                               integrity="sha384-
       JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYL"
                       crossorigin="anonymous"></script>
                                     </body>
                                     </html>
```