S1: Project and Files

```
C:\demo\jsmarch24\L11>npx create-react-app p2_fb_app
C:\demo\jsmarch24\L11>cd p2_fb_app
C:\demo\jsmarch24\L11\p2_fb_app>npm install firebase
C:\demo\jsmarch24\L11\p2_fb_app>cd src
C:\demo\jsmarch24\L11\p2_fb_app\src>notepad Feedback.js
C:\demo\jsmarch24\L11\p2_fb_app\src>notepad Firebase.js
C:\demo\jsmarch24\L11\p2_fb_app\src>cd..
C:\demo\jsmarch24\L11\p2_fb_app>npm start
```

S2: Coding

Feedback.js

```
import { useState, useRef } from "react";
import db from "./Firebase";
import { ref, set } from "firebase/database";
function Feedback()
       const rName = useRef();
        const [name, setName] = useState("");
        const [feedback, setFeedback] = useState("excellent");
       const hName = (event) => { setName(event.target.value); }
        const hFeedback = (event) => { setFeedback(event.target.value); }
       const save = (event) => {
               event.preventDefault();
                let data = { name, feedback};
                let node = name + " --> " + new Date().toString();
                let r = ref(db, "student/" + node);
                set(r, data);
                alert("Thank u for Feedback");
               setName("");
                setFeedback("excellent");
               rName.current.focus();
```

```
return(
        <>
       <center>
               <h1> Feedback Please </h1>
               <form onSubmit={save}>
               <input type="text" placeholder="enter ur name"</pre>
               onChange={hName} value={name} ref={rName} />
               <br/><br/>
               <input type="radio" name="f" value="excellent" defaultChecked={true}</pre>
               onChange={ hFeedback} checked={ feedback == "excellent" } /> Excellent
               <input type="radio" name="f" value="good"</pre>
               onChange = { hFeedback } /> Good
               <input type="radio" name="f" value="ok"
               onChange = { hFeedback } /> Ok
               <br/><br/>
               <input type="submit"/>
               </form>
       </center>
        </>
export default Feedback;
Firebase.js
import { initializeApp } from "firebase/app";
import { getDatabase } from "firebase/database";
const firebaseConfig = {
 apiKey: "AlzaSyBnKWPOufWbyXyxZtBBhKiFpN0SAZKij8U",
 authDomain: "fbapp27march24.firebaseapp.com",
 databaseURL: "https://fbapp27march24-default-rtdb.firebaseio.com",
 projectId: "fbapp27march24",
 storageBucket: "fbapp27march24.appspot.com",
 messagingSenderld: "391140293283",
 appld: "1:391140293283:web:e2c724ff254a3be7fadd16"
const app = initializeApp(firebaseConfig);
const db = getDatabase(app);
export default db;
```