```
S1:
       Project and Files
       C:\demo\jsmarch24\L8>npx create-react-app p2_languages_app
       C:\demo\jsmarch24\L8>cd p2_languages_app
       C:\demo\jsmarch24\L8\p2_languages_app>cd src
       C:\demo\jsmarch24\L8\p2_languages_app\src>notepad Languages.js
       C:\demo\jsmarch24\L8\p2_languages_app\src>cd..
       C:\demo\jsmarch24\L8\p2_languages_app>npm start
        Coding
S2:
Languages.js
import { useState } from "react";
function Languages()
       const [name, setName] = useState("");
       const [javascript, setJavascript] = useState(false);
       const [java, setJava] = useState(false);
       const [python, setPython] = useState(false);
       const [msg, setMsg] = useState("");
       const hName = (event) => { setName(event.target.value); }
       const hJavascript = (event) => { setJavascript(!javascript); }
       const hJava = (event) => { setJava( !java); }
       const hPython = (event) => { setPython(!python); }
       const show = (event) => {
               event.preventDefault();
               let lang = "";
                                       lang += " JavaScript ";
               if (javascript)
                               lang += "Java ";
               if (java)
                                       lang += " Python ";
               if (python)
               let ans = "name = " + name + " languages = " + lang;
               setMsg(ans);
```

```
return(
<>
<center>
       <h1> Languages You Know </h1>
       <form onSubmit={ show }>
       <input type="text" placeholder="enter name"</pre>
       onChange={hName} />
       <br/><br/>
       <input type="checkbox" onChange={hJavascript}/> JavaScript
       <input type="checkbox" onChange={hJava}/> Java
       <input type="checkbox" onChange={hPython}/> Python
       <br/><br/>
       <input type="submit" />
       </form>
       <h2> { msg } </h2>
</center>
</>
export default Languages;
App.js
import logo from './logo.svg';
import './App.css';
import Languages from "./Languages";
function App() {
 return (
       <Languages/>
export default App;
```

```
App.css
font-size:3vw;
font-family: Century;
body
background-color:MediumSeaGreen;
input[type=checkbox]
width:3%;
height:0.5em;
```

S0: C:\demo\jsmarch24\L8\p1_feedback_app>npm install-g firebase-tools S1: C:\demo\jsmarch24\L8\p1_feedback_app>npm run build S2: C:\demo\jsmarch24\L8\p1_feedback_app>firebase login S3: C:\demo\jsmarch24\L8\p1_feedback_app>firebase init ? Are you ready to proceed? Yes Using down arrow key \rightarrow select hosting and space bar and enter Create new project ? Please specify a unique project id (warning: cannot be modified afterward) [6-30 characters]: feedback20march24 ? What would you like to call your project? (defaults to your project ID) 👈 press enter key ? What do you want to use as your public directory? build ? Configure as a single-page app (rewrite all urls to /index.html)? Yes ? Set up automatic builds and deploys with GitHub? No ? File build/index.html already exists. Overwrite? No **S4**: C:\demo\jsmarch24\L8\p1_feedback_app>firebase deploy