```
C:\demo\jsmarch24\L11>npx create-react-app p1_ss_app
       C:\demo\jsmarch24\L11>cd p1_ss_app
       C:\demo\jsmarch24\L11\p1_ss_app>npm install firebase
       C:\demo\jsmarch24\L11\p1_ss_app>cd src
       C:\demo\jsmarch24\L11\p1_ss_app\src>notepad Success.js
       C:\demo\jsmarch24\L11\p1_ss_app\src>notepad Firebase.js
       C:\demo\jsmarch24\L11\p1_ss_app\src>cd..
       C:\demo\jsmarch24\L11\p1_ss_app>npm start
S2:
       Coding
Success.js
import { useState, useRef } from "react";
import db from "./Firebase";
import { ref, set } from "firebase/database";
function Success()
       const rName = useRef();
       const [name, setName] = useState("");
       const [company, setCompany] = useState("");
       const [pkg, setPkg] = useState("");
       const [msg, setMsg] = useState("");
       const hName = (event) => { setName(event.target.value); }
       const hCompany = (event) => { setCompany(event.target.value); }
       const hPkg = (event) => { setPkg(event.target.value); }
       const save = (event) => {
               event.preventDefault();
               let data = {name, company, pkg};
               let node = name + " --> " + new Date().toString();
               let r = ref(db, "student/" + node);
               set(r, data);
               setMsg("congrats");
               setName("");
               setCompany("");
               setPkg("");
               rName.current.focus();
```

Project and Files

S1:

```
return(
<>
<center>
       <h1> Success Story App </h1>
       <form onSubmit={ save }>
       <input type="text" placeholder="enter your name"</pre>
       onChange={ hName } value={ name } ref={ rName }/>
       <br/><br/>
       <input type="text" placeholder="enter company name"</pre>
       onChange={ hCompany } value={ company } />
       <br/><br/>
       <input type="number" step="any" placeholder="enter package"</pre>
       onChange={ hPkg } value={ pkg } />
       <br/><br/>
       <input type="submit" />
       <br/><br/>
       </form>
       <h2> { msg } </h2>
</center>
export default Success;
```

```
Firebase.js
```

```
import { initializeApp } from "firebase/app";
import { getDatabase } from "firebase/database";
const firebaseConfig = {
 apiKey: "AlzaSyC5_48Ej2VCsfsMpoDlin43Mi2XFmZ7azk",
 authDomain: "ssapp27march24.firebaseapp.com",
 databaseURL: "https://ssapp27march24-default-rtdb.firebaseio.com",
 projectId: "ssapp27march24",
 storageBucket: "ssapp27march24.appspot.com",
 messagingSenderld: "1052517698404",
 appld: "1:1052517698404:web:7d06f8743823b5157b4871"
const app = initializeApp(firebaseConfig);
const db = getDatabase(app);
export default db;
App.js
import logo from './logo.svg';
import './App.css';
import Success from "./Success";
function App() {
 return (
        <Success/>
export default App;
App.css
font-size:2vw;
body
background-color:lightyellow;
```