```
S1:
       Project and Files
       C:\demo\jsmarch24\L11>npx create-react-app p3_lang_app
       C:\demo\jsmarch24\L11>cd p3_lang_app
       C:\demo\jsmarch24\L11\p3_lang_app>npm install firebase
       C:\demo\jsmarch24\L11\p3_lang_app>cd src
       C:\demo\jsmarch24\L11\p3_lang_app\src>notepad Languages.js
       C:\demo\jsmarch24\L11\p3_lang_app\src>notepad Firebase.js
       C:\demo\jsmarch24\L11\p3_lang_app\src>cd...
       C:\demo\jsmarch24\L11\p3_lang_app\src>npm start
S2:
        Coding
Languages.js
import { useState, useRef } from "react";
import db from "./Firebase";
import { ref, set } from "firebase/database";
function Languages()
       const rName = useRef();
       const [name , setName] = useState("");
       const [python, setPython] = useState(false);
       const [java, setJava] = useState(false);
       const [js, setJs] = useState(false);
       const hName = (event) => { setName(event.target.value); }
       const hPython = (event) => { setPython(! python); }
       const hJava = (event) => { setJava(! java); }
       const hJs = (event) => { setJs(! js); }
       const save = (event) => {
               event.preventDefault();
               let languages = "";
               if (python) | languages = languages + " Python ";
               if (java) languages = languages + " Java ";
                               languages = languages + " JS ";
               if (js)
               let data = { name, languages};
                let node = name + "-->" + new Date().toString();
               let r = ref(db, "student/" + node);
               set(r, data);
               alert("Thank u");
                setName("");
                setPython(false);
                setJava(false);
                setJs(false);
                rName.current.focus();
```

```
return(
               <>
               <center>
                      <h1> Languages You Know </h1>
                       <form onSubmit={ save }>
                       <input type="name" placeholder="enter ur name"</pre>
                      onChange={ hName} value={name} ref={rName}/>
                       <br/><br/>
                       <input type="checkbox" onChange={hPython} checked={python} /> Python
                       <input type="checkbox" onChange={hJava} checked={java}/> Java
                       <input type="checkbox" onChange={hJs} checked={js} /> Js
                       <br/><br/>
                       <input type="submit" />
                       </form>
               </center>
               </>
export default Languages;
Firebase.js
import { initializeApp } from "firebase/app";
import { getDatabase } from "firebase/database";
const firebaseConfig = {
 apiKey: "AlzaSyALrOQb3eipJUeKzUWseBR_6f5Bf4FF8_E",
 authDomain: "languageskamal27march24.firebaseapp.com",
 databaseURL: "https://languageskamal27march24-default-rtdb.firebaseio.com",
 projectId: "languageskamal27march24",
 storageBucket: "languageskamal27march24.appspot.com",
 messagingSenderld: "33618173639",
 appld: "1:33618173639:web:5e13569b50857a7ccfe8e2"
const app = initializeApp(firebaseConfig);
const db = getDatabase(app);
export default db;
App.js
import logo from './logo.svg';
import './App.css';
import Languages from "./Languages";
function App() {
 return
       <Languages/>
export default App;
```