



IBM Developer
SKILLS NETWORK

Winning Space Race with Data Science

Hrishikesh Reddy Papasani
9th June 2023



Outline

- Executive Summary
- Introduction
- Methodology
- Results
- Conclusion
- Appendix

Executive Summary

- **Following methodologies were used to analyze data:**
 - Data collection from SpaceX REST API and web scraping
 - Exploratory Data Analysis (Data cleaning, Data exploration & Data Visualization)
 - Machine Learning model (feature engineering, data scaling, hyperparameter tuning)
- **Summary of all results:**
 - Required data was available on the internet
 - Exploratory data analysis helped understand key patterns in data along with recognizing important features for machine learning model development
 - Machine learning models enabled us to predict landing outcome based of existing data

Introduction

- Objective: To evaluate if SpaceY could compete against SpaceX
- Questions we are looking answers for:
 - Which type of rockets have higher landing success rates?
 - What are the ideal parameters of rockets for different requirements?
 - What are the ideal launch sites with higher success rates?
 - What are the optimal landing methods?

Section 1

Methodology

Methodology

Executive Summary

- Data collection methodology:
 - Data was collected from 2 sources:
 - SpaceX REST API
 - Wikipedia
- Perform data wrangling
 - Null values were dealt with and insignificant features were removed. After summarization of features, a new categorical target variable for landing outcome was created for further Machine Learning model development.

Methodology

- Performed exploratory data analysis (EDA) using visualization and SQL
- Performed interactive visual analytics using Folium and Plotly Dash
- Performed predictive analysis using classification models
 - After data was processed, it was scaled and split into 2 parts (Features & Target) which was fed to 4 major classification models. All models were optimized with Hyperparameter tuning. They were properly tested and evaluated.

Data Collection

- Data sets were collected from SpaceX API and Wikipedia.
 - SpaceX API: <https://api.spacexdata.com/v4/rockets/>
 - Wikipedia: https://en.wikipedia.org/wiki/List_of_Falcon_9_and_Falcon_Heavy_launches


Data Collection – SpaceX API

- We use a public API that enables us to extract data regarding Falcon rocket launches.
- Flowchart illustrates how API was used, continued by further data preprocessing methods.
- Source code: [API Data collection notebook](#)




Data Collection - Scraping

- Data was also collected from Wikipedia through Web Scraping.
- This was enabled by Python libraries like requests and beautiful soup.
- Source code: [Web scraping notebook](#)



Data Wrangling


- A proper data frame is constructed from the data collected.
- Exploratory data analysis (EDA) is performed on the data frame.
- After summarization, a new 'landing' outcome label was created from existing outcome column.



Source code: [Data wrangling notebook](#)

EDA with Data Visualization

- Different scatterplots, bar graphs and line graphs were used to explore data and visualize the relationship between different features.



Refer source code: [Data visualisation notebook](#)

EDA with SQL

- The following SQL queries were performed:
 - Names of the unique launch sites in the space mission
 - Top 5 launch sites whose name begin with the string 'CCA'
 - Total payload mass carried by boosters launched by NASA (CRS)
 - Average payload mass carried by booster version F9 v1.1
 - Date when the first successful landing outcome in ground pad was achieved
 - Names of the boosters which have success in drone ship and have payload mass between 4000 and 6000 kg
 - Total number of successful and failure mission outcomes
 - Names of the booster versions which have carried the maximum payload mass;
 - Failed landing outcomes in drone ship, their booster versions, and launch site names for in year 2015
 - Rank of the count of landing outcomes (such as Failure (drone ship) or Success (ground pad)) between the date 2010-06-04 and 2017-03-20.

Build an Interactive Map with Folium


- Markers, circles, lines and marker clusters were used with Maps
 - Markers indicate different launch sites
 - Circles indicate highlighted areas around specific coordinates, like NASA Johnson Space Centre
 - Marker clusters indicate groups of events in each coordinate, like launches in a launch site
 - Lines are used to indicate distances between two relevant coordinates.
- Source code: [Folium maps notebook](#)

Build a Dashboard with Plotly Dash

- The following graphs and plots were used to visualize data
 - Percentage of launches by site
 - Payload range
- This combination enabled us to analyse the relation between payloads and launch sites, helping to identify the best place to launch according to payloads.
- Source code: [Dashboard application](#)

Predictive Analysis (Classification)

- Four models on 4 namely: Logistic regression, Decision tree, Support vector machine and K-nearest neighbors were trained and tested.
- All are trained and tested over different combinations of parameters. Optimal parameters are chosen for each model and the model with the highest accuracy is finally chosen



Source code selected: [Model building notebook](#)

Results

- Space X uses 4 different launch sites
- Most amount of payloads have been sent to Geostationary transfer orbit (GTO)
- The first successful landing outcome occurred in 2015, five years after the first launch
- Drone ships are most extensively used for landing rockets.
- Many Falcon 9 booster versions having payload above the average were successful at landing in drone ships
- All 5 landing attempts of flights that sent payloads to SSO (Sun-synchronous orbit) were successful.
- Flights with top 3 largest payloads have gone to VLEO (Very low earth orbit) and a majority of recent Falcon 9 flights also delivered payloads in the VLEO region
- Cape Canaveral launch site (CCAFS SLC-40) is the most used extensively used launch site by SpaceX.
- Two booster versions failed at landing in drone ships in 2015: F9 v1.1 B1012 and F9 v1.1 B1015;
- Landing success rates have consistently improved over the years.


Results

- All launch sites are in safe places (near sea) and have a good logistic infrastructure around.
- Most launches occur at east coast launch sites.



Results

- Support vector machine works best to predict successful landings overall having an accuracy of around 84% and similar test data accuracy.




The background of the slide is an abstract composition. It features a solid blue area on the left side, which transitions into a dynamic pattern of diagonal streaks in shades of blue, red, and cyan on the right. A faint, light-blue grid or mesh pattern is overlaid across the entire image, particularly visible in the blue and cyan areas.

Section 2


Insights drawn from EDA

Flight Number vs. Launch Site



- From the plot above, we can see that CCAFS SLC-40 is the most used site with also the most success
- In second place VAFB SLC4E and third place KSC LC 39A
- We can further observe that the general success rate improved over time.

Payload vs. Launch Site




- Payloads over 9,000kg have great success rates
- Payloads over 12,000kg have been sent only from CCAFS SLC40 and KSC LC 39A launch sites.


Success Rate vs. Orbit Type

- The highest success rates in orbits:

- ES-L1
- GEO
- HEO
- ...




Flight Number vs. Orbit Type



- Success rate improved over time in all orbits
- VLEO orbit seems to be a new business opportunity, due to recent increase in its frequency.


Payload vs. Orbit Type



- There is no relation between payload and success rate to orbit GTO
- The largest payloads have been sent to VLEO
- There are very few launches to the orbits SO and GEO.

Launch Success Yearly Trend

- There was no success (or attempts) of landings in the first three years.
- Success rate started increasing in 2013 and kept until recent times.



All Launch Site Names

- According to data, there are four launch sites:

| Launch Site |
|--------------|
| CCAFS LC-40 |
| CCAFS SLC-40 |
| KSC LC-39A |
| VAFB SLC-4E |

- The above are obtained by selecting unique occurrences of “launch_site” values from the dataset.

Launch Site Names Begin with 'CCA'

- 5 records where launch sites begin with 'CCA':

| Date | Time UTC | Boost er Versio n | Launch Site | Payload | Payloa d Mass kg | Orbit | Customer | Mission Outcom e | Landin g Outcom e |
|------------|----------|----------------------------|---------------------|---|---------------------------|-----------|--------------------|------------------------|----------------------------|
| 2010-06-04 | 18:45:00 | F9 v1.0 B0003 | CCA FS LC-40 | Dragon Spacecraft Qualification Unit | 0 | LEO | SpaceX | Success | Failure (parachute) |
| 2010-12-08 | 15:43:00 | F9 v1.0 B0004 | CCA FS LC-40 | Dragon demo flight C1, two CubeSats, barrel of Brouere cheese | 0 | LEO (ISS) | NASA (COTS) NRO | Success | Failure (parachute) |
| 2012-05-22 | 07:44:00 | F9 v1.0 B0005 | CCA FS LC-40 | Dragon demo flight C2 | 525 | LEO (ISS) | NASA (COTS) | Success | No attempt |
| 2012-10-08 | 00:35:00 | F9 v1.0 B0006 | CCA FS LC-40 | SpaceX CRS-1 | 500 | LEO (ISS) | NASA (CRS) | Success | No attempt |
| 2013-03-01 | 15:10:00 | F9 v1.0 B0007 | CCA FS LC-40 | SpaceX CRS-2 | 677 | LEO (ISS) | NASA (CRS) | Success | No attempt |

Total Payload Mass

- Total payload carried by boosters from NASA:

| Total Payload (kg) |
|-----------------------|
| 111.268 |

- We arrived at the number above by summing all payloads whose codes contain 'CRS', which corresponds to NASA.

Average Payload Mass by F9 v1.1

- Average payload mass carried by booster version F9 v1.1:

| Avg Payload (kg) |
|------------------|
| 2.928 |

- We came to this number by filtering data by the booster version and calculating average payload mass.

First Successful Ground Landing Date

- First successful landing outcome on ground pad:

| Min Date |
|------------|
| 2015-12-22 |

- By filtering data based on landing outcome (on ground pad) and getting the minimum value for date we identified the first occurrence.

Successful Drone Ship Landing with Payload between 4000 and 6000

- Boosters which have successfully landed on drone ship and had payload mass greater than 4000 and less than 6000:

| Booster Version |
|-----------------|
| F9 FT B1021.2 |
| F9 FT B1031.2 |
| F9 FT B1022 |
| F9 FT B1026 |

- Selecting distinct booster versions based on the filters above, we arrived at these results.

Total Number of Successful and Failure Mission Outcomes

- Number of successful and failure mission outcomes:

| Mission Outcome | Occurrences |
|----------------------------------|-------------|
| Success | 99 |
| Success (payload status unclear) | 1 |
| Failure (in flight) | 1 |

- Grouping mission outcomes and counting records for each group led us to the result above.

Boosters Carried Maximum Payload

- Boosters which have carried the maximum payload mass

| Booster Version (...) |
|--------------------------|
| F9 B5 B1048.4 |
| F9 B5 B1048.5 |
| F9 B5 B1049.4 |
| F9 B5 B1049.5 |
| F9 B5 B1049.7 |
| F9 B5 B1051.3 |

| Booster Version |
|-----------------|
| F9 B5 B1051.4 |
| F9 B5 B1051.6 |
| F9 B5 B1056.4 |
| F9 B5 B1058.3 |
| F9 B5 B1060.2 |
| F9 B5 B1060.3 |

- These are the boosters which have carried the maximum payload mass registered in the dataset.

2015 Launch Records

- Failed landing outcomes in drone ships, their booster versions, and launch site names for the year 2015

| Booster Version | Launch Site |
|-----------------|-------------|
| F9 v1.1 B1012 | CCAFS LC-40 |
| F9 v1.1 B1015 | CCAFS LC-40 |

- The list above has the only two occurrences.

Rank Landing Outcomes Between 2010-06-04 and 2017-03-20

- Ranking of all landing outcomes between the dates 2010-06-04 and 2017-03-20:

| Landing Outcome | Occurrences |
|------------------------|-------------|
| No attempt | 10 |
| Failure (drone ship) | 5 |
| Success (drone ship) | 5 |
| Controlled (ocean) | 3 |
| Success (ground pad) | 3 |
| Failure (parachute) | 2 |
| Uncontrolled (ocean) | 2 |
| Precluded (drone ship) | 1 |

A satellite view of Earth from space, showing the curvature of the planet and city lights at night. The image is a composite of a solid blue left half and a satellite photograph of the Earth's right half. The satellite image shows the horizon of the Earth, with a thin layer of atmosphere and a dense network of city lights visible at night. The lights are concentrated in the lower right quadrant, showing a clear pattern of urban development.

Section 3

Launch Sites Proximities Analysis

All launch sites



- Launch sites are present on the eastern and western coasts with most launches occurring at the eastern coast.


Launch outcomes by Site

- Example of KSC LC-39A launch site launch outcomes



- Green markers indicate success and red ones indicate failure.

Logistics and safety



- Launch site KSCLC-39A has good logistical aspects, railroads and roads are present while being relatively far from any population centers.



Section 4

Build a Dashboard with Plotly Dash


Successful launches by Site

SpaceX Launch Records Dashboard

All Sites

✕


Total Success Launches By Site



- The site from where launches are done is a very important factor for success of different missions.

Launch success ratio for KSC LC-39A

Total Launches for site KSC LC-39A




- Almost 77% of launches are successful in this site.

Payload vs Launch outcome

Payload range (Kg):



All sites - payload mass between 1,000kg and 10,000kg




- Payloads under 6,000kg and FT boosters are the most successful combination.

Payload vs Launch outcome

Payload range (Kg):



All sites - payload mass between 7,000kg and 10,000kg



- There's not enough data to estimate risk of launches over 7,000kg




Section 5


Predictive Analysis (Classification)

Classification Accuracy

- Four classification models were tested.
- Support Vector Machine provides the highest accuracy with test and overall accuracies of around 84%.



Confusion Matrix



- Confusion matrix of Decision Tree Classifier illustrates high accuracy by showing the higher values of true positive and true negative compared to the false ones.

Conclusions

- Data was extracted from multiple sources and properly analyzed
- Launches with payloads above 7,000 kgs have higher success rates.
- Biggest payloads usually go to VLEO.
- Landing success rates consistently improved over time taking in consideration the evolution of rocket system technologies.
- Decision Tree Classifier provides most accurate predictions of the landing outcomes based of the existing data

Appendix

- For consistent accuracy results for models across different runs, set any value to `np.random.seed()` or use Cross validation.
- Data cutoff is 2020. Improved results & conclusions can be achieved given newer data considering the large amount of major advancements and feats in the recent times.
- Github link to the entire project: [SpaceX Falcon project](#)

Thank you!

